PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷:
C07H 21/04, C07K 1/00, 14/00, C12N 1/21, 15/00, 15/09, 15/63, 15/70, C12P 19/34

(11) International Publication Number:

WO 00/52027

(43) International Publication Date:

8 September 2000 (08.09.00)

(21) International Application Number:

PCT/US00/05432

A1

(22) International Filing Date:

2 March 2000 (02.03.00)

(30) Priority Data:

60/122,389 2 March 1999 (02.03.99) US 60/126,049 23 March 1999 (23.03.99) US 60/136,744 28 May 1999 (28.05.99) US

(71) Applicant: LIFE TECHNOLOGIES, INC. [US/US]; 9800 Medical Center Drive, Rockville, MD 20850 (US).

(72) Inventors: HARTLEY, James, L.; 7409 Hillside Drive, Frederick, MD 21702 (US). BRASCH, Michael, A.; 20931 Sunnyacres Road, Gaithersburg, MD 20882 (US). TEMPLE, Gary, F.; 114 Ridge Road, Washington Grove, MD 20882 (US). CHEO, David; 2006 Baltimore Road, #21, Rockville, MD 20851 (US).

(74) Agents: ESMOND, Robert, W. et al.; Sterne, Kessler, Goldstein & Fox P.L.L.C., Suite 600, 1100 New York Avenue, N.W., Washington, DC 20005-3934 (US). (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report. With an indication in relation to deposited biological material furnished under Rule 13bis separately from the description.

(54) Title: COMPOSITIONS AND METHODS FOR USE IN RECOMBINATIONAL CLONING OF NUCLEIC ACIDS

(57) Abstract

The present invention relates generally to compositions and methods for use in recombinational cloning of nucleic acid molecules. In particular, the invention relates to nucleic acid molecules encoding one or more recombination sites or portions thereof, to nucleic acid molecules comprising one or more of these recombination site nucleotide sequences and optionally comprising one or more additional physical or functional nucleotide sequences. The invention also relates to vectors comprising the nucleic acid molecules of the invention, to host cells comprising the vectors or nucleic acid molecules of the invention, to methods of producing polypeptides using the nucleic acid molecules of the invention, and to polypeptides encoded by these nucleic acid molecules or produced by the methods of the invention. The invention also relates to antibodies that bind to one or more polypeptides of the invention or epitopes thereof. The invention also relates to the use of these compositions in methods for recombinational cloning of nucleic acids, in vitro and in vivo, to provide chimeric DNA molecules that have particular characteristics and/or DNA segments.

Document AP20 Appl. No. 09/732,914

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM AT AU AZ	Armenia Austria Australia	FI FR	Finland	LT	Lithuania	SK	Slovenia Slovakia
AU AZ		FR					SIDVAKIA
AZ	Anetralia		France	LU	Luxembourg	SN	Senegal
	Ausuana	GA	Gabon	LV	Latvia	SZ	Swaziland
	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

10

15

20

25

30

Compositions and Methods for Use in Recombinational Cloning of Nucleic Acids

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates generally to recombinant DNA technology. More particularly, the present invention relates to compositions and methods for use in recombinational cloning of nucleic acid molecules. The invention relates specifically to nucleic acid molecules encoding one or more recombination sites or one or more partial recombination sites, particularly attB, attP, attL, and attR, and fragments, mutants, variants and derivatives thereof. The invention also relates to such nucleic acid molecules wherein the one or more recombination site nucleotide sequences is operably linked to the one or more additional physical or functional nucleotide sequences. The invention also relates to vectors comprising the nucleic acid molecules of the invention, to host cells comprising the vectors or nucleic acid molecules of the invention, to methods of producing polypeptides and RNAs encoded by the nucleic acid molecules of the invention, and to polypeptides encoded by these nucleic acid molecules or produced by the methods of the invention, which may be fusion proteins. The invention also relates to antibodies that bind to one or more polypeptides of the invention or epitopes thereof, which may be monoclonal or polyclonal antibodies. The invention also relates to the use of these nucleic acid molecules, vectors, polypeptides and antibodies in methods for recombinational cloning of nucleic acids, in vitro and in vivo, to provide chimeric DNA molecules that have particular characteristics and/or DNA segments. More particularly, the antibodies of the invention may be used to identify and/or purify proteins or fusion proteins encoded by the nucleic acid molecules or vectors of the invention, or to identify and/or purify the nucleic acid molecules of the invention.

10

15

20

25

30

Related Art

Site-specific recombinases. Site-specific recombinases are proteins that are present in many organisms (e.g. viruses and bacteria) and have been characterized to have both endonuclease and ligase properties. These recombinases (along with associated proteins in some cases) recognize specific sequences of bases in DNA and exchange the DNA segments flanking those segments. The recombinases and associated proteins are collectively referred to as "recombination proteins" (see, e.g., Landy, A., Current Opinion in Biotechnology 3:699-707 (1993)).

Numerous recombination systems from various organisms have been described. See, e.g., Hoess et al., Nucleic Acids Research 14(6):2287 (1986); Abremski et al., J. Biol. Chem. 261(1):391 (1986); Campbell, J. Bacteriol. 174(23):7495 (1992); Qian et al., J. Biol. Chem. 267(11):7794 (1992); Araki et al., J. Mol. Biol. 225(1):25 (1992); Maeser and Kahnmann Mol. Gen. Genet. 230:170-176) (1991); Esposito et al., Nucl. Acids Res. 25(18):3605 (1997).

Many of these belong to the integrase family of recombinases (Argos et al. EMBO J. 5:433-440 (1986); Voziyanov et al., Nucl. Acids Res. 27:930 (1999)). Perhaps the best studied of these are the Integrase/att system from bacteriophage λ (Landy, A. Current Opinions in Genetics and Devel. 3:699-707 (1993)), the Cre/loxP system from bacteriophage P1 (Hoess and Abremski (1990) In Nucleic Acids and Molecular Biology, vol. 4. Eds.: Eckstein and Lilley, Berlin-Heidelberg: Springer-Verlag; pp. 90-109), and the FLP/FRT system from the Saccharomyces cerevisiae 2 μ circle plasmid (Broach et al. Cell 29:227-234 (1982)).

Backman (U.S. Patent No. 4,673,640) discloses the *in vivo* use of λ recombinase to recombine a protein producing DNA segment by enzymatic site-specific recombination using wild-type recombination sites attB and attP.

Hasan and Szybalski (Gene 56:145-151 (1987)) discloses the use of λ Int recombinase in vivo for intramolecular recombination between wild type attP and attB sites which flank a promoter. Because the orientations of these sites are

10

15

20

25

30

inverted relative to each other, this causes an irreversible flipping of the promoter region relative to the gene of interest.

Palazzolo et al. Gene 88:25-36 (1990), discloses phage lambda vectors having bacteriophage λ arms that contain restriction sites positioned outside a cloned DNA sequence and between wild-type loxP sites. Infection of E. coli cells that express the Cre recombinase with these phage vectors results in recombination between the loxP sites and the *in vivo* excision of the plasmid replicon, including the cloned cDNA.

Pósfai et al. (Nucl. Acids Res. 22:2392-2398 (1994)) discloses a method for inserting into genomic DNA partial expression vectors having a selectable marker, flanked by two wild-type FRT recognition sequences. FLP site-specific recombinase as present in the cells is used to integrate the vectors into the genome at predetermined sites. Under conditions where the replicon is functional, this cloned genomic DNA can be amplified.

Bebee *et al.* (U.S. Patent No. 5,434,066) discloses the use of site-specific recombinases such as Cre for DNA containing two *loxP* sites for *in vivo* recombination between the sites.

Boyd (*Nucl. Acids Res. 21*:817-821 (1993)) discloses a method to facilitate the cloning of blunt-ended DNA using conditions that encourage intermolecular ligation to a dephosphorylated vector that contains a wild-type loxP site acted upon by a Cre site-specific recombinase present in *E. coli* host cells.

Waterhouse et al. (WO 93/19172 and Nucleic Acids Res. 21 (9):2265 (1993)) disclose an in vivo method where light and heavy chains of a particular antibody were cloned in different phage vectors between loxP and loxP 511 sites and used to transfect new E. coli cells. Cre, acting in the host cells on the two parental molecules (one plasmid, one phage), produced four products in equilibrium: two different cointegrates (produced by recombination at either loxP or loxP 511 sites), and two daughter molecules, one of which was the desired product.

Schlake & Bode (*Biochemistry 33*:12746-12751 (1994)) discloses an *in vivo* method to exchange expression cassettes at defined chromosomal locations, each flanked by a wild type and a spacer-mutated FRT recombination site. A

10

15

20

25

30

double-reciprocal crossover was mediated in cultured mammalian cells by using this FLP/FRT system for site-specific recombination.

Hartley et al. (U.S. Patent No. 5,888,732) disclose compositions and methods for recombinational exchange of nucleic acid segments and molecules, including for use in recombinational cloning of a variety of nucleic acid molecules in vitro and in vivo, using a combination of wildtype and mutated recombination sites and recombination proteins.

Transposases. The family of enzymes, the transposases, has also been used to transfer genetic information between replicons. Transposons are structurally variable, being described as simple or compound, but typically encode the recombinase gene flanked by DNA sequences organized in inverted orientations. Integration of transposons can be random or highly specific. Representatives such as Tn7, which are highly site-specific, have been applied to the *in vivo* movement of DNA segments between replicons (Lucklow *et al.*, *J. Virol.* 67:4566-4579 (1993)).

Devine and Boeke *Nucl. Acids Res.* 22:3765-3772 (1994), discloses the construction of artificial transposons for the insertion of DNA segments, *in vitro*, into recipient DNA molecules. The system makes use of the integrase of yeast TY1 virus-like particles. The DNA segment of interest is cloned, using standard methods, between the ends of the transposon-like element TY1. In the presence of the TY1 integrase, the resulting element integrates randomly into a second target DNA molecule.

Recombination Sites. Also key to the integration/recombination reactions mediated by the above-noted recombination proteins and/or transposases are recognition sequences, often termed "recombination sites," on the DNA molecules participating in the integration/recombination reactions. These recombination sites are discrete sections or segments of DNA on the participating nucleic acid molecules that are recognized and bound by the recombination proteins during the initial stages of integration or recombination. For example, the recombination site for Cre recombinase is loxP which is a 34 base pair sequence comprised of two 13 base pair inverted repeats (serving as the recombinase binding sites) flanking an 8 base pair core sequence. See Figure 1 of Sauer, B., Curr. Opin. Biotech.

5:521-527 (1994). Other examples of recognition sequences include the attB, attP, attL, and attR sequences which are recognized by the recombination protein λ Int. attB is an approximately 25 base pair sequence containing two 9 base pair core-type Int binding sites and a 7 base pair overlap region, while attP is an approximately 240 base pair sequence containing core-type Int binding sites and arm-type Int binding sites as well as sites for auxiliary proteins integration host factor (IHF), FIS and excisionase (Xis). See Landy, Curr. Opin. Biotech. 3:699-707 (1993); see also U.S. Patent No. 5,888,732, which is incorporated by reference herein.

10

5

DNA cloning. The cloning of DNA segments currently occurs as a daily routine in many research labs and as a prerequisite step in many genetic analyses. The purpose of these clonings is various, however, two general purposes can be considered: (1) the initial cloning of DNA from large DNA or RNA segments (chromosomes, YACs, PCR fragments, mRNA, etc.), done in a relative handful of known vectors such as pUC, pGem, pBlueScript, and (2) the subcloning of these DNA segments into specialized vectors for functional analysis. A great deal of time and effort is expended both in the transfer of DNA segments from the initial cloning vectors to the more specialized vectors. This transfer is called subcloning.

20

25

30

15

The basic methods for cloning have been known for many years and have changed little during that time. A typical cloning protocol is as follows:

- (1) digest the DNA of interest with one or two restriction enzymes;
- (2) gel purify the DNA segment of interest when known;
- (3) prepare the vector by cutting with appropriate restriction enzymes, treating with alkaline phosphatase, gel purify etc., as appropriate;
- (4) ligate the DNA segment to the vector, with appropriate controls to eliminate background of uncut and self-ligated vector;
 - (5) introduce the resulting vector into an E. coli host cell;
 - (6) pick selected colonies and grow small cultures overnight:
 - (7) make DNA minipreps; and

10

15

20

25

30

(8) analyze the isolated plasmid on agarose gels (often after diagnostic restriction enzyme digestions) or by PCR.

The specialized vectors used for subcloning DNA segments are functionally diverse. These include but are not limited to: vectors for expressing nucleic acid molecules in various organisms; for regulating nucleic acid molecule expression; for providing tags to aid in protein purification or to allow tracking of proteins in cells; for modifying the cloned DNA segment (e.g., generating deletions); for the synthesis of probes (e.g., riboprobes); for the preparation of templates for DNA sequencing; for the identification of protein coding regions; for the fusion of various protein-coding regions; to provide large amounts of the DNA of interest, etc. It is common that a particular investigation will involve subcloning the DNA segment of interest into several different specialized vectors.

As known in the art, simple subclonings can be done in one day (e.g., the DNA segment is not large and the restriction sites are compatible with those of the subcloning vector). However, many other subclonings can take several weeks, especially those involving unknown sequences, long fragments, toxic genes, unsuitable placement of restriction sites, high backgrounds, impure enzymes, etc. Subcloning DNA fragments is thus often viewed as a chore to be done as few times as possible.

Several methods for facilitating the cloning of DNA segments have been described, e.g., as in the following references.

Ferguson, J., et al. Gene 16:191 (1981), discloses a family of vectors for subcloning fragments of yeast DNA. The vectors encode kanamycin resistance. Clones of longer yeast DNA segments can be partially digested and ligated into the subcloning vectors. If the original cloning vector conveys resistance to ampicillin, no purification is necessary prior to transformation, since the selection will be for kanamycin.

Hashimoto-Gotoh, T., et al. Gene 41:125 (1986), discloses a subcloning vector with unique cloning sites within a streptomycin sensitivity gene; in a streptomycin-resistant host, only plasmids with inserts or deletions in the dominant sensitivity gene will survive streptomycin selection.

10

15

20

25

30

Accordingly, traditional subcloning methods, using restriction enzymes and ligase, are time consuming and relatively unreliable. Considerable labor is expended, and if two or more days later the desired subclone can not be found among the candidate plasmids, the entire process must then be repeated with alternative conditions attempted. Although site specific recombinases have been used to recombine DNA in vivo, the successful use of such enzymes in vitro was expected to suffer from several problems. For example, the site specificities and efficiencies were expected to differ in vitro; topologically linked products were expected, and the topology of the DNA substrates and recombination proteins was expected to differ significantly in vitro (see, e.g., Adams et al, J. Mol. Biol. 226:661-73 (1992)). Reactions that could go on for many hours in vivo were expected to occur in significantly less time in vitro before the enzymes became inactive. In addition, the stabilities of the recombination enzymes after incubation for extended periods of time in in vitro reactions was unknown, as were the effects of the topologies (i.e., linear, coiled, supercoiled, etc.) of the nucleic acid molecules involved in the reaction. Multiple DNA recombination products were expected in the biological host used, resulting in unsatisfactory reliability, specificity or efficiency of subcloning. Thus, in vitro recombination reactions were not expected to be sufficiently efficient to yield the desired levels of product.

Accordingly, there is a long felt need to provide an alternative subcloning system that provides advantages over the known use of restriction enzymes and ligases.

SUMMARY OF THE INVENTION

The present invention relates to nucleic acid molecules encoding one or more recombination sites or one or more partial recombination sites, particularly attB, attP, attL, and attR, and fragments, mutants, variants and derivatives thereof. The invention also relates to such nucleic acid molecules comprising one or more of the recombination site nucleotide sequences or portions thereof and one or more additional physical or functional nucleotide sequences, such as those

10

15

20

25

30

encoding one or more multiple cloning sites, one or more transcription termination sites, one or more transcriptional regulatory sequences (e.g., one or more promoters, enhancers, or repressors), one or more translational signal sequences, one or more nucleotide sequences encoding a fusion partner protein or peptide (e.g., GST, His₆ or thioredoxin), one or more selection markers or modules, one or more nucleotide sequences encoding localization signals such as nuclear localization signals or secretion signals, one or more origins of replication, one or more protease cleavage sites, one or more desired proteins or peptides encoded by a gene or a portion of a gene, and one or more 5' or 3' polynucleotide tails (particularly a poly-G tail). The invention also relates to such nucleic acid molecules wherein the one or more recombination site nucleotide sequences is operably linked to the one or more additional physical or functional nucleotide sequences.

-8-

PCT/US00/05432

The invention also relates to primer nucleic acid molecules comprising the recombination site nucleotide sequences of the invention (or portions thereof), and to such primer nucleic acid molecules linked to one or more target-specific (e.g., one or more gene-specific) primer nucleic acid sequences. Such primers may also comprise sequences complementary or homologous to DNA or RNA sequences to be amplified, e.g., by PCR, RT-PCR, etc. Such primers may also comprise sequences or portions of sequences useful in the expression of protein genes (ribosome binding sites, localization signals, protease cleavage sites, repressor binding sites, promoters, transcription stops, stop codons, etc.). Said primers may also comprise sequences or portions of sequences useful in the manipulation of DNA molecules (restriction sites, transposition sites, sequencing primers, etc.). The primers of the invention may be used in nucleic acid synthesis and preferably are used for amplification (e.g., PCR) of nucleic acid molecules. When the primers of the invention include target- or gene-specific sequences (any sequence contained within the target to be synthesized or amplified including translation signals, gene sequences, stop codons, transcriptional signals (e.g., promoters) and the like), amplification or synthesis of target sequences or genes may be accomplished. Thus, the invention relates to synthesis of a nucleic acid molecules comprising mixing one or more primers of the invention with a nucleic acid

10

15

20

25

30

template, and incubating said mixture under conditions sufficient to make a first nucleic acid molecule complementary to all or a portion of said template. Thus, the invention relates specifically to a method of synthesizing a nucleic acid molecule comprising:

(a) mixing a nucleic acid template with a polypeptide having polymerase activity and one or more primers comprising one or more recombination sites or portions thereof; and

(b) incubating said mixture under conditions sufficient to synthesize a first nucleic acid molecule complementary to all or a portion of said template and which preferably comprises one or more recombination sites or portions thereof.

Such method of the invention may further comprise incubating said first synthesized nucleic acid molecule under conditions sufficient to synthesize a second nucleic acid molecule complementary to all or a portion of said first nucleic acid molecule. Such synthesis may provide for a first nucleic acid molecule having a recombination site or portion thereof at one or both of its termini.

In a preferred aspect, for the synthesis of the nucleic acid molecules, at least two primers are used wherein each primer comprises a homologous sequence at its terminus and/or within internal sequences of each primer (which may have a homology length of about 2 to about 500 bases, preferably about 3 to about 100 bases, about 4 to about 50 bases, about 5 to about 25 bases and most preferably about 6 to about 18 base overlap). In a preferred aspect, the first such primer comprises at least one target-specific sequence and at least one recombination site or portion thereof while the second primer comprises at least one recombination site or portion thereof. Preferably, the homologous regions between the first and second primers comprise at least a portion of the recombination site. In another aspect, the homologous regions between the first and second primers may comprise one or more additional sequences, e.g., expression signals, translational start motifs, or other sequences adding functionality to the desired nucleic acid sequence upon amplification. In practice, two pairs of primers prime synthesis or amplification of a nucleic acid molecule. In a preferred aspect, all or at least a portion of the synthesized or amplified nucleic acid molecule will be homologous

10

15

20

25

30

to all or a portion of the template and further comprises a recombination site or a portion thereof at at least one terminus and preferably both termini of the synthesized or amplified molecule. Such synthesized or amplified nucleic acid molecule may be double stranded or single stranded and may be used in the recombinational cloning methods of the invention. The homologous primers of the invention provide a substantial advantage in that one set of the primers may be standardized for any synthesis or amplification reaction. That is, the primers providing the recombination site sequences (without the target specific sequences) can be pre-made and readily available for use. This in practice allows the use of shorter custom made primers that contain the target specific sequence needed to synthesize or amplify the desired nucleic acid molecule. Thus, this provides reduced time and cost in preparing target specific primers (e.g., shorter primers containing the target specific sequences can be prepared and used in synthesis reactions). The standardized primers, on the other hand, may be produced in mass to reduce cost and can be readily provided (e.g., in kits or as a product) to facilitate synthesis of the desired nucleic acid molecules.

Thus, in one preferred aspect, the invention relates to a method of synthesizing or amplifying one or more nucleic acid molecules comprising:

- (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and at least a first primer comprising a template specific sequence (complementary to or capable of hybridizing to said templates) and at least a second primer comprising all or a portion of a recombination site wherein said at least a portion of said second primer is homologous to or complementary to at least a portion of said first primer; and
- (b) incubating said mixture under conditions sufficient to synthesize or amplify one or more nucleic acid molecules complementary to all or a portion of said templates and comprising one or more recombination sites or portions thereof at one and preferably both termini of said molecules.

PCT/US00/05432

5

10

15

20

25

30

More specifically, the invention relates to a method of synthesizing or amplifying one or more nucleic acid molecules comprising:

- (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and at least a first primer comprising a template specific sequence (complementary to or capable of hybridizing to said templates) and at least a portion of a recombination site, and at least a second primer comprising all or a portion of a recombination site wherein said at least a portion of said recombination site on said second primer is complementary to or homologous to at least a portion of said recombination site on said first primer; and
- (b) incubating said mixture under conditions sufficient to synthesize or amplify one or more nucleic acid molecules complementary to all or a portion of said templates and comprising one or more recombination sites or portions thereof at one and preferably both termini of said molecules.

In a more preferred aspect, the invention relates to a method of amplifying or synthesizing one or more nucleic acid molecules comprising:

- (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and one or more first primers comprising at least a portion of a recombination site and a template specific sequence (complementary to or capable of hybridizing to said template);
- (b) incubating said mixture under conditions sufficient to synthesize or amplify one or more first nucleic acid molecules complementary to all or a portion of said templates wherein said molecules comprise at least a portion of a recombination site at one and preferably both termini of said molecules;
- (c) mixing said molecules with one or more second primers comprising one or more recombination sites, wherein said recombination sites of said second primers are homologous to or

10

15

20

25

30

complementary to at least a portion of said recombination sites on said first nucleic acid molecules; and

(d) incubating said mixture under conditions sufficient to synthesize or amplify one or more second nucleic acid molecules complementary to all or a portion of said first nucleic acid molecules and which comprise one or more recombination sites at one and preferably both termini of said molecules.

The invention also relates to vectors comprising the nucleic acid molecules of the invention, to host cells comprising the vectors or nucleic acid molecules of the invention, to methods of producing polypeptides encoded by the nucleic acid molecules of the invention, and to polypeptides encoded by these nucleic acid molecules or produced by the methods of the invention, which may be fusion proteins. The invention also relates to antibodies that bind to one or more polypeptides of the invention or epitopes thereof, which may be monoclonal or polyclonal antibodies. The invention also relates to the use of these nucleic acid molecules, primers, vectors, polypeptides and antibodies in methods for recombinational cloning of nucleic acids, *in vitro* and *in vivo*, to provide chimeric DNA molecules that have particular characteristics and/or DNA segments.

The antibodies of the invention may have particular use to identify and/or purify peptides or proteins (including fusion proteins produced by the invention), and to identify and/or purify the nucleic acid molecules of the invention or portions thereof.

The methods for *in vitro* or *in vivo* recombinational cloning of nucleic acid molecule generally relate to recombination between at least a first nucleic acid molecule having at least one recombination site and a second nucleic acid molecule having at least one recombination site to provide a chimeric nucleic acid molecule. In one aspect, the methods relate to recombination between and first vector having at least one recombination site and a second vector having at least one recombination site to provide a chimeric vector. In another aspect, a nucleic acid molecule having at least one recombination site is combined with a vector having at least one recombination site to provide a chimeric vector. In a most preferred aspect, the nucleic acid molecules or vectors used in recombination

comprise two or more recombination sites. In a more specific embodiment of the invention, the recombination methods relate to a Destination Reaction (also referred to herein as an "LR reaction") in which recombination occurs between an Entry clone and a Destination Vector. Such a reaction transfers the nucleic acid molecule of interest from the Entry Clone into the Destination Vector to create an Expression Clone. The methods of the invention also specifically relate to an Entry or Gateward reaction (also referred to herein as a "BP reaction") in which an Expression Clone is recombined with a Donor vector to produce an Entry clone. In other aspects, the invention relates to methods to prepare Entry clones by combining an Entry vector with at least one nucleic acid molecule (e.g., gene or portion of a gene). The invention also relates to conversion of a desired vector into a Destination Vector by including one or more (preferably at least two) recombination sites in the vector of interest. In a more preferred aspect, a nucleic acid molecule (e.g., a cassette) having at least two recombination sites flanking a selectable marker (e.g., a toxic gene or a genetic element preventing the survival of a host cell containing that gene or element, and/or preventing replication, partition or heritability of a nucleic acid molecule (e.g., a vector or plasmid) comprising that gene or element) is added to the vector to make a Destination Vector of the invention.

20

25

30

5

10

15

Preferred vectors for use in the invention include prokaryotic vectors, eukaryotic vectors, or vectors which may shuttle between various prokaryotic and/or eukaryotic systems (e.g. shuttle vectors). Preferred prokaryotic vectors for use in the invention include but are not limited to vectors which may propagate and/or replicate in gram negative and/or gram positive bacteria, including bacteria of the genera Escherichia, Salmonella, Proteus, Clostridium, Klebsiella, Bacillus, Streptomyces, and Pseudomonas and preferably in the species E. coli. Eukaryotic vectors for use in the invention include vectors which propagate and/or replicate and yeast cells, plant cells, mammalian cells, (particularly human and mouse), fungal cells, insect cells, nematode cells, fish cells and the like. Particular vectors of interest include but are not limited to cloning vectors, sequencing vectors, expression vectors, fusion vectors, two-hybrid vectors, gene therapy vectors, phage display vectors, gene-targeting vectors, PACs, BACs, YACs, MACs, and

10

15

20

25

30

reverse two-hybrid vectors. Such vectors may be used in prokaryotic and/or eukaryotic systems depending on the particular vector.

In another aspect, the invention relates to kits which may be used in carrying out the methods of the invention, and more specifically relates to cloning or subcloning kits and kits for carrying out the LR Reaction (e.g., making an Expression Clone), for carrying out the BP Reaction (e.g., making an Entry Clone), and for making Entry Clone and Destination Vector molecules of the invention. Such kits may comprise a carrier or receptacle being compartmentalized to receive and hold therein any number of containers. Such containers may contain any number of components for carrying out the methods of the invention or combinations of such components. In particular, a kit of the invention may comprise one or more components (or combinations thereof) selected from the group consisting of one or more recombination proteins or auxiliary factors or combinations thereof, one or more compositions comprising one or more recombination proteins or auxiliary factors or combinations thereof (for example, GATEWAY™ LR Clonase™ Enzyme Mix or GATEWAY™ BP Clonase™ Enzyme Mix), one or more reaction buffers, one or more nucleotides, one or more primers of the invention, one or more restriction enzymes, one or more ligases, one or more polypeptides having polymerase activity (e.g., one or more reverse transcriptases or DNA polymerases), one or more proteinases (e.g., proteinase K or other proteinases), one or more Destination Vector molecules, one or more Entry Clone molecules, one or more host cells (e.g. competent cells, such as E. coli cells, yeast cells, animal cells (including mammalian cells, insect cells, nematode cells, avian cells, fish cells, etc.), plant cells, and most particularly E. coli DB3.1 host cells, such as E. coli LIBRARY EFFICIENCY® DB3.1TM Competent Cells), instructions for using the kits of the invention (e.g., to carry out the methods of the invention), and the like. In related aspects, the kits of the invention may comprise one or more nucleic acid molecules encoding one or more recombination sites or portions thereof, particularly one or more nucleic acid molecules comprising a nucleotide sequence encoding the one or more recombination sites or portions thereof of the invention. Preferably, such nucleic acid molecules comprise at least two recombination sites which flank a selectable

10

15

20

25

30

and the like.

PCT/US00/05432

marker (e.g., a toxic gene and/or antibiotic resistance gene). In a preferred aspect, such nucleic acid molecules are in the form of a cassette (e.g., a linear nucleic acid molecule comprising one or more and preferably two or more recombination sites or portions thereof).

Kits for inserting or adding recombination sites to nucleic acid molecules of interest may comprise one or more nucleases (preferably restriction endonucleases), one or more ligases, one or more topoisomerases, one or more polymerases, and one or more nucleic acid molecules or adapters comprising one or more recombination sites. Kits for integrating recombination sites into one or more nucleic acid molecules of interest may comprise one or more components (or combinations thereof) selected from the group consisting of one or more integration sequences comprising one or more recombination sites. Such integration sequences may comprise one or more transposons, integrating viruses, homologous recombination sequences, RNA molecules, one or more host cells

Kits for making the Entry Clone molecules of the invention may comprise any or a number of components and the composition of such kits may vary depending on the specific method involved. Such methods may involve inserting the nucleic acid molecules of interest into an Entry or Donor Vector by the recombinational cloning methods of the invention, or using conventional molecular biology techniques (e.g., restriction enzyme digestion and ligation). In a preferred aspect, the Entry Clone is made using nucleic acid amplification or synthesis products. Kits for synthesizing Entry Clone molecules from amplification or synthesis products may comprise one or more components (or combinations thereof) selected from the group consisting of one or more Donor Vectors (e.g., one or more attP vectors including, but not limited to, pDONR201 (Figure 49), pDONR202 (Figure 50), pDONR203 (Figure 51), pDONR204 (Figure 52), pDONR205 (Figure 53), pDONR206 (Figure 53), and the like), one or more polypeptides having polymerase activity (preferably DNA polymerases and most preferably thermostable DNA polymerases), one or more proteinases, one or more reaction buffers, one or more nucleotides, one or more primers comprising one or

10

15

20

25

30

more recombination sites or portions thereof, and instructions for making one or more Entry Clones.

-16-

Kits for making the Destination vectors of the invention may comprise any number of components and the compositions of such kits may vary depending on the specific method involved. Such methods may include the recombination methods of the invention or conventional molecular biology techniques (e.g., restriction endonuclease digestion and ligation). In a preferred aspect, the Destination vector is made by inserting a nucleic acid molecule comprising at least one recombination site (or portion thereof) of the invention (preferably a nucleic acid molecule comprising at least two recombination sites or portions thereof flanking a selectable marker) into a desired vector to convert the desired vector into a Destination vector of the invention. Such kits may comprise at least one component (or combinations thereof) selected from the group consisting of one or more restriction endonucleases, one or more ligases, one or more polymerases, one or more nucleotides, reaction buffers, one or more nucleic acid molecules comprising at least one recombination site or portion thereof (preferably at least one nucleic acid molecule comprising at least two recombination sites flanking at least one selectable marker, such as a cassette comprising at least one selectable marker such as antibiotic resistance genes and/or toxic genes), and instructions for making such Destination vectors.

The invention also relates to kits for using the antibodies of the invention in identification and/or isolation of peptides and proteins (which may be fusion proteins) produced by the nucleic acid molecules of the invention, and for identification and/or isolation of the nucleic acid molecules of the invention or portions thereof. Such kits may comprise one or more components (or combination thereof) selected from the group consisting of one or more antibodies of the invention, one or more detectable labels, one or more solid supports and the like.

Other preferred embodiments of the present invention will be apparent to one of ordinary skill in light of what is known in the art, in light of the following drawings and description of the invention, and in light of the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 depicts one general method of the present invention, wherein the starting (parent) DNA molecules can be circular or linear. The goal is to exchange the new subcloning vector D for the original cloning vector B. It is desirable in one embodiment to select for AD and against all the other molecules, including the Cointegrate. The square and circle are sites of recombination: e.g., lox (such as loxP) sites, att sites, etc. For example, segment D can contain expression signals, protein fusion domains, new drug markers, new origins of replication, or specialized functions for mapping or sequencing DNA. It should be noted that the cointegrate molecule contains Segment D (Destination vector) adjacent to segment A (Insert), thereby juxtaposing functional elements in D with the insert in A. Such molecules can be used directly in vitro (e.g., if a promoter is positioned adjacent to a gene-for in vitro transcription/translation) or in vivo (following isolation in a cell capable of propagating ccdB-containing vectors) by selecting for the selection markers in Segments B+D. As one skilled in the art will recognize, this single step method has utility in certain envisioned applications of the invention.

Figure 2 is a more detailed depiction of the recombinational cloning system of the invention, referred to herein as the "GATEWAY™ Cloning System." This figure depicts the production of Expression Clones via a "Destination Reaction," which may also be referred to herein as an "LR Reaction." A kan' vector (referred to herein as an "Entry clone") containing a DNA molecule of interest (e.g., a gene) localized between an attL1 site and an attL2 site is reacted with an amp' vector (referred to herein as a "Destination Vector") containing a toxic or "death" gene localized between an attR1 site and an attR2 site, in the presence of GATEWAY™ LR Clonase™ Enzyme Mix (a mixture of Int, IHF and Xis). After incubation at 25°C for about 60 minutes, the reaction yields an amp' Expression Clone containing the DNA molecule of interest localized between an attB1 site and an attB2 site, and a kan' byproduct molecule, as well as intermediates. The reaction mixture may then be transformed into host cells (e.g., E. coli) and clones containing the nucleic acid molecule of interest may

20

5

10

15

25

30

10

15

20

25

be selected by plating the cells onto ampicillin-containing media and picking amp^r colonies.

Figure 3 is a schematic depiction of the cloning of a nucleic acid molecule from an Entry clone into multiple types of Destination vectors, to produce a variety of Expression Clones. Recombination between a given Entry clone and different types of Destination vectors (not shown), via the LR Reaction depicted in Figure 2, produces multiple different Expression Clones for use in a variety of applications and host cell types.

Figure 4 is a detailed depiction of the production of Entry Clones via a "BP reaction," also referred to herein as an "Entry Reaction" or a "Gateward Reaction." In the example shown in this figure, an ampr expression vector containing a DNA molecule of interest (e.g., a gene) localized between an attB1 site and an attB2 site is reacted with a kan Donor vector (e.g., an attP vector, here, GATEWAYTM pDONR201 (see Figure 49A-C)) containing a toxic or "death" gene localized between an attP1 site and an attP2 site, in the presence of GATEWAY™ BP Clonase™ Enzyme Mix (a mixture of Int and IHF). After incubation at 25°C for about 60 minutes, the reaction yields a kan' Entry clone containing the DNA molecule of interest localized between an attL1 site and an attL2 site, and an ampr by-product molecule. The Entry clone may then be transformed into host cells (e.g., E. coli) and clones containing the Entry clone (and therefore the nucleic acid molecule of interest) may be selected by plating the cells onto kanamycin-containing media and picking kan' colonies. Although this figure shows an example of use of a kan' Donor vector, it is also possible to use Donor vectors containing other selection markers, such as the gentamycin resistance or tetracycline resistance markers, as discussed herein.

Figure 5 is a more detailed schematic depiction of the LR ("Destination") reaction (Figure 5A) and the BP ("Entry" or "Gateward") reaction (Figure 5B) of the GATEWAYTM Cloning System, showing the reactants, products and byproducts of each reaction.

10

15

20

25

30

Figure 6 shows the sequences of the attB1 and attB2 sites flanking a gene of interest after subcloning into a Destination Vector to create an Expression Clone.

Figure 7 is a schematic depiction of four ways to make Entry Clones using the compositions and methods of the invention: 1. using restriction enzymes and ligase; 2. starting with a cDNA library prepared in an attL Entry Vector; 3. using an Expression Clone from a library prepared in an attB Expression Vector via the BxP reaction; and 4. recombinational cloning of PCR fragments with terminal attB sites, via the BxP reaction. Approaches 3 and 4 rely on recombination with a Donor vector (here, an attP vector such as pDONR201 (see Figure 49A-C), pDONR202 (see Figure 50A-C), pDONR203 (see Figure 51A-C), pDONR204 (see Figure 52A-C), pDONR205 (see Figure 53A-C), or pDONR206 (see Figure 54A-C), for example) that provides an Entry Clone carrying a selection marker such as kan^r, gen^r, tet^r, or the like.

Figure 8 is a schematic depiction of cloning of a PCR product by a BxP (Entry or Gateward) reaction. A PCR product with 25 bp terminal attB sites (plus four Gs) is shown as a substrate for the BxP reaction. Recombination between the attB-PCR product of a gene and a Donor vector (which donates an Entry Vector that carries kan) results in an Entry Clone of the PCR product.

Figure 9 is a listing of the nucleotide sequences of the recombination sites designated herein as attB1, attB2, attP1, attP2, attL1, attL2, attR1 and attR2. Sequences are written conventionally, from 5' to 3'.

Figures 10-20: The plasmid backbone for all the Entry Vectors depicted herein is the same, and is shown in Figure 10A for the Entry Vector pENTR1A. For other Entry Vectors shown in Figures 11-20, only the sequences shown in Figure "A" for each figure set (i.e., Figure 11A, Figure 12A, etc.) are different (within the attL1-attL2 cassettes) from those shown in Figure 10 -- the plasmid backbone is identical.

Figure 10 is a schematic depiction of the physical map and cloning sites (Figure 10A), and the nucleotide sequence (Figure 10B), of the Entry Vector pENTR1A.

10

15

20

25

30

Figure 11 is a schematic depiction of the cloning sites (Figure 11A) and the nucleotide sequence (Figure 11B) of the Entry Vector pENTR2B.

Figure 12 is a schematic depiction of the cloning sites (Figure 12A) and the nucleotide sequence (Figure 12B) of the Entry Vector pENTR3C.

Figure 13 is a schematic depiction of the cloning sites (Figure 13A) and the nucleotide sequence (Figure 13B) of the Entry Vector pENTR4.

Figure 14 is a schematic depiction of the cloning sites (Figure 14A) and the nucleotide sequence (Figure 14B) of the Entry Vector pENTR5.

Figure 15 is a schematic depiction of the cloning sites (Figure 15A) and the nucleotide sequence (Figure 15B) of the Entry Vector pENTR6.

Figure 16 is a schematic depiction of the cloning sites (Figure 16A) and the nucleotide sequence (Figure 16B) of the Entry Vector pENTR7.

Figure 17 is a schematic depiction of the cloning sites (Figure 17A) and the nucleotide sequence (Figure 17B) of the Entry Vector pENTR8.

Figure 18 is a schematic depiction of the cloning sites (Figure 18A) and the nucleotide sequence (Figure 18B) of the Entry Vector pENTR9.

Figure 19 is a schematic depiction of the cloning sites (Figure 19A) and the nucleotide sequence (Figure 19B) of the Entry Vector pENTR10.

Figure 20 is a schematic depiction of the cloning sites (Figure 20A) and the nucleotide sequence (Figure 20B) of the Entry Vector pENTR11.

Figure 21 is a schematic depiction of the physical map and the Trc expression cassette (Figure 21A) showing the promoter sequences at -35 and at -10 from the initiation codon, and the nucleotide sequence (Figure 21B-D), of Destination Vector pDEST1. This vector may also be referred to as pTrc-DEST1.

Figure 22 is a schematic depiction of the physical map and the His6 expression cassette (Figure 22A) showing the promoter sequences at -35 and at -10 from the initiation codon, and the nucleotide sequence (Figure 22B-D), of Destination Vector pDEST2. This vector may also be referred to as pHis6-DEST2.

10

15

20

25

30

Figure 23 is a schematic depiction of the physical map and the GST expression cassette (Figure 23A) showing the promoter sequences at -35 and at -10 from the initiation codon, and the nucleotide sequence (Figure 23B-D), of Destination Vector pDEST3. This vector may also be referred to as pGST-DEST3.

Figure 24 is a schematic depiction of the physical map and the His6-Trx expression cassette (Figure 24A) showing the promoter sequences at -35 and at -10 from the initiation codon and a TEV protease cleavage site, and the nucleotide sequence (Figure 24B-D), of Destination Vector pDEST4. This vector may also be referred to as pTrx-DEST4.

Figure 25 is a schematic depiction of the attR1 and attR2 sites (Figure 25A), the physical map (Figure 25B), and the nucleotide sequence (Figure 25C-D), of Destination Vector pDEST5. This vector may also be referred to as pSPORT(+)-DEST5.

Figure 26 is a schematic depiction of the attR1 and attR2 sites (Figure 26A), the physical map (Figure 26B), and the nucleotide sequence (Figure 26C-D), of Destination Vector pDEST6. This vector may also be referred to as pSPORT(-)-DEST6.

Figure 27 is a schematic depiction of the attR1 site, CMV promoter, and the physical map (Figure 27A), and the nucleotide sequence (Figure 27B-C), of Destination Vector pDEST7. This vector may also be referred to as pCMV-DEST7.

Figure 28 is a schematic depiction of the attR1 site, baculovirus polyhedrin promoter, and the physical map (Figure 28A), and the nucleotide sequence (Figure 28B-D), of Destination Vector pDEST8. This vector may also be referred to as pFastBac-DEST8.

Figure 29 is a schematic depiction of the attR1 site, Semliki Forest Virus promoter, and the physical map (Figure 29A), and the nucleotide sequence (Figure 29B-E), of Destination Vector pDEST9. This vector may also be referred to as pSFV-DEST9.

Figure 30 is a schematic depiction of the attR1 site, baculovirus polyhedrin promoter, His6 fusion domain, and the physical map (Figure 30A), and the nucleotide sequence (Figure 30B-D), of Destination Vector pDEST10. This vector may also be referred to as pFastBacHT-DEST10.

5

Figure 31 is a schematic depiction of the attR1 cassette containing a tetracycline-regulated CMV promoter and the physical map (Figure 31A), and the nucleotide sequence (Figure 31B-D), of Destination Vector pDEST11. This vector may also be referred to as pTet-DEST11.

10

Figure 32 is a schematic depiction of the attR1 site, the start of the mRNA of the CMV promoter, and the physical map (Figure 32A), and the nucleotide sequence (Figure 32B-D), of Destination Vector pDEST12.2. This vector may also be referred to as pCMVneo-DEST12, as pCMV-DEST12, or as pDEST12.

15

Figure 33 is a schematic depiction of the attR1 site, the λP_L promoter, and the physical map (Figure 33A), and the nucleotide sequence (Figure 33B-C), of Destination Vector pDEST13. This vector may also be referred to as $p\lambda P_L$ -DEST13.

20

Figure 34 is a schematic depiction of the attR1 site, the T7 promoter, and the physical map (Figure 34A), and the nucleotide sequence (Figure 34B-D), of Destination Vector pDEST14. This vector may also be referred to as pPT7-DEST14.

Figure 35 is a schematic depiction of the attR1 site, the T7 promoter, and the N-terminal GST fusion sequence, and the physical map (Figure 35A), and the nucleotide sequence (Figure 35B-D), of Destination Vector pDEST15. This vector may also be referred to as pT7 GST-DEST15.

25

Figure 36 is a schematic depiction of the attR1 site, the T7 promoter, and the N-terminal thioredoxin fusion sequence, and the physical map (Figure 36A), and the nucleotide sequence (Figure 36B-D), of Destination Vector pDEST16. This vector may also be referred to as pT7 Trx-DEST16.

30

Figure 37 is a schematic depiction of the attR1 site, the T7 promoter, and the N-terminal His6 fusion sequence, and the physical map (Figure 37A), and the

10

15

20

25

30

nucleotide sequence (Figure 37B-D), of Destination Vector pDEST17. This vector may also be referred to as pT7 His-DEST17.

Figure 38 is a schematic depiction of the attR1 site and the p10 baculovirus promoter, and the physical map (Figure 38A), and the nucleotide sequence (Figure 38B-D), of Destination Vector pDEST18. This vector may also be referred to as pFBp10-DEST18.

Figure 39 is a schematic depiction of the attR1 site, and the 39k baculovirus promoter, and the physical map (Figure 39A), and the nucleotide sequence (Figure 39B-D), of Destination Vector pDEST19. This vector may also be referred to as pFB39k-DEST19.

Figure 40 is a schematic depiction of the attR1 site, the *polh* baculovirus promoter, and the N-terminal GST fusion sequence, and the physical map (Figure 40A), and the nucleotide sequence (Figure 40B-D), of Destination Vector pDEST20. This vector may also be referred to as pFB GST-DEST20.

Figure 41 is a schematic depiction of a 2-hybrid vector with a DNA-binding domain, the attR1 site, and the ADH promoter, and the physical map (Figure 41A), and the nucleotide sequence (Figure 41B-E), of Destination Vector pDEST21. This vector may also be referred to as pDB Leu-DEST21.

Figure 42 is a schematic depiction of a 2-hybrid vector with an activation domain, the attR1 site, and the ADH promoter, and the physical map (Figure 42A), and the nucleotide sequence (Figure 42B-D), of Destination Vector pDEST22. This vector may also be referred to as pPC86-DEST22.

Figure 43 is a schematic depiction of the attR1 and attR2 sites, the T7 promoter, and the C-terminal His6 fusion sequence, and the physical map (Figure 43A), and the nucleotide sequence (Figure 43B-D), of Destination Vector pDEST23. This vector may also be referred to as pC-term-His6-DEST23.

Figure 44 is a schematic depiction of the attR1 and attR2 sites, the T7 promoter, and the C-terminal GST fusion sequence, and the physical map (Figure 44A), and the nucleotide sequence (Figure 44B-D), of Destination Vector pDEST24. This vector may also be referred to as pC-term-GST-DEST24.

Figure 45 is a schematic depiction of the attR1 and attR2 sites, the T7 promoter, and the C-terminal thioredoxin fusion sequence, and the physical map (Figure 45A), and the nucleotide sequence (Figure 45B-D), of Destination Vector pDEST25. This vector may also be referred to as pC-term-Trx-DEST25.

5

Figure 46 is a schematic depiction of the attR1 site, the CMV promoter, and an N-terminal His6 fusion sequence, and the physical map (Figure 46A), and the nucleotide sequence (Figure 46B-D), of Destination Vector pDEST26. This vector may also be referred to as pCMV-SPneo-His-DEST26.

10

Figure 47 is a schematic depiction of the attR1 site, the CMV promoter, and an N-terminal GST fusion sequence, and the physical map (Figure 47A), and the nucleotide sequence (Figure 47B-D), of Destination Vector pDEST27. This vector may also be referred to as pCMV-Spneo-GST-DEST27.

15

Figure 48 is a depiction of the physical map (Figure 48A), the cloning sites (Figure 48B), and the nucleotide sequence (Figure 48C-D), for the attB cloning vector plasmid pEXP501. This vector may also be referred to equivalently herein as pCMV•SPORT6, pCMVSPORT6, and pCMVSport6.

20

Figure 49 is a depiction of the physical map (Figure 49A), and the nucleotide sequence (Figure 49B-C), for the Donor plasmid pDONR201 which donates a kanamycin-resistant vector in the BP Reaction. This vector may also be referred to as pAttPkanr Donor Plasmid, or as pAttPkan Donor Plasmid

Figure 50 is a depiction of the physical map (Figure 50A), and the nucleotide sequence (Figure 50B-C), for the Donor plasmid pDONR202 which donates a kanamycin-resistant vector in the BP Reaction.

25

Figure 51 is a depiction of the physical map (Figure 51A), and the nucleotide sequence (Figure 51B-C), for the Donor plasmid pDONR203 which donates a kanamycin-resistant vector in the BP Reaction.

Figure 52 is a depiction of the physical map (Figure 52A), and the nucleotide sequence (Figure 52B-C), for the Donor plasmid pDONR204 which donates a kanamycin-resistant vector in the BP Reaction.

10

15

20

25

30

Figure 53 is a depiction of the physical map (Figure 53A), and the nucleotide sequence (Figure 53B-C), for the Donor plasmid pDONR205 which donates a tetracycline-resistant vector in the BP Reaction.

Figure 54 is a depiction of the physical map (Figure 54A), and the nucleotide sequence (Figure 54B-C), for the Donor plasmid pDONR206 which donates a gentamycin-resistant vector in the BP Reaction. This vector may also be referred to as pENTR22 attP Donor Plasmid, pAttPGenr Donor Plasmid, or pAttPgent Donor Plasmid.

Figure 55 depicts the attB1 site, and the physical map, of an Entry Clone (pENTR7) of CAT subcloned into the Destination Vector pDEST2 (Figure 22).

Figure 56 depicts the DNA components of Reaction B of the one-tube BxP reaction described in Example 16, pEZC7102 and attB-tet-PCR

Figure 57 is a physical map of the desired product of Reaction B of the one-tube BxP reaction described in Example 16, tetx7102.

Figure 58 is a physical map of the Destination Vector pEZC8402.

Figure 59 is a physical map of the expected tet^r subclone product, tetx8402, resulting from the LxR Reaction with tetx7102 (Figure 57) plus pEZC8402 (Figure 58).

Figure 60 is a schematic depiction of the bacteriophage lambda recombination pathways in $E.\ coli.$

Figure 61 is a schematic depiction of the DNA molecules participating in the LR Reaction. Two different co-integrates form during the LR Reaction (only one of which is shown here), depending on whether attL1 and attR1 or attL2 and attR2 are first to recombine. In one aspect, the invention provides directional cloning of a nucleic acid molecule of interest, since the recombination sites react with specificity (attL1 reacts with attR1; attL2 with attR2; attB1 with attP1; and attB2 with attP2). Thus, positioning of the sites allows construction of desired vectors having recombined fragments in the desired orientation.

Figure 62 is a depiction of native and fusion protein expression using the recombinational cloning methods and compositions of the invention. In the upper figure depicting native protein expression, all of the translational start signals are

10

15

20

25

30

included between the attB1 and attB2 sites; therefore, these signals must be present in the starting Entry Clone. The lower figure depicts fusion protein expression (here showing expression with both N-terminal and C-terminal fusion tags so that ribosomes read through attB1 and attB2 to create the fusion protein). Unlike native protein expression vectors, N-terminal fusion vectors have their translational start signals upstream of the attB1 site.

Figure 63 is a schematic depiction of three GATEWAYTM Cloning System cassettes. Three blunt-ended cassettes are depicted which convert standard expression vectors to Destination Vectors. Each of the depicted cassettes provides amino-terminal fusions in one of three possible reading frames, and each has a distinctive restriction cleavage site as shown.

Figure 64 shows the physical maps of plasmids containing three attR reading frame cassettes, pEZC15101 (reading frame A; Figure 64A), pEZC15102 (reading frame B; Figure 64B), and pEZC15103 (reading frame C; Figure 64C).

Figure 65 depicts the attB primers used for amplifying the tet^r and amp^r genes from pBR322 by the cloning methods of the invention.

Figure 66 is a table listing the results of recombinational cloning of the tet' and amp^r PCR products made using the primers shown in Figure 65.

Figure 67 is a graph showing the effect of the number of guanines (G's) contained on the 5' end of the PCR primers on the cloning efficiency of PCR products. It is noted, however, that other nucleotides besides guanine (including A, T, C, U or combinations thereof) may be used as 5' extensions on the PCR primers to enhance cloning efficiency of PCR products.

Figure 68 is a graph showing a titration of various amounts of attP and attB reactants in the BxP reaction, and the effects on cloning efficiency of PCR products.

Figure 69 is a series of graphs showing the effects of various weights (Figure 69A) or moles (Figure 69B) of a 256 bp PCR product on formation of colonies, and on efficiency of cloning of the 256 bp PCR product into a Donor Vector (Figure 69C).

Figure 70 is a series of graphs showing the effects of various weights (Figure 70A) or moles (Figure 70B) of a 1 kb PCR product on formation of colonies, and on efficiency of cloning of the 1 kb PCR product into a Donor Vector (Figure 70C).

5

Figure 71 is a series of graphs showing the effects of various weights (Figure 71A) or moles (Figure 71B) of a 1.4 kb PCR product on formation of colonies, and on efficiency of cloning of the 1.4 kb PCR product into a Donor Vector (Figure 71C).

10

Figure 72 is a series of graphs showing the effects of various weights (Figure 72A) or moles (Figure 72B) of a 3.4 kb PCR product on formation of colonies, and on efficiency of cloning of the 3.4 kb PCR product into a Donor Vector (Figure 72C).

15

Figure 73 is a series of graphs showing the effects of various weights (Figure 73A) or moles (Figure 73B) of a 4.6 kb PCR product on formation of colonies, and on efficiency of cloning of the 4.6 kb PCR product into a Donor Vector (Figure 73C).

Figure 74 is photograph of an ethidium bromide-stained gel of a titration of a 6.9 kb PCR product in a BxP reaction.

20

Figure 75 is a graph showing the effects of various amounts of a 10.1 kb PCR product on formation of colonies upon cloning of the 10.1 kb PCR product into a Donor Vector.

20

Figure 76 is photograph of an ethidium bromide-stained gel of a titration of a 10.1 kb PCR product in a BxP reaction.

25

Figure 77 is a table summarizing the results of the PCR product cloning efficiency experiments depicted in Figures 69-74, for PCR fragments ranging in size from 0.256 kb to 6.9 kb.

30

Figure 78 is a depiction of the sequences at the ends of attR Cassettes. Sequences contributed by the Cm^r-ccdB cassette are shown, including the outer ends of the flanking attR sites (boxed). The staggered cleavage sites for Int are indicated in the boxed regions. Following recombination with an Entry Clone, only the outer sequences in attR sites contribute to the resulting attB sites in the

10

15

20

25

30

Expression Clone. The underlined sequences at both ends dictate the different reading frames (reading frames A, B, or C, with two alternative reading frame C cassettes depicted) for fusion proteins.

Figure 79 is a depiction of several different attR cassettes (in reading frames A, B, or C) which may provide fusion codons at the amino-terminus of the encoded protein.

Figure 80 illustrates the single-cutting restriction sites in an attR reading frame A cassette of the invention.

Figure 81 illustrates the single-cutting restriction sites in an attR reading frame B cassette of the invention.

Figure 82 illustrates the single-cutting restriction sites in two alternative attR reading frame C cassettes of the invention (Figures 82A and 82B) depicted in Figure 78.

Figure 83 shows the physical map (Figure 83A), and the nucleotide sequence (Figure 83B-C), for an attR reading frame C parent plasmid prfC Parent III, which contains an attR reading frame C cassette of the invention (alternative A in Figures 78 and 82).

Figure 84 is a physical map of plasmid pEZC1301.

Figure 85 is a physical map of plasmid pEZC1313.

Figure 86 is a physical map of plasmid pEZ14032.

Figure 87 is a physical map of plasmid pMAB58.

Figure 88 is a physical map of plasmid pMAB62.

Figure 89 is a depiction of a synthesis reaction using two pairs of homologous primers of the invention.

Figure 90 is a schematic depiction of the physical map (Figure 90A), and the nucleotide sequence (Figure 90B-D), of Destination Vector pDEST28.

Figure 91 is a schematic depiction of the physical map (Figure 91A), and the nucleotide sequence (Figure 91B-D), of Destination Vector pDEST29.

Figure 92 is a schematic depiction of the physical map (Figure 92A), and the nucleotide sequence (Figure 92B-D), of Destination Vector pDEST30

10

15

20

25

30

Figure 93 is a schematic depiction of the physical map (Figure 93A), and the nucleotide sequence (Figure 93B-D), of Destination Vector pDEST31.

Figure 94 is a schematic depiction of the physical map (Figure 94A), and the nucleotide sequence (Figure 94B-E), of Destination Vector pDEST32

Figure 95 is a schematic depiction of the physical map (Figure 95A), and the nucleotide sequence (Figure 95B-D), of Destination Vector pDEST33.

Figure 96 is a schematic depiction of the physical map (Figure 96A), and the nucleotide sequence (Figure 96B-D), of Destination Vector pDEST34.

Figure 97 is a depiction of the physical map (Figure 97A), and the nucleotide sequence (Figure 97B-C), for the Donor plasmid pDONR207 which donates a gentamycin-resistant vector in the BP Reaction.

Figure 98 is a schematic depiction of the physical map (Figure 98A), and the nucleotide sequence (Figure 98B-D), of the 2-hybrid vector pMAB85.

Figure 99 is a schematic depiction of the physical map (Figure 99A), and the nucleotide sequence (Figure 99B-D), of the 2-hybrid vector pMAB86.

DETAILED DESCRIPTION OF THE INVENTION

Definitions

In the description that follows, a number of terms used in recombinant DNA technology are utilized extensively. In order to provide a clear and consistent understanding of the specification and claims, including the scope to be given such terms, the following definitions are provided.

Byproduct: is a daughter molecule (a new clone produced after the second recombination event during the recombinational cloning process) lacking the segment which is desired to be cloned or subcloned.

Cointegrate: is at least one recombination intermediate nucleic acid molecule of the present invention that contains both parental (starting) molecules. It will usually be linear. In some embodiments it can be circular. RNA and polypeptides may be expressed from cointegrates using an appropriate host cell strain, for example *E. coli* DB3.1 (particularly *E. coli* LIBRARY EFFICIENCY®

10

15

20

25

30

DB3.1TM Competent Cells), and selecting for both selection markers found on the cointegrate molecule.

Host: is any prokaryotic or eukaryotic organism that can be a recipient of the recombinational cloning Product, vector, or nucleic acid molecule of the invention. A "host," as the term is used herein, includes prokaryotic or eukaryotic organisms that can be genetically engineered. For examples of such hosts, see Maniatis et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1982).

Insert or Inserts: include the desired nucleic acid segment or a population of nucleic acid segments (segment A of Figure 1) which may be manipulated by the methods of the present invention. Thus, the terms Insert(s) are meant to include a particular nucleic acid (preferably DNA) segment or a population of segments. Such Insert(s) can comprise one or more nucleic acid molecules.

Insert Donor: is one of the two parental nucleic acid molecules (e.g. RNA or DNA) of the present invention which carries the Insert. The Insert Donor molecule comprises the Insert flanked on both sides with recombination sites. The Insert Donor can be linear or circular. In one embodiment of the invention, the Insert Donor is a circular DNA molecule and further comprises a cloning vector sequence outside of the recombination signals (see Figure 1). When a population of Inserts or population of nucleic acid segments are used to make the Insert Donor, a population of Insert Donors results and may be used in accordance with the invention. Examples of such Insert Donor molecules are GATEWAYTM Entry Vectors, which include but are not limited to those Entry Vectors depicted in Figures 10-20, as well as other vectors comprising a gene of interest flanked by one or more attL sites (e.g., attL1, attL2, etc.), or by one or more attB sites (e.g., attB1, attB2, etc.) for the production of library clones.

Product: is one of the desired daughter molecules comprising the A and D sequences which is produced after the second recombination event during the recombinational cloning process (see Figure 1). The Product contains the nucleic acid which was to be cloned or subcloned. In accordance with the invention, when a population of Insert Donors are used, the resulting population of Product

10

15

20

25

30

molecules will contain all or a portion of the population of Inserts of the Insert Donors and preferably will contain a representative population of the original molecules of the Insert Donors.

Promoter: is a DNA sequence generally described as the 5'-region of a gene, located proximal to the start codon. The transcription of an adjacent DNA segment is initiated at the promoter region. A repressible promoter's rate of transcription decreases in response to a repressing agent. An inducible promoter's rate of transcription increases in response to an inducing agent. A constitutive promoter's rate of transcription is not specifically regulated, though it can vary under the influence of general metabolic conditions.

Recognition sequence: Recognition sequences are particular sequences which a protein, chemical compound, DNA, or RNA molecule (e.g., restriction endonuclease, a modification methylase, or a recombinase) recognizes and binds. In the present invention, a recognition sequence will usually refer to a recombination site. For example, the recognition sequence for Cre recombinase is loxP which is a 34 base pair sequence comprised of two 13 base pair inverted repeats (serving as the recombinase binding sites) flanking an 8 base pair core See Figure 1 of Sauer, B., Current Opinion in Biotechnology 5:521-527 (1994). Other examples of recognition sequences are the attB, attP, attL, and attR sequences which are recognized by the recombinase enzyme λ Integrase. attB is an approximately 25 base pair sequence containing two 9 base pair core-type Int binding sites and a 7 base pair overlap region. attP is an approximately 240 base pair sequence containing core-type Int binding sites and arm-type Int binding sites as well as sites for auxiliary proteins integration host factor (IHF), FIS and excisionase (Xis). See Landy, Current Opinion in Biotechnology 3:699-707 (1993). Such sites may also be engineered according to the present invention to enhance production of products in the methods of the invention. When such engineered sites lack the P1 or H1 domains to make the recombination reactions irreversible (e.g., attR or attP), such sites may be designated attR' or attP' to show that the domains of these sites have been modified in some way.

10

15

20

25

30

Recombination proteins: include excisive or integrative proteins, enzymes, co-factors or associated proteins that are involved in recombination reactions involving one or more recombination sites, which may be wild-type proteins (See Landy, Current Opinion in Biotechnology 3:699-707 (1993)), or mutants, derivatives (e.g., fusion proteins containing the recombination protein sequences or fragments thereof), fragments, and variants thereof.

Recombination site: is a recognition sequence on a DNA molecule participating in an integration/recombination reaction by the recombinational cloning methods of the invention. Recombination sites are discrete sections or segments of DNA on the participating nucleic acid molecules that are recognized and bound by a site-specific recombination protein during the initial stages of integration or recombination. For example, the recombination site for Cre recombinase is *loxP* which is a 34 base pair sequence comprised of two 13 base pair inverted repeats (serving as the recombinase binding sites) flanking an 8 base pair core sequence. *See* Figure 1 of Sauer, B., *Curr. Opin. Biotech.* 5:521-527 (1994). Other examples of recognition sequences include the *attB*, *attP*, *attL*, and *attR* sequences described herein, and mutants, fragments, variants and derivatives thereof, which are recognized by the recombination protein λ Int and by the auxiliary proteins integration host factor (IHF), FIS and excisionase (Xis). *See* Landy, *Curr. Opin. Biotech.* 3:699-707 (1993).

Recombinational Cloning: is a method described herein, whereby segments of nucleic acid molecules or populations of such molecules are exchanged, inserted, replaced, substituted or modified, in vitro or in vivo. By "in vitro" and "in vivo" herein is meant recombinational cloning that is carried out outside of host cells (e.g., in cell-free systems) or inside of host cells (e.g., using recombination proteins expressed by host cells), respectively.

Repression cassette: is a nucleic acid segment that contains a repressor or a Selectable marker present in the subcloning vector.

Selectable marker: is a DNA segment that allows one to select for or against a molecule (e.g., a replicon) or a cell that contains it, often under particular conditions. These markers can encode an activity, such as, but not limited to,

WO 00/52027

production of RNA, peptide, or protein, or can provide a binding site for RNA, peptides, proteins, inorganic and organic compounds or compositions and the like. Examples of Selectable markers include but are not limited to: (1) DNA segments that encode products which provide resistance against otherwise toxic compounds (e.g., antibiotics); (2) DNA segments that encode products which are otherwise lacking in the recipient cell (e.g., tRNA genes, auxotrophic markers); (3) DNA segments that encode products which suppress the activity of a gene product; (4) DNA segments that encode products which can be readily identified (e.g., phenotypic markers such as β-galactosidase, green fluorescent protein (GFP), and cell surface proteins), (5) DNA segments that bind products which are otherwise detrimental to cell survival and/or function; (6) DNA segments that otherwise inhibit the activity of any of the DNA segments described in Nos. 1-5 above (e.g., antisense oligonucleotides); (7) DNA segments that bind products that modify a substrate (e.g. restriction endonucleases); (8) DNA segments that can be used to isolate or identify a desired molecule (e.g. specific protein binding sites); (9) DNA segments that encode a specific nucleotide sequence which can be otherwise nonfunctional (e.g., for PCR amplification of subpopulations of molecules); (10) DNA segments, which when absent, directly or indirectly confer resistance or sensitivity to particular compounds; (11) DNA segments that encode products which are toxic in recipient cells; (12) DNA segments that inhibit replication, partition or heritability of nucleic acid molecules that contain them; and/or (13) DNA segments that encode conditional replication functions, e.g., replication in certain hosts or host cell strains or under certain environmental conditions (e.g., temperature, nutritional conditions, etc.).

25

30

5

10

15

20

identification of a desired Product or Product(s) from a mixture containing an Entry Clone or Vector, a Destination Vector, a Donor Vector, an Expression Clone or Vector, any intermediates (e.g. a Cointegrate or a replicon), and/or Byproducts. The selection schemes of one preferred embodiment have at least two components that are either linked or unlinked during recombinational cloning. One component is a Selectable marker. The other component controls the expression in vitro or in vivo of the Selectable marker, or survival of the cell (or

Selection scheme: is any method which allows selection, enrichment, or

10

15

20

25

30

the nucleic acid molecule, e.g., a replicon) harboring the plasmid carrying the Selectable marker. Generally, this controlling element will be a repressor or inducer of the Selectable marker, but other means for controlling expression or activity of the Selectable marker can be used. Whether a repressor or activator is used will depend on whether the marker is for a positive or negative selection, and the exact arrangement of the various DNA segments, as will be readily apparent to those skilled in the art. A preferred requirement is that the selection scheme results in selection of or enrichment for only one or more desired Products. As defined herein, selecting for a DNA molecule includes (a) selecting or enriching for the presence of the desired DNA molecule, and (b) selecting or enriching against the presence of DNA molecules that are not the desired DNA molecule.

-34-

In one embodiment, the selection schemes (which can be carried out in reverse) will take one of three forms, which will be discussed in terms of Figure 1. The first, exemplified herein with a Selectable marker and a repressor therefore, selects for molecules having segment D and lacking segment C. The second selects against molecules having segment C and for molecules having segment D. Possible embodiments of the second form would have a DNA segment carrying a gene toxic to cells into which the *in vitro* reaction products are to be introduced. A toxic gene can be a DNA that is expressed as a toxic gene product (a toxic protein or RNA), or can be toxic in and of itself. (In the latter case, the toxic gene is understood to carry its classical definition of "heritable trait".)

Examples of such toxic gene products are well known in the art, and include, but are not limited to, restriction endonucleases (e.g., DpnI), apoptosis-related genes (e.g. ASK1 or members of the bcl-2/ced-9 family), retroviral genes including those of the human immunodeficiency virus (HIV), defensins such as NP-1, inverted repeats or paired palindromic DNA sequences, bacteriophage lytic genes such as those from ΦX174 or bacteriophage T4; antibiotic sensitivity genes such as rpsL, antimicrobial sensitivity genes such as pheS, plasmid killer genes, eukaryotic transcriptional vector genes that produce a gene product toxic to bacteria, such as GATA-1, and genes that kill hosts in the absence of a suppressing function, e.g., kicB, ccdB, ΦX174 E (Liu, Q. et al., Curr. Biol.

10

15

20

25

30

8:1300-1309 (1998)), and other genes that negatively affect replicon stability and/or replication. A toxic gene can alternatively be selectable *in vitro*, e.g., a restriction site.

Many genes coding for restriction endonucleases operably linked to inducible promoters are known, and may be used in the present invention. See, e.g. U.S. Patent Nos. 4,960,707 (DpnI and DpnII); 5,000,333, 5,082,784 and 5,192,675 (KpnI); 5,147,800 (NgoAIII and NgoAI); 5,179,015 (FspI and HaeIII): 5,200,333 (HaeII and TaqI); 5,248,605 (HpaII); 5,312,746 (ClaI); 5,231,021 and 5,304,480 (XhoI and XhoII); 5,334,526 (AluI); 5,470,740 (NsiI); 5,534,428 (SstI/SacI); 5,202,248 (NcoI); 5,139,942 (NdeI); and 5,098,839 (PacI). See also Wilson, G.G., Nucl. Acids Res. 19:2539-2566 (1991); and Lunnen, K.D., et al., Gene 74:25-32 (1988).

In the second form, segment *D* carries a Selectable marker. The toxic gene would eliminate transformants harboring the Vector Donor, Cointegrate, and Byproduct molecules, while the Selectable marker can be used to select for cells containing the Product and against cells harboring only the Insert Donor.

The third form selects for cells that have both segments A and D in cis on the same molecule, but not for cells that have both segments in trans on different molecules. This could be embodied by a Selectable marker that is split into two inactive fragments, one each on segments A and D.

The fragments are so arranged relative to the recombination sites that when the segments are brought together by the recombination event, they reconstitute a functional Selectable marker. For example, the recombinational event can link a promoter with a structural nucleic acid molecule (e.g., a gene), can link two fragments of a structural nucleic acid molecule, or can link nucleic acid molecules that encode a heterodimeric gene product needed for survival, or can link portions of a replicon.

Site-specific recombinase: is a type of recombinase which typically has at least the following four activities (or combinations thereof): (1) recognition of one or two specific nucleic acid sequences; (2) cleavage of said sequence or sequences; (3) topoisomerase activity involved in strand exchange; and (4) ligase

10

15

20

25

30

activity to reseal the cleaved strands of nucleic acid. See Sauer, B., Current Opinions in Biotechnology 5:521-527 (1994). Conservative site-specific recombination is distinguished from homologous recombination and transposition by a high degree of sequence specificity for both partners. The strand exchange mechanism involves the cleavage and rejoining of specific DNA sequences in the absence of DNA synthesis (Landy, A. (1989) Ann. Rev. Biochem. 58:913-949).

Subcloning vector: is a cloning vector comprising a circular or linear nucleic acid molecule which includes preferably an appropriate replicon. In the present invention, the subcloning vector (segment D in Figure 1) can also contain functional and/or regulatory elements that are desired to be incorporated into the final product to act upon or with the cloned DNA Insert (segment A in Figure 1). The subcloning vector can also contain a Selectable marker (preferably DNA).

Vector: is a nucleic acid molecule (preferably DNA) that provides a useful biological or biochemical property to an Insert. Examples include plasmids. phages, autonomously replicating sequences (ARS), centromeres, and other sequences which are able to replicate or be replicated in vitro or in a host cell, or to convey a desired nucleic acid segment to a desired location within a host cell. A Vector can have one or more restriction endonuclease recognition sites at which the sequences can be cut in a determinable fashion without loss of an essential biological function of the vector, and into which a nucleic acid fragment can be spliced in order to bring about its replication and cloning. Vectors can further provide primer sites, e.g., for PCR, transcriptional and/or translational initiation and/or regulation sites, recombinational signals, replicons, Selectable markers, etc. Clearly, methods of inserting a desired nucleic acid fragment which do not require the use of homologous recombination, transpositions or restriction enzymes (such as, but not limited to, UDG cloning of PCR fragments (U.S. Patent No. 5,334,575, entirely incorporated herein by reference), T:A cloning, and the like) can also be applied to clone a fragment into a cloning vector to be used according to the present invention. The cloning vector can further contain one or more selectable markers suitable for use in the identification of cells transformed with the cloning vector.

10

15

20

25

30

Vector Donor: is one of the two parental nucleic acid molecules (e.g. RNA or DNA) of the present invention which carries the DNA segments comprising the DNA vector which is to become part of the desired Product. The Vector Donor comprises a subcloning vector D (or it can be called the cloning vector if the Insert Donor does not already contain a cloning vector (e.g., for PCR fragments containing attB sites; see below)) and a segment C flanked by recombination sites (see Figure 1). Segments C and/or D can contain elements that contribute to selection for the desired Product daughter molecule, as described above for selection schemes. The recombination signals can be the same or different, and can be acted upon by the same or different recombinases. In addition, the Vector Donor can be linear or circular. Examples of such Vector Donor molecules include GATEWAYTM Destination Vectors, which include but are not limited to those Destination Vectors depicted in Figures 21-47 and 90-96.

Primer: refers to a single stranded or double stranded oligonucleotide that is extended by covalent bonding of nucleotide monomers during amplification or polymerization of a nucleic acid molecule (e.g. a DNA molecule). In a preferred aspect, a primer comprises one or more recombination sites or portions of such recombination sites. Portions of recombination sites comprise at least 2 bases (or basepairs, abbreviated herein as "bp"), at least 5-200 bases, at least 10-100 bases, at least 15-75 bases, at least 15-50 bases, at least 15-25 bases, or at least 16-25 bases, of the recombination sites of interest, as described in further detail below and in the Examples. When using portions of recombination sites, the missing portion of the recombination site may be provided as a template by the newly synthesized nucleic acid molecule. Such recombination sites may be located within and/or at one or both termini of the primer. Preferably, additional sequences are added to the primer adjacent to the recombination site(s) to enhance or improve recombination and/or to stabilize the recombination site during recombination. Such stabilization sequences may be any sequences (preferably G/C rich sequences) of any length. Preferably, such sequences range in size from 1 to about 1000 bases, 1 to about 500 bases, and 1 to about 100 bases, 1 to about 60 bases, 1 to about 25, 1 to about 10, 2 to about 10 and preferably about 4 bases.

WO 00/52027

5

10

15

20

25

30

Preferably, such sequences are greater than 1 base in length and preferably greater than 2 bases in length.

Template: refers to double stranded or single stranded nucleic acid molecules which are to be amplified, synthesized or sequenced. In the case of double stranded molecules, denaturation of its strands to form a first and a second strand is preferably performed before these molecules will be amplified. synthesized or sequenced, or the double stranded molecule may be used directly as a template. For single stranded templates, a primer complementary to a portion of the template is hybridized under appropriate conditions and one or more polypeptides having polymerase activity (e.g. DNA polymerases and/or reverse transcriptases) may then synthesize a nucleic acid molecule complementary to all or a portion of said template. Alternatively, for double stranded templates, one or more promoters may be used in combination with one or more polymerases to make nucleic acid molecules complementary to all or a portion of the template. The newly synthesized molecules, according to the invention, may be equal or shorter in length than the original template. Additionally, a population of nucleic acid templates may be used during synthesis or amplification to produce a population of nucleic acid molecules typically representative of the original template population.

Adapter: is an oligonucleotide or nucleic acid fragment or segment (preferably DNA) which comprises one or more recombination sites (or portions of such recombination sites) which in accordance with the invention can be added to a circular or linear Insert Donor molecule as well as other nucleic acid molecules described herein. When using portions of recombination sites, the missing portion may be provided by the Insert Donor molecule. Such adapters may be added at any location within a circular or linear molecule, although the adapters are preferably added at or near one or both termini of a linear molecule. Preferably, adapters are positioned to be located on both sides (flanking) a particular nucleic acid molecule of interest. In accordance with the invention, adapters may be added to nucleic acid molecules of interest by standard recombinant techniques (e.g. restriction digest and ligation). For example, adapters may be added to a circular molecule by first digesting the molecule with

10

15

20

25

30

an appropriate restriction enzyme, adding the adapter at the cleavage site and reforming the circular molecule which contains the adapter(s) at the site of cleavage. In other aspects, adapters may be added by homologous recombination, by integration of RNA molecules, and the like. Alternatively, adapters may be ligated directly to one or more and preferably both termini of a linear molecule thereby resulting in linear molecule(s) having adapters at one or both termini. In one aspect of the invention, adapters may be added to a population of linear molecules, (e.g. a cDNA library or genomic DNA which has been cleaved or digested) to form a population of linear molecules containing adapters at one and preferably both termini of all or substantial portion of said population.

Adapter-Primer: is primer molecule which comprises one or more recombination sites (or portions of such recombination sites) which in accordance with the invention can be added to a circular or linear nucleic acid molecule described herein. When using portions of recombination sites, the missing portion may be provided by a nucleic acid molecule (e.g., an adapter) of the invention. Such adapter-primers may be added at any location within a circular or linear molecule, although the adapter-primers are preferably added at or near one or both termini of a linear molecule. Examples of such adapter-primers and the use thereof in accordance with the methods of the invention are shown in Example 25 herein. Such adapter-primers may be used to add one or more recombination sites or portions thereof to circular or linear nucleic acid molecules in a variety of contexts and by a variety of techniques, including but not limited to amplification (e.g., PCR), ligation (e.g., enzymatic or chemical/synthetic ligation), recombination (e.g., homologous or non-homologous (illegitimate) recombination) and the like.

Library: refers to a collection of nucleic acid molecules (circular or linear). In one embodiment, a library may comprise a plurality (*i.e.*, two or more) of DNA molecules, which may or may not be from a common source organism, organ, tissue, or cell. In another embodiment, a library is representative of all or a portion or a significant portion of the DNA content of an organism (a "genomic" library), or a set of nucleic acid molecules representative of all or a portion or a significant portion of the expressed nucleic acid molecules (a cDNA library) in a

10

15

20

25

30

cell, tissue, organ or organism. A library may also comprise random sequences made by *de novo* synthesis, mutagenesis of one or more sequences and the like. Such libraries may or may not be contained in one or more vectors.

Amplification: refers to any *in vitro* method for increasing a number of copies of a nucleotide sequence with the use of a polymerase. Nucleic acid amplification results in the incorporation of nucleotides into a DNA and/or RNA molecule or primer thereby forming a new molecule complementary to a template. The formed nucleic acid molecule and its template can be used as templates to synthesize additional nucleic acid molecules. As used herein, one amplification reaction may consist of many rounds of replication. DNA amplification reactions include, for example, polymerase chain reaction (PCR). One PCR reaction may consist of 5-100 "cycles" of denaturation and synthesis of a DNA molecule.

Oligonucleotide: refers to a synthetic or natural molecule comprising a covalently linked sequence of nucleotides which are joined by a phosphodiester bond between the 3' position of the deoxyribose or ribose of one nucleotide and the 5' position of the deoxyribose or ribose of the adjacent nucleotide. This term may be used interchangeably herein with the terms "nucleic acid molecule" and "polynucleotide," without any of these terms necessarily indicating any particular length of the nucleic acid molecule to which the term specifically refers.

Nucleotide: refers to a base-sugar-phosphate combination. Nucleotides are monomeric units of a nucleic acid molecule (DNA and RNA). The term nucleotide includes ribonucleoside triphosphates ATP, UTP, CTG, GTP and deoxyribonucleoside triphosphates such as dATP, dCTP, dITP, dUTP, dGTP, dTTP, or derivatives thereof. Such derivatives include, for example, [αS]dATP, 7-deaza-dGTP and 7-deaza-dATP. The term nucleotide as used herein also refers to dideoxyribonucleoside triphosphates (ddNTPs) and their derivatives. Illustrated examples of dideoxyribonucleoside triphosphates include, but are not limited to, ddATP, ddCTP, ddGTP, ddITP, and ddTTP. According to the present invention, a "nucleotide" may be unlabeled or detectably labeled by well known techniques. Detectable labels include, for example, radioactive isotopes, fluorescent labels, chemiluminescent labels, bioluminescent labels and enzyme labels.

10

15

20

25

30

Hybridization: The terms "hybridization" and "hybridizing" refers to base pairing of two complementary single-stranded nucleic acid molecules (RNA and/or DNA) to give a double stranded molecule. As used herein, two nucleic acid molecules may be hybridized, although the base pairing is not completely complementary. Accordingly, mismatched bases do not prevent hybridization of two nucleic acid molecules provided that appropriate conditions, well known in the art, are used. In some aspects, hybridization is said to be under "stringent conditions." By "stringent conditions" as used herein is meant overnight incubation at 42°C in a solution comprising: 50% formamide, 5x SSC (150 mM NaCl, 15mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5x Denhardt's solution, 10% dextran sulfate, and 20 g/ml denatured, sheared salmon sperm DNA, followed by washing the filters in 0.1x SSC at about 65°C.

Other terms used in the fields of recombinant DNA technology and molecular and cell biology as used herein will be generally understood by one of ordinary skill in the applicable arts.

Overview

Two reactions constitute the recombinational cloning system of the present invention, referred to herein as the "GATEWAYTM Cloning System," as depicted generally in Figure 1. The first of these reactions, the LR Reaction (Figure 2), which may also be referred to interchangeably herein as the Destination Reaction, is the main pathway of this system. The LR Reaction is a recombination reaction between an Entry vector or clone and a Destination Vector, mediated by a cocktail of recombination proteins such as the GATEWAYTM LR ClonaseTM Enzyme Mix described herein. This reaction transfers nucleic acid molecules of interest (which may be genes, cDNAs, cDNA libraries, or fragments thereof) from the Entry Clone to an Expression Vector, to create an Expression Clone.

The sites labeled L, R, B, and P are respectively the attL, attR, attB, and attP recombination sites for the bacteriophage λ recombination proteins that constitute the Clonase cocktail (referred to herein variously as "Clonase" or

10

15

20

25

30

"GATEWAY™ LR Clonase™ Enzyme Mix" (for recombination protein mixtures mediating attL x attR recombination reactions, as described herein) or "GATEWAY™ BP Clonase™ Enzyme Mix" (for recombination protein mixtures mediating attB x attP recombination reactions, as described herein)). The Recombinational Cloning reactions are equivalent to concerted, highly specific, cutting and ligation reactions. Viewed in this way, the recombination proteins cut to the left and right of the nucleic acid molecule of interest in the Entry Clone and ligate it into the Destination vector, creating a new Expression Clone.

The nucleic acid molecule of interest in an Expression Clone is flanked by the small attB1 and attB2 sites. The orientation and reading frame of the nucleic acid molecule of interest are maintained throughout the subcloning, because attL1 reacts only with attR1, and attL2 reacts only with attR2. Likewise, attB1 reacts only with attP1, and attB2 reacts only with attP2. Thus, the invention also relates to methods of controlled or directional cloning using the recombination sites of the invention (or portions thereof), including variants, fragments, mutants and derivatives thereof which may have altered or enhanced specificity. The invention also relates more generally to any number of recombination site partners or pairs (where each recombination site is specific for and interacts with its corresponding recombination site). Such recombination sites are preferably made by mutating or modifying the recombination site to provide any number of necessary specificities (e.g., attB1-10, attP1-10, attL1-10, attR1-10, etc.), non-limiting examples of which are described in detail in the Examples herein.

When an aliquot from the recombination reaction is transformed into host cells (e.g., E. coli) and spread on plates containing an appropriate selection agent, e.g., an antibiotic such as ampicillin with or without methicillin, cells that take up the desired clone form colonies. The unreacted Destination Vector does not give ampicillin-resistant colonies, even though it carries the ampicillin-resistance gene, because it contains a toxic gene, e.g., ccdB. Thus selection for ampicillin resistance selects for E. coli cells that carry the desired product, which usually comprise >90% of the colonies on the ampicillin plate.

To participate in the Recombinational (or "GATEWAYTM") Cloning Reaction, a nucleic acid molecule of interest first may be cloned into an Entry

10

15

20

25

30

Vector, creating an Entry Clone. Multiple options are available for creating Entry Clones, including: cloning of PCR sequences with terminal attB recombination sites into Entry Vectors; using the GATEWAYTM Cloning System recombination reaction; transfer of genes from libraries prepared in GATEWAYTM Cloning System vectors by recombination into Entry Vectors; and cloning of restriction enzymegenerated fragments and PCR fragments into Entry Vectors by standard recombinant DNA methods. These approaches are discussed in further detail herein.

A key advantage of the GATEWAYTM Cloning System is that a nucleic acid molecule of interest (or even a population of nucleic acid molecules of interest) present as an Entry Clone can be subcloned in parallel into one or more Destination Vectors in a simple reactions for anywhere from about 30 seconds to about 60 minutes (preferably about 1-60 minutes, about 1-45 minutes, about 1-30 minutes, about 2-60 minutes, about 2-45 minutes, about 2-30 minutes, about 1-2 minutes, about 30-60 minutes, about 45-60 minutes, or about 30-45 minutes). Longer reaction times (e.g., 2-24 hours, or overnight) may increase recombination efficiency, particularly where larger nucleic acid molecules are used, as described in the Examples herein. Moreover, a high percentage of the colonies obtained carry the desired Expression Clone. This process is illustrated schematically in Figure 3, which shows an advantage of the invention in which the molecule of interest can be moved simultaneously or separately into multiple Destination Vectors. In the LR Reaction, one or both of the nucleic acid molecules to be recombined may have any topology (e.g., linear, relaxed circular, nicked circular, supercoiled, etc.), although one or both are preferably linear.

The second major pathway of the GATEWAYTM Cloning System is the BP Reaction (Figure 4), which may also be referred to interchangeably herein as the Entry Reaction or the Gateward Reaction. The BP Reaction may recombine an Expression Clone with a Donor Plasmid (the counterpart of the byproduct in Figure 2). This reaction transfers the nucleic acid molecule of interest (which may have any of a variety of topologies, including linear, coiled, supercoiled, etc.) in the Expression Clone into an Entry Vector, to produce a new Entry Clone. Once this nucleic acid molecule of interest is cloned into an Entry

10

15

20

25

30

Vector, it can be transferred into new Expression Vectors, through the LR Reaction as described above. In the BP Reaction, one or both of the nucleic acid molecules to be recombined may have any topology (e.g., linear, relaxed circular, nicked circular, supercoiled, etc.), although one or both are preferably linear.

A useful variation of the BP Reaction permits rapid cloning and expression of products of amplification (e.g., PCR) or nucleic acid synthesis. Amplification (e.g., PCR) products synthesized with primers containing terminal 25 bp attB sites serve as efficient substrates for the Gateward Cloning reaction. Such amplification products may be recombined with a Donor Vector to produce an Entry Clone (see Figure 7). The result is an Entry Clone containing the amplification fragment. Such Entry Clones can then be recombined with Destination Vectors -- through the LR Reaction -- to yield Expression Clones of the PCR product.

Additional details of the LR Reaction are shown in Figure 5A. The GATEWAYTM LR ClonaseTM Enzyme Mix that mediates this reaction contains lambda recombination proteins Int (Integrase), Xis (Excisionase), and IHF (Integration Host Factor). In contrast, the GATEWAYTM BP ClonaseTM Enzyme Mix, which mediates the BP Reaction (Figure 5B), comprises Int and IHF alone.

The recombination (att) sites of each vector comprise two distinct segments, donated by the parental vectors. The staggered lines dividing the two portions of each att site, depicted in Figures 5A and 5B, represent the seven-base staggered cut produced by Int during the recombination reactions. This structure is seen in greater detail in Figure 6, which displays the attB recombination sequences of an Expression Clone, generated by recombination between the attL1 and attL2 sites of an Entry Clone and the attR1 and attR2 sites of a Destination Vector.

The nucleic acid molecule of interest in the Expression Clone is flanked by attB sites: attB1 to the left (amino terminus) and attB2 to the right (carboxy terminus). The bases in attB1 to the left of the seven-base staggered cut produced by Int are derived from the Destination vector, and the bases to the right of the staggered cut are derived from the Entry Vector (see Figure 6). Note that the sequence is displayed in triplets corresponding to an open reading frame. If the reading frame of the nucleic acid molecule of interest cloned in the Entry Vector

10

15

20

25

30

PCT/US00/05432

is in phase with the reading frame shown for attB1, amino-terminal protein fusions can be made between the nucleic acid molecule of interest and any GATEWAYTM Cloning System Destination Vector encoding an amino-terminal fusion domain. Entry Vectors and Destination Vectors that enable cloning in all three reading frames are described in more detail herein, particularly in the Examples.

The LR Reaction allows the transfer of a desired nucleic acid molecule of interest into new Expression Vectors by recombining a Entry Clone with various Destination Vectors. To participate in the LR or Destination Reaction, however, a nucleic acid molecule of interest preferably is first converted to a Entry Clone. Entry Clones can be made in a number of ways, as shown in Figure 7.

One approach is to clone the nucleic acid molecule of interest into one or more of the Entry Vectors, using standard recombinant DNA methods, with restriction enzymes and ligase. The starting DNA fragment can be generated by restriction enzyme digestion or as a PCR product. The fragment is cloned between the attL1 and attL2 recombination sites in the Entry Vector. Note that a toxic or "death" gene (e.g., ccdB), provided to minimize background colonies from incompletely digested Entry Vector, must be excised and replaced by the nucleic acid molecule of interest.

A second approach to making an Entry Clone (Figure 7) is to make a library (genomic or cDNA) in an Entry Vector, as described in detail herein. Such libraries may then be transferred into Destination Vectors for expression screening, for example in appropriate host cells such as yeast cells or mammalian cells.

A third approach to making Entry Clones (Figure 7) is to use Expression Clones obtained from cDNA molecules or libraries prepared in Expression Vectors. Such cDNAs or libraries, flanked by attB sites, can be introduced into a Entry Vector by recombination with a Donor Vector via the BP Reaction. If desired, an entire Expression Clone library can be transferred into the Entry Vector through the BP Reaction. Expression Clone cDNA libraries may also be constructed in a variety of prokaryotic and eukaryotic GATEWAYTM-modified vectors (e.g., the pEXP501 Expression Vector (see Figure 48), and 2-hybrid and

attB library vectors), as described in detail herein, particularly in the Examples below.

5

10

15

20

25

30

A fourth, and potentially most versatile, approach to making an Entry Clone (Figure 7) is to introduce a sequence for a nucleic acid molecule of interest into an Entry Vector by amplification (e.g., PCR) fragment cloning. This method is diagramed in Figure 8. The DNA sequence first is amplified (for example, with PCR) as outlined in detail below and in the Examples herein, using primers containing one or more bp, two or more bp, three or more bp, four or more bp, five or more bp, preferably six or more bp, more preferably 6-25 bp (particularly 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 or 25) bp of the attB nucleotide sequences (such as, but not limited to, those depicted in Figure 9), and optionally one or more, two or more, three or more, four or more, and most preferably four or five or more additional terminal nucleotide bases which preferably are guanines. The PCR product then may be converted to a Entry Clone by performing a BP Reaction, in which the attB-PCR product recombines with a Donor Vector containing one or more attP sites. Details of this approach and protocols for PCR fragment subcloning are provided in Examples 8 and 21-25.

A variety of Entry Clones may be produced by these methods, providing a wide array of cloning options; a number of specific Entry Vectors are also available commercially from Life Technologies, Inc. (Rockville, MD). The Examples herein provide a more in-depth description of selected Entry Vectors and details of their cloning sites. Choosing the optimal Entry Vector for a particular application is discussed in Example 4.

Entry Vectors and Destination Vectors should be constructed so that the amino-terminal region of a nucleic acid molecule of interest (e.g., a gene, cDNA library or insert, or fragment thereof) will be positioned next to the attL1 site. Entry Vectors preferably contain the rrnB transcriptional terminator upstream of the attL1 site. This sequence ensures that expression of cloned nucleic acid molecules of interest is reliably "off" in E. coli, so that even toxic genes can be successfully cloned. Thus, Entry Clones may be designed to be transcriptionally silent. Note also that Entry Vectors, and hence Entry Clones, may contain the kanamycin antibiotic resistance (kan') gene to facilitate selection of host cells

containing Entry Clones after transformation. In certain applications, however, Entry Clones may contain other selection markers, including but not limited to a gentamycin resistance (gen') or tetracycline resistance (tet') gene, to facilitate selection of host cells containing Entry Clones after transformation.

5

10

15

20

25

30

Once a nucleic acid molecule of interest has been cloned into an Entry Vector, it may be moved into a Destination Vector. The upper right portion of Figure 5A shows a schematic of a Destination Vector. The thick arrow represents some function (often transcription or translation) that will act on the nucleic acid molecule of interest in the clone. During the recombination reaction, the region between the attR1 and attR2 sites, including a toxic or "death" gene (e.g., ccdB), is replaced by the DNA segment from the Entry Clone. Selection for recombinants that have acquired the ampicillin resistance (amp^r) gene (carried on the Destination Vector) and that have also lost the death gene ensures that a high percentage (usually >90%) of the resulting colonies will contain the correct insert.

To move a nucleic acid molecule of interest into a Destination Vector, the Destination Vector is mixed with the Entry Clone comprising the desired nucleic acid molecule of interest, a cocktail of recombination proteins (e.g., GATEWAYTM LR ClonaseTM Enzyme Mix) is added, the mixture is incubated (preferably at about 25°C for about 60 minutes, or longer under certain circumstances, e.g. for transfer of large nucleic acid molecules, as described below) and any standard host cell (including bacterial cells such as E. coli; animal cells such as insect cells, mammalian cells, nematode cells and the like; plant cells; and yeast cells) strain is transformed with the reaction mixture. The host cell used will be determined by the desired selection (e.g., E. coli DB3.1, available commercially from Life Technologies, Inc., allows survival of clones containing the ccdB death gene, and thus can be used to select for cointegrate molecules -i.e., molecules that are hybrids between the Entry Clone and Destination Vector). The Examples below provide further details and protocols for use of Entry and Destination Vectors in transferring nucleic acid molecules of interest and expressing RNAs or polypeptides encoded by these nucleic acid molecules in a variety of host cells.

10

15

20

25

30

The cloning system of the invention therefore offers multiple advantages:

- Once a nucleic acid molecule of interest is cloned into the GATEWAYTM Cloning System, it can be moved into and out of other vectors with complete fidelity of reading frame and orientation. That is, since the reactions proceed whereby attL1 on the Entry Clone recombines with attR1 on the Destination Vector, the directionality of the nucleic acid molecule of interest is maintained or may be controlled upon transfer from the Entry Clone into the Destination Vector. Hence, the GATEWAYTM
- One-step cloning or subcloning: Mix the Entry Clone and the Destination
 Vector with Clonase, incubate, and transform.

Cloning System provides a powerful and easy method of directional

- Clone PCR products readily by in vitro recombination, by adding attB sites to PCR primers. Then directly transfer these Entry Clones into Destination Vectors. This process may also be carried out in one step (see Examples below).
- Powerful selections give high reliability: >90% (and often >99%) of the colonies contain the desired DNA in its new vector.
- One-step conversion of existing standard vectors into GATEWAYTM
 Cloning System vectors.
- Ideal for large vectors or those with few cloning sites.

cloning of nucleic acid molecule of interest.

- Recombination sites are short (25 bp), and may be engineered to contain no stop codons or secondary structures.
- Reactions may be automated, for high-throughput applications (e.g., for diagnostic purposes or for therapeutic candidate screening).
- The reactions are economical: 0.3 μg of each DNA; no restriction enzymes, phosphatase, ligase, or gel purification. Reactions work well with miniprep DNA.
- Transfer multiple clones, and even libraries, into one or more Destination Vectors, in a single experiment.
- A variety of Destination Vectors may be produced, for applications including, but not limited to:

- •Protein expression in E. coli: native proteins; fusion proteins with GST, His6, thioredoxin, etc., for purification, or one or more epitope tags; any promoter useful in expressing proteins in E. coli may be used, such as ptrc, λP_L, and T7 promoters.
- Protein expression in eukaryotic cells: CMV promoter, baculovirus (with or without His6 tag), Semliki Forest virus, Tet regulation.
- •DNA sequencing (all *lac* primers), RNA probes, phagemids (both strands)
- A variety of Entry Vectors (for recombinational cloning entry by standard recombinant DNA methods) may be produced:
 - •Strong transcription stop just upstream, for genes toxic to E. coli.
 - •Three reading frames.
 - •With or without TEV protease cleavage site.
 - •Motifs for prokaryotic and / or eukaryotic translation.
 - Compatible with commercial cDNA libraries.
- Expression Clone cDNA (attB) libraries, for expression screening, including
 2-hybrid libraries and phage display libraries, may also be constructed.

Recombination Site Sequences

20

25

30

5

10

15

In one aspect, the invention relates to nucleic acid molecules, which may or may not be isolated nucleic acid molecules, comprising one or more nucleotide sequences encoding one or more recombination sites or portions thereof. In particular, this aspect of the invention relates to such nucleic acid molecules comprising one or more nucleotide sequences encoding attB, attP, attL, or attR, or portions of these recombination site sequences. The invention also relates to mutants, derivatives, and fragments of such nucleic acid molecules. Unless otherwise indicated, all nucleotide sequences that may have been determined by sequencing a DNA molecule herein were determined using manual or automated DNA sequencing, such as dideoxy sequencing, according to methods that are routine to one of ordinary skill in the art (Sanger, F., and Coulson, A.R., J. Mol. Biol. 94:444-448 (1975); Sanger, F., et al., Proc. Natl. Acad. Sci. USA 74:5463-5467 (1977)). All amino acid sequences of polypeptides encoded by DNA

10

15

20

25

30

molecules determined herein were predicted by conceptual translation of a DNA sequence determined as above. Therefore, as is known in the art for any DNA sequence determined by these approaches, any nucleotide sequence determined herein may contain some errors. Nucleotide sequences determined by such methods are typically at least about 90% identical, more typically at least about 95% to at least about 99.9% identical to the actual nucleotide sequence of the sequenced DNA molecule. As is also known in the art, a single insertion or deletion in a determined nucleotide sequence compared to the actual sequence will cause a frame shift in translation of the nucleotide sequence such that the predicted amino acid sequence encoded by a determined nucleotide sequence will be completely different from the amino acid sequence actually encoded by the sequenced DNA molecule, beginning at the point of such an insertion or deletion.

Unless otherwise indicated, each "nucleotide sequence" set forth herein is presented as a sequence of deoxyribonucleotides (abbreviated A, G, C and T). However, by "nucleotide sequence" of a nucleic acid molecule or polynucleotide is intended, for a DNA molecule or polynucleotide, a sequence of deoxyribonucleotides, and for an RNA molecule or polynucleotide, the corresponding sequence of ribonucleotides (A, G, C and U), where each thymidine deoxyribonucleotide (T) in the specified deoxyribonucleotide sequence is replaced by the ribonucleotide uridine (U). Thus, the invention relates to sequences of the invention in the form of DNA or RNA molecules, or hybrid DNA/RNA molecules, and their corresponding complementary DNA, RNA, or DNA/RNA strands.

In a first such aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attB1, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an attB1 nucleotide sequence having the sequence set forth in Figure 9, such as: ACAAGTTTGTACAAAAAAGCAGGCT, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attB1, or mutants, fragments, variants or derivatives thereof. As one of ordinary skill will appreciate, however, certain mutations, insertions, or deletions of one or more bases in the attB1 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional

10

15

20

25

30

integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the *attB1* sequence are encompassed within the scope of the invention.

In a related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attB2, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an attB2 nucleotide sequence having the sequence set forth in Figure 9, such as: ACCCAGCTTTCTTGTACAAAGTGGT, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attB2, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attB2 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules, hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attB2 sequence are encompassed within the scope of the invention.

A recombinant host cell comprising a nucleic acid molecule containing attB1 and attB2 sites (the vector pEXP501, also known as pCMVSport6; see Figure 48), *E. coli* DB3.1(pCMVSport6), was deposited on February 27, 1999, with the Collection, Agricultural Research Culture Collection (NRRL), 1815 North University Street, Peoria, Illinois 61604 USA, as Deposit No. NRRL B-30108. The attB1 and attB2 sites within the deposited nucleic acid molecule are contained in nucleic acid cassettes in association with one or more additional functional sequences as described in more detail below.

10

15

20

25

30

AATCATTATTG, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attP1, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attP1 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attP1 sequence are encompassed within the scope of the invention.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attP2, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an attP2 nucleotide sequence having the sequence set forth in Figure 9. such as: CAAATAATGATTTTATTTTGACTGATAGTGACCTGTTCGTTG-CAACAAATTGATAAGCAATGCTTTCTTATAATGCCAACTTT-GTACAAGAAAGCTGAACGAGAAACGTAAAATGATA-TAAATATCAATATTAAATTAGATTTTGCATAAAAAACAG-ACTACATAATACTGTAAAACACAACATATCCAGTCACTATGAATCAA-CTACTTAGATGGTATTAGTGACCTGTA, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attP2, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attP2 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attP2 sequence are encompassed within the scope of the invention.

A recombinant host cell comprising a nucleic acid molecule (the attP vector pDONR201, also known as pENTR21-attPkan or pAttPkan; see Figure 49) containing attP1 and attP2 sites, *E. coli* DB3.1(pAttPkan) (also called *E. coli* DB3.1(pAHKan)), was deposited on February 27, 1999, with the Collection, Agricultural Research Culture Collection (NRRL), 1815 North University Street, Peoria, Illinois 61604 USA, as Deposit No. NRRL B-30099. The attP1 and attP2 sites within the deposited nucleic acid molecule are contained in nucleic acid

10

15

20

25

30

cassettes in association with one or more additional functional sequences as described in more detail below.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attR1, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an attR1 nucleotide sequence having the sequence set forth in Figure 9. ACAAGTTTGTACAAAAAAGCTGAACGAGsuch AAACGTAAAATGATATAAATATCAATATATTAAATTAGATTTTGCAT-AAAAAACAGACTACATAATACTGTAAAACACAACATATCCAGTCA-CTATG, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attR1, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attR1 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attR1 sequence are encompassed within the scope of the invention.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attR2, or mutants, fragments, variants or derivatives thereof. Such nucleic acid molecules may comprise an attR2 nucleotide sequence having the sequence set forth in Figure 9, GCAGGTCGACCATAGTGACTGGATATsuch GTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTA-ATTTAATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTT-TCTTGTACAAAGTGGT, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attR2, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attR2 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attR2 sequence are encompassed within the scope of the invention.

Recombinant host cell strains containing attR1 sites apposed to cloning sites in reading frame A, reading frame B, and reading frame C, E. coli DB3.1(pEZC15101) (reading frame A; see Figure 64A), E. coli DB3.1(pEZC15102) (reading frame B; see Figure 64B), and E. coli DB3.1(pEZC15103) (reading frame C; see Figure 64C), and containing corresponding attR2 sites, were deposited on February 27, 1999, with the Collection, Agricultural Research Culture Collection (NRRL), 1815 North University Street, Peoria, Illinois 61604 USA, as Deposit Nos. NRRL B-30103, NRRL B-30104, and NRRL B-30105, respectively. The attR1 and attR2 sites within the deposited nucleic acid molecules are contained in nucleic acid cassettes in association with one or more additional functional sequences as described in more detail below.

5

10

15

20

25

30

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attL1, or mutants, fragments, variants and derivatives thereof. Such nucleic acid molecules may comprise an attL1 nucleotide sequence having the sequence set forth in Figure 9, such as: CAA ATA ATG ATT TTA TTT TGA CTG ATA GTG ACC TGT TCG TTG CAA CAA ATT GAT AAG CAA TGC TTT TTT ATA ATG CCA ACT TTG TAC AAA AAA GCA GGC T, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attL1, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attL1 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attL1 sequence are encompassed within the scope of the invention.

In another related aspect, the invention provides nucleic acid molecules comprising one or more nucleotide sequences encoding attL2, or mutants, fragments, variants and derivatives thereof. Such nucleic acid molecules may comprise an attL2 nucleotide sequence having the sequence set forth in Figure 9, such as: C AAA TAA TGA TTT TAT TTT GAC TGA TAG TGA CCT GTT CGT TGC AAC AAA TTG ATA AGC AAT GCT TTC TTA TAA TGC CAA

10

15

20

25

30

CTT TGT ACA AGA AAG CTG GGT, or a nucleotide sequence complementary to the nucleotide sequence set forth in Figure 9 for attL2, or mutants, fragments, variants or derivatives thereof. As noted above for attB1, certain mutations, insertions, or deletions of one or more bases in the attL2 sequence contained in the nucleic acid molecules of the invention may be made without compromising the structural and functional integrity of these molecules; hence, nucleic acid molecules comprising such mutations, insertions, or deletions in the attL2 sequence are encompassed within the scope of the invention.

Recombinant host cell strains containing attL1 sites apposed to cloning sites in reading frame A, reading frame B, and reading frame C, E. coli DB3.1(pENTR1A) (reading frame A, see Figure 10), E. coli DB3.1(pENTR2B) (reading frame B; see Figure 11), and E. coli DB3.1(pENTR3C) (reading frame C, see Figure 12), and containing corresponding attL2 sites, were deposited on February 27, 1999, with the Collection, Agricultural Research Culture Collection (NRRL), 1815 North University Street, Peoria, Illinois 61604 USA, as Deposit Nos. NRRL B-30100, NRRL B-30101, and NRRL B-30102, respectively. The attL1 and attL2 sites within the deposited nucleic acid molecules are contained in nucleic acid cassettes in association with one or more additional functional sequences as described in more detail below.

Each of the recombination site sequences described herein or portions thereof, or the nucleotide sequence cassettes contained in the deposited clones, may be cloned or inserted into a vector of interest (for example, using the recombinational cloning methods described herein and/or standard restriction cloning techniques that are routine in the art) to generate, for example, Entry Vectors or Destination Vectors which may be used to transfer a desired segment of a nucleic acid molecule of interest (e.g., a gene, cDNA molecule, or cDNA library) into a desired vector or into a host cell.

Using the information provided herein, such as the nucleotide sequences for the recombination site sequences described herein, an isolated nucleic acid molecule of the present invention encoding one or more recombination sites or portions thereof may be obtained using standard cloning and screening procedures, such as those for cloning cDNAs using mRNA as starting material. Preferred such

10

15

20

25

30

methods include PCR-based cloning methods, such as reverse transcriptase-PCR (RT-PCR) using primers such as those described herein and in the Examples below. Alternatively, vectors comprising the cassettes containing the recombination site sequences described herein are available commercially from Life Technologies, Inc. (Rockville, MD).

The invention is also directed to nucleic acid molecules comprising one or more of the recombination site sequences or portions thereof and one or more additional nucleotide sequences, which may encode functional or structural sites such as one or more multiple cloning sites, one or more transcription termination sites, one or more transcriptional regulatory sequences (which may be promoters, enhancers, repressors, and the like), one or more translational signals (e.g., secretion signal sequences), one or more origins of replication, one or more fusion partner peptides (particularly glutathione S-transferase (GST), hexahistidine (His,), and thioredoxin (Trx)), one or more selection markers or modules, one or more nucleotide sequences encoding localization signals such as nuclear localization signals or secretion signals, one or more origins of replication, one or more protease cleavage sites, one or more genes or portions of genes encoding a protein or polypeptide of interest, and one or more 5' polynucleotide extensions (particularly an extension of guanine residues ranging in length from about 1 to about 20, from about 2 to about 15, from about 3 to about 10, from about 4 to about 10, and most preferably an extension of 4 or 5 guanine residues at the 5' end of the recombination site nucleotide sequence. The one or more additional functional or structural sequences may or may not flank one or more of the recombination site sequences contained on the nucleic acid molecules of the invention.

In some nucleic acid molecules of the invention, the one or more nucleotide sequences encoding one or more additional functional or structural sites may be operably linked to the nucleotide sequence encoding the recombination site. For example, certain nucleic acid molecules of the invention may have a promoter sequence operably linked to a nucleotide sequence encoding a recombination site or portion thereof of the invention, such as a T7 promoter, a phage lambda PL

10

15

20

25

30

promoter, an *E. coli lac*; *trp* or *tac* promoter, and other suitable promoters which will be familiar to the skilled artisan.

Nucleic acid molecules of the present invention, which may be isolated nucleic acid molecules, may be in the form of RNA, such as mRNA, or in the form of DNA, including, for instance, cDNA and genomic DNA obtained by cloning or produced synthetically, or in the form of DNA-RNA hybrids. The nucleic acid molecules of the invention may be double-stranded or single-stranded. Single-stranded DNA or RNA may be the coding strand, also known as the sense strand, or it may be the non-coding strand, also referred to as the anti-sense strand. The nucleic acid molecules of the invention may also have a number of topologies, including linear, circular, coiled, or supercoiled.

By "isolated" nucleic acid molecule(s) is intended a nucleic acid molecule, DNA or RNA, which has been removed from its native environment. For example, recombinant DNA molecules contained in a vector are considered isolated for the purposes of the present invention. Further examples of isolated DNA molecules include recombinant DNA molecules maintained in heterologous host cells, and those DNA molecules purified (partially or substantially) from a solution whether produced by recombinant DNA or synthetic chemistry techniques. Isolated RNA molecules include *in vivo* or *in vitro* RNA transcripts of the DNA molecules of the present invention.

The present invention further relates to mutants, fragments, variants and derivatives of the nucleic acid molecules of the present invention, which encode portions, analogs or derivatives of one or more recombination sites. Variants may occur naturally, such as a natural allelic variant. By an "allelic variant" is intended one of several alternate forms of a gene occupying a given locus on a chromosome of an organism (see Lewin, B., ed., Genes II, , John Wiley & Sons, New York (1985)). Non-naturally occurring variants may be produced using art-known mutagenesis techniques, such as those described hereinbelow.

Such variants include those produced by nucleotide substitutions, deletions or additions or portions thereof, or combinations thereof. The substitutions, deletions or additions may involve one or more nucleotides. The variants may be altered in coding regions, non-coding regions, or both. Alterations in the coding

10

15

20

25

30

regions may produce conservative or non-conservative amino acid substitutions, deletions or additions. Especially preferred among these are silent substitutions, additions and deletions, which do not alter the properties and activities of the encoded polypeptide(s) or portions thereof, and which also do not substantially alter the reactivities of the recombination site nucleic acid sequences in recombination reactions. Also especially preferred in this regard are conservative substitutions.

Particularly preferred mutants, fragments, variants, and derivatives of the nucleic acid molecules of the invention include, but are not limited to, insertions. deletions or substitutions of one or more nucleotide bases within the 15 bp core region (GCTTTTTTATACTAA) which is identical in all four wildtype lambda att sites, attB, attP, attL and attR (see U.S. Application Nos. 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12. 1998, and 09/177,387, filed October 23, 1998, which describes the core region in further detail, and the disclosures of which are incorporated herein by reference in their entireties). Analogously, the core regions in attB1, attP1, attL1 and attR1 are identical to one another, as are the core regions in attB2, attP2, attL2 and attR2. Particularly preferred in this regard are nucleic acid molecules comprising insertions, deletions or substitutions of one or more nucleotides within the seven bp overlap region (TTTATAC, which is defined by the cut sites for the integrase protein and is the region where strand exchange takes place) that occurs within this 15 bp core region (GCTTTTTTATACTAA). Examples of such preferred mutants, fragments, variants and derivatives according to this aspect of the invention include, but are not limited to, nucleic acid molecules in which the thymine at position 1 of the seven by overlap region has been deleted or substituted with a guanine, cytosine, or adenine; in which the thymine at position 2 of the seven bp overlap region has been deleted or substituted with a guanine. cytosine, or adenine; in which the thymine at position 3 of the seven bp overlap region has been deleted or substituted with a guanine, cytosine, or adenine; in which the adenine at position 4 of the seven bp overlap region has been deleted or substituted with a guanine, cytosine, or thymine; in which the thymine at position 5 of the seven bp overlap region has been deleted or substituted with a

10

15

20

25

30

guanine, cytosine, or adenine, in which the adenine at position 6 of the seven bp overlap region has been deleted or substituted with a guanine, cytosine, or thymine; and in which the cytosine at position 7 of the seven bp overlap region has been deleted or substituted with a guanine, thymine, or adenine; or any combination of one or more such deletions and/or substitutions within this seven bp overlap region. As described in detail in Example 21 herein, mutants of the nucleic acid molecules of the invention in which substitutions have been made within the first three positions of the seven bp overlap (TTTATAC) have been found in the present invention to strongly affect the specificity of recombination, mutant nucleic acid molecules in which substitutions have been made in the last four positions (TTTATAC) only partially alter recombination specificity, and mutant nucleic acid molecules comprising nucleotide substitutions outside of the seven bp overlap, but elsewhere within the 15 bp core region, do not affect specificity of recombination but do influence the efficiency of recombination.

Hence, in an additional aspect, the present invention is also directed to nucleic acid molecules comprising one or more recombination site nucleotide sequences that affect recombination specificity, particularly one or more nucleotide sequences that may correspond substantially to the seven base pair overlap within the 15 bp core region, having one or more mutations that affect recombination specificity. Particularly preferred such molecules may comprise a consensus sequence (described in detail in Example 21 herein) such as NNNATAC, wherein "N" refers to any nucleotide (i.e., may be A, G, T/U or C), with the proviso that if one of the first three nucleotides in the consensus sequence is a T/U, then at least one of the other two of the first three nucleotides is not a T/U.

In a related aspect, the present invention is also directed to nucleic acid molecules comprising one or more recombination site nucleotide sequences that enhance recombination efficiency, particularly one or more nucleotide sequences that may correspond substantially to the core region and having one or more mutations that enhance recombination efficiency. By sequences or mutations that "enhance recombination efficiency" is meant a sequence or mutation in a recombination site, preferably in the core region (e.g., the 15 bp core region of att recombination sites), that results in an increase in cloning efficiency (typically

10

15

20

25

30

measured by determining successful cloning of a test sequence, e.g., by determining CFU/ml for a given cloning mixture) when recombining molecules comprising the mutated sequence or core region as compared to molecules that do not comprise the mutated sequence or core region (e.g., those comprising a wildtype recombination site core region sequence). More specifically, whether or not a given sequence or mutation enhances recombination efficiency may be determined using the sequence or mutation in recombinational cloning as described herein, and determining whether the sequence or mutation provides enhanced recombinational cloning efficiency when compared to a non-mutated (e.g., wildtype) sequence. Methods of determining preferred cloning efficiencyenhancing mutations for a number of recombination sites, particularly for att recombination sites, are described herein, for example in Examples 22-25. Examples of preferred such mutant recombination sites include but are not limited to the attL consensus core sequence of caacttnntnnnannaagttg (wherein "n" represents any nucleotide), for example the attL5 sequence agcctgctttattatactaagttggcatta and the attL6 sequence agcctgcttttttatattaagttggcatta; the attB1.6 sequence ggggacaactttgtacaaaaaagttggct; the attB2.2 sequence ggggacaactttgtacaagaaagctgggt; and the attB2.10 sequence ggggacaactttgtacaagaaagttgggt. Those of skill in the art will appreciate that, in addition to the core region, other portions of the att site may affect the efficiency of recombination. There are five so-called arm binding sites for the integrase protein in the bacteriophage lambda attP site, two in attR (P1 and P2), and three in attL (P'1, P'2 and P'3). Compared to the core binding sites, the integrase protein binds to arm sites with high affinity and interacts with core and arm sites through two different domains of the protein. As with the core binding site a consensus sequence for the arm binding site consisting of C/AAGTCACTAT has been inferred from sequence comparison of the five arm binding sites and seven non-att sites (Ross and Landy, Proc. Natl. Acad. Sci. USA 79:7724-7728 (1982)). Each arm site has been mutated and tested for its effect in the excision and integration reactions (Numrych et al., Nucl. Acids Res. 18:3953 (1990)). Hence, specific sites are utilized in each reaction in different ways, namely, the P1 and P'3

WO 00/52027

5

10

15

20

25

30

sites are essential for the integration reaction whereas the other three sites are dispensable to the integration reaction to varying degrees. Similarly, the P2, P'1 and P'2 sites are most important for the excision reaction, whereas P1 and P'3 are completely dispensable. Interestingly, when P2 is mutated the integration reaction occurs more efficiently than with the wild type attP site. Similarly, when P1 and P'3 are mutated the excision reaction occurs more efficiently. The stimulatory effect of mutating integrase arm binding sites can be explained by removing sites that compete or inhibit a specific recombination pathway or that function in a reaction that converts products back to starting substrates. In fact there is evidence for an XIS-independent LR reaction (Abremski and Gottesman, J. Mol. Biol. 153:67-78 (1981)). Thus, in addition to modifications in the core region of the att site, the present invention contemplates the use of att sites containing one or more modifications in the integrase arm-type binding sites. In some preferred embodiments, one or more mutations may be introduced into one or more of the P1, P1, P2, P2 and P3 sites. In some preferred embodiments, multiple mutations may be introduced into one or more of these sites. Preferred such mutations include those which increase the recombination in vitro. For example, in some embodiments mutations may be introduced into the arm-type binding sites such that integrative recombination, corresponding to the BP reaction, is enhanced. In other embodiments, mutations may be introduced into the arm-type binding sites such that excisive recombination, corresponding to the LR reaction, is enhanced. Of course, based on the guidance contained herein, particularly in the construction and evaluation of effects of mutated recombination sites upon recombinational specificity and efficiency, analogous mutated or engineered sequences may be produced for other recombination sites described herein (including but not limited to lox, FRT, and the like) and used in accordance with the invention. For example, much like the mutagenesis strategy used to select core binding sites that enhance recombination efficiency, similar strategies can be employed to select changes in the arms of attP, attL and attR, and in analogous sequences in other recombination sites such as lox, FRT and the like, that enhance recombination efficiency. Hence, the construction and evaluation of such mutants is well within the abilities of those of ordinary skill in the art without undue experimentation.

One suitable methodology for preparing and evaluating such mutations is found in Numrych, et al., (1990) Nucleic Acids Research 18(13): 3953-3959.

Other mutant sequences and nucleic acid molecules that may be suitable to enhance recombination efficiency will be apparent from the description herein, or may be easily determined by one of ordinary skill using only routine experimentation in molecular biology in view of the description herein and information that is readily available in the art

5

10

15

20

25

30

Since the genetic code is well known in the art, it is also routine for one of ordinary skill in the art to produce degenerate variants of the nucleic acid molecules described herein without undue experimentation. Hence, nucleic acid molecules comprising degenerate variants of nucleic acid sequences encoding the recombination sites described herein are also encompassed within the scope of the invention.

Further embodiments of the invention include isolated nucleic acid molecules comprising a polynucleotide having a nucleotide sequence at least 50% identical, at least 60% identical, at least 70% identical, at least 75% identical, at least 80% identical, at least 85% identical, at least 90% identical, and more preferably at least 95%, 96%, 97%, 98% or 99% identical to the nucleotide sequences of the seven bp overlap region within the 15 bp core region of the recombination sites described herein, or the nucleotide sequences of attB1, attB2, attP1, attP2, attL1, attL2, attR1 or attR2 as set forth in Figure 9 (or portions thereof), or a nucleotide sequence complementary to any of these nucleotide sequences, or fragments, variants, mutants, and derivatives thereof.

By a polynucleotide having a nucleotide sequence at least, for example, 95% "identical" to a reference nucleotide sequence encoding a particular recombination site or portion thereof is intended that the nucleotide sequence of the polynucleotide is identical to the reference sequence except that the polynucleotide sequence may include up to five point mutations (e.g., insertions, substitutions, or deletions) per each 100 nucleotides of the reference nucleotide sequence encoding the recombination site. For example, to obtain a polynucleotide having a nucleotide sequence at least 95% identical to a reference attB1 nucleotide sequence, up to 5% of the nucleotides in the attB1 reference sequence may be

10

15

20

25

30

deleted or substituted with another nucleotide, or a number of nucleotides up to 5% of the total nucleotides in the attB1 reference sequence may be inserted into the attB1 reference sequence. These mutations of the reference sequence may occur at the 5' or 3' terminal positions of the reference nucleotide sequence or anywhere between those terminal positions, interspersed either individually among nucleotides in the reference sequence or in one or more contiguous groups within the reference sequence.

As a practical matter, whether any particular nucleic acid molecule is at least 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to, for instance, a given recombination site nucleotide sequence or portion thereof can be determined conventionally using known computer programs such as DNAsis software (Hitachi Software, San Bruno, California) for initial sequence alignment followed by ESEE version 3.0 DNA/protein sequence software (cabot@trog.mbb.sfu.ca) for multiple sequence alignments. Alternatively, such determinations may be accomplished using the BESTFIT program (Wisconsin Sequence Analysis Package, Genetics Computer Group, University Research Park, 575 Science Drive, Madison, WI 53711), which employs a local homology algorithm (Smith and Waterman, Advances in Applied Mathematics 2: 482-489 (1981)) to find the best segment of homology between two sequences. When using DNAsis, ESEE, BESTFIT or any other sequence alignment program to determine whether a particular sequence is, for instance, 95% identical to a reference sequence according to the present invention, the parameters are set such that the percentage of identity is calculated over the full length of the reference nucleotide sequence and that gaps in homology of up to 5% of the total number of nucleotides in the reference sequence are allowed.

The present invention is directed to nucleic acid molecules at least 50%, 60%, 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to the attB1, attB2, attP1, attP2, attL1, attL2, attR1 or attR2 nucleotide sequences as set forth in Figure 9, or to the nucleotide sequence of the deposited clones, irrespective of whether they encode particular functional polypeptides. This is because even where a particular nucleic acid molecule does not encode a particular functional polypeptide, one of skill in the art would still know how to use the nucleic acid

10

15

20

25

30

molecule, for instance, as a hybridization probe or a polymerase chain reaction (PCR) primer.

Mutations can also be introduced into the recombination site nucleotide sequences for enhancing site specific recombination or altering the specificities of the reactants, etc. Such mutations include, but are not limited to: recombination sites without translation stop codons that allow fusion proteins to be encoded; recombination sites recognized by the same proteins but differing in base sequence such that they react largely or exclusively with their homologous partners allowing multiple reactions to be contemplated; and mutations that prevent hairpin formation of recombination sites. Which particular reactions take place can be specified by which particular partners are present in the reaction mixture.

There are well known procedures for introducing specific mutations into nucleic acid sequences. A number of these are described in Ausubel, F.M. et al., Current Protocols in Molecular Biology, Wiley Interscience, New York (1989-1996). Mutations can be designed into oligonucleotides, which can be used to modify existing cloned sequences, or in amplification reactions. Random mutagenesis can also be employed if appropriate selection methods are available to isolate the desired mutant DNA or RNA. The presence of the desired mutations can be confirmed by sequencing the nucleic acid by well known methods.

The following non-limiting methods can be used to modify or mutate a given nucleic acid molecule encoding a particular recombination site to provide mutated sites that can be used in the present invention:

- 1. By recombination of two parental DNA sequences by site-specific (e.g. attL and attR to give attP) or other (e.g. homologous) recombination mechanisms where the parental DNA segments contain one or more base alterations resulting in the final mutated nucleic acid molecule;
- By mutation or mutagenesis (site-specific, PCR, random, spontaneous, etc)
 directly of the desired nucleic acid molecule;
- 3. By mutagenesis (site-specific, PCR, random, spontaneous, etc) of parental DNA sequences, which are recombined to generate a desired nucleic acid molecule;

10

15

20

25

30

- By reverse transcription of an RNA encoding the desired core sequence;
 and
- 5. By *de novo* synthesis (chemical synthesis) of a sequence having the desired base changes, or random base changes followed by sequencing or functional analysis according to methods that are routine in the art.

The functionality of the mutant recombination sites can be demonstrated in ways that depend on the particular characteristic that is desired. For example, the lack of translation stop codons in a recombination site can be demonstrated by expressing the appropriate fusion proteins. Specificity of recombination between homologous partners can be demonstrated by introducing the appropriate molecules into in vitro reactions, and assaying for recombination products as described herein or known in the art. Other desired mutations in recombination sites might include the presence or absence of restriction sites, translation or transcription start signals, protein binding sites, particular coding sequences, and other known functionalities of nucleic acid base sequences. Genetic selection schemes for particular functional attributes in the recombination sites can be used according to known method steps. For example, the modification of sites to provide (from a pair of sites that do not interact) partners that do interact could be achieved by requiring deletion, via recombination between the sites, of a DNA sequence encoding a toxic substance. Similarly, selection for sites that remove translation stop sequences, the presence or absence of protein binding sites, etc., can be easily devised by those skilled in the art.

Accordingly, the present invention also provides a nucleic acid molecule, comprising at least one DNA segment having at least one, and preferably at least two, engineered recombination site nucleotide sequences of the invention flanking a selectable marker and/or a desired DNA segment, wherein at least one of said recombination site nucleotide sequences has at least one engineered mutation that enhances recombination *in vitro* in the formation of a Cointegrate DNA or a Product DNA. Such engineered mutations may be in the core sequence of the recombination site nucleotide sequence of the invention; *see* U.S. Application Nos. 08/486,139, filed June 7, 1995, 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, and 09/177,387, filed

October 23, 1998, the disclosures of which are all incorporated herein by reference in their entireties.

While in the preferred embodiment the recombination sites differ in sequence and do not interact with each other, it is recognized that sites comprising the same sequence, which may interact with each other, can be manipulated or engineered to inhibit recombination with each other. Such conceptions are considered and incorporated herein. For example, a protein binding site (e.g., an antibody-binding site, a histone-binding site, an enzyme-binding site, or a binding site for any nucleic acid molecule-binding protein) can be engineered adjacent to one of the sites. In the presence of the protein that recognizes the engineered site, the recombinase fails to access the site and another recombination site in the nucleic acid molecule is therefore used preferentially. In the cointegrate this site can no longer react since it has been changed, e.g., from attB to attL. During or upon resolution of the cointegrate, the protein can be inactivated (e.g., by antibody, heat or a change of buffer) and the second site can undergo recombination.

5

10

15

20

25

30

The nucleic acid molecules of the invention can have at least one mutation that confers at least one enhancement of said recombination, said enhancement selected from the group consisting of substantially (i) favoring integration; (ii) favoring recombination; (ii) relieving the requirement for host factors; (iii) increasing the efficiency of said Cointegrate DNA or Product DNA formation; (iv) increasing the specificity of said Cointegrate DNA or Product DNA formation; and (v) adding or deleting protein binding sites.

In other embodiments, the nucleic acid molecules of the invention may be PCR primer molecules, which comprise one or more of the recombination site sequences described herein or portions thereof, particularly those shown in Figure 9 (or sequences complementary to those shown in Figure 9), or mutants, fragments, variants or derivatives thereof, attached at the 3' end to a target-specific template sequence which specifically interacts with a target nucleic acid molecule which is to be amplified. Primer molecules according to this aspect of the invention may further comprise one or more, (e.g., 1, 2, 3, 4, 5, 10, 20, 25, 50, 100, 500, 1000, or more) additional bases at their 5' ends, and preferably comprise one or more (particularly four or five) additional bases, which are preferably

guanines, at their 5' ends, to increase the efficiency of the amplification products incorporating the primer molecules in the recombinational cloning system of the invention. Such nucleic acid molecules and primers are described in detail in the examples herein, particularly in Examples 22-25.

5

Certain primers of the invention may comprise one or more nucleotide deletions in the attB1, attB2, attP1, attP2, attL1, attL2, attR1 or attR2 sequences as set forth in Figure 9. In one such aspect, for example, attB2 primers may be constructed in which one or more of the first four nucleotides at the 5' end of the attB2 sequence shown in Figure 9 have been deleted. Primers according to this aspect of the invention may therefore have the sequence:

10

20

25

30

15

The primer nucleic acid molecules according to this aspect of the invention may be produced synthetically by attaching the recombination site sequences depicted in Figure 9, or portions thereof, to the 5' end of a standard PCR target-specific primer according to methods that are well-known in the art. Alternatively, additional primer nucleic acid molecules of the invention may be produced synthetically by adding one or more nucleotide bases, which preferably correspond to one or more, preferably five or more, and more preferably six or more, contiguous nucleotides of the *att* nucleotide sequences described herein (*see*, *e.g.*, Example 20 herein; *see also* U.S. Application Nos. 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, and 09/177,387, filed October 23, 1998, the disclosures of which are all incorporated herein by reference in their entireties), to the 5' end of a standard PCR target-specific primer according to methods that are well-known in the art, to provide

10

primers having the specific nucleotide sequences described herein. As noted above, primer nucleic acid molecules according to this aspect of the invention may also optionally comprise one, two, three, four, five, or more additional nucleotide bases at their 5' ends, and preferably will comprise four or five guanines at their 5' ends. In one particularly preferred such aspect, the primer nucleic acid molecules of the invention may comprise one or more, preferably five or more, more preferably six or more, still more preferably 6-18 or 6-25, and most preferably 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 or 25, contiguous nucleotides or bp of the *att*B1 or *att*B2 nucleotide sequences depicted in Figure 9 (or nucleotides complementary thereto), linked to the 5' end of a target-specific (*e.g.*, a gene-specific) primer molecule. Primer nucleic acid molecules according to this aspect of the invention include, but are not limited to, *att*B1- and *att*B2-derived primer nucleic acid molecules having the following nucleotide sequences:

15	ACAAGTTTGTACAAAAAAGCAGGCT-nnnnnnnnnnnnn r
	ACCACTTTGTACAAGAAAGCTGGGT-nnnnnnnnnnnnnnnnnnnnnnnnnnnnnnnn
	TGTACAAAAAGCAGGCT-nnnnnnnnnnnn n
	TGTACAAGAAAGCTGGGT-nnnnnnnnnnnn n
	ACAAAAAGCAGGCT-nnnnnnnnnnnn n
20	ACAAGAAAGCTGGGT-nnnnnnnnnnnn n
	AAAAAGCAGGCT-nnnnnnnnnnnn n
	AGAAAGCTGGGT-nnnnnnnnnnnnnnnnnnnnnnnnnnnnnnnn
	AAAAGCAGGCT-nnnnnnnnnnnn n
	GAAAGCTGGGT-nnnnnnnnnnnn n
25	AAAGCAGGCT-nnnnnnnnnnn n
	AAAGCTGGGT-nnnnnnnnnnn n
	AAGCAGGCT-nnnnnnnnnnnn n
	AAGCTGGGT-nnnnnnnnnnnn n
	AGCAGGCT-nnnnnnnnnnn n
30	AGCTGGGT-nnnnnnnnnnnnnnnnnnnnnnnnnnnnnnnn
	GCAGGCT-nnnnnnnnnnnnn n
	GCTGGGT-nnnnnnnnnnnn n

10

15

20

25

CTGGGT-nnnnnnnnnnnnnn...n,

Of course, it will be apparent to one of ordinary skill from the teachings contained herein that additional primer nucleic acid molecules analogous to those specifically described herein may be produced using one or more, preferably five or more, more preferably six or more, still more preferably ten or more, 15 or more, 20 or more, 25 or more, 30 or more, etc. (through to and including all) of the contiguous nucleotides or bp of the attP1, attP2, attL1, attL2, attR1 or attR2 nucleotide sequences depicted in Figure 9 (or nucleotides complementary thereto), linked to the 5' end of a target-specific (e.g., a gene-specific) primer molecule. As noted above, such primer nucleic acid molecules may optionally further comprise one, two, three, four, five, or more additional nucleotide bases at their 5' ends, and preferably will comprise four guanines at their 5' ends. Other primer molecules comprising the attB1, attB2, attP1, attP2, attL1, attL2, attR1 and attR2 sequences depicted in Figure 9, or portions thereof, may be made by one of ordinary skill without resorting to undue experimentation in accordance with the guidance provided herein.

The primers of the invention described herein are useful in producing PCR fragments having a nucleic acid molecule of interest flanked at each end by a recombination site sequence (as described in detail below in Example 9), for use in cloning of PCR-amplified DNA fragments using the recombination system of the invention (as described in detail below in Examples 8, 19 and 21-25).

Vectors

30

The invention also relates to vectors comprising one or more of the nucleic acid molecules of the invention, as described herein. In accordance with the invention, any vector may be used to construct the vectors of the invention. In

10

15

20

25

30

particular, vectors known in the art and those commercially available (and variants or derivatives thereof) may in accordance with the invention be engineered to include one or more nucleic acid molecules encoding one or more recombination sites (or portions thereof), or mutants, fragments, or derivatives thereof, for use in the methods of the invention. Such vectors may be obtained from, for example, Vector Laboratories Inc., InVitrogen, Promega, Novagen, New England Biolabs, Clontech, Roche, Pharmacia, EpiCenter, OriGenes Technologies Inc., Stratagene, Perkin Elmer, Pharmingen, Life Technologies, Inc., and Research Genetics. Such vectors may then for example be used for cloning or subcloning nucleic acid molecules of interest. General classes of vectors of particular interest include prokaryotic and/or eukaryotic cloning vectors, Expression Vectors, fusion vectors, two-hybrid or reverse two-hybrid vectors, shuttle vectors for use in different hosts, mutagenesis vectors, transcription vectors, vectors for receiving large inserts and the like.

Other vectors of interest include viral origin vectors (M13 vectors, bacterial phage λ vectors, bacteriophage P1 vectors, adenovirus vectors, herpesvirus vectors, retrovirus vectors, phage display vectors, combinatorial library vectors), high, low, and adjustable copy number vectors, vectors which have compatible replicons for use in combination in a single host (pACYC184 and pBR322) and eukaryotic episomal replication vectors (pCDM8).

Particular vectors of interest include prokaryotic Expression Vectors such as pcDNA II, pSL301, pSE280, pSE380, pSE420, pTrcHisA, B, and C, pRSET A, B, and C (Invitrogen, Inc.), pGEMEX-1, and pGEMEX-2 (Promega, Inc.), the pET vectors (Novagen, Inc.), pTrc99A, pKK223-3, the pGEX vectors, pEZZ18, pRIT2T, and pMC1871 (Pharmacia, Inc.), pKK233-2 and pKK388-1 (Clontech, Inc.), and pProEx-HT (Life Technologies, Inc.) and variants and derivatives thereof. Destination Vectors can also be made from eukaryotic Expression Vectors such as pFastBac, pFastBac HT, pFastBac DUAL, pSFV, and pTet-Splice (Life Technologies, Inc.), pEUK-C1, pPUR, pMAM, pMAMneo, pBI101, pBI121, pDR2, pCMVEBNA, and pYACneo (Clontech), pSVK3, pSVL, pMSG, pCH110, and pKK232-8 (Pharmacia, Inc.), p3'SS, pXT1, pSG5, pPbac, pMbac, pMC1neo, and pOG44 (Stratagene, Inc.), and pYES2, pAC360, pBlueBacHis A,

10

15

20

25

30

B, and C, pVL1392, pBsueBacIII, pCDM8, pcDNA1, pZeoSV, pcDNA3 pREP4, pCEP4, and pEBVHis (Invitrogen, Inc.) and variants or derivatives thereof.

Other vectors of particular interest include pUC18, pUC19, pBlueScript, pSPORT, cosmids, phagemids, YACs (yeast artificial chromosomes), BACs (bacterial artificial chromosomes), MACs (mammalian artificial chromosomes), pQE70, pQE60, pQE9 (Quiagen), pBS vectors, PhageScript vectors, BlueScript vectors, pNH8A, pNH16A, pNH18A, pNH46A (Stratagene), pcDNA3 (InVitrogen), pGEX, pTrsfus, pTrc99A, pET-5, pET-9, pKK223-3, pKK233-3, pDR540, pRIT5 (Pharmacia), pSPORT1, pSPORT2, pCMVSPORT2.0 and pSV-SPORT1 (Life Technologies, Inc.) and variants or derivatives thereof.

Additional vectors of interest include pTrxFus, pThioHis, pLEX, pTrcHis, pTrcHis2, pRSET, pBlueBacHis2, pcDNA3.1/His, pcDNA3.1(-)/Myc-His, pSecTag, pEBVHis, pPIC9K, pPIC3.5K, pAO815, pPICZ, pPICZa, pGAPZ. pGAPZa, pBlueBac4.5, pBlueBacHis2, pMelBac, pSinRep5, pSinHis, pIND, pIND(SP1), pVgRXR, pcDNA2.1. pYES2, pZErO1.1, pZErO-2.1, pCR-Blunt. pSE280, pSE380, pSE420, pVL1392, pVL1393, pCDM8, pcDNA1.1, pcDNA1.1/Amp, pcDNA3.1, pcDNA3.1/Zeo, pSe,SV2, pRc/CMV2, pRc/RSV. pREP4, pREP7, pREP8, pREP9, pREP10, pCEP4, pEBVHis, pCR3.1, pCR2.1, pCR3.1-Uni, and pCRBac from Invitrogen; λExCell, λgt11, pTrc99A, pKK223-3. pGEX-1\lambdaT, pGEX-2T, pGEX-2TK, pGEX-4T-1, pGEX-4T-2, pGEX-4T-3. pGEX-3X, pGEX-5X-1, pGEX-5X-2, pGEX-5X-3, pEZZ18, pRIT2T, pMC1871, pSVK3, pSVL, pMSG, pCH110, pKK232-8, pSL1180, pNEO, and pUC4K from Pharmacia; pSCREEN-1b(+), pT7Blue(R), pT7Blue-2, pCITE-4abc(+), pOCUS-2, pTAg, pET-32 LIC, pET-30 LIC, pBAC-2cp LIC, pBACgus-2cp LIC, pT7Blue-2 LIC, pT7Blue-2, λSCREEN-1, λBlueSTAR, pET-3abcd, pET-7abc, pET9abcd, pET11abcd, pET12abc, pET-14b, pET-15b, pET-16b, pET-17b-pET-17xb, pET-19b, pET-20b(+), pET-21abcd(+), pET-22b(+), pET-23abcd(+), pET-24abcd(+), pET-25b(+), pET-26b(+), pET-27b(+), pET-28abc(+), pET-29abc(+), pET-30abc(+), pET-31b(+), pET-32abc(+), pET-33b(+), pBAC-1, pBACgus-1, pBAC4x-1, pBACgus4x-1, pBAC-3cp, pBACgus-2cp, pBACsurf-1, plg, Signal plg, pYX, Selecta Vecta-Neo, Selecta Vecta - Hyg, and Selecta Vecta - Gpt from Novagen; pLexA, pB42AD, pGBT9, pAS2-1,

10

15

20

25

30

pGAD424, pACT2, pGAD GL, pGAD GH, pGAD10, pGilda, pEZM3, pEGFP, pEGFP-1, pEGFP-N, pEGFP-C, pEBFP, pGFPuv, pGFP, p6xHis-GFP, pSEAP2-Basic, pSEAP2-Contral, pSEAP2-Promoter, pSEAP2-Enhancer, pßgal-Basic, pβgal-Control, pβgal-Promoter, pβgal-Enhancer, pCMVβ, pTet-Off, pTet-On, pTK-Hyg, pRetro-Off, pRetro-On, pIRES1neo, pIRES1hyg, pLXSN, pLNCX, pLAPSN, pMAMneo, pMAMneo-CAT, pMAMneo-LUC, pPUR, pSV2neo, pYEX4T-1/2/3, pYEX-S1, pBacPAK-His, pBacPAK8/9, pAcUW31, BacPAK6, pTriplEx, \(\lambda\)gt11, pWE15, and \(\lambda\)TriplEx from Clontech; Lambda ZAP II, pBK-CMV, pBK-RSV, pBluescript II KS +/-, pBluescript II SK +/-, pAD-GAL4, pBD-GAL4 Cam, pSurfscript, Lambda FIX II, Lambda DASH, Lambda EMBL3, Lambda EMBL4, SuperCos, pCR-Script Amp, pCR-Script Cam, pCR-Script Direct, pBS +/-, pBC KS +/-, pBC SK +/-, Phagescript, pCAL-n-EK, pCAL-n, pCAL-c, pCAL-kc, pET-3abcd, pET-11abcd, pSPUTK, pESP-1, pCMVLacI, pOPRSVI/MCS, pOPI3 CAT, pXT1, pSG5, pPbac, pMbac, pMC1neo, pMC1neo Poly A, pOG44, pOG45, pFRTβGAL, pNEOβGAL, pRS403, pRS404, pRS405, pRS406, pRS413, pRS414, pRS415, and pRS416 from Stratagene.

Two-hybrid and reverse two-hybrid vectors of particular interest include pPC86, pDBLeu, pDBTrp, pPC97, p2.5, pGAD1-3, pGAD10, pACt, pACT2, pGADGL, pGADGH, pAS2-1, pGAD424, pGBT8, pGBT9, pGAD-GAL4, pLexA, pBD-GAL4, pHISi, pHISi-1, placZi, pB42AD, pDG202, pJK202, pJG4-5, pNLexA, pYESTrp and variants or derivatives thereof.

Yeast Expression Vectors of particular interest include pESP-1, pESP-2, pESC-His, pESC-Trp, pESC-URA, pESC-Leu (Stratagene), pRS401, pRS402, pRS411, pRS412, pRS421, pRS422, and variants or derivatives thereof.

According to the invention, the vectors comprising one or more nucleic acid molecules encoding one or more recombination sites, or mutants, variants, fragments, or derivatives thereof, may be produced by one of ordinary skill in the art without resorting to undue experimentation using standard molecular biology methods. For example, the vectors of the invention may be produced by introducing one or more of the nucleic acid molecules encoding one or more recombination sites (or mutants, fragments, variants or derivatives thereof) into one or more of the vectors described herein, according to the methods described,

WO 00/52027

5

10

15

20

25

30

for example, in Maniatis et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York (1982). In a related aspect of the invention, the vectors may be engineered to contain, in addition to one or more nucleic acid molecules encoding one or more recombination sites (or portions thereof), one or more additional physical or functional nucleotide sequences, such as those encoding one or more multiple cloning sites, one or more transcription termination sites, one or more transcriptional regulatory sequences (e.g., one or more promoters, enhancers, or repressors), one or more selection markers or modules, one or more genes or portions of genes encoding a protein or polypeptide of interest, one or more translational signal sequences, one or more nucleotide sequences encoding a fusion partner protein or peptide (e.g., GST, Hise or thioredoxin), one or more origins of replication, and one or more 5' or 3' polynucleotide tails (particularly a poly-G tail). According to this aspect of the invention, the one or more recombination site nucleotide sequences (or portions thereof) may optionally be operably linked to the one or more additional physical or functional nucleotide sequences described herein.

Preferred vectors according to this aspect of the invention include, but are not limited to: pENTR1A (Figures 10A and 10B), pENTR2B (Figures 11A and 11B), pENTR3C (Figures 12A and 12B), pENTR4 (Figures 13A and 13B), pENTR5 (Figures 14A and 14B), pENTR6 (Figures 15A and 15B), pENTR7 (Figures 16A and 16B), pENTR8 (Figures 17A and 17B), pENTR9 (Figures 18A and 18B), pENTR10 (Figures 19A and 19B), pENTR11 (Figures 20A and 20B), pDEST1 (Figures 21A-D), pDEST2 (Figure 22A-D), pDEST3 (Figure 23A-D), pDEST4 (Figure 24A-D), pDEST5 (Figure 25A-D), pDEST6 (Figure 26A-D), pDEST7 (Figure 27A-C), pDEST8 (Figure 28A-D), pDEST9 (Figure 29A-E), pDEST10 (Figure 30A-D), pDEST11 (Figure 31A-D), pDEST12.2 (also known as pDEST12) (Figure 32A-D), pDEST13 (Figure 33A-C), pDEST14 (Figure 34A-D), pDEST15 (Figure 35A-D), pDEST16 (Figure 36A-D), pDEST17 (Figure 37A-D), pDEST18 (Figure 38A-D), pDEST19 (Figure 39A-D), pDEST20 (Figure 40A-D), pDEST21 (Figure 41A-E), pDEST22 (Figure 42A-D), pDEST23 (Figure 43A-D), pDEST24 (Figure 44A-D), pDEST25 (Figure 45A-D), pDEST26 (Figure 46A-D), pDEST27 (Figure 47A-D), pEXP501 (also known

as pCMVSPORT6) (Figure 48A-B), pDONR201 (also known as pENTR21 attP vector or pAttPkan Donor Vector) (Figure 49), pDONR202 (Figure 50), pDONR203 (also known as pEZ15812) (Figure 51), pDONR204 (Figure 52). pDONR205 (Figure 53), pDONR206 (also known as pENTR22 attP vector or pAttPgen Donor Vector) (Figure 54), pMAB58 (Figure 87), pMAB62 (Figure 88), pDEST28 (Figure 90), pDEST29 (Figure 91), pDEST30 (Figure 92), pDEST31 (Figure 93), pDEST32 (Figure 94), pDEST33 (Figure 95), pDEST34 (Figure 96), pDONR207 (Figure 97), pMAB85 (Figure 98), pMAB86 (Figure 99), and fragments, mutants, variants, and derivatives thereof. However, it will be understood by one of ordinary skill that the present invention also encompasses other vectors not specifically designated herein, which comprise one or more of the isolated nucleic acid molecules of the invention encoding one or more recombination sites or portions thereof (or mutants, fragments, variants or derivatives thereof), and which may further comprise one or more additional physical or functional nucleotide sequences described herein which may optionally be operably linked to the one or more nucleic acid molecules encoding one or more recombination sites or portions thereof. Such additional vectors may be produced by one of ordinary skill according to the guidance provided in the present specification.

20

25

30

5

10

15

Polymerases

Preferred polypeptides having reverse transcriptase activity (i.e., those polypeptides able to catalyze the synthesis of a DNA molecule from an RNA template) for use in accordance with the present invention include, but are not limited to Moloney Murine Leukemia Virus (M-MLV) reverse transcriptase, Rous Sarcoma Virus (RSV) reverse transcriptase, Avian Myeloblastosis Virus (AMV) reverse transcriptase, Rous Associated Virus (RAV) reverse transcriptase, Myeloblastosis Associated Virus (MAV) reverse transcriptase, Human Immunodeficiency Virus (HIV) reverse transcriptase, retroviral reverse transcriptase, retrotransposon reverse transcriptase, hepatitis B reverse transcriptase, cauliflower mosaic virus reverse transcriptase and bacterial reverse transcriptase. Particularly preferred are those polypeptides having reverse

10

15

20

25

30

transcriptase activity that are also substantially reduced in RNAse H activity (i.e., "RNAse H-" polypeptides). By a polypeptide that is "substantially reduced in RNase H activity" is meant that the polypeptide has less than about 20%, more preferably less than about 15%, 10% or 5%, and most preferably less than about 2%, of the RNase H activity of a wildtype or RNase H enzyme such as wildtype M-MLV reverse transcriptase. The RNase H activity may be determined by a variety of assays, such as those described, for example, in U.S. Patent No. 5,244,797, in Kotewicz, M.L. et al., Nucl. Acids Res. 16:265 (1988) and in Gerard, G.F., et al., FOCUS 14(5):91 (1992), the disclosures of all of which are fully incorporated herein by reference. Suitable RNAse H polypeptides for use in the present invention include, but are not limited to, M-MLV H reverse transcriptase, RSV H reverse transcriptase, AMV H reverse transcriptase, RAV H' reverse transcriptase, MAV H' reverse transcriptase, HIV H' reverse transcriptase, THERMOSCRIPTTM reverse transcriptase and THERMOSCRIPTTM II reverse transcriptase, and SUPERSCRIPTTM I reverse transcriptase and SUPERSCRIPT™ II reverse transcriptase, which are obtainable, for example, from Life Technologies, Inc. (Rockville, Maryland). See generally published PCT application WO 98/47912.

Other polypeptides having nucleic acid polymerase activity suitable for use in the present methods include thermophilic DNA polymerases such as DNA polymerase I, DNA polymerase III, Klenow fragment, T7 polymerase, and T5 polymerase, and thermostable DNA polymerases including, but not limited to, Thermus thermophilus (Tth) DNA polymerase, Thermus aquaticus (Taq) DNA polymerase, Thermotoga neopolitana (Tne) DNA polymerase, Thermotoga maritima (Tma) DNA polymerase, Thermococcus litoralis (Tli or VENT®) DNA polymerase, Pyrococcus furiosus (Pfu) DNA polymerase, Pyrococcus species GB-D (or DEEPVENT®) DNA polymerase, Pyrococcus woosii (Pwo) DNA polymerase, Bacillus sterothermophilus (Bst) DNA polymerase, Sulfolobus acidocaldarius (Sac) DNA polymerase, Thermus flavus (Tfl/Tub) DNA polymerase, Thermus ruber (Tru) DNA polymerase, Thermus flavus (Tfl/Tub) DNA polymerase, Thermus ruber (Tru) DNA polymerase, Thermus brockianus (DYNAZYME®) DNA polymerase, Methanobacterium thermoautotrophicum (Mth) DNA polymerase, and mutants,

variants and derivatives thereof. Such polypeptides are available commercially, for example from Life Technologies, Inc. (Rockville, MD), New Englan BioLabs (Beverly, MA), and Sigma/Aldrich (St. Louis, MO).

Host Cells

5

10

15

20

25

30

The invention also relates to host cells comprising one or more of the nucleic acid molecules or vectors of the invention, particularly those nucleic acid molecules and vectors described in detail herein. Representative host cells that may be used according to this aspect of the invention include, but are not limited to, bacterial cells, yeast cells, plant cells and animal cells. Preferred bacterial host cells include Escherichia spp. cells (particularly E. coli cells and most particularly E. coli strains DH10B, Stbl2, DH5a, DB3, DB3.1 (preferably E. coli LIBRARY EFFICIENCY® DB3.1™ Competent Cells; Life Technologies, Inc., Rockville, MD), DB4 and DB5; see U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, the disclosure of which is incorporated by reference herein in its entirety), Bacillus spp. cells (particularly B. subtilis and B. megaterium cells), Streptomyces spp. cells, Erwinia spp. cells, Klebsiella spp. cells, Serratia spp. cells (particularly S. marcessans cells), Pseudomonas spp. cells (particularly P. aeruginosa cells), and Salmonella spp. cells (particularly S. typhimurium and S. typhi cells). Preferred animal host cells include insect cells (most particularly Drosophila melanogaster cells, Spodoptera frugiperda Sf9 and Sf21 cells and Trichoplusa High-Five cells), nematode cells (particularly C. elegans cells), avian cells, amphibian cells (particularly Xenopus laevis cells), reptilian cells, and mammalian cells (most particularly CHO, COS, VERO, BHK and human cells). Preferred yeast host cells include Saccharomyces cerevisiae cells and Pichia pastoris cells. These and other suitable host cells are available commercially, for example from Life Technologies, Inc. (Rockville, Maryland), American Type Culture Collection (Manassas, Virginia), and Agricultural Research Culture Collection (NRRL; Peoria, Illinois).

Methods for introducing the nucleic acid molecules and/or vectors of the invention into the host cells described herein, to produce host cells comprising one or more of the nucleic acid molecules and/or vectors of the invention, will be

WO 00/52027 PCT/US00/05432 -77-

familiar to those of ordinary skill in the art. For instance, the nucleic acid molecules and/or vectors of the invention may be introduced into host cells using well known techniques of infection, transduction, transfection, and transformation. The nucleic acid molecules and/or vectors of the invention may be introduced alone or in conjunction with other the nucleic acid molecules and/or vectors. Alternatively, the nucleic acid molecules and/or vectors of the invention may be introduced into host cells as a precipitate, such as a calcium phosphate precipitate. or in a complex with a lipid. Electroporation also may be used to introduce the nucleic acid molecules and/or vectors of the invention into a host. Likewise, such molecules may be introduced into chemically competent cells such as E. coli. If the vector is a virus, it may be packaged in vitro or introduced into a packaging cell and the packaged virus may be transduced into cells. Hence, a wide variety of techniques suitable for introducing the nucleic acid molecules and/or vectors of the invention into cells in accordance with this aspect of the invention are well known and routine to those of skill in the art. Such techniques are reviewed at length, for example, in Sambrook, J., et al., Molecular Cloning, a Laboratory Manual, 2nd Ed., Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press, pp. 16.30-16.55 (1989), Watson, J.D., et al., Recombinant DNA, 2nd Ed., New York: W.H. Freeman and Co., pp. 213-234 (1992), and Winnacker, E.-L. From Genes to Clones, New York: VCH Publishers (1987), which are illustrative of the many laboratory manuals that detail these techniques and which are incorporated by reference herein in their entireties for their relevant disclosures.

Polypeptides

25

30

5

10

15

20

In another aspect, the invention relates to polypeptides encoded by the nucleic acid molecules of the invention (including polypeptides and amino acid sequences encoded by all possible reading frames of the nucleic acid molecules of the invention), and to methods of producing such polypeptides. Polypeptides of the present invention include purified or isolated natural products, products of chemical synthetic procedures, and products produced by recombinant techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast, insect, mammalian, avian and higher plant cells.

10

15

20

25

30

The polypeptides of the invention may be produced by synthetic organic chemistry, and are preferably produced by standard recombinant methods, employing one or more of the host cells of the invention comprising the vectors or isolated nucleic acid molecules of the invention. According to the invention, polypeptides are produced by cultivating the host cells of the invention (which comprise one or more of the nucleic acid molecules of the invention, preferably contained within an Expression Vector) under conditions favoring the expression of the nucleotide sequence contained on the nucleic acid molecule of the invention, such that the polypeptide encoded by the nucleic acid molecule of the invention is produced by the host cell. As used herein, "conditions favoring the expression of the nucleotide sequence" or "conditions favoring the production of a polypeptide" include optimal physical (e.g., temperature, humidity, etc.) and nutritional (e.g., culture medium, ionic) conditions required for production of a recombinant polypeptide by a given host cell. Such optimal conditions for a variety of host cells, including prokaryotic (bacterial), mammalian, insect, yeast, and plant cells will be familiar to one of ordinary skill in the art, and may be found, for example, in Sambrook, J., et al., Molecular Cloning, A Laboratory Manual, 2nd Ed., Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press, (1989), Watson, J.D., et al., Recombinant DNA, 2nd Ed., New York: W.H. Freeman and Co., and Winnacker, E.-L., From Genes to Clones, New York: VCH Publishers (1987).

In some aspects, it may be desirable to isolate or purify the polypeptides of the invention (e.g., for production of antibodies as described below), resulting in the production of the polypeptides of the invention in isolated form. The polypeptides of the invention can be recovered and purified from recombinant cell cultures by well-known methods of protein purification that are routine in the art, including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. For example, His6 or GST fusion tags on polypeptides made by the methods of the invention may be isolated using appropriate affinity chromatography matrices which bind polypeptides bearing

His6 or GST tags, as will be familiar to one of ordinary skill in the art. Polypeptides of the present invention include naturally purified products, products of chemical synthetic procedures, and products produced by recombinant techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast, higher plant, insect and mammalian cells. Depending upon the host employed in a recombinant production procedure, the polypeptides of the present invention may be glycosylated or may be non-glycosylated. In addition, polypeptides of the invention may also include an initial modified methionine residue, in some cases as a result of host-mediated processes.

10

15

20

25

5

Isolated polypeptides of the invention include those comprising the amino acid sequences encoded by one or more of the reading frames of the polynucleotides comprising one or more of the recombination site-encoding nucleic acid molecules of the invention, including those encoding attB1, attB2, attP1, attP2, attL1, attL2, attR1 and attR2 having the nucleotide sequences set forth in Figure 9 (or nucleotide sequences complementary thereto), or fragments, variants, mutants and derivatives thereof; the complete amino acid sequences encoded by the polynucleotides contained in the deposited clones described herein; the amino acid sequences encoded by polynucleotides which hybridize under stringent hybridization conditions to polynucleotides having the nucleotide sequences encoding the recombination site sequences of the invention as set forth in Figure 9 (or a nucleotide sequence complementary thereto); or a peptide or polypeptide comprising a portion or a fragment of the above polypeptides. The invention also relates to additional polypeptides having one or more additional amino acids linked (typically by peptidyl bonds to form a nascent polypeptide) to the polypeptides encoded by the recombination site nucleotide sequences or the deposited clones. Such additional amino acid residues may comprise one or more functional peptide sequences, for example one or more fusion partner peptides (e.g., GST, His₆, Trx, etc.) and the like.

30

As used herein, the terms "protein," "peptide," "oligopeptide" and "polypeptide" are considered synonymous (as is commonly recognized) and each term can be used interchangeably as the context requires to indicate a chain of two or more amino acids, preferably five or more amino acids, or more preferably ten

or more amino acids, coupled by (a) peptidyl linkage(s), unless otherwise defined in the specific contexts below. As is commonly recognized in the art, all polypeptide formulas or sequences herein are written from left to right and in the direction from amino terminus to carboxy terminus.

5

It will be recognized by those of ordinary skill in the art that some amino acid sequences of the polypeptides of the invention can be varied without significant effect on the structure or function of the polypeptides. If such differences in sequence are contemplated, it should be remembered that there will be critical areas on the protein which determine structure and activity. In general, it is possible to replace residues which form the tertiary structure, provided that residues performing a similar function are used. In other instances, the type of residue may be completely unimportant if the alteration occurs at a non-critical region of the polypeptide.

15

10

20

25

30

Thus, the invention further includes variants of the polypeptides of the invention, including allelic variants, which show substantial structural homology to the polypeptides described herein, or which include specific regions of these polypeptides such as the portions discussed below. Such mutants may include deletions, insertions, inversions, repeats, and type substitutions (for example, substituting one hydrophilic residue for another, but not strongly hydrophilic for strongly hydrophobic as a rule). Small changes or such "neutral" or "conservative" amino acid substitutions will generally have little effect on activity.

Typical conservative substitutions are the replacements, one for another, among the aliphatic amino acids Ala, Val, Leu and Ile; interchange of the hydroxylated residues Ser and Thr; exchange of the acidic residues Asp and Glu; substitution between the amidated residues Asn and Gln; exchange of the basic residues Lys and Arg; and replacements among the aromatic residues Phe and Tyr.

Thus, the fragment, derivative or analog of the polypeptides of the invention, such as those comprising peptides encoded by the recombination site nucleotide sequences described herein, may be (i) one in which one or more of the amino acid residues are substituted with a conservative or non-conservative amino acid residue (preferably a conservative amino acid residue), and such substituted amino acid residue may be encoded by the genetic code or may be an amino acid (e.g.,

10

15

20

25

30

desmosine, citrulline, ornithine, etc.) that is not encoded by the genetic code; (ii) one in which one or more of the amino acid residues includes a substituent group (e.g., a phosphate, hydroxyl, sulfate or other group) in addition to the normal "R" group of the amino acid; (iii) one in which the mature polypeptide is fused with another compound, such as a compound to increase the half-life of the polypeptide (for example, polyethylene glycol), or (iv) one in which additional amino acids are fused to the mature polypeptide, such as an immunoglobulin Fc region peptide, a leader or secretory sequence, a sequence which is employed for purification of the mature polypeptide (such as GST) or a proprotein sequence. Such fragments, derivatives and analogs are intended to be encompassed by the present invention, and are within the scope of those skilled in the art from the teachings herein and the state of the art at the time of invention.

The polypeptides of the present invention are preferably provided in an isolated form, and preferably are substantially purified. Recombinantly produced versions of the polypeptides of the invention can be substantially purified by the one-step method described in Smith and Johnson, *Gene* 67:31-40 (1988). As used herein, the term "substantially purified" means a preparation of an individual polypeptide of the invention wherein at least 50%, preferably at least 60%, 70%, or 75% and more preferably at least 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% (by mass) of contaminating proteins (*i.e.*, those that are not the individual polypeptides described herein or fragments, variants, mutants or derivatives thereof) have been removed from the preparation.

The polypeptides of the present invention include those which are at least about 50% identical, at least 60% identical, at least 65% identical, more preferably at least about 70%, at least about 75%, at least about 80%, at least about 85%, at least about 90%, at least about 95%, at least about 96%, at least about 97%, at least about 98% or at least about 99% identical, to the polypeptides described herein. For example, preferred attB1-containing polypeptides of the invention include those that are at least about 50% identical, at least 60% identical, at least 65% identical, more preferably at least about 70%, at least about 75%, at least about 80%, at least about 95%, at least about 95%, at least about 96%, at least about 99% identical,

10

15

20

25

30

to the polypeptide(s) encoded by the three reading frames of a polynucleotide comprising a nucleotide sequence of attB1 having a nucleic acid sequence as set forth in Figure 9 (or a nucleic acid sequence complementary thereto), to a polypeptide encoded by a polynucleotide contained in the deposited cDNA clones described herein, or to a polypeptide encoded by a polynucleotide hybridizing under stringent conditions to a polynucleotide comprising a nucleotide sequence of attB1 having a nucleic acid sequence as set forth in Figure 9 (or a nucleic acid sequence complementary thereto). Analogous polypeptides may be prepared that are at least about 65% identical, more preferably at least about 70%, at least about 75%, at least about 80%, at least about 85%, at least about 99%, at least about 99% identical, to the attB2, attP1, attP2, attL1, attL2, attR1 and attR2 polypeptides of the invention as depicted in Figure 9. The present polypeptides also include portions or fragments of the above-described polypeptides with at least 5,10, 15, 20, or 25 amino acids.

By a polypeptide having an amino acid sequence at least, for example, 65% "identical" to a reference amino acid sequence of a given polypeptide of the invention is intended that the amino acid sequence of the polypeptide is identical to the reference sequence except that the polypeptide sequence may include up to 35 amino acid alterations per each 100 amino acids of the reference amino acid sequence of a given polypeptide of the invention. In other words, to obtain a polypeptide having an amino acid sequence at least 65% identical to a reference amino acid sequence, up to 35% of the amino acid residues in the reference sequence may be deleted or substituted with another amino acid, or a number of amino acids up to 35% of the total amino acid residues in the reference sequence may be inserted into the reference sequence. These alterations of the reference sequence may occur at the amino (N-) or carboxy (C-) terminal positions of the reference amino acid sequence or anywhere between those terminal positions, interspersed either individually among residues in the reference sequence or in one or more contiguous groups within the reference sequence. As a practical matter, whether a given amino acid sequence is, for example, at least 65% identical to the amino acid sequence of a given polypeptide of the invention can be determined

conventionally using known computer programs such as those described above for nucleic acid sequence identity determinations, or more preferably using the CLUSTAL W program (Thompson, J.D., et al., Nucleic Acids Res. 22:4673-4680 (1994)).

5

10

15

20

25

30

The polypeptides of the present invention can be used as molecular weight markers on SDS-PAGE gels or on molecular sieve gel filtration columns using methods well known to those of skill in the art. In addition, as described in detail below, the polypeptides of the present invention can be used to raise polyclonal and monoclonal antibodies which are useful in a variety of assays for detecting protein expression, localization, detection of interactions with other molecules, or for the isolation of a polypeptide (including a fusion polypeptide) of the invention.

In another aspect, the present invention provides a peptide or polypeptide comprising an epitope-bearing portion of a polypeptide of the invention, which may be used to raise antibodies, particularly monoclonal antibodies, that bind specifically to a one or more of the polypeptides of the invention. The epitope of this polypeptide portion is an immunogenic or antigenic epitope of a polypeptide of the invention. An "immunogenic epitope" is defined as a part of a protein that elicits an antibody response when the whole protein is the immunogen. These immunogenic epitopes are believed to be confined to a few loci on the molecule. On the other hand, a region of a protein molecule to which an antibody can bind is defined as an "antigenic epitope." The number of immunogenic epitopes of a protein generally is less than the number of antigenic epitopes (see, e.g., Geysen et al., Proc. Natl. Acad. Sci. USA 81:3998-4002 (1983)).

As to the selection of peptides or polypeptides bearing an antigenic epitope (i.e., that contain a region of a protein molecule to which an antibody can bind), it is well-known in the art that relatively short synthetic peptides that mimic part of a protein sequence are routinely capable of eliciting an antiserum that reacts with the partially mimicked protein (see, e.g., Sutcliffe, J.G., et al., Science 219:660-666 (1983)). Peptides capable of eliciting protein-reactive sera are frequently represented in the primary sequence of a protein, can be characterized by a set of simple chemical rules, and are not confined to the immunodominant regions of intact proteins (i.e., immunogenic epitopes) or to the amino or carboxy

termini. Peptides that are extremely hydrophobic and those of six or fewer residues generally are ineffective at inducing antibodies that bind to the mimicked protein; longer peptides, especially those containing proline residues, usually are effective (Sutcliffe, J.G., et al., Science 219:660-666 (1983)).

5

10

15

20

25

30

Epitope-bearing peptides and polypeptides of the invention designed according to the above guidelines preferably contain a sequence of at least five, more preferably at least seven or more amino acids contained within the amino acid sequence of a polypeptide of the invention. However, peptides or polypeptides comprising a larger portion of an amino acid sequence of a polypeptide of the invention, containing about 30 to about 50 amino acids, or any length up to and including the entire amino acid sequence of a given polypeptide of the invention, also are considered epitope-bearing peptides or polypeptides of the invention and also are useful for inducing antibodies that react with the mimicked protein. Preferably, the amino acid sequence of the epitope-bearing peptide is selected to provide substantial solubility in aqueous solvents (i.e., the sequence includes relatively hydrophilic residues and highly hydrophobic sequences are preferably avoided); sequences containing proline residues are particularly preferred.

Non-limiting examples of epitope-bearing polypeptides or peptides that can be used to generate antibodies specific for the polypeptides of the invention include certain epitope-bearing regions of the polypeptides comprising amino acid sequences encoded by polynucleotides comprising one or more of the recombination site-encoding nucleic acid molecules of the invention, including those encoding attB1, attB2, attP1, attP2, attL1, attL2, attR1 and attR2 having the nucleotide sequences set forth in Figure 9 (or a nucleotide sequence complementary thereto); the complete amino acid sequences encoded by the three reading frames of the polynucleotides contained in the deposited clones described herein; and the amino acid sequences encoded by all reading frames of polynucleotides which hybridize under stringent hybridization conditions to polynucleotides having the nucleotide sequences encoding the recombination site sequences (or portions thereof) of the invention as set forth in Figure 9 (or a nucleic acid sequence complementary thereto). Other epitope-bearing polypeptides or peptides that may be used to generate antibodies specific for the polypeptides

10

15

20

25

30

of the invention will be apparent to one of ordinary skill in the art based on the primary amino acid sequences of the polypeptides of the invention described herein, via the construction of Kyte-Doolittle hydrophilicity and Jameson-Wolf antigenic index plots of the polypeptides of the invention using, for example, PROTEAN computer software (DNASTAR, Inc.; Madison, Wisconsin).

The epitope-bearing peptides and polypeptides of the invention may be produced by any conventional means for making peptides or polypeptides including recombinant means using nucleic acid molecules of the invention. For instance, a short epitope-bearing amino acid sequence may be fused to a larger polypeptide which acts as a carrier during recombinant production and purification, as well as during immunization to produce anti-peptide antibodies. Epitope-bearing peptides also may be synthesized using known methods of chemical synthesis (see, e.g., U.S. Patent No. 4,631,211 and Houghten, R. A., Proc. Natl. Acad. Sci. USA 82:5131-5135 (1985), both of which are incorporated by reference herein in their entireties).

As one of skill in the art will appreciate, the polypeptides of the present invention and epitope-bearing fragments thereof may be immobilized onto a solid support, by techniques that are well-known and routine in the art. By "solid support" is intended any solid support to which a peptide can be immobilized. Such solid supports include, but are not limited to nitrocellulose, diazocellulose, glass, polystyrene, polyvinylchloride, polypropylene, polyethylene, dextran, Sepharose, agar, starch, nylon, beads and microtitre plates. Linkage of the peptide of the invention to a solid support can be accomplished by attaching one or both ends of the peptide to the support. Attachment may also be made at one or more internal sites in the peptide. Multiple attachments (both internal and at the ends of the peptide) may also be used according to the invention. Attachment can be via an amino acid linkage group such as a primary amino group, a carboxyl group, or a sulfhydryl (SH) group or by chemical linkage groups such as with cyanogen bromide (CNBr) linkage through a spacer. For non-covalent attachments to the support, addition of an affinity tag sequence to the peptide can be used such as GST (Smith, D.B., and Johnson, K.S., Gene 67:31 (1988)), polyhistidines (Hochuli, E., et al., J. Chromatog. 411:77 (1987)), or biotin. Such affinity tags WO 00/52027

5

10

15

20

25

30

may be used for the reversible attachment of the peptide to the support. Such immobilized polypeptides or fragments may be useful, for example, in isolating antibodies directed against one or more of the polypeptides of the invention, or other proteins or peptides that recognize other proteins or peptides that bind to one or more of the polypeptides of the invention, as described below.

As one of skill in the art will also appreciate, the polypeptides of the present invention and the epitope-bearing fragments thereof described herein can be combined with one or more fusion partner proteins or peptides, or portions thereof, including but not limited to GST, His₆, Trx, and portions of the constant domain of immunoglobulins (Ig), resulting in chimeric or fusion polypeptides. These fusion polypeptides facilitate purification of the polypeptides of the invention (EP 0 394 827; Traunecker et al., Nature 331:84-86 (1988)) for use in analytical or diagnostic (including high-throughput) format.

Antibodies

In another aspect, the invention relates to antibodies that recognize and bind to the polypeptides (or epitope-bearing fragments thereof) or nucleic acid molecules (or portions thereof) of the invention. In a related aspect, the invention relates to antibodies that recognize and bind to one or more polypeptides encoded by all reading frames of one or more recombination site nucleic acid sequences or portions thereof, or to one or more nucleic acid molecules comprising one or more recombination site nucleic acid sequences or portions thereof, including but not limited to att sites (including attB1, attB2, attP1, attP2, attL1, attL2, attR1, attR2 and the like), lox sites (e.g., loxP, loxP511, and the like), FRT, and the like, or mutants, fragments, variants and derivatives thereof. See generally U.S. Patent No. 5,888,732, which is incorporated herein by reference in its entirety. The antibodies of the present invention may be polyclonal or monoclonal, and may be prepared by any of a variety of methods and in a variety of species according to methods that are well-known in the art. See, for instance, U.S. Patent No. 5,587,287; Sutcliffe, J.G., et al., Science 219:660-666 (1983); Wilson et al., Cell 37: 767 (1984); and Bittle, F.J., et al., J. Gen. Virol. 66:2347-2354 (1985). Antibodies specific for any of the polypeptides or nucleic acid molecules described

herein, such as antibodies specifically binding to one or more of the polypeptides encoded by the recombination site nucleotide sequences, or one or more nucleic acid molecules, described herein or contained in the deposited clones, antibodies against fusion polypeptides (e.g., binding to fusion polypeptides between one or more of the fusion partner proteins and one or more of the recombination site polypeptides of the invention, as described herein), and the like, can be raised against the intact polypeptides or polynucleotides of the invention or one or more antigenic polypeptide fragments thereof.

As used herein, the term "antibody" (Ab) may be used interchangeably with the terms "polyclonal antibody" or "monoclonal antibody" (mAb), except in specific contexts as described below. These terms, as used herein, are meant to include intact molecules as well as antibody fragments (such as, for example, Fab and F(ab')₂ fragments) which are capable of specifically binding to a polypeptide or nucleic acid molecule of the invention or a portion thereof. It will therefore be appreciated that, in addition to the intact antibodies of the invention, Fab, F(ab')₂ and other fragments of the antibodies described herein, and other peptides and peptide fragments that bind one or more polypeptides or polynucleotides of the invention, are also encompassed within the scope of the invention. Such antibody fragments are typically produced by proteolytic cleavage of intact antibodies, using enzymes such as papain (to produce Fab fragments) or pepsin (to produce F(ab')₂ fragments). Antibody fragments, and peptides or peptide fragments, may also be produced through the application of recombinant DNA technology or through synthetic chemistry.

Epitope-bearing peptides and polypeptides, and nucleic acid molecules or portions thereof, of the invention may be used to induce antibodies according to methods well known in the art, as generally described herein (see, e.g., Sutcliffe, et al., supra; Wilson, et al., supra; and Bittle, F. J., et al., J. Gen. Virol. 66:2347-2354 (1985)).

Polyclonal antibodies according to this aspect of the invention may be made by immunizing an animal with one or more of the polypeptides or nucleic acid molecules of the invention described herein or portions thereof according to standard techniques (see, e.g., Harlow, E., and Lane, D., Antibodies: A

10

5

15

20

25

30

10

15

20

25

30

Laboratory Manual, Cold Spring Harbor, NY: Cold Spring Harbor Laboratory Press (1988); Kaufman, P.B., et al., In: Handbook of Molecular and Cellular Methods in Biology and Medicine, Boca Raton, Florida: CRC Press, pp. 468-469 (1995)). For producing antibodies that recognize and bind to the polypeptides or nucleic acid molecules of the invention or portions thereof, animals may be immunized with free peptide or free nucleic acid molecules; however, antibody titer may be boosted by coupling of the peptide to a macromolecular carrier, such as albumin, KLH, or tetanus toxoid (particularly for producing antibodies against the nucleic acid molecules of the invention or portions thereof; see Harlow and Lane, supra, at page 154), or to a solid phase carrier such as a latex or glass microbead. For instance, peptides containing cysteine may be coupled to carrier using a linker such as m-maleimidobenzoyl-N- hydroxysuccinimide ester (MBS). while other peptides may be coupled to carrier using a more general linking agent such as glutaraldehyde. Animals such as rabbits, rats and mice may be immunized with either free (if the polypeptide immunogen is larger than about 25 amino acids in length) or carrier-coupled peptides or nucleic acid molecules, for instance, by intraperitoneal and/or intradermal injection of emulsions containing about 100 µg peptide, polynucleotide, or carrier protein, and Freund's adjuvant. Several booster injections may be needed, for instance, at intervals of about two weeks, to provide a useful titer of antibody which can be detected, for example, by ELISA assay using free peptide or nucleic acid molecule adsorbed to a solid surface. In another approach, cells expressing one or more of the polypeptides or polynucleotides of the invention or an antigenic fragment thereof can be administered to an animal in order to induce the production of sera containing polyclonal antibodies, according to routine immunological methods. In yet another method, a preparation of one or more of the polypeptides or polynucleotides of the invention is prepared and purified as described herein, to render it substantially free of natural contaminants. Such a preparation may then be introduced into an animal in order to produce polyclonal antisera of greater specific activity. The titer of antibodies in serum from an immunized animal, regardless of the method of immunization used, may be increased by selection of anti-peptide or anti-polynucleotide antibodies, for

10

15

20

25

30

instance, by adsorption to the peptide or polynucleotide on a solid support and elution of the selected antibodies according to methods well known in the art.

In an alternative method, the antibodies of the present invention are monoclonal antibodies (or fragments thereof which bind to one or more of the polypeptides of the invention). Such monoclonal antibodies can be prepared using hybridoma technology (Kohler et al., Nature 256:495 (1975); Köhler et al., Eur. J. Immunol. 6:511 (1976); Köhler et al., Eur. J. Immunol. 6:292 (1976); Hammerling et al., In: Monoclonal Antibodies and T-Cell Hybridomas, Elsevier, N.Y., pp. 563-681 (1981)). In general, such procedures involve immunizing an animal (preferably a mouse) with a polypeptide or polynucleotide of the invention (or a fragment thereof), or with a cell expressing a polypeptide or polynucleotide of the invention (or a fragment thereof). The splenocytes of such mice are extracted and fused with a suitable myeloma cell line. Any suitable myeloma cell line may be employed in accordance with the present invention; however, it is preferable to employ the parent myeloma cell line (SP2O), available from the American Type Culture Collection, Rockville, Maryland. After fusion, the resulting hybridoma cells are selectively maintained in HAT medium, and then cloned by limiting dilution as described by Wands et al. (Gastroenterol. 80:225-232 (1981)). The hybridoma cells obtained through such a selection are then assayed to identify clones which secrete antibodies capable of binding one or more of the polypeptides or nucleic acid molecules of the invention, or fragments thereof. Hence, the present invention also provides hybridoma cells and cell lines producing monoclonal antibodies of the invention, particularly that recognize and bind to one or more of the polypeptides or nucleic acid molecules of the invention.

Alternatively, additional antibodies capable of binding to one or more of the polypeptides of the invention, or fragments thereof, may be produced in a two-step procedure through the use of anti-idiotypic antibodies. Such a method makes use of the fact that antibodies are themselves antigens, and that, therefore, it is possible to obtain an antibody which binds to a second antibody. In accordance with this method, antibodies specific for one or more of the polypeptides or polynucleotides of the invention, prepared as described above, are used to immunize an animal, preferably a mouse. The splenocytes of such an

10

15

20

25

30

animal are then used to produce hybridoma cells, and the hybridoma cells are screened to identify clones which produce an antibody whose ability to bind to an antibody specific for one or more of the polypeptides or polynucleotides of the invention can be blocked by polypeptides of the invention themselves. Such antibodies comprise anti-idiotypic antibodies to the antibodies recognizing one or more of the polypeptides or polynucleotides of the invention, and can be used to immunize an animal to induce formation of further antibodies specific for one or more of the polypeptides or polynucleotides of the invention.

For use, the antibodies of the invention may optionally be detectably labeled by covalent or non-covalent attachment of one or more labels, including but not limited to chromogenic, enzymatic, radioisotopic, isotopic, fluorescent, toxic, chemiluminescent, or nuclear magnetic resonance contrast agents or other labels.

Examples of suitable enzyme labels include malate dehydrogenase, staphylococcal nuclease, delta-5-steroid isomerase, yeast-alcohol dehydrogenase, alpha-glycerol phosphate dehydrogenase, triose phosphate isomerase, peroxidase, alkaline phosphatase, asparaginase, glucose oxidase, beta-galactosidase, ribonuclease, urease, catalase, glucose-6-phosphate dehydrogenase, glucoamylase, and acetylcholine esterase.

Examples of suitable radioisotopic labels include ³H, ¹¹¹In, ¹²⁵I, ¹³¹I, ³²P, ³⁵S, ¹⁴C, ⁵¹Cr, ⁵⁷To, ⁵⁸Co, ⁵⁹Fe, ⁷⁵Se, ¹⁵²Eu, ⁹⁰Y, ⁶⁷Cu, ²¹⁷Ci, ²¹¹At, ²¹²Pb, ⁴⁷Sc, ¹⁰⁹Pd, etc. ¹¹¹In is a preferred isotope where in vivo imaging is used since its avoids the problem of dehalogenation of the ¹²⁵I or ¹³¹I-labeled monoclonal antibody by the liver. In addition, this radionucleotide has a more favorable gamma emission energy for imaging (Perkins *et al.*, *Eur. J. Nucl. Med. 10*:296-301 (1985); Carasquillo *et al.*, *J. Nucl. Med. 28*:281-287 (1987)). For example, ¹¹¹In coupled to monoclonal antibodies with 1-(P-isothiocyanatobenzyl)-DPTA has shown little uptake in non-tumorous tissues, particularly the liver, and therefore enhances specificity of tumor localization (Esteban et al., J. Nucl. Med. 28:861-870 (1987)).

Examples of suitable non-radioactive isotopic labels include ¹⁵⁷Gd, ⁵⁵Mn, ¹⁶²Dy, ⁵²Tr, and ⁵⁶Fe.

Examples of suitable fluorescent labels include an ¹⁵²Eu label, a fluorescein label, an isothiocyanate label, a rhodamine label, a phycoerythrin label, a

phycocyanin label, an allophycocyanin label, an o-phthaldehyde label, a green fluorescent protein (GFP) label, and a fluorescamine label.

Examples of suitable toxin labels include diphtheria toxin, ricin, and cholera toxin.

Examples of chemiluminescent labels include a luminal label, an isoluminal label, an aromatic acridinium ester label, an imidazole label, an acridinium salt label, an oxalate ester label, a luciferin label, a luciferase label, and an aequorin label.

5

10

15

20

25

30

Examples of nuclear magnetic resonance contrasting agents include heavy metal nuclei such as Gd, Mn, and iron.

Typical techniques for binding the above-described labels to the antibodies of the invention are provided by Kennedy et al., Clin. Chim. Acta 70:1-31 (1976), and Schurs et al., Clin. Chim. Acta 81:1-40 (1977). Coupling techniques mentioned in the latter are the glutaraldehyde method, the periodate method, the dimaleimide method, the m-maleimidobenzyl-N-hydroxy-succinimide ester method, all of which methods are incorporated by reference herein.

It will be appreciated by one of ordinary skill that the antibodies of the present invention may alternatively be coupled to a solid support, to facilitate, for example, chromatographic and other immunological procedures using such solid phase-immobilized antibodies. Included among such procedures are the use of the antibodies of the invention to isolate or purify polypeptides comprising one or more epitopes encoded by the nucleic acid molecules of the invention (which may be fusion polypeptides or other polypeptides of the invention described herein), or to isolate or purify polynucleotides comprising one or more recombination site sequences of the invention or portions thereof. Methods for isolation and purification of polypeptides (and, by analogy, polynucleotides) by affinity chromatography, for example using the antibodies of the invention coupled to a solid phase support, are well-known in the art and will be familiar to one of ordinary skill. The antibodies of the invention may also be used in other applications, for example to cross-link or couple two or more proteins, polypeptides, polynucleotides, or portions thereof into a structural and/or functional complex. In one such use, an antibody of the invention may have two

10

15

20

25

30

or more distinct epitope-binding regions that may bind, for example, a first polypeptide (which may be a polypeptide of the invention) at one epitope-binding region on the antibody and a second polypeptide (which may be a polypeptide of the invention) at a second epitope-binding region on the antibody, thereby bringing the first and second polypeptides into close proximity to each other such that the first and second polypeptides are able to interact structurally and/or functionally (as, for example, linking an enzyme and its substrate to carry out enzymatic catalysis, or linking an effector molecule and its receptor to carry out or induce a specific binding of the effector molecule to the receptor or a response to the effector molecule mediated by the receptor). Additional applications for the antibodies of the invention include, for example, the preparation of large-scale arrays of the antibodies, polypeptides, or nucleic acid molecules of the invention, or portions thereof, on a solid support, for example to facilitate high-throughput screening of protein or RNA expression by host cells containing nucleic acid molecules of the invention (known in the art as "chip array" protocols; see, e.g., U.S. Patent Nos. 5,856,101, 5,837,832, 5,770,456, 5,744,305, 5,631,734, and 5,593,839, which are directed to production and use of chip arrays of polypeptides (including antibodies) and polynucleotides, and the disclosures of which are incorporated herein by reference in their entireties). By "solid support" is intended any solid support to which an antibody can be immobilized. Such solid supports include, but are not limited to nitrocellulose, diazocellulose, glass, polystyrene, polyvinylchloride, polycarbonate, polypropylene, polyethylene, dextran, Sepharose, agar, starch, nylon, beads and microtitre plates. Preferred are beads made of glass, latex or a magnetic material. Linkage of an antibody of the invention to a solid support can be accomplished by attaching one or both ends of the antibody to the support. Attachment may also be made at one or more internal sites in the antibody. Multiple attachments (both internal and at the ends of the antibody) may also be used according to the invention. Attachment can be via an amino acid linkage group such as a primary amino group, a carboxyl group, or a sulfhydryl (SH) group or by chemical linkage groups such as with cyanogen bromide (CNBr) linkage through a spacer. For non-covalent attachments, addition of an affinity tag sequence to the peptide can be used such as GST

(Smith, D.B., and Johnson, K.S., Gene 67:31 (1988)), polyhistidines (Hochuli, E., et al., J. Chromatog. 411:77 (1987)), or biotin. Alternatively, attachment can be accomplished using a ligand which binds the Fc region of the antibodies of the invention, e.g., protein A or protein G. Such affinity tags may be used for the reversible attachment of the antibodies to the support. Peptides may also be recognized via specific ligand-receptor interactions or using phage display methodologies that will be familiar to the skilled artisan, for their ability to bind polypeptides of the invention or fragments thereof.

Kits

5

10

15

20

25

30

In another aspect, the invention provides kits which may be used in producing the nucleic acid molecules, polypeptides, vectors, host cells, and antibodies, and in the recombinational cloning methods, of the invention. Kits according to this aspect of the invention may comprise one or more containers, which may contain one or more of the nucleic acid molecules, primers, polypeptides, vectors, host cells, or antibodies of the invention. In particular, a kit of the invention may comprise one or more components (or combinations thereof) selected from the group consisting of one or more recombination proteins (e.g., Int) or auxiliary factors (e.g. IHF and/or Xis) or combinations thereof, one or more compositions comprising one or more recombination proteins or auxiliary factors or combinations thereof (for example, GATEWAY™ LR Clonase™ Enzyme Mix or GATEWAY™ BP Clonase™ Enzyme Mix) one or more Destination Vector molecules (including those described herein), one or more Entry Clone or Entry Vector molecules (including those described herein), one or more primer nucleic acid molecules (particularly those described herein), one or more host cells (e.g. competent cells, such as E. coli cells, yeast cells, animal cells (including mammalian cells, insect cells, nematode cells, avian cells, fish cells, etc.), plant cells, and most particularly E. coli DB3, DB3.1 (preferably E. coli LIBRARY EFFICIENCY® DB3.1™ Competent Cells; Life Technologies, Inc., Rockville, MD), DB4 and DB5; see U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, and the corresponding U.S. Utility Application No. of Hartley et al., entitled "Cells Resistant to Toxic Genes and Uses Thereof," filed

WO 00/52027 PCT/US00/05432

on even day herewith, the disclosures of which are incorporated by reference herein in its entirety), and the like. In related aspects, the kits of the invention may comprise one or more nucleic acid molecules encoding one or more recombination sites or portions thereof, such as one or more nucleic acid molecules comprising a nucleotide sequence encoding the one or more recombination sites (or portions thereof) of the invention, and particularly one or more of the nucleic acid molecules contained in the deposited clones described herein. Kits according to this aspect of the invention may also comprise one or more isolated nucleic acid molecules of the invention, one or more vectors of the invention, one or more primer nucleic acid molecules of the invention, and/or one or more antibodies of the invention. The kits of the invention may further comprise one or more additional containers containing one or more additional components useful in combination with the nucleic acid molecules, polypeptides, vectors, host cells, or antibodies of the invention, such as one or more buffers, one or more detergents. one or more polypeptides having nucleic acid polymerase activity, one or more polypeptides having reverse transcriptase activity, one or more transfection reagents, one or more nucleotides, and the like. Such kits may be used in any process advantageously using the nucleic acid molecules, primers, vectors, host cells, polypeptides, antibodies and other compositions of the invention, for example in methods of synthesizing nucleic acid molecules (e.g., via amplification such as via PCR), in methods of cloning nucleic acid molecules (preferably via recombinational cloning as described herein), and the like.

Optimization of Recombinational Cloning System

25

30

5

10

15

20

The usefulness of a particular nucleic acid molecule, or vector comprising a nucleic acid molecule, of the invention in methods of recombinational cloning may be determined by any one of a number of assay methods. For example, Entry and Destination vectors of the present invention may be assessed for their ability to function (*i.e.*, to mediate the transfer of a nucleic acid molecule, DNA segment, gene, cDNA molecule or library from a cloning vector to an Expression Vector) by carrying out a recombinational cloning reaction as described in more detail in the Examples below and as described in U.S. Application Nos. 08/663,002, filed

June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, 09/177,387, filed October 23, 1998, and 60/108,324, filed November 13, 1998, the disclosures of which are incorporated by reference herein in their entireties. Alternatively, the functionality of Entry and Destination Vectors prepared according to the invention may be assessed by examining the ability of these vectors to recombine and create cointegrate molecules, or to transfer a nucleic acid molecule of interest, using an assay such as that described in detail below in Example 19 Analogously, the formulation of compositions comprising one or more recombination proteins or combinations thereof, for example GATEWAYTM LR ClonaseTM Enzyme Mix and GATEWAYTM BP ClonaseTM Enzyme Mix, may be optimized using assays such as those described below in Example 18.

Uses

15

20

25

30

5

10

There are a number of applications for the compositions, methods and kits of the present invention. These uses include, but are not limited to, changing vectors, targeting gene products to intracellular locations, cleaving fusion tags from desired proteins, operably linking nucleic acid molecules of interest to regulatory genetic sequences (e.g., promoters, enhancers, and the like), constructing genes for fusion proteins, changing copy number, changing replicons, cloning into phages, and cloning, e.g., PCR products, genomic DNAs, and cDNAs. In addition, the nucleic acid molecules, vectors, and host cells of the invention may be used in the production of polypeptides encoded by the nucleic acid molecules, in the production of antibodies directed against such polypeptides, in recombinational cloning of desired nucleic acid sequences, and in other applications that may be enhanced or facilitated by the use of the nucleic acid molecules, vectors, and host cells of the invention.

In particular, the nucleic acid molecules, vectors, host cells, polypeptides, antibodies, and kits of the invention may be used in methods of transferring one or more desired nucleic acid molecules or DNA segments, for example one or more genes, cDNA molecules or cDNA libraries, into a cloning or Expression Vector for use in transforming additional host cells for use in cloning or

PCT/US00/05432

amplification of, or expression of the polypeptide encoded by, the desired nucleic acid molecule or DNA segment. Such recombinational cloning methods which may advantageously use the nucleic acid molecules, vectors, and host cells of the invention, are described in detail in the Examples below, and in commonly owned U.S. Application Nos. 08/486,139, filed June 7, 1995, 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, 09/177,387, filed October 23, 1998, and 60/108,324, filed November 13, 1998, the disclosures of all of which are incorporated by reference herein in their entireties.

-96-

10

5

It will be understood by one of ordinary skill in the relevant arts that other suitable modifications and adaptations to the methods and applications described herein are readily apparent from the description of the invention contained herein in view of information known to the ordinarily skilled artisan, and may be made without departing from the scope of the invention or any embodiment thereof. Having now described the present invention in detail, the same will be more clearly understood by reference to the following examples, which are included herewith for purposes of illustration only and are not intended to be limiting of the invention.

20

15

Examples

Example 1: Recombination Reactions of Bacteriophage λ

25

30

The $E.\ coli$ bacteriophage λ can grow as a lytic phage, in which case the host cell is lysed, with the release of progeny virus. Alternatively, lambda can integrate into the genome of its host by a process called lysogenization (see Figure 60). In this lysogenic state, the phage genome can be transmitted to daughter cells for many generations, until conditions arise that trigger its excision from the genome. At this point, the virus enters the lytic part of its life cycle. The control of the switch between the lytic and lysogenic pathways is one of the best understood processes in molecular biology (M. Ptashne, $A\ Genetic\ Switch$, Cell Press, 1992).

10

15

20

25

30

The integrative and excisive recombination reactions of λ , performed in vitro, are the basis of Recombinational Cloning System of the present invention. They can be represented schematically as follows:

attB x attP ↔ attL x attR (where "x" signifies recombination)

The four att sites contain binding sites for the proteins that mediate the reactions. The wild type attP, attB, attL, and attR sites contain about 243, 25, 100, and 168 base pairs, respectively. The attB x attP reaction (hereinafter referred to as a "BP Reaction," or alternatively and equivalently as an "Entry Reaction" or a "Gateward Reaction") is mediated by the proteins Int and IHF. The attL x attR reaction (hereinafter referred to as an "LR Reaction," or alternatively and equivalently as a "Destination Reaction") is mediated by the proteins Int, IHF, and Xis. Int (integrase) and Xis (excisionase) are encoded by the λ genome, while IHF (integration host factor) is an E. coli protein. For a general review of lambda recombination, see: A. Landy, Ann. Rev. Biochem. 58: 913-949 (1989).

Example 2: Recombination Reactions of the Recombinational Cloning System

The LR Reaction -- the exchange of a DNA segment from an Entry Clone to a Destination Vector -- is the *in vitro* version of the λ excision reaction:

 $attL \times attR \Rightarrow attB + attP$.

There is a practical imperative for this configuration: after an LR Reaction in one configuration of the present method, an att site usually separates a functional motif (such as a promoter or a fusion tag) from a nucleic acid molecule of interest in an Expression Clone, and the 25 bp attB site is much smaller than the attP, attL, and attR sites.

Note that the recombination reaction is conservative, i.e., there is no net synthesis or loss of base pairs. The DNA segments that flank the recombination

10

15

20

25

30

sites are merely switched. The wild type λ recombination sites are modified for purposes of the GATEWAYTM Cloning System, as follows:

To create certain preferred Destination Vectors, a part (43 bp) of attR was removed, to make the excisive reaction irreversible and more efficient (W. Bushman et al., *Science 230*: 906, 1985). The attR sites in preferred Destination Vectors of the invention are 125 bp in length. Mutations were made to the core regions of the att sites, for two reasons: (1) to eliminate stop codons, and (2) to ensure specificity of the recombination reactions (i.e., attR1 reacts only with attL1, attR2 reacts only with attL2, etc.).

Other mutations were introduced into the short (5 bp) regions flanking the 15 bp core regions of the attB sites to minimize secondary structure formation in single-stranded forms of attB plasmids, e.g., in phagemid ssDNA or in mRNA. Sequences of attB1 and attB2 to the left and right of a nucleic acid molecule of interest after it has been cloned into a Destination Vector are given in Figure 6.

Figure 61 illustrates how an Entry Clone and a Destination Vector recombine in the LR Reaction to form a co-integrate, which resolves through a second reaction into two daughter molecules. The two daughter molecules have the same general structure regardless of which pair of sites, attL1 and attR1 or attL2 and attR2, react first to form the co-integrate. The segments change partners by these reactions, regardless of whether the parental molecules are both circular, one is circular and one is linear, or both are linear. In this example, selection for ampicillin resistance carried on the Destination Vector, which also carries the death gene ccdB, provides the means for selecting only for the desired attB product plasmid.

Example 3: Protein Expression in the Recombinational Cloning System

Proteins are expressed *in vivo* as a result of two processes, transcription (DNA into RNA), and translation (RNA into protein). For a review of protein expression in prokaryotes and eukaryotes, see Example 13 below. Many vectors (pUC, BlueScript, pGem) use interruption of a transcribed lacZ gene for bluewhite screening. These plasmids, and many Expression Vectors, use the lac promoter to control expression of cloned genes. Transcription from the lac

promoter is turned on by adding the inducer IPTG. However, a low level of RNA is made in the absence of inducer, i.e., the lac promoter is never completely off. The result of this "leakiness" is that genes whose expression is harmful to *E. coli* may prove difficult or impossible to clone in vectors that contain the lac promoter, or they may be cloned only as inactive mutants.

In contrast to other gene expression systems, nucleic acid molecules cloned into an Entry Vector may be designed *not* to be expressed. The presence of the strong transcriptional terminator *rrnB* (Orosz, et al., *Eur. J. Biochem. 201*: 653, 1991) just upstream of the attL1 site keeps transcription from the vector promoters (drug resistance and replication origin) from reaching the cloned gene. However, if a toxic gene is cloned into a Destination Vector, the host may be sick, just as in other expression systems. But the reliability of subcloning by *in vitro* recombination makes it easier to recognize that this has happened -- and easier to try another expression option in accordance with the methods of the invention, if necessary.

Example 4: Choosing the Right Entry Vector

5

10

15

20

25

30

There are two kinds of choices that must be made in choosing the best Entry Vector, dictated by (1) the particular DNA segment that is to be cloned, and (2) what is to be accomplished with the cloned DNA segment. These factors are critical in the choice of Entry Vector used, because when the desired nucleic acid molecule of interest is moved from the Entry Vector to a Destination Vector, all the base pairs between the nucleic acid molecule of interest and the Int cutting sites in attL1 and attL2 (such as in Figure 6) move into the Destination Vector as well. For genomic DNAs that are not expressed as a result of moving into a Destination Vector, these decisions are not as critical.

For example, if an Entry Vector with certain translation start signals is used, those sequences will be translated into amino acids if an amino-terminal fusion to the desired nucleic acid molecule of interest is made. Whether the desired nucleic acid molecule of interest is to be expressed as fusion protein, native protein, or both, dictates whether translational start sequences must be included between the attB sites of the clone (native protein) or, alternatively, supplied by the Destination

Vector (fusion protein). In particular, Entry Clones that include translational start sequences may prove less suitable for making fusion proteins, as internal initiation of translation at these sites can decrease the yield of N-terminal fusion protein. These two types of expression afforded by the compositions and methods of the invention are illustrated in Figure 62.

No Entry Vector is likely to be optimal for all applications. The nucleic acid molecule of interest may be cloned into any of several optimal Entry Vectors.

As an example, consider pENTR7 (Figure 16) and pENTR11 (Figure 20), which are useful in a variety of applications, including (but not limited to):

10

5

•Cloning cDNAs from most of the commercially available libraries. The sites to the left and right of the ccdB death gene have been chosen so that directional cloning is possible if the DNA to be cloned does not have two or more of these restriction sites.

15

•Cloning of genes directionally: SalI, BamHI, XmnI (blunt), or KpnI on the left of ccdB; NotI, XhoI, XbaI, or EcoRV (blunt), on the right.

20

•Cloning of genes or gene fragments with a blunt amino end at the *Xmn*I site. The *Xmn*I site has four of the six most favored bases for eukaryotic expression (see Example 13, below), so that if the first three bases of the DNA to be cloned are ATG, the open reading frame (ORF) will be expressed in eukaryotic cells (e.g., mammalian cells, insect cells, yeast cells) when it is transcribed in the appropriate Destination Vector. In addition, in pENTR11, a Shine-Dalgarno sequence is situated 8 bp upstream, for initiating protein synthesis in a prokaryotic host cell (particularly a bacterial cell, such as *E. coli*) at an ATG.

25

•Cleaving off amino terminal fusions (e.g., His₆, GST, or thioredoxin) using the highly specific TEV (Tobacco Etch Virus) protease (available from Life Technologies, Inc.). If the nucleic acid molecule of interest is cloned at the

30

blunt XmnI site, TEV cleavage will leave two amino acids on the amino end of the expressed protein.

•Selecting against uncut or singly cut Entry Vector molecules during cloning with restriction enzymes and ligase. If the ccdB gene is not removed with a double digest, it will kill any recipient *E. coli* cell that does not contain a mutation that makes the cell resistant to ccdB (see U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, the disclosure of which is incorporated by reference herein in its entirety).

10

5

• Allowing production of amino fusions with ORFs in all cloning sites. There are no stop codons (in the attL1 reading frame) upstream of the ccdB gene.

In addition, pENTR11 is also useful in the following applications:

15

•Cloning cDNAs that have an *NcoI* site at the initiating ATG into the *NcoI* site. Similar to the *XmnI* site, this site has four of the six most favored bases for eukaryotic expression. Also, a Shine-Dalgarno sequence is situated 8 bp upstream, for initiating protein synthesis in a prokaryotic host cell (particularly a bacterial cell, such as *E. coli*) at an ATG.

20

•Producing carboxy fusion proteins with ORFs positioned in phase with the reading frame convention for carboxy-terminal fusions (see Figure 20A).

25

30

Table 1 lists some non-limiting examples of Entry Vectors and their characteristics, and Figures 10-20 show their cloning sites. All of the Entry Vectors listed in Table 1 are available commercially from Life Technologies, Inc., Rockville, Maryland. Other Entry Vectors not specifically listed here, which comprise alternative or additional features may be made by one of ordinary skill using routine methods of molecular and cellular biology, in view of the disclosure contained herein.

Table 1 Examples of Entry Vectors

Designation	Mnemonic	Class of	Distinctive	Amino	Native Protein in	Native	Protein
0	Name	Entry	Cloning Sites	Fusions	E.coli	Protein in	Synthesis
		Vector				Eukaryotic Cells	Features
pENTR-	Minimal	Alternative	Reading frame A,	Good	Poor	Good	Minimal amino
1A, 2B, 3C	blunt RF	Reading	B, or C; blunt cut				acids between
-	A, B, C	Frame	closest to attL1				tag and protein;
		Vectors					no SD
pENTR4	Minimal	Restr. Enz.	Nco I site	Good	Poor	Good	Good Kozac; no
	Nco	Cleavage	(common in euk.				SD
		Vectors	cDNAs) closest				
			to att[.]			_	
pENTR5	Minimal	Restr. Enz.	Ndel site closest	Good	Poor	Poor at Nde I,	No SD; poor
	Nde	Cleavage	to attL1			Good at Xmn	Kozac at Nde,
		Vectors				—	good at Xmn
pENTR6	Minimal	Restr. Enz.	Sph I site closest	Good	Poor	Poor at Sph I,	No SD; poor
	Sph	Cleavage	to attL1			Good at Xmn	Kozac at Sph,
		Vectors				I	good at Xmn
pENTR7	TEV Blunt	TEV	Xmn I (blunt) is	Good	Poor	Good at Xmn	TEV protease
		Cleavage Site	first cloning site	-		I site	leaves Gly-Thr
		Present	after TEV site				on amino end of
							protein; no SD
pENTR8	TEV Nco	TEV	Nco I is first	Good	Poor	Good	TEV protease
		Cleavage Site	cloning site after				leaves Gly-Thr
		Present	TEV site				on amino end of
						_	nrotein: no SD

pENTR9	TEV Nde	TEV Cleavage Site Present	Nde I is first cloning site after TEV site	Good	Poor	Poor	TEV protease leaves Gly-Thr on amino end of protein; no SD,
pENTR10	Nde with SD	Good SD for E.coli Expression	Good SD for Strong SD; Nde I Poor E.coli site, no TEV Expression	Poor	Good	Poor	Strong SD, internal starts in amino fusions. Poor Kz. No TEV
pENTR11	2 X SD+Kozac	Good SD for E.coli Expression	Xmn I (blunt) and Nco I sites each preceded by SD and Kozac	Good	Good	Good	Strong SD/Koz Internal starts in arnino fusions. No TEV

10

15

20

25

30

Entry vectors pENTR1A (Figures 10A and 10B), pENTR2B (Figures 11A and 11B), and pENTR3C (Figures 12A and 12B) are almost identical, except that the restriction sites are in different reading frames. Entry vectors pENTR4 (Figures 13A and 13B), pENTR5 (Figures 14A and 14B), and pENTR6 (Figures 15A and 15B) are essentially identical to pENTR1A, except that the blunt *DraI* site has been replaced with sites containing the ATG methionine codon: *NcoI* in pENTR4, *NdeI* in pENTR5, and *SphI* in pENTR6. Nucleic acid molecules that contain one of these sites at the initiating ATG can be conveniently cloned in these Entry vectors. The *NcoI* site in pENTR4 is especially useful for expression of nucleic acid molecules in eukaryotic cells, since it contains many of the bases that give efficient translation (*see* Example 13, below). (Nucleic acid molecules of interest cloned into the *NdeI* site of pENTR5 are not expected to be highly expressed in eukaryotic cells, because the cytosine at position -3 from the initiating ATG is rare in eukaryotic genes.)

Entry vectors pENTR7 (Figures 16A and 16B), pENTR8 (Figures 17A and 17B), and pENTR9 (Figures 18A and 18B) contain the recognition site for the TEV protease between the attL1 site and the cloning sites. Cleavage sites for XmnI (blunt), NcoI, and NdeI, respectively, are the most 5' sites in these Entry vectors. Amino fusions can be removed efficiently if nucleic acid molecules are cloned into these Entry vectors. TEV protease is highly active and highly specific.

Example 5: Controlling Reading Frame

One of the trickiest tasks in expression of cloned nucleic acid molecules is making sure the reading frame is correct. (Reading frame is important if fusions are being made between two ORFs, for example between a nucleic acid molecule of interest and a His6 or GST domain.) For purposes of the present invention, the following convention has been adopted: The reading frame of the DNA cloned into any Entry Vector must be in phase with that of the attB1 site shown in Figure 16A, pENTR7. Notice that the six As of the attL1 site are split into two lysine codons (aaa aaa). The Destination Vectors that make amino fusions were constructed such that they enter the attR1 site in this reading frame.

Destination Vectors for carboxy terminal fusions were also constructed, including those containing His₆ (pDEST23; Figure 43), GST (pDEST24; Figure 44), or thioredoxin (pDEST25; Figure 45) C-terminal fusion sequences.

Therefore, if a nucleic acid molecule of interest is cloned into an Entry Vector so that the aaa aaa reading frame within the attL1 site is in phase with the nucleic acid molecule's ORF, amino terminal fusions will automatically be correctly phased, for all the fusion tags. This is a significant improvement over the usual case, where each different vector can have different restriction sites and different reading frames.

See Example 15 for a practical example of how to choose the most appropriate combinations of Entry Vector and Destination Vector.

Materials

15

5

10

Unless otherwise indicated, the following materials were used in the remaining Examples included herein:

5X LR Reaction Buffer:

200-250 mM (preferably 250 mM) Tris-HCl, pH 7.5

250-350 mM (preferably 320 mM) NaCl

1.25-5 mM (preferably 4.75 mM) EDTA

12.5-35 mM (preferably 22-35 mM, and most preferably 35 mM)

Spermidine-HCl

1 mg/ml bovine serum albumin

25

30

20

GATEWAYTM LR ClonaseTM Enzyme Mix:

per 4 ul of 1X LR Reaction Buffer:

150 ng carboxy-His6-tagged Int (see U.S. Appl. Nos. 60/108,324, filed November 13, 1998, and 09/438,358, filed November 12,

1999, both entirely incorporated by reference herein)

WO 00/52027 PCT/US00/05432

-106-

25 ng carboxy-His6-tagged Xis (see U.S. Appl. Nos. 60/108,324, filed November 13, 1998, and 09/438,358, filed November 12, 1999, both entirely incorporated by reference herein)

30 ng IHF

5

10

15

20

25

30

50% glycerol

5X BP Reaction Buffer:

125 mM Tris-HCl, pH 7.5

110 mM NaCl

25 mM EDTA

25 mM Spermidine-HCl

5 mg/ml bovine serum albumin

GATEWAYTM BP ClonaseTM Enzyme Mix:

per 4 µl of 1X BP Reaction Buffer:

200 ng carboxy-His6-tagged Int (see U.S. Appl. Nos. 60/108,324, filed November 13, 1998, and 09/438,358, filed November 12, 1999, both entirely incorporated by reference herein)

80 ng IHF

50% glycerol

10X Clonase Stop Solution:

50 mM Tris-HCl, pH 8.0

1 mM EDTA

2 mg/ml Proteinase K

Example 6: LR ("Destination") Reaction

To create a new Expression Clone containing the nucleic acid molecule of interest (and which may be introduced into a host cell, ultimately for production of the polypeptide encoded by the nucleic acid molecule), an Entry Clone or Vector containing the nucleic acid molecule of interest, prepared as described

WO 00/52027 PCT/US00/05432

-107-

herein, is reacted with a Destination Vector. In the present example, a β -Gal gene flanked by attL sites is transferred from an Entry Clone to a Destination Vector.

Materials needed:

5

10

15

20

25

30

- 5 X LR Reaction buffer
- Destination Vector (preferably linearized), 75-150 ng/μl
- Entry Clone containing nucleic acid molecule of interest, 100-300 ng in \leq 8 μ l TE buffer
- Positive control Entry Clone (pENTR-β-Gal) DNA (See note, below)
- Positive control Destination Vector, pDEST1 (pTrc), 75 ng/μl
- GATEWAY™ LR Clonase™ Enzyme Mix (stored at 80° C)
- 10X Clonase Stop solution
- pUC19 DNA, 10 pg/μl
- Chemically competent E. coli cells (competence: ≥1x10⁷ CFU/μg), 400 μl.
- LB Plates containing ampicillin (100 μ g/ml) and methicillin (200 μ g/ml) \pm X-gal and IPTG (See below)

Notes:

Preparation of the Entry Clone DNA: Miniprep DNA that has been treated with RNase works well. A reasonably accurate quantitation (±50%) of the DNA to be cloned is advised, as the GATEWAYTM reaction appears to have an optimum of about 100-300 ng of Entry Clone per 20 µl of reaction mix.

The positive control Entry Clone, pENTR- β -Gal, permits functional analysis of clones based on the numbers of expected blue vs. white colonies on LB plates containing IPTG + Bluo-gal (or X-gal), in addition to ampicillin (100 μ g/ml) and methicillin (200 μ g/ml). Because β -Galactosidase is a large protein, it often yields a less prominent band than many smaller proteins do on SDS protein gels.

In the Positive Control Entry Vector pENTR- β -Gal, the coding sequence of β -Gal has been cloned into pENTR11 (Figures 20A and 20B), with translational start signals permitting expression in E. coli, as well as in eukaryotic

cells. The positive control Destination Vector, for example pDEST1 (Figure 21), is preferably linearized.

To prepare X-gal + IPTG plates, either of the following protocols may be used:

5

A. With a glass rod, spread over the surface of an LB agar plate: 40 μ l of 20 mg/ml X-gal (or Bluo-gal) in DMF plus 4 μ l 200 mg/ml IPTG. Allow liquid to adsorb into agar for 3-4 hours at 37° C before plating cells.

10

B. To liquid LB agar at ~45°C, add: X-gal (or Bluo-Gal) (20 mg/ml in DMF) to make 50 μg/ml and IPTG (200 mM in water) to make 0.5-1 mM, just prior to pouring plates. Store X-gal and Bluo-Gal in a light-shielded container.

15

Colony color may be enhanced by placing the plates at 5°C for a few hours after the overnight incubation at 37°C. Protocol B can give more consistent colony color than A, but A is more convenient when selection plates are needed on short notice.

20

Recombination in Clonase reactions continues for many hours. While incubations of 45-60 minutes are usually sufficient, reactions with large DNAs, or in which both parental DNAs are supercoiled, or which will be transformed into cells of low competence, can be improved with longer incubation times, such as 2-24 hours at 25°C.

Procedure:

25

1. Assemble reactions as follows (combine all components at room temperature, except GATEWAYTM LR ClonaseTM Enzyme Mix ("Clonase LR"), before removing Clonase LR from frozen storage):

	Tube 1	Tube 2	Tube 3	Tube 4
Component	Neg.	Pos.	Neg.	Test
p-Gate-βGal, (Positive control Entry Clone) 75 ng/μl	4 µl	4 µl		
pDEST1 (Positive control Destination Vector), 75 ng/μl	4 μl	4 µl		
Your Entry Clone (100-300 ng)			1 - 8 µl	1 - 8 μl
Destination Vector for your nucleic acid molecule, 75 ng/µl			4 µl	4 µl
5 X LR Reaction Buffer	4 μΙ	4 µl	4 μΙ	4 µl
TE	8 μ1	4 μl	То 20 µl	То 16 µl
GATEWAY™ LR Clonase™ Enzyme Mix (store at - 80° C, add last)		4 µl		4 µl
Total Volume	20 μl	20 μ1	20 μl	20 µl

- 2. Remove the GATEWAYTM LR ClonaseTM Enzyme Mix from the -80° C freezer, place immediately on ice. The Clonase takes only a few minutes to thaw.
- 3. Add 4 µl of GATEWAYTM LR ClonaseTM Enzyme Mix to reactions #2 and #4;
- 4. Return GATEWAYTM LR ClonaseTM Enzyme Mix to 80° C freezer.
- 5. Incubate tubes at 25° for at least 60 minutes.

10

15

20

25

30

35

- Add 2 μl Clonase Stop solution to all reactions. Incubate for 20 min at 37°C.
 (This step usually increases the total number of colonies obtained by 10-20 fold.)
- 7. Transform 2 μl into 100 μl competent *E. coli*. Select on plates containing ampicillin at 100 μg/ml.

Example 7: Transformation of E. coli

To introduce cloning or Expression Vectors prepared using the recombinational cloning system of the invention, any standard *E. coli* transformation protocol should be satisfactory. The following steps are recommended for best results:

WO 00/52027

PCT/US00/05432

1. Let the mixture of competent cells and Recombinational Cloning System reaction product stand on ice at least 15 minutes prior to the heat-shock step. This gives time for the recombination proteins to dissociate from the DNA, and improves the transformation efficiency.

-110-

5

2. Expect the reaction to be about 1%-5% efficient, i.e., 2 μ l of the reaction should contain at least 100 pg of the Expression Clone plasmid (taking into account the amounts of each parental plasmid in the reaction, and the subsequent dilution). If the E. coli cells have a competence of 10^7 CFU/ μ g, 100 pg of the desired clone plasmid will give about 1000 colonies, or more, if the entire transformation is spread on one ampicillin plate.

10

3. Always do a control pUC DNA transformation. If the number of colonies is not what you expect, the pUC DNA transformation gives you an indication of where the problem was.

15

Example 8: Preparation of attB-PCR Product

For preparation of attB-PCR products in the PCR cloning methods described in Example 9 below, PCR primers containing attB1 and attB2 sequences are used. The attB1 and attB2 primer sequences are as follows:

20

attB1: 5'-GGGGACAAGTTTGTACAAAAAAGCAGGCT-(template-specific sequence)-3'

25

attB2: 5'-GGGGACCACTTTGTACAAGAAAGCTGGGT-(template-specific sequence)-3'

30

The attB1 sequence should be added to the amino primer, and the attB2 sequence to the carboxy primer. The 4 guanines at the 5' ends of each of these primers enhance the efficiency of the minimal 25 bp attB sequences as substrates for use in the cloning methods of the invention.

Standard PCR conditions may be used to prepare the PCR product. The following suggested protocol employs PLATINUM Taq DNA Polymerase High

WO 00/52027 PCT/US00/05432

-111-

Fidelity®, available commercially from Life Technologies, Inc. (Rockville, MD). This enzyme mix eliminates the need for hot starts, has improved fidelity over Tag, and permits synthesis of a wide range of amplicon sizes, from 200 bp to 10 kb, or more, even on genomic templates.

5

Materials needed:

•PLATINUM Taq DNA Polymerase High Fidelity® (Life Technologies, Inc.)

•attB1- and attB2- containing primer pair (see above) specific for your template

Reaction with

Plasmid Target

5 µl

 $l \mu l$

 $2 \mu l$

 $2 \mu l$

 $2 \mu l$

1-5 ng*

Reaction with Genomic

Target

5 μΙ

 $1 \mu l$

 $2 \mu l$

lμl

l μl

≥100 ng

10

- •DNA template (linearized plasmid or genomic DNA)
- •10X High Fidelity PCR Buffer
- •10 mM dNTP mix
- •PEG/MgCl₂ Mix (30% PEG 8000, 30 mM MgCl₂)

15

Procedure:

Component

dNTP Mix 10 mM

attB1 Primer, 10 µM

attB2 Primer, 10 µM

Template DNA

MgSO₄, 50mM

1.) Assemble the reaction as follows:

10X High Fidelity PCR Buffer

20

30

25

	PLATINUM Taq High Fidelity	2 μl	l μl			
	Water	to 50 μl	to 50 μl			
35	* Use of higher amounts of plasmid template may permit fewer cycles (10-15) of PCR					

10

15

20

25

30

- 2.) Add 2 drops mineral oil, as appropriate.
- 3.) Denature for 30 sec. at 94°C.
- 4.) Perform 25 cycles:

94°C for 15 sec-30 sec

55°C for 15 sec-30 sec

68°C for 1 min per kb of template.

5.) Following the PCR reaction, apply 1-2 μ l of the reaction mixture to an agarose gel, together with size standards (e.g., 1 Kb Plus Ladder, Life Technologies, Inc.) and quantitation standards (e.g., Low Mass Ladder, Life Technologies, Inc.), to assess the yield and uniformity of the product.

Purification of the PCR product is recommended, to remove attB primer dimers which can clone efficiently into the Entry Vector. The following protocol is fast and will remove DNA <300 bp in size:

6.) Dilute the 50 µl PCR reaction to 200 µl with TE.

- 7.) Add 100 μl PEG/MgCl₂ Solution. Mix and centrifuge immediately at 13,000 RPM for 10 min at room temperature. Remove the supernatant (pellet is clear and hard to see).
- 8.) Dissolve the pellet in 50 µl TE and check recovery on a gel.

If the starting PCR template is a plasmid that contains the gene for Kan^r, it is advisable to treat the completed PCR reaction with the restriction enzyme DpnI, to degrade the plasmid since unreacted residual starting plasmid is a potential source of false-positive colonies from the transformation of the GATEWAYTM Cloning System reaction. Adding ~5 units of DpnI to the completed PCR reaction and incubating for 15 min at 37°C will eliminate this potential problem. Heat inactivate the DpnI at 65°C for 15 min, prior to using the PCR product in the GATEWAYTM Cloning System reaction.

Example 9: Cloning attB-PCR products into Entry Vectors via the BP ("Gateward") Reaction

The addition of 5'-terminal attB sequences to PCR primers allows synthesis of a PCR product that is an efficient substrate for recombination with a Donor (attP) Plasmid in the presence of GATEWAYTM BP ClonaseTM Enzyme Mix. This reaction produces an Entry Clone of the PCR product (See Figure 8).

The conditions of the Gateward Cloning reaction with an attB PCR substrate are similar to those of the BP Reaction (see Example 10 below), except that the attB-PCR product (see Example 8) substitutes for the Expression Clone, and the attB-PCR positive control (attB-tet) substitutes for the Expression Clone Positive Control (GFP).

Materials needed:

5

10

15

20

25

30

- 5 X BP Reaction Buffer
 - •. Desired attB-PCR product DNA, 50-100 ng in ≤ 8 µl TE.
 - Donor (attP) Plasmid (Figures 49-54), 75 ng/μl, supercoiled DNA
 - attB-tet^r PCR product positive control, 25 ng/μl
 - GATEWAY™ BP Clonase™ Enzyme Mix (stored at 80° C)
 - 10x Clonase Stop Solution
 - pUC19 DNA, 10 pg/μl.
 - Chemically competent E.coli cells (competence: ≥1x10⁷ CFU/μg), 400 μl

Notes:

- •Preparation of attB-PCR DNA: see Example 8.
- •The Positive Control attB-tet^rPCR product contains a functional copy of the tet^r gene of pBR322, with its own promoter. By plating the transformation of the control BP Reaction on kanamycin (50 µg/ml) plates (if kan^r Donor Plasmids are used; see Figures 49-52) or an alternative selection agent (e.g., gentamycin, if gen^r Donor Plasmids are used; see Figure 54), and then picking about 50 of these colonies onto plates with tetracycline (20 µg/ml), the

percentage of Entry Clones containing functional tet^r among the colonies from the positive control reaction can be determined (% Expression Clones = (number of tet^r + kan^r (or gen^r) colonies/kan^r (or gen^r) colonies).

5

Procedure:

1. Assemble reactions as follows. Combine all components except GATEWAYTM BP ClonaseTM Enzyme Mix, before removing GATEWAYTM BP ClonaseTM Enzyme Mix from frozen storage.

10

15

	Neg.	Pos.	Test
Component	Tube 1	Tube 2	Tube 3
attB-PCR product, 50-100 ng			1 - 8 μΙ
Donor (attP) Plasmid 75 ng/μl	2 µl	2 µl	2 μl
attB-PCR tet control DNA (75 ng/μl)		4 μl	
5 X BP Reaction Buffer	4 μl	4 μΙ	4 μΙ
TE	10 µl	6 µl	То 16 µl
GATEWAY™ BP Clonase™ Enzyme Mix (store at -80° C, add last)	4 µ1	4 µl	4 µl
Total Volume	20 µl	20 µl	20 μl

20

25

30

- 2. Remove the GATEWAY™ BP Clonase™ Enzyme Mix from the -80° C freezer, place immediately on ice. The Clonase takes only a few minutes to thaw.
- 3. Add 4 μl of GATEWAYTM BP ClonaseTM Enzyme Mix to the subcloning reaction, mix.
- 4. Return GATEWAY™ BP Clonase™ Enzyme Mix to 80° C freezer.
- 5. Incubate tubes at 25° for at least 60 minutes.

- 6. Add 2 μl Proteinase K (2 μg/μl) to all reactions. Incubate for 20 min at 37°C.
- Transform 2 μl into 100 μl competent E. coli, as per 3.2, above. Select on LB plates containing kanamycin, 50 μg/ml.

Results:

5

10

15

20

25

30

In initial experiments, primers for amplifying tetR and ampR from pBR322 were constructed containing only the tetR- or ampR-specific targeting sequences, the targeting sequences plus attB1 (for forward primers) or attB2 (for reverse primers) sequences shown in Figure 9, or the attB1 or attB2 sequences with a 5' tail of four guanines. The construction of these primers is depicted in Figure 65. After PCR amplification of tetR and ampR from pBR322 using these primers and cloning the PCR products into host cells using the recombinational cloning system of the invention, the results shown in Figure 66 were obtained. These results demonstrated that primers containing attB sequences provided for a somewhat higher number of colonies on the tetracycline and ampicillin plates. However, inclusion of the 5' extensions of four or five guanines on the primers in addition to the attB sequences provided significantly better cloning results, as shown in Figures 66 and 67. These results indicate that the optimal primers for cloning of PCR products using recombinational cloning will contain the recombination site sequences with a 5' extension of four or five guanine bases.

To determine the optimal stoichiometry between attB-containing PCR products and attP-containing Donor plasmid, experiments were conducted where the amount of PCR product and Donor plasmid were varied during the BP Reaction. Reaction mixtures were then transformed into host cells and plated on tetracycline plates as above. Results are shown in Figure 68. These results indicate that, for optimal recombinational cloning results with a PCR product in the size range of the tet gene, the amounts of attP-containing Donor plasmids are between about 100-500 ng (most preferably about 200-300 ng), while the optimal concentrations of attB-containing PCR products is about 25-100 ng (most preferably about 100 ng), per 20 µl reaction.

Experiments were then conducted to examine the effect of PCR product size on efficiency of cloning via the recombinational cloning approach of the invention.

10

15

20

25

30

PCR products containing attB1 and attB2 sites, at sizes 256 bp, 1 kb, 1.4 kb, 3.4 kb, 4.6 kb, 6.9 kb and 10.1 kb were prepared and cloned into Entry vectors as described above, and host cells were transformed with the Entry vectors containing the cloned PCR products. For each PCR product, cloning efficiency was calculated relative to cloning of pUC19 positive control plasmids as follows:

The results of these experiments are depicted in Figures 69A-69C (for 256 bp PCR fragments), 70A-70C (for 1 kb PCR fragments), 71A-71C (for 1.4 kb PCR fragments), 72A-72C (for 3.4 kb PCR fragments), 73A-73C (for 4.6 kb PCR fragments), 74 (for 6.9 kb PCR fragments), and 75-76 (for 10.1 kb PCR fragments). The results shown in these figures are summarized in Figure 77, for different weights and moles of input PCR DNA.

Together, these results demonstrate that attB-containing PCR products ranging in size from about 0.25 kb to about 5 kb clone relatively efficiently in the recombinational cloning system of the invention. While PCR products larger than about 5 kb clone less efficiently (apparently due to slow resolution of cointegrates), longer incubation times during the recombination reaction appears to improve the efficiency of cloning of these larger PCR fragments. Alternatively, it may also be possible to improve efficiency of cloning of large (> about 5 kb) PCR fragments by using lower levels of input attP Donor plasmid and perhaps attB-containing PCR product, and/or by adjusting reaction conditions (e.g., buffer conditions) to favor more rapid resolution of the cointegrates.

Example 10: The BP Reaction

One purpose of the Gateward ("Entry") reaction is to convert an Expression Clone into an Entry Clone. This is useful when you have isolated an individual Expression Clone from an Expression Clone cDNA library, and you wish to transfer the nucleic acid molecule of interest into another Expression Vector, or

to move a population of molecules from an attB or attL library. Alternatively, you may have mutated an Expression Clone and now wish to transfer the mutated nucleic acid molecule of interest into one or more new Expression Vectors. In both cases, it is necessary first to convert the nucleic acid molecule of interest to an Entry Clone.

Materials needed:

- 5 X BP Reaction Buffer
- Expression Clone DNA, 100-300 ng in ≤ 8 µl TE.
- Donor (attP) Vector, 75 ng/μl, supercoiled DNA
- Positive control attB-tet-PCR DNA, 25 ng/μl
- GATEWAY™ BP Clonase™ Enzyme Mix (stored at 80°C)
- Clonase Stop Solution (Proteinase K, 2 μg/μl).

Notes:

5

10

20

25

30

Preparation of the Expression Clone DNA: Miniprep DNA treated with RNase works well.

1. As with the LR Reaction (see Example 14), the BP Reaction is strongly influenced by the topology of the reacting DNAs. In general, the reaction is most efficient when one of the DNAs is linear and the other is supercoiled, compared to reactions where the DNAs are both linear or both supercoiled. Further, linearizing the attB Expression Clone (anywhere within the vector) will usually give more colonies than linearizing the Donor (attP) Plasmid. If finding a suitable cleavage site within your Expression Clone vector proves difficult, you may linearize the Donor (attP) Plasmid between the attP1 and attP2 sites (for example, at the *NcoI* site), avoiding the ccdB gene. Maps of Donor (attP) Plasmids are given in Figures 49-54.

Procedure:

1. Assemble reactions as follows. Combine all components at room temperature, except GATEWAYTM BP ClonaseTM Enzyme Mix, before removing GATEWAYTM BP ClonaseTM Enzyme Mix from freezer.

	Neg.	Pos.	Test
Component	Tube 1	Tube 2	Tube 3
Positive Control, attB-tet-PCR DNA, 25 ng/µl	4 µl	4 µl	
Desired attB Expression Clone DNA (100ng) linearized			1 - 8 µl
Donor (attP) Plasmid, 75 ng/µl	2 µl	2 μl	2 μl
5 X BP Reaction Buffer	4 µl	4 μΙ	4 µl
TE	10 μl	6 µl	To 16 µl
GATEWAY™ BP Clonase™ Enzyme Mix (store at - 80° C, add last)		4 µl	4 μl
Total Volume	20 μl	20 µl	20 μ1

- 2. Remove the GATEWAYTM BP ClonaseTM Enzyme Mix from the -80°C freezer, place immediately on ice. The mixture takes only a few minutes to thaw.
- 3. Add 4 μl of GATEWAYTM BP ClonaseTM Enzyme Mix to the subcloning reaction, mix.
- 4. Return GATEWAY™ BP Clonase™ Enzyme Mix to 80° C freezer.
- 5. Incubate tubes at 25° for at least 60 minutes. If both the attB and attP DNAs are supercoiled, incubation for 2-24 hours at 25°C is recommended.
- 6. Add 2 µl Clonase Stop Solution. Incubate for 10 min at 37°C.
- Transform 2 μl into 100 μl competent E. coli, as above. Select on LB plates containing 50 μg/ml kanamycin.

Example 11: Cloning PCR Products into Entry Vectors using Standard Cloning Methods

Preparation of Entry Vectors for Cloning of PCR Products

All of the Entry Vectors of the invention contain the death gene ccdB as a stuffer between the "left" and "right" restriction sites. The advantage of this arrangement is that there is virtually no background from vector that has not been cut with both restriction enzymes, because the presence of the ccdB gene will kill

5

10

15

20

25

30

35

10

15

20

25

30

all standard E. coli strains. Thus it is necessary to cut each Entry Vector twice, to remove the ccdB fragment.

We strongly recommend that, after digestion of the Entry Vector with the second restriction enzyme, you treat the reaction with phosphatase (calf intestine alkaline phosphatase, CIAP or thermosensitive alkaline phosphatase, TSAP). The phosphatase can be added directly to the reaction mixture, incubated for an additional time, and inactivated. This step dephosphorylates both the vector and ccdB fragments, so that during subsequent ligation there is less competition between the ccdB fragment and the DNA of interest for the termini of the Entry Vector.

Blunt Cloning of PCR products

Generally PCR products do not have 5' phosphates (because the primers are usually 5' OH), and they are not necessarily blunt. (On this latter point, see Brownstein, et al., *BioTechniques 20*: 1006, 1996 for a discussion of how the sequence of the primers affects the addition of single 3' bases.) The following protocol repairs these two defects.

In a 0.5 ml tube, ethanol precipitate about 40 ng of PCR product (as judged from an agarose gel).

- Dissolve the precipitated DNA in 10 μl comprising 1 μl 10 mM rATP, 1 μl mixed 2 mM dNTPs (i.e., 2 mM each dATP, dCTP, dTTP, and dGTP), 2 μl 5x T4 polynucleotide kinase buffer (350 mM Tris HCl (pH7.6), 50 mM MgCl₂, 500mM KCl, 5 mM 2-mercaptoethanol) 10 units T4 polynucleotide kinase, 1 μl T4 DNA polymerase, and water to 10 μl.
- 2. Incubate the tube at 37° for 10 minutes, then at 65° for 15 minutes, cool, centrifuge briefly to bring any condensate to the tip of the tube.
- 3. Add 5 μl of the PEG/MgCl₂ solution, mix and centrifuge at room temperature for 10 minutes. Discard supernatant.
- Dissolve the invisible precipitate in 10 μl containing 2 μl 5x T4 DNA ligase buffer (Life Technologies, Inc.), 0.5 units T4 DNA ligase, and about 50 ng of blunt, phosphatase-treated Entry Vector.

10

15

20

25

30

- Incubate at 25° for 1 hour, then 65° for 10 minutes. Add 90 μl TE, transform
 10 μl into 50 100 μl competent E. coli cells.
- 6. Plate on kanamycin.

Note: In the above protocol, steps b-c simultaneously polish the ends of the PCR product (through the exonuclease and polymerase activities of T4 DNA polymerase) and phosphorylate the 5' ends (using T4 polynucleotide kinase). It is necessary to inactivate the kinase, so that the blunt, dephosphorylated vector in step e cannot self ligate. Step d (the PEG precipitation) removes all small molecules (primers, nucleotides), and has also been found to improve the yield of cloned PCR product by 50 fold.

Cloning PCR Products after Digestion with Restriction Enzymes

Efficient cloning of PCR products that have been digested with restriction enzymes includes three steps: inactivation of *Taq* DNA polymerase, efficient restriction enzyme cutting, and removal of small DNA fragments.

Inactivation of Tag DNA Polymerase: Carryover of Taq DNA polymerase and dNTPs into a RE digestion significantly reduces the success in cloning a PCR product (D. Fox et al., FOCUS 20(1):15, 1998), because Taq DNA polymerase can fill in sticky ends and add bases to blunt ends. Either TAQQUENCHTM (obtainable from Life Technologies, Inc.; Rockville, Maryland) or extraction with phenol can be used to inactivate the Taq.

Efficient Restriction Enzyme Cutting: Extra bases on the 5' end of each PCR primer help the RE cut near ends of PCR products. With the availability of cheap primers, adding 6 to 9 bases on the 5' sides of the restriction sites is a good investment to ensure that most of the ends are digested. Incubation of the DNA with a 5-fold excess of restriction enzyme for an hour or more helps ensure success.

<u>Removal of Small Molecules before Ligation</u>: Primers, nucleotides, primer dimers, and small fragments produced by the restriction enzyme digestion,

can all inhibit or compete with the desired ligation of the PCR product to the cloning vector. This protocol uses PEG precipitation to remove small molecules.

Protocol for cutting the ends of PCR products with restriction enzyme(s):

5

1. Inactivation of Taq DNA polymerase in the PCR product:

Option A: Extraction with Phenol

A1. Dilute the PCR reaction to 200 µl with TE. Add an equal volume of phenol:chloroform:isoamyl alcohol, vortex vigorously for 20 seconds, and centrifuge for 1 minute at room temperature. Discard the lower phase.

10

A2. Extract the phenol from the DNA and concentrate as follows. Add an equal volume of 2-butanol (colored red with "Oil Red O" from Aldrich, if desired), vortex briefly, centrifuge briefly at room temperature. Discard the upper butanol phase. Repeat the extraction with 2-butanol. This time the volume of the lower aqueous phase should decrease significantly. Discard the upper 2-butanol phase.

15

20

A3. Ethanol precipitate the DNA from the aqueous phase of the above extractions. Dissolve in a 200 µl of a suitable restriction enzyme (RE)

buffer.

Option B: Inactivation with TagOuench

B1. Ethanol precipitate an appropriate amount of PCR product (100 ng

to 1 µg), dissolve in 200 µl of a suitable RE buffer.

B2. Add 2 µl TaqQuench.

30

25

2. Add 10 to 50 units of restriction enzyme and incubate for at least 1 hour. Ethanol precipitate if necessary to change buffers for digestion at the other end of the PCR product.

WO 00/52027

3. Add ½ volume of the PEG/MgCl₂ mix to the RE digestion. Mix well and immediately centrifuge at room temperature for 10 minutes. Discard the supernatant (pellet is usually invisible), centrifuge again for a few seconds, discard any remaining supernatant.

5

4. Dissolve the DNA in a suitable volume of TE (depending on the amount of PCR product in the original amplification reaction) and apply an aliquot to an agarose gel to confirm recovery. Apply to the same gel 20-100 ng of the appropriate Entry Vector that will be used for the cloning.

10

Example 12: Determining The Expected Size of the GATEWAYTM Cloning Reaction Products

15

If you have access to a software program that will electronically cut and splice sequences, you can create electronic clones to aid you in predicting the sizes and restriction patterns of GATEWAYTM Cloning System recombination products.

20

The cleavage and ligation steps performed by the enzyme Int in the GATEWAYTM Cloning System recombination reactions mimic a restriction enzyme cleavage that creates a 7-bp 5'-end overhang followed by a ligation step that reseals the ends of the daughter molecules. The recombination proteins present in the Clonase cocktails (see Example 19 below) recognize the 15 bp core sequence present within all four types of att sites (in addition to other flanking sequences characteristic of each of the different types of att sites).

25

By treating these sites in your software program as if they were restriction sites, you can cut and splice your Entry Clones with various Destination Vectors and obtain accurate maps and sequences of the expected results from your GATEWAYTM Cloning System reactions.

30

Example 13: Protein Expression

Brief Review of Protein Expression

Transcription: The most commonly used promoters in *E. coli* Expression Vectors are variants of the lac promoter, and these can be turned on by adding

10

15

20

25

30

IPTG to the growth medium. It is usually good to keep promoters off until expression is desired, so that the host cells are not made sick by the overabundance of some heterologous protein. This is reasonably easy in the case of the lac promoters used in E. coli. One needs to supply the *lac* I gene (or its more productive relative, the *lac* I^q gene) to make *lac* repressor protein, which binds near the promoter and keeps transcription levels low. Some Destination Vectors for *E. coli* expression carry their own *lac*I^q gene for this purpose. (However, lac promoters are always a little "on," even in the absence of IPTG.)

Controlling transcription in eukaryotic cells is not nearly so straightforward or efficient. The tetracycline system of Bujard and colleagues is the most successful approach, and one of the Destination Vectors (pDEST11, Figure 31) has been constructed to supply this function.

Translation: Ribosomes convert the information present in mRNA into protein. Ribosomes scan RNA molecules looking for methionine (AUG) codons, which begin nearly all nascent proteins. Ribosomes must, however, be able to distinguish between AUG codons that code for methionine in the middle of proteins from those at the start. Most often ribosomes choose AUGs that are 1) first in the RNA (toward the 5' end), and 2) have the proper sequence context. In E. coli the favored context (first recognized by Shine and Dalgarno, Eur. J. Biochem. 57: 221 (1975)) is a run of purines (As and Gs) from five to 12 bases upstream of the initiating AUG, especially AGGAGG or some variant.

In eukaryotes, a survey of translated mRNAs by Kozak (*J. Biol. Chem.* 266: 19867 (1991)) has revealed a preferred sequence context, gcc Acc ATGG, around the initiating methionine, with the A at -3 being most important, and a purine at +4 (where the A of the ATG is +1), preferably a G, being next most influential. Having an A at -3 is enough to make most ribosomes choose the first AUG of an mRNA, in plants, insects, yeast, and mammals. (For a review of initiation of protein synthesis in eukaryotic cells, see: Pain, V.M. Eur.J. Biochem. 236:747-771, 1996.)

Consequences of Translation Signals for GATEWAYTM Cloning System: First, translation signals (Shine-Dalgarno in E. coli, Kozak in eukaryotes) have to be close to the initiating ATG. The attB site is 25 base pairs long. Thus if

10

15

20

25

30

translation signals are desired near the natural ATG of the nucleic acid molecule of interest, they must be present in the Entry Clone of that nucleic acid molecule of interest. Also, when a nucleic acid molecule of interest is moved from an Entry Clone to a Destination vector, any translation signals will move along. The result is that the presence or absence of Shine-Dalgarno and/or Kozak sequences in the Entry Clone must be considered, with the eventual Destination Vectors to be used in mind.

Second, although ribosomes choose the 5' ATG most often, internal ATGs are also used to begin protein synthesis. The better the translation context around this internal ATG, the more internal translation initiation will be seen. This is important in the GATEWAYTM Cloning System, because you can make an Entry Clone of your nucleic acid molecule of interest, and arrange to have Shine-Dalgarno and/or Kozak sequences near the ATG. When this cassette is recombined into a Destination Vector that transcribes your nucleic acid molecule of interest, you get native protein. If you want, you can make a fusion protein in a different Destination Vector, since the Shine-Dalgarno and/or Kozak sequences do not contain any stop signals in the same reading frame. However, the presence of these internal translation signals may result in a significant amount of native protein being made, contaminating, and lowering the yield of, your fusion protein. This is especially likely with short fusion tags, like His6.

A good compromise can be recommended. If an Entry Vector like pENTR7 (Figure 16) or pENTR8 (Figure 17) is chosen, the Kozak bases are present for native eukaryotic expression. The context for E. coli translation is poor, so the yield of an amino-terminal fusion should be good, and the fusion protein can be digested with the TEV protease to make near-native protein following purification.

Recommended Conditions for Synthesis of Proteins in E. coli: When making proteins in E. coli it is advisable, at least initially, to incubate your cultures at 30°C, instead of at 37°C. Our experience indicates that proteins are less likely to form aggregates at 30°C. In addition, the yields of proteins from cells grown at 30°C frequently are improved.

The yields of proteins that are difficult to express may also be improved by inducing the cultures in mid-log phase of growth, using cultures begun in the morning from overnight growths, as opposed to harvesting directly from an overnight culture. In the latter case, the cells are preferably in late log or stationary growth, which can favor the formation of insoluble aggregates.

Example 14: Constructing Destination Vectors from Existing Vectors

5

10

15

20

25

30

Destination Vectors function because they have two recombination sites, attR1 and attR2, flanking a chloramphenicol resistance (CmR) gene and a death gene, ccdB. The GATEWAYTM Cloning System recombination reactions exchange the entire Cassette (except for a few bases comprising part of the attB sites) for the DNA segment of interest from the Entry Vector. Because attR1, CmR, ccdB gene, and attR2 are contiguous, they can be moved on a single DNA segment. If this Cassette is cloned into a plasmid, the plasmid becomes a Destination Vector. Figure 63 shows a schematic of the GATEWAYTM Cloning System Cassette; attR cassettes in all three reading frames contained in vectors pEZC15101, pEZC15102 and pEZC15103 are shown in Figures 64A, 64B, and 64C, respectively.

The protocol for constructing a Destination Vector is presented below.

Keep in mind the following points:

- Destination Vectors must be constructed and propagated in one of the DB strains of E. coli (e.g., DB3.1, and particularly E. coli LIBRARY EFFICIENCY® DB3.1™ Competent Cells) available from Life Technologies, Inc. (and described in detail in U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, which is incorporated herein by reference), because the ccdB death gene will kill any E. coli strain that has not been mutated such that it will survive the presence of the ccdB gene.
- If your Destination Vector will be used to make a fusion protein, a GATEWAYTM Cloning System cassette with the correct reading frame must be used. The nucleotide sequences of the ends of the cassettes are shown in Figure 78. The reading frame of the fusion protein domain must

WO 00/52027 PCT/US00/05432

-126-

be in frame with the core region of the attR1 site (for an amino terminal fusion) so that the six As are translated into two lysine codons. For a C-terminal fusion protein, translation through the core region of the attR2 site should be in frame with -TAC-AAA-, to yield -Tyr-Lys-.

Note that each reading frame Cassette has a different unique restriction site between the chloramphenicol resistance and ccdB genes (MluI for reading frame A, BgIII for reading frame B, and XbaI for reading frame C; see Figure 63).

 Most standard vectors can be converted to Destination Vectors, by inserting the Entry Cassette into the MCS of that vector.

Protocol for Making a Destination Vector

5

10

15

20

25

30

- 1. If the vector will make an amino fusion protein, it is necessary to keep the "aaa aaa" triplets in attR1 in phase with the triplets of the fusion protein. Determine which Entry cassette to use as follows:
 - a.) Write out the nucleotide sequence of the existing vector near the restriction site into which the Entry cassette will be cloned. These <u>must</u> be written in triplets corresponding to the amino acid sequence of the fusion domain.
 - b.) Draw a vertical line through the sequence that corresponds to the restriction site end, after it has been cut and made blunt, i.e., after filling in a protruding 5' end or polishing a protruding 3' end.
 - c.) Choose the appropriate reading frame cassette.
 - If the coding sequence of the blunt end ends after a complete codon triplet, use the reading frame A cassette. See Figures 78, 79 and 80.

10

15

20

25

30

- •If the coding sequence of the blunt end ends in a single base, use the reading frame B cassette. See Figures 78, 79 and 81.
- •If the coding sequence of the blunt end ends in two bases, use the reading frame C cassette. See Figures 78, 79, 82A-B, and 83A-C.
- 2. Cut one to five micrograms of the existing plasmid at the position where you wish your nucleic acid molecule of interest (flanked by att sites) to be after the recombination reactions. **Note**: it is better to remove as many of the MCS restriction sites as possible at this step. This makes it more likely that restriction enzyme sites within the GATEWAYTM Cloning System Cassette will be unique in the new plasmid, which is important for linearizing the Destination Vector (Example 14, below).
- 3. Remove the 5' phosphates with alkaline phosphatase. While this is not mandatory, it increases the probability of success.
- 4. Make the end(s) blunt with fill-in or polishing reactions. For example, to 1 μg of restriction enzyme-cut, ethanol-precipitated vector DNA, add:
 - i. 20 μl 5x T4 DNA Polymerase Buffer (165 mM Tris-acetate (pH 7.9), 330 mM Na acetate, 50 mM Mg acetate, 500 μg/ml BSA, 2.5 mM DTT)
 - ii. 5 µl 10mM dNTP mix
 - iii. 1 Unit of T4 DNA Polymerase
 - iv. Water to a final volume of 100 µl
 - v. Incubate for 15 min at 37°C.
- 5. Remove dNTPs and small DNA fragments: Ethanol precipitate (add three volumes of room temperature ethanol containing 0.1 M sodium acetate, mix well, immediately centrifuge at room temperature 5 10 minutes), dissolve wet precipitate in 200 μl TE, add 100 μl 30% PEG 8000, 30 mM MgCl₂, mix well,

WO 00/52027 PCT/US00/05432

immediately centrifuge for 10 minutes at room temperature, discard supernatant, centrifuge again a few seconds, discard any residual liquid.

- 6. Dissolve the DNA to a final concentration of 10 50 ng per microliter. Apply 20 100 ng to a gel next to supercoiled plasmid and linear size standards to confirm cutting and recovery. The cutting does not have to be 100% complete, since you will be selecting for the chloramphenical marker on the Entry cassette.
- 7. In a 10 µl ligation reaction combine 10 50 ng vector, 10 20 ng of Entry Cassette (Figure 79), and 0.5 units T4 DNA ligase in ligase buffer. After one hour (or overnight, whichever is most convenient), transform 1 µl into one of the DB strains of competent *E. coli* cells with a *gyr*A462 mutation (See U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, which is incorporated herein by reference), preferably DB3.1, and most preferably *E. coli* LIBRARY EFFICIENCY® DB3.1TM Competent Cells. The ccdB gene on the Entry Cassette will kill other strains of *E. coli* that have not been mutated so as to survive the presence of the ccdB gene.
- 8. After expression in SOC medium, plate 10 μ l and 100 μ l on chloramphenicol-containing (30 μ g / ml) plates, incubate at 37° C.
- 9. Pick colonies, make miniprep DNA. Treat the miniprep with RNase A and store in TE. Cut with the appropriate restriction enzyme to determine the orientation of the Cassette. Choose clones with the attR1 site next to the amino end of the protein expression function of the plasmid.

Notes on Using Destination Vectors

5

10

15

20

25

30

• We have found that about ten-fold more colonies result from a GATEWAYTM Cloning System reaction if the Destination Vector is linear or relaxed. If the competent cells you use are highly competent (>10⁸ per microgram), linearizing the Destination Vector is less essential.

10

15

20

25

30

- The site or sites used for the linearization must be within the Entry Cassette.
 Sites that cut once or twice within each cassette are shown in Figures 80-82.
- Minipreps of Destination Vectors will work fine, so long as they have been treated with RNase. Since most DB strains are endA- (See U.S. Provisional Application No. 60/122,392, filed on March 2, 1999, which is incorporated herein by reference), minipreps can be digested with restriction enzymes without a prior phenol extraction.
- Reading the OD₂₆₀ of miniprep DNA is inaccurate unless the RNA and ribonucleotides have been removed, for example, by a PEG precipitation.

Example 15: Some Options in Choosing Appropriate Entry Vectors and Destination Vectors: An Example

In some applications, it may be desirable to express a nucleic acid molecule of interest in two forms: as an amino-terminal fusion in *E. coli*, and as a native protein in eukaryotic cells. This may be accomplished in any of several ways:

Option 1: Your choices depend on your nucleic acid molecule of interest and the fragment that contains it, as well as the available Entry Vectors. For eukaryotic translation, you need consensus bases according to Kozak (*J. Biol. Chem. 266*:19867, 1991) near the initiating methionine (ATG) codon. All of the Entry Vectors offer this motif upstream of the *XmnI* site (blunt cutter). One option is to amplify your nucleic acid molecule of interest, with its ATG, by PCR, making the amino end blunt and the carboxy end containing the natural stop codon followed by one of the "right side" restriction sites (*EcoRI*, *NotI*, *XhoI*, *EcoRV*, or *XbaI* of the pENTR vectors).

If you know your nucleic acid molecule of interest does not have, for example, an XhoI site, you can make a PCR product that has this structure:

Xho I

- 5' ATG nnn nnn --- nnn TAA ctc gag nnn nnn 3'
- 3' tac nnn nnn --- nnn att gag ctc nnn nnn 5'

10

15

20

25

30

After cutting with XhoI, the fragment is ready to clone:

```
5' ATG nnn nnn --- nnn TAA c 3'
3' tac nnn nnn --- nnn att gag ct 5'
(If you follow this example, don't forget to put a phosphate on the amino oligo.)
```

Option 2: This PCR product could be cloned into two Entry Vectors to give the desired products, between the *XmnI* and *XhoI* sites: pENTR1A (Figures 10A, 10B) or pENTR7 (Figures 16A, 16B). If you clone into pENTR1A, amino fusions will have the minimal number of amino acids between the fusion domain and your nucleic acid molecule of interest, but the fusion cannot be removed with TEV protease. The converse is true of clones in pENTR7, i.e., an amino fusion can be cleaved with TEV protease, at the cost of more amino acids between the fusion and your nucleic acid molecule of interest.

In this example, let us choose to clone our hypothetical nucleic acid molecule of interest into pENTR7, between the *Xmn*I and *Xho*I sites. Once this is accomplished, several optional protocols using the Entry Clone pENTR7 may be followed:

Option 3: Since the nucleic acid molecule of interest has been amplified with PCR, it may be desirable to sequence it. To do this, transfer the nucleic acid molecule of interest from the Entry Vector into a vector that has priming sites for the standard sequencing primers. Such a vector is pDEST6 (Figures 26A, 26B). This Destination Vector places the nucleic acid molecule of interest in the opposite orientation to the lac promoter (which is leaky -- see Example 3 above). If the gene product is toxic to *E. coli*, this Destination Vector will minimize its toxicity.

Option 4: While the sequencing is going on, you might wish to check the expression of the nucleic acid molecule of interest in, for example, CHO cells, by recombining the nucleic acid molecule of interest into a CMV promoter vector (pDEST7, Figure 27; or pDEST12, Figure 32), or into a baculovirus vector (pDEST8, Figure 28; or pDEST10, Figure 30) for expression in insect cells. Both

of these vectors will transcribe the coding sequence of your nucleic acid molecule of interest, and translate it from the ATG of the PCR product using the Kozak bases upstream of the *Xmn*I site.

Option 5: If you wish to purify protein, for example to make antibodies, you can clone the nucleic acid molecule of interest into a His6 fusion vector, pDEST2 (Figure 22). Since the nucleic acid molecule of interest is cloned downstream of the TEV protease cleavage domain of pENTR7 (Figure 16), the amino acid sequence of the protein produced will be:

[----- attB1 -----] <u>TEV protease</u> NH2- MSYYHHHHHHGITSLYKKAGF*ENLYFO* | *G*TM-----COOH

5

10

15

20

25

30

The attB site and the restriction sites used to make the Destination and Entry Vectors are translated into the underlined 11 amino acids (GITSLYKKAGF). Cleavage with TEV protease (arrow) leaves two amino acids, GT, on the amino end of the gene product.

See Figure 55 for an example of a nucleic acid molecule of interest, the chloramphenical acetyl transferase (CAT) gene, cloned into pENTR7 (Figure 16) as a blunt (amino)-XhoI (carboxy) fragment, then cloned by recombination into the His6 fusion vector pDEST2 (Figure 22).

Option 6: If the His6 fusion protein is insoluble, you may go on and try a GST fusion. The appropriate Destination vector is pDEST3 (Figure 23).

Option 7: If you need to make RNA probes and prefer SP6 RNA polymerase, you can make the top strand RNA with your nucleic acid molecule of interest cloned into pSPORT+ (pDEST5 (Figures 25A, 25B)), and the bottom strand RNA with the nucleic acid molecule of interest cloned into pSPORT(-) (pDEST6 (Figures 26A, 26B)). Opposing promoters for T7 RNA polymerase and SP6 RNA polymerase are also present in these clones.

10

15

20

25

30

Option 8: It is often worthwhile to clone your nucleic acid molecule of interest into a variety of Destination Vectors in the same experiment. For example, if the number of colonies varies widely when the various recombination reactions are transformed into *E. coli*, this may be an indication that the nucleic acid molecule of interest is toxic in some contexts. (This problem is more clearly evident when a positive control gene is used for each Destination Vector.) Specifically, if many more colonies are obtained when the nucleic acid molecule of interest is recombined into pDEST6 than in pDEST5, there is a good chance that leakiness of the lac promoter is causing some expression of the nucleic acid molecule of interest in pSPORT "+" (which is not harmful in pDEST6 because the nucleic acid molecule of interest is in the opposite orientation).

Example 16: Demonstration of a One-tube Transfer of a PCR Product (or Expression Clone) to Expression Clone via a Recombinational Cloning Reaction

In the BxP recombination (Entry or Gateward) reaction described herein, a DNA segment flanked by attB1 and attB2 sites in a plasmid conferring ampicillin resistance was transferred by recombination into an attP plasmid conferring kanamycin resistance, which resulted in a product molecule wherein the DNA segment was flanked by attL sites (attL1 and attL2). This product plasmid comprises an "attL Entry Clone" molecule, because it can react with a "attR Destination Vector" molecule via the LxR (Destination) reaction, resulting in the transfer of the DNA segment to a new (ampicillin resistant) vector. In the previously described examples, it was necessary to transform the BxP reaction products into E. coli, select kanamycin resistant colonies, grow those colonies in liquid culture, and prepare miniprep DNA, before reacting this DNA with a Destination Vector in an LxR reaction.

The goal of the following experiment was to eliminate the transformation and miniprep DNA steps, by adding the BxP Reaction products directly to an LxR Reaction. This is especially appropriate when the DNA segment flanked by attB sites is a PCR product instead of a plasmid, because the PCR product cannot give

WO 00/52027

-133-

ampicillin-resistant colonies upon transformation, whereas attB plasmids (in general) carry an ampicillin resistance gene. Thus use of a PCR product flanked by attB sites in a BxP Reaction allows one to select for the ampicillin resistance encoded by the desired attB product of a subsequent LxR Reaction.

5

Two reactions were prepared: <u>Reaction A</u>, negative control, no attB PCR product, (8 μl) contained 50 ng pEZC7102 (attP Donor plasmid, confers kanamycin resistance) and 2 μl BxP Clonase (22 ng / μl Int protein and 8 ng/μl IHF protein) in BxP buffer (25 mM Tris HCl, pH 7.8, 70 mM KCl, 5 mM spermidine, 0.5 mM EDTA, 250 μg / ml BSA). <u>Reaction B</u> (24 μl) contained 150 ng pEZC7102, 6 μl BxP Clonase, and 120 ng of the attB -tet-PCR product in the same buffer as reaction A. The attB - tet - PCR product comprised the tetracycline resistance gene of plasmid pBR322, amplified with two primers containing either attB1 or attB2 sites, and having 4 Gs at their 5' ends, as described earlier.

15

10

The two reactions were incubated at 25°C for 30 minutes. Then aliquots of these reactions were added to new components that comprised LxR Reactions or appropriate controls for the LxR Reaction. Five new reactions were thus produced:

20

Reaction 1: 5 μl of reaction A was added to a 5 μl LxR Reaction containing 25 ng *Nco*I-cut pEZC8402 (the attR Destination Vector plasmid) in LxR buffer (37.5 mM Tris HCl, pH 7.7, 16.5 mM NaCl, 35 mM KCl, 5 mM spermidine, 375 μg/ml BSA), and 1 μl of GATEWAYTM LR ClonaseTM Enzyme Mix (total volume of 10 μl).

25

Reaction 2: Same as reaction 1, except 5 µl of reaction B (positive) were added instead of reaction A (negative).

30

Reaction 3: Same as reaction 2, except that the amounts of Nco-cut pEZC8402 and GATEWAYTM LR ClonaseTM Enzyme Mix were doubled, to 50 ng and 2 μl, respectively.

Reaction 4: Same as reaction 2, except that 25 ng of pEZ11104 (a positive control attL Entry Clone plasmid) were added in addition to the aliquot of reaction B.

Reaction 5: Positive control LxR Reaction, containing 25 ng *Nco*I-cut pEZC8402, 25 ng pEZ11104, 37.5 mM Tris HCl pH 7.7, 16.5 mM NaCl, 35 mM KCl, 5 mM spermidine, 375 μg/ml BSA and 1 μl GATEWAYTM LR ClonaseTM Enzyme Mix in a total volume of 5 μl.

10

15

5

All five reactions were incubated at 25°C for 30 minutes. Then, 1 μl aliquots of each of the above five reactions, plus 1 μl from the remaining volume of Reaction B, the standard BxP Reaction, were used to transform 50 μl competent DH5α E. coli. DNA and cells were incubated on ice for 15 min., heat shocked at 42°C for 45 sec., and 450 μl SOC were added. Each tube was incubated with shaking at 37°C for 60 min. Aliquots of 100 μl and 400 μl of each transformation were plated on LB plates containing either 50 μg/ml kanamycin or 100 μg/ml ampicillin (see Table 2). A transformation with 10 pg of pUC19 DNA (plated on LB-amp₁₀₀) served as a control on the transformation efficiency of the DH5α cells. Following incubation overnight at 37°C, the number of colonies on each plate was determined.

20

Results of these reactions are shown in Table 2.

Table 2*

25

30

Reaction No.:	1	2	3	4	5	6
	Number of Colonies					
Vol. plated:	Neg Control BxP Reaction	1X pEZC8402 and LR Clonase TM	2X pEZC8402 and LR Clonase TM	LxR Reaction with Pos. Control DNA	LxR Reaction alone	BxP Reaction alone
100 µl	2	1	8	9	~1000	~1000
400 µl	5	10	35	62	>2000	>2000
Selection:	Kan	Amp	Amn	Amp	Amp	Kan

*(Transformation with pUC 19 DNA yielded 1.4 x 10° CFU/µg DNA.)

10

15

20

25

30

34 of the 43 colonies obtained from Reaction 3 were picked into 2 ml Terrific Broth with 100 μg/ml ampicillin and these cultures were grown overnight, with shaking, at 37°C. 27 of the 34 cultures gave at least moderate growth, and of these 24 were used to prepare miniprep DNA, using the standard protocol. These 24 DNAs were initially analyzed as supercoiled (SC) DNA on a 1% agarose gel to identify those with inserts and to estimate the sizes of the inserts. Fifteen of the 24 samples displayed SC DNA of the size predicted (5553 bp) if tetx7102 had correctly recombined with pEZC8402 to yield tetx8402. One of these samples contained two plasmids, one of ~5500 bp and a one of ~3500 bp. The majority of the remaining clones were approximately 4100 bp in size.

All 15 of the clones displaying SC DNA of predicted size (~5500 bp) were analyzed by two different double digests with restriction endonucleases to confirm the structure of the expected product: **tetx8402**. (See plasmid maps, Figures 57-59) In one set of digests, the DNAs were treated with Not I and Eco RI, which should cut the predicted product just outside both attB sites, releasing the tet^r insert on a fragment of 1475 bp. In the second set of digests, the DNAs were digested with *Not*I and with *Nru*I. *Nru*I cleaves asymmetrically within the subcloned tet^r insert, and together with *Not*I will release a fragment of 1019 bp.

Of the 15 clones analyzed by double restriction digestion, 14 revealed the predicted sizes of fragments for the expected product.

Interpretation:

The DNA components of Reaction B, pEZC7102 and attB-tet-PCR, are shown in Figure 56. The desired product of BxP Reaction B is tetx7102, depicted in Figure 57. The LxR Reaction recombines the product of the BxP Reaction, tetx7102 (Figure 57), with the Destination Vector, pEZC8402, shown in Figure 58. The LxR Reaction with tetx7102 plus pEZC8402 is predicted to yield the desired product tetx8402, shown in Figure 59.

Reaction 2, which combined the BxP Reaction and LxR Reaction, gave few colonies beyond those of the negative control Reaction. In contrast, Reaction 3, with twice the amount of pEZC8402 (Figure 58) and LxR Clonase, yielded a

larger number of colonies. These colonies were analyzed further, by restriction digestion, to confirm the presence of expected product. Reaction 4 included a known amount of attL Entry Clone plasmid in the combined BxP-plus-LxR reaction. But reaction 4 yielded only about 1% of the colonies obtained when the same DNA was used in a LxR reaction alone, Reaction 6. This result suggests that the LxR reaction may be inhibited by components of the BxP reaction.

Restriction endonuclease analysis of the products of Reaction 3 revealed that a sizeable proportion of the colonies (14 of the 34 analyzed) contained the desired tet^r subclone, tetx8402 (Figure 59).

10

15

20

5

The above results establish the feasibility of performing first a BxP recombination reaction followed by a LxR recombination reaction -- in the same tube -- simply by adding the appropriate buffer mix, recombination proteins, and DNAs to a completed BxP reaction. This method should prove useful as a faster method to convert attB-containing PCR products into different Expression Clones, eliminating the need to isolate first the intermediate attL-PCR insert subclones, before recombining these with Destination Vectors. This may prove especially valuable for automated applications of these reactions.

This same one-tube approach allows for the rapid transfer of nucleic acid molecules contained in attB plasmid clones into new functional vectors as well. As in the above examples, attL subclones generated in a BxP Reaction can be recombined directly with various Destination Vectors in a LxR reaction. The only additional requirement for using attB plasmids, instead of attB-containing PCR products, is that the Destination Vector(s) employed must contain a different selection marker from the one present on the attB plasmid itself and the attP vector.

Two alternative protocols for a one-tube reaction have also proven useful and somewhat more optimal than the conditions described above.

Alternative 1:

30

25

Reaction buffer contained 50 mM Tris-HCl (pH 7.5), 50 mM NaCl, 0.25 mM EDTA, 2.5 mM spermidine, and 200 μ g/ml BSA. After a 16 (or 3) hour incubation of the PCR product (100 ng) + attP Donor plasmid (100 ng) +

10

15

20

25

30

GATEWAYTM BP ClonaseTM Enzyme Mix + Destination Vector (100 ng), 2 µl of GATEWAYTM LR ClonaseTM Enzyme Mix (per 10 µl reaction mix) was added and the mixture was incubated an additional 6 (or 2) hours at 25°C. Stop solution was then added as above and the mixture was incubated at 37°C as above and transformed by electroporation with 1 µl directly into electrocompetent host cells. Results of this series of experiments demonstrated that longer incubation times (16 hours vs. 3 hours for the BP Reaction, 6 hours vs. 2 hours for the LR Reaction) resulted in about twice as many colonies being obtained as for the shorter incubation times. With two independent genes, 10/10 colonies having the correct cloning patterns were obtained.

Alternative 2:

A standard BP Reaction under the reaction conditions described above for Alternative 1 was performed for 2 hours at 25 °C. Following the BP Reaction, the following components were added to the reaction mixture in a total volume of 7 μ l:

20 mM Tris-HCl, pH 7.5 100 mM NaCl 5 μg/ml Xis-His6 15% glycerol

~1000 ng of Destination Vector

The reaction mixture was then incubated for 2 hours at 25°C, and 2.5 µl of stop solution (containing 2 µg/ml proteinase K) was added and the mixture was incubated at 37°C for an additional 10 minutes. Chemically competent host cells were then transformed with 2 µl of the reaction mixture, or electrocompetent host cells (e.g., EMax DH10B cells; Life Technologies, Inc.) were electroporated with 2 µl of the reaction mixture per 25-40 µl of cells. Following transformation, mixtures were diluted with SOC, incubated at 37°C, and plated as described above on media selecting for the selection markers on the Destination Vector and the Entry clone (B x P reaction product). Analogous results to those described for Alternative 1 were obtained with these reaction conditions -- a higher level of colonies containing correctly recombined reaction products were observed.

PCT/US00/05432 WO 00/52027

-138-

Example 17: Demonstration of a One-tube Transfer of a PCR Product (or Expression Clone) to Expression Clone via a Recombinational Cloning Reaction

5

Single-tube transfer of PCR product DNA or Expression Clones into Expression Clones by recombinational cloning has also been accomplished using a procedure modified from that described in Example 16. This procedure is as follows:

10

•Perform a standard BP (Gateward) Reaction (see Examples 9 and 10) in 20 µl volume at 25°C for 1 hour.

•After the incubation is over, take a 10 µl aliquot from the 20 µl total volume and add 1 µl of Proteinase K (2 mg/ml) and incubate at 37°C for 10 minutes. This first aliquot can be used for transformation and gel assay of BP reaction analysis. Plate BP reaction transformation on LB plates with Kanamycin (50 ug/ml).

15

•Add the following reagents to the remaining 10 µl aliquot of the BP reaction:

20

1 μl of 0.75 M NaCl

2 μl of destination vector (150 ng/μl)

4 µl of LR Clonase™ (after thawing and brief mixing)

25

•Mix all reagents well and incubate at 25°C for 3 hours. Stop the reaction at the end of incubation with 1.7 µl of Proteinase K (2 mg/ml) and incubate at 37°C for 10 minutes.

•Transform 2 µl of the completed reaction into 100 µl of competent cells. Plate 100 µl and 400 µl on LB plates with Ampicilin (100 µg/ml).

30

Notes:

•If your competent cells are less than 108 CFU/µg, and you are concerned about getting enough colonies, you can improve the yield several fold by incubating the WO 00/52027 PCT/US00/05432

-139-

BP reaction for 6-20 hours. Electroporation also can yield better colony output than chemical transformation.

•PCR products greater than about 5-6 kb show significantly lower cloning efficiency in the BP reaction. In this case, we recommend using longer incubation times for both BP and LR steps.

•If you want to move your insert gene into several destination vectors simultaneously, then scale up the initial BP reaction volume so that you have a 10 µl aliquot for adding each destination vector.

Example 18: Optimization of GATEWAYTM ClonaseTM Enzyme Compositions

The enzyme compositions containing Int and IHF (for BP Reactions) were optimized using a standard functional recombinational cloning reaction (a BP reaction) between attB-containing plasmids and attP-containing plasmids, according to the following protocol:

Materials and Methods:

5

10

15

20

25

30

Substrates:

AttP - supercoiled pDONR201

AttB - linear ~ 1Kb [3H]PCR product amplified from pEZC7501

Proteins:

IntH6 -- His₆-carboxy- tagged λ Integrase

IHF -- Integration Host Factor

Clonase:

50 ng/μl IntH6 and 20 ng/μl IHF, admixed in 25 mM Tris-HCl (pH 7.5), 22 mM NaCl, 5 mM EDTA, 1 mg/ml BSA, 5 mM Spermidine, and 50% glycerol.

Reaction Mixture (total volume of 40 μl):
1000 ng AttP plasmid
600 ng AttB [³H] PCR product
8 μl Clonase (400 ng IntH6, 160 ng IHF) in 25 mM Tris-HCl (pH 7.5),
22 mM NaCl, 5 mM EDTA, 1 mg/ml BSA, 5 mM Spermidine, 5 mM
DTT.

Reaction mixture was incubated for 1 hour at 25°C, 4 µl of 2 µg/µl proteinase K was added and mixture was incubated for an additional 20 minutes at 37°C. Mixture was then extracted with an equal volume of Phenol/Chloroform/ Isoamyl alcohol. The aqueous layer was then collected, and 0.1 volumes of 3 M sodium acetate and 2 volumes of cold 100% ethanol were added. Tubes were then spun in a microcentrifuge at maximum RPM for 10 minutes at room temperature. Ethanol was decanted, and pellets were rinsed with 70% ethanol and re-centrifuged as above. Ethanol was decanted, and pellets were allowed to air dry for 5-10 minutes and then dissolved in 20 µl of 33 mM Tris-Acetate (pH 7.8), 66 mM potassium acetate, 10 mM magnesium acetate, 1 mM DTT, and 1 mM ATP. 2 units of exonuclease V (e.g., Plasmid Safe; EpiCentre, Inc., Madison, WI) was then added, and the mixture was incubated at 37°C for 30 minutes.

Samples were then TCA-washed by spotting 30 μ l of reaction mixture onto a Whatman GF/C filter, washing filters once with 10% TCA + 1% NaPPi for 10 minutes, three times with 5% TCA for 5 minutes each, and twice with ethanol for 5 minutes each. Filters were then dried under a heat lamp, placed into a scintillation vial, and counted on a β liquid scintillation counter (LSC).

The principle behind this assay is that, after exonuclease V digestion, only double-stranded circular DNA survives in an acid-insoluble form. All DNA substrates and products that have free ends are digested to an acid-soluble form and are not retained on the filters. Therefore, only the ³H-labeled attB linear DNA which ends up in circular form after both inter- and intramolecular integration is complete is resistant to digestion and is recovered as acid-insoluble product. Optimal enzyme and buffer formulations in the Clonase compositions therefore are those that give the highest levels of circularized ³H-labeled attB-containing

10

5

15

20

25

30

sequences, as determined by highest cpm in the LSC. Although this assay was designed for optimization of GATEWAYTM BP ClonaseTM Enzyme Mix compositions (Int + IHF), the same type of assay may be performed to optimize GATEWAYTM LR ClonaseTM Enzyme Mix compositions (Int + IHF + Xis), except that the reaction mixtures would comprise 1000 ng of AttR (instead of AttP) and 600 ng of AttL (instead of AttB), and 40 ng of His₆-carboxy- tagged Xis (XisH6) in addition to the IntH6 and IHF.

Example 19: Testing Functionality of Entry and Destination Vectors

10

5

As part of assessment of the functionality of particular vectors of the invention, it is important to functionally test the ability of the vectors to recombine. This assessment can be carried out by performing a recombinational cloning reaction (as schematized in Figures 2, 4, and 5A and 5B, and as described herein and in commonly owned U.S. Application Nos. 08/486,139, filed June 7, 1995, 08/663,002, filed June 7, 1996 (now U.S. Patent No. 5,888,732), 09/005,476, filed January 12, 1998, and 09/177,387, filed October 23, 1998, the disclosures of all of which are incorporated by reference herein in their entireties), by transforming E. coli and scoring colony forming units. However, an alternative assay may also be performed to allow faster, more simple assessment of the functionality of a given Entry or Destination Vector by agarose gel electrophoresis. The following is a description of such an in vitro assay.

20

15

Materials and Methods:

25

Plasmid templates pEZC1301 (Figure 84) and pEZC1313 (Figure 85), each containing a single wild type att site, were used for the generation of PCR products containing attL or attR sites, respectively. Plasmid templates were linearized with AlwNI, phenol extracted, ethanol precipitated and dissolved in TE to a concentration of 1 ng/µl.

PCR primers (capital letters represent base changes from wildtype):

attL1 gggg agcct gcttttttGtacAaa gttggcatta taaaaaagca ttgc

attL2 gggg agcct gctttCttGtacAaa gttggcatta taaaaaagca ttgc

attL right tgttgccggg aagctagagt aa

attR1

gggg Acaag ttTgtaCaaaaaagc tgaacgaga aacgtaaaat

attR2

gggg Acaag ttTgtaCaaGaaagc tgaacgaga aacgtaaaat

attR right

ca gacggcatga tgaacctgaa

10

5

PCR primers were dissolved in TE to a concentration of 500 pmol/µl. Primer mixes were prepared, consisting of attL1 + attLright primers, attL2 + attLright primers, attR1 + attRright primers, and attR2 + attRright primers, each mix containing 20 pmol/µl of each primer.

PCR reactions:

1 μl plasmid template (1 ng)

1 μl primer pairs (20 pmoles of each)

3 μl of H₂0

45 µl of Platinum PCR SuperMix® (Life Technologies, Inc.)

20

15

Cycling conditions (performed in MJ thermocycler):

95°C/2 minutes

94°C/30 seconds

25 cycles of 58°C/30 seconds and 72°C/1.5 minutes

72°C/5 minutes

5°C/hold

25

The resulting attL PCR product was 1.5 kb, and the resulting attR PCR product was 1.0 kb.

30

PCR reactions were PEG/MgCl₂ precipitated by adding 150 μ l H₂O and 100 μ l of 3x PEG/MgCl₂ solution followed by centrifugation. The PCR products were dissolved in 50 μ l of TE. Quantification of the PCR product was performed by gel electrophoresis of 1 μ l and was estimated to be 50-100 ng/ μ l.

5

10

15

20

25

30

Recombination reactions of PCR products containing attL or attR sites with GATEWAYTM plasmids was performed as follows:

- 8 ul of H₂0
- 2 μl of attL or attR PCR product (100-200 ng)
- 2 μl of GATEWAYTM plasmid (100 ng)
- 4 ul of 5x Destination buffer
- 4 μl of GATEWAYTM LR ClonaseTM Enzyme Mix

 $20 \,\mu l$ total volume (the reactions can be scaled down to a 5 μl total volume by adjusting the volumes of the components to about ¼ of those shown above, while keeping the stoichiometries the same).

Clonase reactions were incubated at 25°C for 2 hours. 2 µl of proteinase K (2 mg/ml) was added to stop the reaction. 10 µl was then run on a 1 % agarose gel. Positive control reactions were performed by reacting attL1 PCR product (1.0 kb) with attR1 PCR product (1.5 kb) and by similarly reacting attL2 PCR product with attR2 PCR product to observe the formation of a larger (2.5 kb) recombination product. Negative controls were similarly performed by reacting attL1 PCR product with attR2 PCR product and vice versa or reactions of attL PCR product with an attL plasmid, etc.

In alternative assays, to test attB Entry vectors, plasmids containing single attP sites were used. Plasmids containing single att sites could also be used as recombination substrates in general to test all Entry and Destination vectors (*i.e.*, those containing attL, attR, attB and attP sites). This would eliminate the need to do PCR reactions.

Results:

Destination and Entry plasmids when reacted with appropriate att-containing PCR products formed linear recombinant molecules that could be easily visualized on an agarose gel when compared to control reactions containing no attL or attR PCR product. Thus, the functionality of Destination and Entry vectors constructed according to the invention may be determined either by carrying out the Destination or Entry recombination reactions as depicted in

Figures 2, 4, and 5A and 5B, or more rapidly by carrying out the linearization assay described in this Example.

Example 20: PCR Cloning Using Universal Adapter-Primers

5

10

15

20

25

As described herein, the cloning of PCR products using the GATEWAY™ PCR Cloning System (Life Technologies, Inc.; Rockville, MD) requires the addition of attB sites (attB1 and attB2) to the ends of gene-specific primers used in the PCR reaction. The protocols described in the preceding Examples suggest that the user add 29 bp (25 bp containing the attB site plus four G residues) to the gene-specific primer. It would be advantageous to high volume users of the GATEWAY™ PCR Cloning System to generate attB-containing PCR product using universal attB adapter-primers in combination with shorter gene-specific primers containing a specified overlap to the adapters. The following experiments demonstrate the utility of this strategy using universal attB adapter-primers and gene-specific primers containing overlaps of various lengths from 6 bp to 18 bp. The results demonstrate that gene-specific primers with overlaps of 10 bp to 18 bp can be used successfully in PCR amplifications with universal attB adapterprimers to generate full-length PCR products. These PCR products can then be successfully cloned with high fidelity in a specified orientation using the GATEWAY™ PCR Cloning System.

Methods and Results:

To demonstrate that universal attB adapter-primers can be used with genespecific primers containing partial attB sites in PCR reactions to generate fulllength PCR product, a small 256 bp region of the human hemoglobin cDNA was chosen as a target so that intermediate sized products could be distinguished from full-length products by agarose gel electrophoresis.

The following oligonucleotides were used:

30

B1-Hgb: GGGG ACA AGT TTG TAC AAA AAA GCA GGC T-5'-Hgb* B2-Hgb:GGGG ACC ACT TTG TAC AAG AAA GCT GGG T-3'-Hgb**

PCT/US00/05432

-145-

	18B1-Hgb:	TG 7	TAC AAA	AAA GCA	GGC T-5'-Hgb
	18B2-Hgb:	TG I	TAC AAG	AAA GCT	GGG T-3'-Hgb
	15B1-Hgb:	Z	AC AAA .	AAA GCA	GGC T-5'-Hgb
	15B2-Hgb:	2	AC AAG	AAA GCT	GGG T-3'-Hgb
5	12B1-Hgb:		AA .	AAA GCA	GGC T-5'-Hgb
	12B2-Hgb:		AG .	AAA GCT	GGG T-3'-Hgb
	11B1-Hgb:		A	AAA GCA	GGC T-5'-Hgb
	11B2-Hgb:		G	AAA GCT	GGG T-3'-Hgb
	10B1-Hgb:		A	AA GCA G	GC T-5'-Hgb
10	10B2-Hgb:			AAA GCT	GGG T-3'-Hgb
	9B1-Hgb:			AA GCA G	GC T-5'-Hgb
	9B2-Hgb:			AA GCT G	GG T-3'-Hgb
	8B1-Hgb:			A GCA G	GC T-5'-Hgb
	8B2-Hgb:			A GCT G	GG T-3'-Hgb
15	7B1-Hgb:			GCA G	GC T-5'-Hgb
	7B2-Hgb:			GCT C	GGG T-3'-Hgb
	6B1-Hgb:			CA GO	GC T-5'-Hgb
	6B2-Hgb:			CT GO	GG T-3'-Hgb
20	attB1 adapter: GGC	GG ACA A	GT TTG	TAC AAA	AAA GCA GGC T
	-t+D2 adaptor. CCC	בים ארכי א	ርጥ ጥጥር	TAC AAG	AAA GCT GGG T

Т attB2 adapter: GGGG ACC ACT TTG TAC AAG AAA GCT GGG T

```
-5'-Hgb = GTC ACT AGC CTG TGG AGC AAG A
** -3'-Hgb = AGG ATG GCA GAG GGA GAC GAC A
```

25

30

35.

The aim of these experiments was to develop a simple and efficient universal adapter PCR method to generate attB containing PCR products suitable for use in the GATEWAYTM PCR Cloning System. The reaction mixtures and thermocycling conditions should be simple and efficient so that the universal adapter PCR method could be routinely applicable to any PCR product cloning application.

PCR reaction conditions were initially found that could successfully amplify predominately full-length PCR product using gene-specific primers containing 18bp and 15 bp overlap with universal attB primers. These conditions are outlined below:

-146-

10 pmoles of gene-specific primers

10 pmoles of universal attB adapter-primers

1 ng of plasmid containing the human hemoglobin cDNA.

100 ng of human leukocyte cDNA library DNA.

5 μl of 10x PLATINUM Taq HiFi® reaction buffer (Life Technologies, Inc.)

2 μl of 50 mM MgSO₄

1 μl of 10 mM dNTPs

0.2 µl of PLATINUM Taq HiFi® (1.0 unit)

H₂O to 50 µl total reaction volume

10

5

Cycling conditions:

15

20

To assess the efficiency of the method, 2 μ l (1/25) of the 50 μ l PCR reaction was electrophoresed in a 3 % Agarose-1000 gel. With overlaps of 12 bp or less, smaller intermediate products containing one or no universal attB adapter predominated the reactions. Further optimization of PCR reaction conditions was obtained by titrating the amounts of gene-specific primers and universal attB adapter-primers. The PCR reactions were set up as outlined above except that the amounts of primers added were:

25

0, 1, 3 or 10 pmoles of gene-specific primers

0, 10, 30 or 100 pmoles of adapter-primers

Cycling conditions:

The use of limiting amounts of gene-specific primers (3 pmoles) and excess adapter-primers (30 pmoles) reduced the amounts of smaller intermediate products. Using these reaction conditions the overlap necessary to obtain predominately full-length PCR product was reduced to 12 bp. The amounts of gene-specific and adapter-primers was further optimized in the following PCR reactions:

15

5

10

0, 1, 2 or 3 pmoles of gene-specific primers

0, 30, 40 or 50 pmoles of adapter-primers

Cycling conditions:

20

25

30

The use of 2 pmoles of gene-specific primers and 40 pmoles of adapter-primers further reduced the amounts of intermediate products and generated predominately full-length PCR products with gene-specific primers containing an 11 bp overlap. The success of the PCR reactions can be assessed in any PCR application by performing a no adapter control. The use of limiting amounts of gene-specific primers should give faint or barely visible bands when 1/25 to 1/10 of the PCR reaction is electrophoresed on a standard agarose gel. Addition of the

universal attB adapter-primers should generate a robust PCR reaction with a much higher overall yield of product.

PCR products from reactions using the 18 bp, 15 bp, 12 bp, 11 bp and 10 bp overlap gene-specific primers were purified using the CONCERT® Rapid PCR Purification System (PCR products greater than 500 bp can be PEG precipitated). The purified PCR products were subsequently cloned into an attP containing plasmid vector using the GATEWAYTM PCR Cloning System (Life Technologies, Inc.; Rockville, MD) and transformed into *E. coli*. Colonies were selected and counted on the appropriate antibiotic media and screened by PCR for correct inserts and orientation.

Raw PCR products (unpurified) from the attB adapter PCR of a plasmid clone of part of the human beta-globin (Hgb) gene were also used in GATEWAYTM PCR Cloning System reactions. PCR products generated with the full attB B1/B2-Hgb, the 12B1/B2, 11B1/B2 and 10B1/B2 attB overlap Hgb primers were successfully cloned into the GATEWAYTM pENTR21 attP vector (Figure 49). 24 colonies from each (24 x 4 = 96 total) were tested and each was verified by PCR to contain correct inserts. The cloning efficiency expressed as cfu/ml is shown below:

Primer Used	cfu/ml
Hgb full attB	8,700
Hgb 12 bp overlap	21,000
Hgb 11 bp overlap	20,500
Hgb 10 bp overlap	13,500
GFP control	1.300

Interestingly, the overlap PCR products cloned with higher efficiency than did the full attB PCR product. Presumably, and as verified by visualization on agarose gel, the adapter PCR products were slightly cleaner than was the full attB PCR product. The differences in colony output may also reflect the proportion of PCR product molecules with intact attB sites.

Using the attB adapter PCR method, PCR primers with 12 bp attB overlaps were used to amplify cDNAs of different sizes (ranging from 1 to 4 kb)

20

15

5

10

25

5

10

15

20

25

30

from a leukocyte cDNA library and from first strand cDNA prepared from HeLa total RNA. While three of the four cDNAs were able to be amplified by this method, a non-specific amplification product was also observed that under some conditions would interfere with the gene-specific amplification. This non-specific product was amplified in reactions containing the attB adapter-primers alone without any gene-specific overlap primers present. The non-specific amplification product was reduced by increasing the stringency of the PCR reaction and lowering the attB adapter PCR primer concentration.

These results indicate that the adapter-primer PCR approach described in this Example will work well for cloned genes. These results also demonstrate the development of a simple and efficient method to amplify PCR products that are compatible with the GATEWAYTM PCR Cloning System that allows the use of shorter gene-specific primers that partially overlap universal attB adapter-primers. In routine PCR cloning applications, the use of 12 bp overlaps is recommended. The methods described in this Example can thus reduce the length of gene-specific primers by up to 17 residues or more, resulting in a significant savings in oligonucleotide costs for high volume users of the GATEWAYTM PCR Cloning System. In addition, using the methods and assays described in this Example, one of ordinary skill can, using only routine experimentation, design and use analogous primer-adapters based on or containing other recombination sites or fragments thereof, such as attL, attR, attP, lox, FRT, etc.

Example 21: Mutational Analysis of the Bacteriophage Lambda attL and attR Sites: Determinants of att Site Specificity in Site-specific Recombination

To investigate the determinants of *att* site specificity, the bacteriophage lambda *att*L and *att*R sites were systematically mutagenized. As noted herein, the determinants of specificity have previously been localized to the 7 bp overlap region (TTTATAC, which is defined by the cut sites for the integrase protein and is the region where strand exchange takes place) within the 15 bp core region (GCTTTTTTATACTAA) which is identical in all four lambda *att* sites, *att*B, *att*P, *att*L and *att*R. This core region, however, has not heretofore been systematically

mutagenized and examined to define precisely which mutations produce unique changes in *att* site specificity.

Therefore, to examine the effect of att sequence on site specificity, mutant attL and attR sites were generated by PCR and tested in an in vitro site-specific recombination assay. In this way all possible single base pair changes within the 7 bp overlap region of the core att site were generated as well as five additional changes outside the 7 bp overlap but within the 15 bp core att site. Each attL PCR substrate was tested in the in vitro recombination assay with each of the attR PCR substrates.

10

15

20

25

30

5

Methods

To examine both the efficiency and specificity of recombination of mutant attL and attR sites, a simple in vitro site-specific recombination assay was developed. Since the core regions of attL and attR lie near the ends of these sites, it was possible to incorporate the desired nucleotide base changes within PCR primers and generate a series of PCR products containing mutant attL and attR sites. PCR products containing attL and attR sites were used as substrates in an in vitro reaction with GATEWAYTM LR ClonaseTM Enzyme Mix (Life Technologies, Inc.; Rockville, MD). Recombination between a 1.5 kb attL PCR product and a 1.0 kb attR PCR product resulted in a 2.5 kb recombinant molecule that was monitored using agarose gel electrophoresis and ethidium bromide staining.

Plasmid templates pEZC1301 (Figure 84) and pEZC1313 (Figure 85), each containing a single wild type attL or attR site, respectively, were used for the generation of recombination substrates. The following list shows primers that were used in PCR reactions to generate the attL PCR products that were used as substrates in L x R Clonase reactions (capital letters represent changes from the wild-type sequence, and the underline represents the 7 bp overlap region within the 15 bp core att site; a similar set of PCR primers was used to prepare the attR PCR products containing matching mutations):

-151-

GATEWAYTM sites (note: attL2 sequence in GATEWAYTM plasmids begins "accca" while the attL2 site in this example begins "agcct" to reflect wild-type attL outside the core region.):

5

attL1: gggg agcct gcttttttGtacAaa gttggcatta taaaaaagca ttgc

10

attL2: gggg agcct gctttCttGtacAaa gttggcatta taaaaaagca ttgc

Wild-type:

attL0: gggg agcct gcttttttatactaa gttggcatta taaaaaagca ttgc

15

Single base changes from wild-type:

attLT1A: gggg agcct gctttAttatactaa gttggcatta taaaaaagca ttgc

20

attLT1C: gggg agcct gctttCttatactaa gttggcatta taaaaaagca ttgc

attLT1G: gggg agcct gctttGttatactaa gttggcatta taaaaaagca ttgc

25

attLT2A: gggg agcct gcttttAtatactaa gttggcatta taaaaaagca ttgc

30

attLT2C: gggg agcct gcttttCtatactaa gttggcatta taaaaaagca ttgc

attLT2G: gggg agcct gcttttGtatactaa gttggcatta taaaaaagca ttgc

	-152-
	attLT3A: gggg agcct gcttt <u>ttAatac</u> taa gttggcatta taaaa- aagca ttgc
5	attLT3C: gggg agcct gcttt <u>ttCatac</u> taa gttggcatta taaaa- aagca ttgc
10	<pre>attLT3G: gggg agcct gctttttGatactaa gttggcatta taaaa- aagca ttgc</pre>
	attLA4C: gggg agcct gcttt <u>tttCtac</u> taa gttggcatta taaaa-aagca ttgc
15	attLA4G: gggg agcct gcttt <u>tttGtac</u> taa gttggcatta taaaa- aagca ttgc
20	attLA4T: gggg agcct gcttt <u>tttTtac</u> taa gttggcatta taaaa- aagca ttgc
25	. attLT5A: gggg agcct gcttt <u>tttaAac</u> taa gttggcatta taaaa- aagca ttgc
	attLT5C: gggg agcct gcttt <u>tttaCac</u> taa gttggcatta taaaa- aagca ttgc
30	attLT5G: gggg agcct gcttt <u>tttaGac</u> taa gttggcatta taaaa- aagca ttgc

attLA6C: gggg agcct gcttttttatCctaa gttggcatta taaaa-

aagca ttgc

	attLA6G: gggg agcct gcttt <u>tttatGc</u> taa gttggcatta taaaa- aagca ttgc
5	<pre>attLA6T: gggg agcct gcttttttatTctaa gttggcatta taaaa- aagca ttgc</pre>
10	attLC7A: gggg agcct gcttt <u>tttataA</u> taa gttggcatta taaaa-aagca ttgc
15	attLC7G: gggg agcct gcttt <u>tttataG</u> taa gttggcatta taaaa-aagca ttgc
	<pre>attLC7T: gggg agcct gcttttttataTtaa gttggcatta taaaa- aagca ttgc</pre>
20	Single base changes outside of the 7 bp overlap: attL8: gggg agcct Acttttttatactaa gttggcatta taaaa- aagca ttgc
25	<pre>attL9: gggg agcct gcCtttttatactaa gttggcatta taaaaa- agca ttgc</pre>
	<pre>attL10: gggg agcct gcttCtttatactaa gttggcatta taaaaa- agca ttgc</pre>
30	attL14: gggg agcct gcttttttatacCaa gttggcatta taaaaa-agca ttgc
35	<pre>attL15: gggg agcct gcttttttatactaG gttggcatta taaaaa- agca ttgc</pre>

-154-

Note: additional vectors wherein the first nine bases are gggg agcca (i.e., substituting an adenine for the thymine in the position immediately preceding the 15-bp core region), which may or may not contain the single base pair substitutions (or deletions) outlined above, can also be used in these experiments.

5

Recombination reactions of attL- and attR-containing PCR products was performed as follows:

8 μl of H₂0

10

2 μl of attL PCR product (100 ng)

2 μl of attR PCR product (100 ng)

4 μl of 5x buffer

4 μl of GATEWAYTM LR ClonaseTM Enzyme Mix

20 µl total volume

15

Clonase reactions were incubated at 25°C for 2 hours.

 $2 \mu l$ of 10 X Clonase stop solution (proteinase K, 2 mg/ml) were added to stop the reaction.

10 μl were run on a 1 % agarose gel.

20

Results

Each attL PCR substrate was tested in the in vitro recombination assay with each of the attR PCR substrates. Changes within the first three positions of the 7 bp overlap (TTTATAC) strongly altered the specificity of recombination. These mutant att sites each recombined as well as the wild-type, but only with their cognate partner mutant; they did not recombine detectably with any other att site mutant. In contrast, changes in the last four positions (TTTATAC) only partially altered specificity; these mutants recombined with their cognate mutant as well as wild-type att sites and recombined partially with all other mutant att sites except for those having mutations in the first three positions of the 7 bp

30

overlap. Changes outside of the 7 bp overlap were found not to affect specificity of recombination, but some did influence the efficiency of recombination.

Based on these results, the following rules for att site specificity were determined:

•Only changes within the 7 bp overlap affect specificity.

5

10

15

20

25

30

- •Changes within the first 3 positions strongly affect specificity.
- •Changes within the last 4 positions weakly affect specificity.

Mutations that affected the overall efficiency of the recombination reaction were also assessed by this method. In these experiments, a slightly increased (less than 2-fold) recombination efficiency with attLT1A and attLC7T substrates was observed when these substrates were reacted with their cognate attR partners. Also observed were mutations that decreased recombination efficiency (approximately 2-3 fold), including attLA6G, attL14 and attL15. These mutations presumably reflect changes that affect Int protein binding at the core att site.

The results of these experiments demonstrate that changes within the first three positions of the 7 bp overlap (TTTATAC) strongly altered the specificity of recombination (i.e., att sequences with one or more mutations in the first three thymidines would only recombine with their cognate partners and would not cross-react with any other att site mutation). In contrast, mutations in the last four positions (TTTATAC) only partially altered specificity (i.e., att sequences with one or more mutations in the last four base positions would cross-react partially with the wild-type att site and all other mutant att sites, except for those having mutations in one or more of the first three positions of the 7 bp overlap). Mutations outside of the 7 bp overlap were not found to affect specificity of recombination, but some were found to influence (i.e., to cause a decrease in) the efficiency of recombination.

Example 22: Discovery of Att Site Mutations That Increase the Cloning Efficiency of GATEWAYTM Cloning Reactions

In experiments designed to understand the determinants of att site specificity, point mutations in the core region of attL were made. Nucleic acid molecules containing these mutated attL sequences were then reacted in an LR

reaction with nucleic acid molecules containing the cognate attR site (i.e., an attR site containing a mutation corresponding to that in the attL site), and recombinational efficiency was determined as described above. Several mutations located in the core region of the att site were noted that either slightly increased (less than 2-fold) or decreased (between 2-4-fold) the efficiency of the recombination reaction (Table 3).

Effects of attL mutations on Recombination Reactions. Table 3.

10	Site	Sequence	Effect on
	attL0	agcctgcttttttatactaagttggcatta	Recombination
	attL5	agcctgctttAttatactaagttggcatta	slightly increased
	attL6	agcctgcttttttataTtaagttggcatta	slightly increased
15	attL13	agcctgcttttttatGctaagttggcatta	decreased
	attL14	agcctgcttttttatacCaagttggcatta	decreased
	attL15	agcctgcttttttatactaGgttggcatta	decreased

consensus CAACTTnnTnnnAnnAAGTTG

20

25

30

5

It was also noted that these mutations presumably reflected changes that either increased or decreased, respectively, the relative affinity of the integrase protein for binding the core att site. A consensus sequence for an integrase corebinding site (CAACTTNNT) has been inferred in the literature but not directly tested (see, e.g., Ross and Landy, Cell 33:261-272 (1983)). This consensus core integrase-binding sequence was established by comparing the sequences of each of the four core att sites found in attP and attB as well as the sequences of five non-att sites that resemble the core sequence and to which integrase has been shown to bind in vitro. These experiments suggest that many more att site mutations might be identified which increase the binding of integrase to the core att site and thus increase the efficiency of GATEWAYTM cloning reactions.

Example 23: Effects of Core Region Mutations on Recombination Efficiency

To directly compare the cloning efficiency of mutations in the att site core region, single base changes were made in the attB2 site of an attB1-TET-attB2 PCR product. Nucleic acid molecules containing these mutated attB2 sequences were then reacted in a BP reaction with nucleic acid molecules containing non-cognate attP sites (i.e., wildtype attP2), and recombinational efficiency was determined as described above The cloning efficiency of these mutant attB2 containing PCR products compared to standard attB1-TET-attB2 PCR product are shown in Table 4.

10

30

5

Table 4. Efficiency of Recombination With Mutated attB2 Sites.

	Site	Sequence	Mutation	Cloning Efficiency
15	attB0	tcaagttagtataaaaaagcaggct		
	attB1	ggggacaagtttgtacaaaaaagcaggct		
	attB2	ggggaccactttgtacaagaaagctgggt		100%
	attB2.1	ggggaAcactttgtacaagaaagctgggt	C→A	40%
	attB2.2	ggggacAactttgtacaagaaagctgggt	C→A	131%
20	attB2.3	ggggaccCctttgtacaagaaagctgggt	A→C	4%
	attB2.4	ggggaccaAtttgtacaagaaagctgggt	C→A	11%
	attB2.5	ggggaccacGttgtacaagaaagctgggt	T→G	4%
	attB2.6	ggggaccactGtgtacaagaaagctgggt	T→G	6%
	attB2.7	ggggaccacttGgtacaagaaagctgggt	T→G	1%
25	attB2.8	ggggaccacttt <u>Ttacaag</u> aaagctgggt	G→T	0.5%

As noted above, a single base change in the attB2.2 site increased the cloning efficiency of the attB1-TET-attB2.2 PCR product to 131% compared to the attB1-TET-attB2 PCR product. Interestingly, this mutation changes the integrase core binding site of attB2 to a sequence that matches more closely the proposed consensus sequence.

Additional experiments were performed to directly compare the cloning efficiency of an attB1-TET-attB2 PCR product with a PCR product that contained attB sites containing the proposed consensus sequence (see Example 22) of an integrase core binding site. The following attB sites were used to amplify attB-TET PCR products:

attB1 ggggacaagtttgtacaaaaaagcaggct
attB1.6 ggggacaaCtttgtacaaaaaagTTggct
attB2 ggggaccactttgtacaagaaagctgggt
attB2.10 ggggacAactttgtacaagaaagTtgggt

BP reactions were carried out between 300 ng (100 fmoles) of pDONR201 (Figure 49A) with 80 ng (80 fmoles) of attB-TET PCR product in a 20 µl volume with incubation for 1.5 hrs at 25 °C, creating pENTR201-TET Entry clones. A comparison of the cloning efficiencies of the above-noted attB sites in BP reactions is shown in Table 5.

Table 5. Cloning efficiency of BP Reactions.

PCR product	CFU/ml	Fold Increase
B1-tet-B2	7,500	
B1.6-tet-B2	12,000	1.6 x
B1-tet-B2.10	20,900	2.8 x
B1.6-tet-B2.10	30,100	4.0 x

These results demonstrate that attB PCR products containing sequences that perfectly match the proposed consensus sequence for integrase core binding sites can produce Entry clones with four-fold higher efficiency than standard Gateway attB1 and attB2 PCR products.

The entry clones produced above were then transferred to pDEST20 (Figure 40A) via LR reactions (300 ng (64 fmoles) pDEST20 mixed with 50 ng (77 fmoles) of the respective pENTR201-TET Entry clone in 20 µl volume; incubated for 1 hr incubation at 25°C). The efficiencies of cloning for these reactions are compared in Table 6.

20

5

10

15

25

5

10

15

20

25

30

Table 6. Cloning Efficiency of LR Reactions.

pENTR201-TET x pDEST20	CFU/ml	Fold Increase
L1-tet-L2	5,800	
L1.6-tet-L2	8,000	1.4
L1-tet-L2.10	10,000	1.7
L1.6-tet-L2.10	9,300	1,6

These results demonstrate that the mutations introduced into attB1.6 and attB2.10 that transfer with the gene into entry clones slightly increase the efficiency of LR reactions. Thus, the present invention encompasses not only mutations in attB sites that increase recombination efficiency, but also to the corresponding mutations that result in the attL sites created by the BP reaction.

To examine the increased cloning efficiency of the attB1.6-TET-attB2.10 PCR product over a range of PCR product amounts, experiments analogous to those described above were performed in which the amount of attB PCR product was titrated into the reaction mixture. The results are shown in Table 7.

Table 7. Titration of attB PCR products.

Amount of attB PCR	PCR product	CFU/ml	Fold Increase
product (ng)			
20	attB1-TET-attB2	3,500	6.1
	attB1.6-TET-attB2.10	21,500	<u>.</u>
50	attB1-TET-attB2	9,800	5.0
	attB1.6-TET-attB2.10	49,000	
100	attB1-TET-attB2	18,800	2.8
	attB1.6-TET-attB2.10	53,000	
200	attB1-TET-attB2	19,000	2.5
L	attB1.6-TET-attB2.10	48,000	

These results demonstrate that as much as a six-fold increase in cloning efficiency is achieved with the attB1.6-TET-attB2.10 PCR product as compared to the standard attB1-TET-attB2 PCR product at the 20 ng amount.

PCT/US00/05432

5

10

15

30

-160-

Example 24: Determination of attB Sequence Requirements for Optimum Recombination Efficiency

To examine the sequence requirements for attB and to determine which attB sites would clone with the highest efficiency from populations of degenerate attB sites, a series of experiments was performed. Degenerate PCR primers were designed which contained five bases of degeneracy in the B-arm of the attB site. These degenerate sequences would thus transfer with the gene into Entry clone in BP reactions and subsequently be transferred with the gene into expression clones in LR reactions. The populations of degenerate attB and attL sites could thus be cycled from attB to attL back and forth for any number of cycles. By altering the reaction conditions at each transfer step (for example by decreasing the reaction time and/or decreasing the concentration of DNA) the reaction can be made increasingly more stringent at each cycle and thus enrich for populations of attB and attL sites that react more efficiently.

The following degernerate PCR primers were used to amplify a 500 bp fragment from pUC18 which contained the lacZ alpha fragment (only the attB portion of each primer is shown):

20 attB1 GGGG ACAAGTTTGTACAAA AAAGC AGGCT
attB1n16-20 GGGG ACAAGTTTGTACAAA nnnnn AGGCT
attB1n21-25 GGGG ACAAGTTTGTACAAA AAAGC nnnnn
attB2 GGGG ACCACTTTGTACAAG AAAGC TGGGT
25 attB2n16-20 GGGG ACCACTTTGTACAAG nnnnn TGGGT
attB2n21-25 GGGG ACCACTTTGTACAAG AAAGC nnnnn

The starting population size of degenerate att sites is 4⁵ or 1024 molecules. Four different populations were transferred through two BP reactions and two LR reactions. Following transformation of each reaction, the population of transformants was amplified by growth in liquid media containing the appropriate selection antibiotic. DNA was prepared from the population of clones by alkaline

lysis miniprep and used in the next reaction. The results of the BP and LR cloning reactions are shown below.

BP-1, overnight reactions

J	

	cfu/ml	percent of control
attB1-LacZa-attB2	78,500	100 %
attB1n16-20-LacZa-attB2	1,140	1.5 %
attB1n21-25-LacZa-attB2	11,100	14 %
attB1-LacZa-attB2n16-20	710	0.9 %
attB1-LacZa-attB2n21-25	16,600	21 %

10

LR-1, pENTR201-LacZa x pDEST20/EcoRI, 1hr reactions

15

	cfu/ml	percent of control
attL1-LacZa-attL2	20,000	100 %
attLln16-20-LacZa-attL2	2,125	11 %
attL1n21-25-LacZa-attL2	2,920	15 %
attL1-LacZa-attL2n16-20	3,190	16 %
attL1-LacZa-attL2n21-25	1,405	7 %

20

BP-2, pEXP20-LacZa/ScaI x pDONR 201, 1hr reactions

25

	cfu/ml	percent of control
attB1-LacZa-attB2	48,600	100 %
attB1n16-20-LacZa-attB2	22,800	47 %
attB1n21-25-LacZa-attB2	31,500	65 %
attB1-LacZa-attB2n16-20	42,400	87 %
attB1-LacZa-attB2n21-25	34,500	71 %

LR-2, pENTR201-LacZa x pDEST6/NcoI, 1hr reactions

30

	cfu/ml	percent of control
attL1-LacZa-attL2	23,000	100 %
attLln16-20-LacZa-attL2	49,000	213 %
attL1n21-25-LacZa-attL2	18,000	80 %
attL1-LacZa-attL2n16-20	37,000	160 %
attL1-LacZa-attL2n21-25	57,000	250 %

35

These results demonstrate that at each successive transfer, the cloning efficiency of the entire population of att sites increases, and that there is a great deal of flexibility in the definition of an attB site. Specific clones may be isolated from the above reactions, tested individually for recombination efficiency, and

sequenced. Such new specificities may then be compared to known examples to guide the design of new sequences with new recombination specificities. In addition, based on the enrichment and screening protocols described herein, one of ordinary skill can easily identify and use sequences in other recombination sites, e.g., other att sites, lox, FRT, etc., that result in increased specificity in the recombination reactions using nucleic acid molecules containing such sequences.

Example 25: Design of att Site PCR Adapter-Primers

10

5

Additional studies were performed to design gene-specific primers with 12bp of attB1 and attB2 at their 5'-ends. The optimal primer design for att-containing primers is the same as for any PCR primers: the gene-specific portion of the primers should ideally have a Tm of > 50°C at 50 mM salt (calculation of Tm is based on the formula 59.9 + 41(%GC) - 675/n).

15

Primers:

12bp attB1: AA AAA GCA GGC TNN - forward gene-specific primer

20

12bp attB2: A GAA AGC TGG GTN - reverse gene-specific primer

attB1 adapter primer: GGGGACAAGTTTGTACAAAAAAGCAGGCT

attB2 adapter primer: GGGGACCACTTTGTACAAGAAAGCTGGGT

25

Protocol:

30

(1) Mix 200 ng of cDNA library or 1 ng of plasmid clone DNA (alternatively, genomic DNA or RNA could be used) with 10 pmoles of gene specific primers in a 50 μ l PCR reaction, using one or more polypeptides having DNA polymerase activity such as those described herein. (The addition of greater than 10 pmoles of gene-specific primers can decrease the yield of attB PCR product. In addition, if RNA is used, a standard reverse transcriptase-PCR (RT-

PCR) protocol should be followed; see, e.g., Gerard, G.F., et al., FOCUS 11:60 (1989); Myers, T.W., and Gelfand, D.H., Biochem. 30:7661 (1991); Freeman, W.N., et al., BioTechniques 20:782 (1996); and U.S. Application No. 09/064,057, filed April 22, 1998, the disclosures of all of which are incorporated herein by reference.)

1st PCR profile:

- (a) 95°C for 3 minutes
- (b) 10 cycles of:

10

5

- (i) 94°C for 15 seconds
- (ii) 50°C* for 30 seconds
- (iii) 68°C for 1 minute/kb of target amplicon
- (c) 68°C for 5 minutes
- (d) 10°C hold

15

20

- *The optimal annealing temperature is determined by the calculated Tm of the gene-specific part of the primer.
- (2) Transfer 10 μl to a 40 μl PCR reaction mix containing 35 pmoles each of the attB1 and attB2 adapter primers.

2nd PCR profile:

- (a) 95°C for 1 minute
- 25
- (b) 5 cycles of:
 - (i) 94°C for 15 seconds
 - (ii) 45°C* for 30 seconds
 - (iii) 68°C for 1 minute/kb of target amplicon
- (c) 15-20 cycles** of:

- (i) 94°C for 15 seconds
- (ii) 55°C* for 30 seconds

- (iii) 68°C for 1 minute/kb of target amplicon
- (d) 68°C for 5 minutes
- (e) 10°C hold
- *The optimal annealing temperature is determined by the calculated Tm of the 5 gene-specific part of the primer.
 - **15 cycles is sufficient for low complexity targets.

Notes:

10

- It is useful to perform a no-adapter primer control to assess the yield of 1. attB PCR product produced.
- 2. Linearized template usually results in slightly greater yield of PCR product.

15

Example 26: One-Tube Recombinational Cloning Using the GATEWAYIM Cloning System

20

To provide for easier and more rapid cloning using the GATEWAYTM cloning system, we have designed a protocol whereby the BP and LR reactions may be performed in a single tube (a "one-tube" protocol). The following is an example of such a one-tube protocol; in this example, an aliquot of the BP reaction is taken before adding the LR components, but the BP and LR reactions may be performed in a one-tube protocol without first taking the BP aliquot:

25

Reaction Component	<u>Volume</u>
attB DNA (100-200 ng/25 µl reaction)	1-12.5 μΙ
attP DNA (pDONR201) 150 ng/µl	2.5 μl
5X BP Reaction Buffer	5.0 μ1
Tris-EDTA	(to 20 μl)
BP Clonase	<u>5.0 μl</u>
Total vol.	25 µl

After the above components were mixed in a single tube, the reaction mixtures were incubated for 4 hours at 25°C. A 5 μ l aliquot of reaction mixture was removed, and 0.5 μ l of 10X stop solution was added to this reaction mixture and incubated for 10 minutes at 37°C. Competent cells were then transformed with 1-2 μ l of the BP reaction per 100 μ l of cells; this transformation yielded colonies of Entry Clones for isolation of individual Entry Clones and for quantitation of the BP Reaction efficiency.

To the remaining 20 μ l of BP reaction mixture, the following components of the LR reaction were added:

10

15

20

25

30

5

Reaction Component	Final Concentration	Volume Added
NaCl	0.75 M	1 μl
Destination Vector	150 ng/ul	3 μ1
LR Clonase		<u>6 µl</u>
Total vol.		30 μΙ

After the above components were mixed in a single tube, the reaction mixtures were incubated for 2 hours at 25°C. 3 μ l of 10X stop solution was added, and the mixture was incubated for 10 minutes at 37°C. Competent cells were then transformed with 1-2 μ l of the reaction mixture per 100 μ l of cells

Notes:

- 1. If desired, the Destination Vector can be added to the initial BP reaction.
- 2. The reactions can be scaled down by 2x, if desired.
- Shorter incubation times for the BP and/or LR reactions can be used (scaled to the desired cloning efficiencies of the reaction), but a lower number of colonies will typically result.
- 4. To increase the number of colonies obtained by several fold, incubate the BP reaction for 6-20 hours and increase the LR reaction to 3 hours. Electroporation also works well with 1-2 ul of the PK-treated reaction mixture.

WO 00/52027

5. PCR products greater than about 5 kb may show significantly lower cloning efficiency in the BP reaction. In this case, we recommend using a one-tube reaction with longer incubation times (e.g., 6-18 hours) for both the BP and LR steps.

5

10

Example 27: Relaxation of Destination Vectors During the LR Reaction

To further optimize the LR Reaction, the composition of the LR Reaction buffer was modified from that described above and this modified buffer was used in a protocol to examine the impact of enzymatic relaxation of Destination Vectors during the LR Reaction.

LR Reactions were set up as usual (see, e.g., Example 6), except that 5X BP Reaction Buffer (see Example 5) was used for the LR Reaction. To accomplish Destination Vector relaxation during the LR Reaction, Topoisomerase I (Life Technologies, Inc., Rockville, MD; Catalogue No. 38042-016) was added to the reaction mixture at a final concentration of ~15U per µg of total DNA in the reaction (for example, for reaction mixtures with a total of 400ng DNA in the 20 µl LR Reaction, ~6units of Topoisomerase I was added). Reaction mixtures were set up as follows:

20

15

Reaction Component	<u>Volume</u>
ddH_2O	6.5 µl
4X BP Reaction Buffer	5 μl
100ng single chain/linear pENTR CAT, 50 ng/µl	2 μl
300ng single chain/linear pDEST6, 150ng/µl	2 μ1
Topoisomerase I, 15 U/ml	0.5 μl
LR Clonase	4 μ1

30

25

Reaction mixtures were incubated at 25°C for 1hour, and 2 μ l of 2 μ g/ μ l Proteinase K was then added and mixtures incubated for 10 minutes at 37°C to stop the LR Reaction. Competent cells were then transformed as described in the preceding examples. The results of these studies demonstrated that relaxation of

WO 00/52027

substrates in the LR reaction using Topoisomerase I resulted in a 2- to 10-fold increase in colony output compared to those LR reactions performed without including Topoisomerase I.

5

10

15

Having now fully described the present invention in some detail by way of illustration and example for purposes of clarity of understanding, it will be obvious to one of ordinary skill in the art that the same can be performed by modifying or changing the invention within a wide and equivalent range of conditions, formulations and other parameters without affecting the scope of the invention or any specific embodiment thereof, and that such modifications or changes are intended to be encompassed within the scope of the appended claims.

All publications, patents and patent applications mentioned in this specification are indicative of the level of skill of those skilled in the art to which this invention pertains, and are herein incorporated by reference to the same extent as if each individual publication, patent or patent application was specifically and individually indicated to be incorporated by reference.

1	67.1	
Applicant's or agent's file reference number 0942.538PC03	International application No. 11 00/05432	
INDICATIONS RELATING TO DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) WPO PCT		
A. The indications made below relate to the microorganism 31		
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority		
Address of depositary institution (including postal code and count	(מי)	
1815 N. University Street Peoria, Illinois 61604 United States of America		
Date of deposit February 27, 1999	Accession Number NRRL B-30099	
C. ADDITIONAL INDICATIONS (leave blank if not appli	icable) This information is continued on an additional sheet	
Escherichia coli DB3.1(pAHPKan) or Escherichia coli DB3	5.1(pAttPKan)	
D. DESIGNATED STATES FOR WHICH INDICATION	ONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)		
The indications listed below will be submitted to the international in "Accession Number of Deposit")	Bureau later (specify the general nature of the indications, e.g.,	
For receiving Office use only	For International Bureau use only	
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:	
Authorized officer 17 Operation 1876 Table 1 1999 1999 1997 1 1999 1998 1999 1999	Authorized officer	

, <u></u>		167.2	
Applicant's or agent's fil reference number	e 0942.468PC03	International application No. 1t. PCT/US 0 0	/054 32
	OR OTHER BIO	TO DEPOSITED MICROORGANI DLOGICAL MATERIAL T Rule 13 <i>bis</i>)	REC'D 17 APR 2000
A. The indications m	ade below relate to the microorganism	n referred to in the description on page	WIPO PGT
B. IDENTIFICATION	ON OF DEPOSIT	Further deposits are id	entified on an additional sheet 🛭
Name of depositary inst Agricultural Research International Deposit	Culture Collection (NRRL)	·	
Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America			
Date of deposit February 27, 1999		Accession Number NRRL B-30100	
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet			
Escherichia coli DB3.1(pENTR-1A)			
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)			
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)			
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")			
,			
For rea	reiving Office use only	For International B	ureau use only
This sheet was receive	ed with the international application	☐ This sheet was received by the Intern	ational Bureau on:
Authorized officer	Carpara Fridis 77	Authorized officer	

	<u> </u>	167.3		
Applicant's or agent's file reference number	0942.468PC03	International application No. tb.	00/05432	
·	OR OTHER BIO	TO DEPOSITED MICROORG DLOGICAL MATERIAL T Rule 13 <i>bis</i>)	RECU : 1 1 300	
A. The indications made16	below relate to the microorganism	m referred to in the description on	paseWIPO, time PCT	
B. IDENTIFICATION	OF DEPOSIT	Further deposits	are identified on an additional sheet 🛛	
Name of depositary instituti Agricultural Research Cu International Depository	lture Collection (NRRL)			
Address of depositary institution 1815 N. University Street Peoria, Illinois 61604 United States of America			·	
Date of deposit February 27, 1999		Accession Number NRRL B-30101		
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet				
Escherichia coli DB3.1(pENTR-2B)				
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)				
E. SEPARATE FURNI	SHING OF INDICATIONS (lea	ve blank if not applicable)		
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")				
For receivi	ng Office use only	For Internation	nal Bureau use only	
This sheet was received w	ith the international application	☐ This sheet was received by the Ir	nternational Bureau on:	
Authorized officer	Dara Fricis 77	Authorized officer		

Form PCT/RO/134 (July 1998)

	. 16	57.4		
Applicant's or agent's file reference number	0942.468PC03	International improprieting No. thu	0/05432	
	OR OTHER BIO	O DEPOSITED MICROORGA LOGICAL MATERIAL F Rule 13 <i>bis</i>)	REC'D 17 APR 2000 NISM WIPO PCT	
A. The indications made	e below relate to the microorganism	n referred to in the description on	page <u>55</u> , line	
B. IDENTIFICATION	OF DEPOSIT	Further deposits a	re identified on an additional sheet 🗵	
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority				
Address of depositary insti	tution (including postal code and coun	itry)	•	
1815 N. University Stree Peoria, Illinois 61604 United States of Americ				
Date of deposit February 27, 1999		Accession Number NRRL B-30102		
C. ADDITIONAL IN	DICATIONS (leave blank if not app	licable) This information is	continued on an additional sheet	
Escherichia coli DB3.1(pENTR-3C)				
D. DESIGNATED ST	ATES FOR WHICH INDICAT	IONS ARE MADE (if the indication	ns are not for all designated States)	
E SEPARATE FURI	NISHING OF INDICATIONS de	ave blank if not applicable)		
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")				
For rece	siving Office use only	For Internation	onal Bureau use only	
This sheet was received	d with the international application	☐ This sheet was received by the	International Bureau on:	
Authorized officer	TO STORY OF THE TOWN OF THE STORY OF	Authorized officer		

		167.5	
Applicant's or agent's file reference number	0942.468PC03	International application No. 11	00/05432
	OR OTHER BI (PC	TO DEPOSITED MICROOF OLOGICAL MATERIAL T Rule 13 <i>bis</i>)	V. OT
A. The indications made	e below relate to the microorganis	m referred to in the description	
B. IDENTIFICATION	OF DEPOSIT	Further depos	its are identified on an additional sheet
Name of depositary institut Agricultural Research C International Depository	ulture Collection (NRRL)		
Address of depositary instit	ution (including postal code and cou	ntry)	·
1815 N. University Stree Peoria, Illinois 61604 United States of America			
Date of deposit February 27, 1999		Accession Number NRRL B-30103	
C. ADDITIONAL IND	ICATIONS (leave blank if not app	olicable) This information	is continued on an additional sheet
Escherichia coli DB3.1(p		(ONC A DE MADE	
D. DESIGNATED STA	ATES FOR WHICH INDICATI	ONS ARE MADE (if the indicate	ions are not for all designated States)
E. SEPARATE FURNI	SHING OF INDICATIONS (lea	ve blank if not applicable)	
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")			
For receiving	ng Office use only	For Internati	onal Bureau use only
This sheet was received w	ith the international application	☐ This sheet was received by the	International Bureau on:
Authorized officer	100 - 100 -	Authorized officer	

167.6

Applicant's or agent's fi	le
reference number	

0942.468PC03

International appertions o. t. 10/05432

REC'D 17 INDICATIONS RELATING TO DEPOSITED MICROORGANISM

OR OTHER BIG (PC	T Rule 13bis)
A. The indications made below relate to the microorganism 9	m referred to in the description on page <u>54</u> , line
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet ⊠
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and coun	etry)
1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30104
C. ADDITIONAL INDICATIONS (leave blank if not appl	licable) This information is continued on an additional sheet
D. DESIGNATED STATES FOR WHICH INDICATION	ONS ARE MADE (if the indications are not for all designated States)
E. SEPARATE FURNISHING OF INDICATIONS Geav	e blank if not applicable)
The indications listed below will be submitted to the international "Accession Number of Deposit")	Bureau later (specify the general nature of the indications, e.g.,
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer Constitute 34	Authorized officer

		167.7	
Applicant's or agent's file reference number	0942.468PC03	International application, No. 12	00/05432
INDICATIONS RELATING TO DEPOSITED MICROORGARGEM '7 ARR' CONTROL OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis)			
A. The indications made below relate to the microorganism referred to in the description on page 54, line 9			
B. IDENTIFICATION	OF DEPOSIT	Further deposits	are identified on an additional sheet 🛭
Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority			
Address of depositary institution (including postal code and country)			
1815 N. University Stree Peoria, Illinois 61604 United States of America			
Date of deposit February 27, 1999		Accession Number NRRL B-30105	
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet			
Escherichia coli DB3.1(pEZC15103)			
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)			
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)			
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")			
For receiv	ing Office use only	For Internation	al Bureau use only
This sheet was received w	rith the international application	☐ This sheet was received by the In	ternational Bureau on:
Authorized officer	rbara Frid: 0+	Authorized officer	

Form PCT/RO/134 (July 1998)

167.8 Applicant's or agent's file International application No. 1l 0942.408PC03 reference number PCT/IIS INDICATIONS RELATING TO DEPOSITED MICROCIPECANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) TC A. The indications made below relate to the microorganism referred to in the description on page 51 20-21 **B. IDENTIFICATION OF DEPOSIT** Further deposits are identified on an additional sheet 🖾 Name of depositary institution Agricultural Research Culture Collection (NRRL) International Depository Authority Address of depositary institution (including postal code and country) 1815 N. University Street Peoria, Illinois 61604 United States of America Date of deposit Accession Number February 27, 1999 NRRL B-30108 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet $\ \square$ Escherichia coli DB10B(pCMVSport6) D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received with the international application ☐ This sheet was received by the International Bureau on: Authorized officer Authorized officer

٠5

10

15

20

25

30

WHAT IS CLAIMED IS:

- An isolated nucleic acid molecule comprising a nucleotide sequence selected from the group of nucleotide sequences consisting of an attB1 nucleotide sequence as set forth in Figure 9, an attB2 nucleotide sequence as set forth in Figure 9, an attP1 nucleotide sequence as set forth in Figure 9, an attP2 nucleotide sequence as set forth in Figure 9, an attL1 nucleotide sequence as set forth in Figure 9, an attL1 nucleotide sequence as set forth in Figure 9, an attR1 nucleotide sequence as set forth in Figure 9, an attR1 nucleotide sequence as set forth in Figure 9, an attR2 nucleotide sequence as set forth in Figure 9, an attR2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, and a mutant, fragment, or derivative thereof.
- 2. An isolated nucleic acid molecule comprising an attB1 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.
- 3. An isolated nucleic acid molecule comprising an attB2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.
- 4. An isolated nucleic acid molecule comprising an attP1 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.
- 5. An isolated nucleic acid molecule comprising an attP2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.
- 6. An isolated nucleic acid molecule comprising an attL1 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

-169-

7. An isolated nucleic acid molecule comprising an attL2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

5

8. An isolated nucleic acid molecule comprising an attR1 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

10

9. An isolated nucleic acid molecule comprising an attR2 nucleotide sequence as set forth in Figure 9, a polynucleotide complementary thereto, or a mutant, fragment, variant or derivative thereof.

15

10. The isolated nucleic acid molecule of claim 1, further comprising one or more functional or structural nucleotide sequences selected from the group consisting of one or more multiple cloning sites, one or more localization signals, one or more transcription termination sites, one or more transcriptional regulatory sequences, one or more translational signals, one or more origins of replication, one or more fusion partner peptide-encoding nucleic acid molecules, one or more protease cleavage sites, and one or more 5' polynucleotide extensions.

20

11. The nucleic acid molecule of claim 10, wherein said transcriptional regulatory sequence is a promoter, an enhancer, or a repressor.

25

12. The nucleic acid molecule of claim 10, wherein said fusion partner peptide-encoding nucleic acid molecule encodes glutathione S-transferase (GST), hexahistidine (His₆), or thioredoxin (Trx).

The nucleic acid molecule of claim 10, wherein said 5'

30

13.

14. The nucleic acid molecule of claim 13, wherein said 5' polynucleotide extension consists of four or five guanine nucleotide bases.

polynucleotide extension consists of from one to five nucleotide bases.

15. A primer nucleic acid molecule suitable for amplifying a target nucleotide sequence, comprising the isolated nucleic acid molecule of claim 1 or a portion thereof linked to a target-specific nucleotide sequence useful in amplifying said target nucleotide sequence.

5

16. The primer nucleic acid molecule of claim 15, wherein said primer comprises an attB1 nucleotide sequence having the sequence shown in Figure 9 or a portion thereof, or a polynucleotide complementary to the sequence shown in Figure 9 or a portion thereof.

10

17. The primer nucleic acid molecule of claim 15, wherein said primer comprises an attB2 nucleotide sequence having the sequence shown in Figure 9 or a portion thereof, or a polynucleotide complementary to the sequence shown in Figure 9 or a portion thereof.

15

18. The primer nucleic acid molecule of claim 15, further comprising a 5' terminal extension of four or five guanine bases.

A vector comprising the isolated nucleic acid molecule of claim 1.

20

19.

Vector.

20. The vector of claim 19, wherein said vector is an Expression

21. A host cell comprising the isolated nucleic acid molecule of claim 1 or the vector of claim 19.

25

22. A method of synthesizing or amplifying one or more nucleic acid molecules comprising:

30

(a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and at least a first primer comprising a template-specific sequence that is complementary to or capable of hybridizing to said templates and at least a second primer comprising all or a portion of a recombination site wherein said at least a portion of said second primer is homologous to or complementary to at least a portion of said first primer; and

(b) incubating said mixture under conditions sufficient to synthesize or amplify one or more nucleic acid molecules complementary to all or a portion of said templates and comprising one or more recombination sites or portions thereof at one or both termini of said molecules.

10

15

20

5

23. A method of synthesizing or amplifying one or more nucleic acid molecules comprising:

- (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity and at least a first primer comprising a template-specific sequence that is complementary to or capable of hybridizing to said templates and at least a portion of a recombination site, and at least a second primer comprising all or a portion of a recombination site wherein said at least a portion of said recombination site on said second primer is complementary to or homologous to at least a portion of said recombination site on said first primer; and
- (b) incubating said mixture under conditions sufficient to synthesize or amplify one or more nucleic acid molecules complementary to all or a portion of said templates and comprising one or more recombination sites or portions thereof at one or both termini of said molecules.

30

25

- 24. A method of amplifying or synthesizing one or more nucleic acid molecules comprising:
 - (a) mixing one or more nucleic acid templates with at least one polypeptide having polymerase or reverse transcriptase activity

WO 00/52027 PCT/US00/05432

5

10

15

20

25

30

and one or more first primers comprising at least a portion of a recombination site and a template-specific sequence that is complementary to or capable of hybridizing to said template;

- (b) incubating said mixture under conditions sufficient to synthesize or amplify one or more first nucleic acid molecules complementary to all or a portion of said templates wherein said molecules comprise at least a portion of a recombination site at one or both termini of said molecules;
- (c) mixing said molecules with one or more second primers comprising one or more recombination sites, wherein said recombination sites of said second primers are homologous to or complementary to at least a portion of said recombination sites on said first nucleic acid molecules; and
- (d) incubating said mixture under conditions sufficient to synthesize or amplify one or more second nucleic acid molecules complementary to all or a portion of said first nucleic acid molecules and which comprise one or more recombination sites at one or both termini of said molecules.
- 25. A polypeptide encoded by the isolated nucleic acid molecule of any one of claims 1-10.
- 26. An isolated nucleic acid molecule comprising one or more att recombination sites comprising at least one mutation in its core region that increases the specificity of interaction between said recombination site and a second att recombination site.
- 27. The isolated nucleic acid molecule of claim 26, wherein said mutation is at least one substitution mutation of at least one nucleotide in the seven basepair overlap region of said core region of said recombination site.

WO 00/52027 PCT/US00/05432

28. The isolated nucleic acid molecule of claim 26, wherein said nucleic acid molecule comprises the sequence NNNATAC, wherein "N" refers to any nucleotide with the proviso that if one of the first three nucleotides in the consensus sequence is a T/U, then at least one of the other two of the first three nucleotides is not a T/U.

5

10

15

20

25

30

- 29. An isolated nucleic acid molecule comprising one or more mutated att recombination sites comprising at least one mutation in its core region that enhances the efficiency of recombination between a first nucleic acid molecule comprising said mutated att recombination site and a second nucleic acid molecule comprising a second recombination site that interacts with said mutated att recombination site.
- 30. The isolated nucleic acid molecule of claim 29, wherein said mutated *att* recombination site is a mutated *att*L site comprising a core region having the nucleotide sequence caacttnntnnnannaagttg, wherein "n" represents any nucleotide.
- 31. The isolated nucleic acid molecule of claim 30, wherein said mutated attL recombination site comprises a core region having a nucleotide sequence selected from agcctgctttattatactaagttggcatta (attL5) and agcctgcttttttatattaagttggcatta (attL6).
- 32. The isolated nucleic acid molecule of claim 29, wherein said mutated att recombination site comprises a core region having a nucleotide sequence selected from the group consisting of ggggacaactttgtacaaaaaagttggct (attB1.6), ggggacaactttgtacaagaaagctgggt (attB2.2), and ggggacaactttgtacaagaaagttgggt (attB2.10).
- 33. A vector selected from the group consisting of pENTR1A, pENTR2B, pENTR3C, pENTR4, pENTR5, pENTR6, pENTR7, pENTR8, pENTR9, pENTR10, pENTR11, pDEST1, pDEST2, pDEST3, pDEST4,

pDEST5, pDEST6, pDEST7, pDEST8, pDEST9, pDEST10, pDEST11, pDEST122 (also known as pDEST12), pDEST13, pDEST14, pDEST15, pDEST16, pDEST17, pDEST18, pDEST19, pDEST20, pDEST21, pDEST22, pDEST23, pDEST24, pDEST25, pDEST26, pDEST27, pDEST28, pDEST29, pDEST30, pDEST31, pDEST32, pDEST33, pDEST34, pDONR201 (also known as pENTR21 attP vector or pAttPkan Donor Vector), pDONR202, pDONR203 (also known as pEZ15812), pDONR204, pDONR205, pDONR206 (also known as pENTR22 attP vector or pAttPgen Donor Vector), pDONR207, pMAB58, pMAB62, pMAB85 and pMAB86.

10

5

- 34. A host cell comprising the vector of claim 33.
- 35. A polypeptide encoded by the vector of claim 33.

15

36. A kit for use in synthesizing a nucleic acid molecule, said kit comprising the isolated nucleic acid molecule of any one of claims 1-10, 26 and 29.

20

- 37. A kit for use in synthesizing a nucleic acid molecule, said kit comprising the primer of claim 15 or claim 18.
- 38. A kit for use in cloning a nucleic acid molecule, said kit comprising the vector of claim 19 or claim 33.





Figure 1



Amp^r Colonies Next Day.

Mark 2





FIGURE 3



Kan^rColonies Next Day

FOURE Y




FIGURE 5





Figure 6



FOURT 7




FIGURE 8

Recombination Site Nucleotide Sequences

- attB1: 5'-ACAAGTTTGTACAAAAAAGCAGGCT-3'
- attB2: 5'-ACCCAGCTTTCTTGTACAAAGTGGT-3'
- attP1: 5'-TACAGGTCACTAATACCATCTAAGTAGTTGATTCATAGTGACTGGATATG-TTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTAATTTA-ATATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTTTTTTGTAC-AAAGTTGGCATTATAAAAAAAGCATTGCTCATCAATTTGTTGCAACGAACA-GGTCACTATCAGTCAAAATAAAATCATTATTTG-3'
- attP2: 5'-CAAATAATGATTTTATTTTGACTGATAGTGACCTGTTCGTTGCAACAAATTGATAAGCAATGCTTTCTTATAATGCCAACTTTGTACAAGAAAGCTGAACGAGAAACGTAAAATGATATAAATATCAATATTAAATTAGATTTTGCATAAAAACAGACTACATAATACTGTAAAACACAACATATCCAGTCACTATGAATCAACTACTTAGATGGTATTAGTGACCTGTA-3'
- attR1: 5'-ACAAGTTTGTACAAAAAAGCTGAACGAGAAACGTAAAATGATATAAA-TATCAATATATAAATTAGATTTTGCATAAAAAACAGACTACATAATAC-TGTAAAACACAACATATCCAGTCACTATG-3'
- <u>attR2</u>: 5'-GCAGGTCGACCATAGTGACTGGATATGTTGTGTTTTACAGTATTAT-GTAGTCTGTTTTTATGCAAAATCTAATTTAATATATATTGATATTT-ATATCATTTTACGTTTCTCGTTCAGCTTTCTTGTACAAAGTGGT-3'
- attL1: 5'-CAAATAATGATTTTATTTTGACTGATAGTGACCTGTTCGTTGCAAC-AAATTGATAAGCAATGCTTTTTTATAATGCCAACTTTGTACAAAAAA-GCAGGCT-3'
- <u>attL2</u>: 5'-CAAATAATGATTTTATTTTGACTGATAGTGACCTGTTCGTTGCAACAA-ATTGATAAGCAATGCTTTCTTATAATGCCAACTTTGTACAAGAAAGCTGGGT-3'


Figure 9

Figure 10A: Cloning sites of the: Entry Vector PENTLA (reading frame A)

ACT TTG TAC AAA AAA GCA GGC TTT AAA GGA ACC AAT TCA GTC GAC TGG ATC CGG TAC CGA ATT C TGA AAC ATG TTT TTT CGT CCG AAA TTT CCT TGG TTA AGT CAG CTIG ACC TAG GCC ATG GCT TAA G thr leu tyr lys lys ala gly phe lys gly thr asn ser val asp trp ile arg tyr arg ile

ECOR I NOT I XhO I ECOR V

GLAAT TCG CGG CCG CAC ITCG AGA TAT CTA GAC CCA GCT TTC TTG TAC AAA
C TTA AGC GCC GGC GTG AGC TICT AITA GAT CTG GGT CGA AAG AAC ATG TTT



pENTR1A 2717 bp

Base Nos.	Gene Encoded
67166	attL1
321626	ccdB
655754	attL2
8771686	KmR
17912364	ori

1 CTGACGGATG GCCTTTTTGC GTTTCTACAA ACTCTTCCTG TTAGTTAGTT ACTTAAGCTC 61 GGGCCCCAAA TAATGATTTT ATTTTGACTG ATAGTGACCT GTTCGTTGCA ACAAATTGAT 121 AAGCAATGCT TTTTTATAAT GCCAACTTTG TACAAAAAAG CAGGCTTTAA AGGAACCAAT 181 TCAGTCGACT GGATCCGGTA CCGAATTCGC TTACTAAAAG CCAGATAACA GTATGCGTAT 241 TTGCGCGCTG ATTTTTGCGG TATAAGAATA TATACTGATA TGTATACCCG AAGTATGTCA 301 AAAAGAGGTG TGCTTCTAGA ATGCAGTTTA AGGTTTACAC CTATAAAAGA GAGAGCCGTT 361 ATCGTCTGTT TGTGGATGTA CAGAGTGATA TTATTGACAC GCCCGGGCGA CGGATAGTGA 421 TCCCCCTGGC CAGTGCACGT CTGCTGTCAG ATAAAGTCTC CCGTGAACTT TACCCGGTGG 481 TGCATATCGG GGATGAAAGC TGGCGCATGA TGACCACCGA TATGGCCAGT GTGCCGGTCT 541 CCGTTATCGG GGAAGAAGTG GCTGATCTCA GCCACCGCGA AAATGACATC AAAAACGCCA 601 TTAACCTGAT GTTCTGGGGA ATATAGAATT CGCGGCCGCA CTCGAGATAT CTAGACCCAG 661 CTTTCTTGTA CAAAGTTGGC ATTATAAGAA AGCATTGCTT ATCAATTTGT TGCAACGAAC 721 AGGTCACTAT CAGTCAAAAT AAAATCATTA TTTGCCATCC AGCTGCAGCT CTGGCCCGTG 781 TCTCAAAATC TCTGATGTTA CATTGCACAA GATAAAAATA TATCATCATG AACAATAAAA 841 CTGTCTGCTT ACATAAACAG TAATACAAGG GGTGTTATGA GCCATATTCA ACGGGAAACG 901 TCGAGGCCGC GATTAAATTC CAACATGGAT GCTGATTTAT ATGGGTATAA ATGGGCTCGC 961 GATAATGTCG GGCAATCAGG TGCGACAATC TATCGCTTGT ATGGGAAGCC CGATGCGCCA 1021 GAGTTGTTTC TGAAACATGG CAAAGGTAGC GTTGCCAATG ATGTTACAGA TGAGATGGTC 1081 AGACTAAACT GGCTGACGGA ATTTATGCCT CTTCCGACCA TCAAGCATTT TATCCGTACT 1141 CCTGATGATG CATGGTTACT CACCACTGCG ATCCCCGGAA AAACAGCATT CCAGGTATTA 1201 GAAGAATATC CTGATTCAGG TGAAAATATT GTTGATGCGC TGGCAGTGTC CCTGCGCCGG 1261 TTGCATTCGA TTCCTGTTTG TAATTGTCCT TTTAACAGCG ATCGCGTATT TCGTCTCGCT 1321 CAGGCGCAAT CACGAATGAA TAACGGTTTG GTTGATGCGA GTGATTTTGA TGACGAGCGT 1381 AATGGCTGGC CTGTTGAACA AGTCTGGAAA GAAATGCATA AACTTTTGCC ATTCTCACCG 1441 GATTCAGTCG TCACTCATGG TGATTTCTCA CTTGATAACC TTATTTTTGA CGAGGGGAAA 1501 TTAATAGGTT GTATTGATGT TGGACGAGTC GGAATCGCAG ACCGATACCA GGATCTTGCC 1561 ATCCTATGGA ACTGCCTCGG TGAGTTTTCT CCTTCATTAC AGAAACGGCT TTTTCAAAAA 1621 TATGGTATTG ATAATCCTGA TATGAATAAA TTGCAGTTTC ATTTGATGCT CGATGAGTTT 1681 TTCTAATCAG AATTGGTTAA TTGGTTGTAA CATTATTCAG ATTGGGCCCC GTTCCACTGA 1741 GCGTCAGACC CCGTAGAAAA GATCAAAGGA TCTTCTTGAG ATCCTTTTTT TCTGCGCGTA 1801 ATCTGCTGCT TGCAAACAAA AAAACCACCG CTACCAGCGG TGGTTTGTTT GCCGGATCAA 1861 GAGCTACCAA CTCTTTTCC GAAGGTAACT GGCTTCAGCA GAGCGCAGAT ACCAAATACT 1921 GTTCTTCTAG TGTAGCCGTA GTTAGGCCAC CACTTCAAGA ACTCTGTAGC ACCGCCTACA 1981 TACCTCGCTC TGCTAATCCT GTTACCAGTG GCTGCTGCCA GTGGCGATAA GTCGTGTCTT 2041 ACCGGGTTGG ACTCAAGACG ATAGTTACCG GATAAGGCGC AGCGGTCGGG CTGAACGGGG 2101 GGTTCGTGCA CACAGCCCAG CTTGGAGCGA ACGACCTACA CCGAACTGAG ATACCTACAG 2161 CGTGAGCTAT GAGAAAGCGC CACGCTTCCC GAAGGGAGAA AGGCGGACAG GTATCCGGTA 2221 AGCGGCAGGG TCGGAACAGG AGAGCGCACG AGGGAGCTTC CAGGGGGAAA CGCCTGGTAT 2281 CTTTATAGTC CTGTCGGGTT TCGCCACCTC TGACTTGAGC GTCGATTTTT GTGATGCTCG 2341 TCAGGGGGC GGAGCCTATG GAAAAACGCC AGCAACGCGG CCTTTTTACG GTTCCTGGCC 2401 TTTTGCTGGC CTTTTGCTCA CATGTTCTTT CCTGCGTTAT CCCCTGATTC TGTGGATAAC 2461 CGTATTACCG CTAGCATGGA TCTCGGGGAC GTCTAACTAC TAAGCGAGAG TAGGGAACTG 2521 CCAGGCATCA AATAAAACGA AAGGCTCAGT CGGAAGACTG GGCCTTTCGT TTTATCTGTT 2581 GTTTGTCGGT GAACGCTCTC CTGAGTAGGA CAAATCCGCC GGGAGCGGAT TTGAACGTTG 2641 TGAAGCAACG GCCCGGAGGG TGGCGGGCAG GACGCCCGCC ATAAACTGCC AGGCATCAAA 2701 CTAAGCAGAA GGCCATC

FIGURE 10B

Figure UA: Cloning Sites of the Entry Vector pENTR2B (reading frame B)

Int	attLi	L			I	EheI		3	Irm		Sal	τ	Ban	HI	
TTG TA	C AAA G TTT	AAA TTT	GCA CGT	GGC CCG	TGG ACC	cGC GCG	CGG GCC	AAC TTG	CAA	TTC AAG	ag <u>t</u> TCA	CGA C	TG SAC	GAT CTA	CCG GGC
Leu Ty	r Lys	Lys	Ala	Gly	Trp	Arg	Arg	Asn	Gln	Phe	Ser	Arg I	Leu	Asp	Pro

KpnI EcoRI	EcoRI	NotI		EcoRV XbaI	
GTA dCG AAT TC- ccdB	G AAT C TTA	TCG CGG CCG AGC GCC GGC	CAC TCG GTG AGC	AGA TAT CTA TCT ATA GAT V Arg Tyr Leu	GAC CCA CTG GGT
Val Pro Asn	Asn	Ser Arg Pro	His Ser	Arg Tyr Leu	Asp Pro

Int attL2

GCT TTC TTG TAC AAA G
CGA AAG AAC ATG TTT C

Ala Phe Leu Tyr Lys

pENTR2B 2718 bp

Location (Base Nos.)	Gene Encoded
67166	attL1
322627	ccdB
656755	attL2
8781687	KmR
17922365	ori

1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTGGCG	CCGGAACCAA
181	TTCAGTCGAC	TGGATCCGGT	ACCGAATTCG	CTTACTAAAA	GCCAGATAAC	AGTATGCGTA
241	TTTGCGCGCT	GATTTTTGCG	GTATAAGAAT	ATATACTGAT	ATGTATACCC	GAAGTATGTC
301	AAAAAGAGGT	GTGCTTCTAG	AATGCAGTTT	AAGGTTTACA	CÇTATAAAAG	AGAGAGCCGT
361	TATCGTCTGT	TTGTGGATGT	ACAGAGTGAT	ATTATTGACA	CGCCCGGGCG	ACGGATGGTG
421	ATCCCCCTGG	CCAGTGCACG	TCTGCTGTCA	GATAAAGTCT	CCCGTGAACT	TTACCCGGTG
481	GTGCATATCG	GGGATGAAAG	CTGGCGCATG	ATGACCACCG	ATATGGCCAG	TGTGCCGGTC
541	TCCGTTATCG	GGGAAGAAGT	${\tt GGCTGATCTC}$	AGCCACCGCG	AAAATGACAT	CAAAAACGCC
601	ATTAACCTGA	TGTTCTGGGG	AATATAGAAT	TCGCGGCCGC	ACTCGAGATA	TCTAGACCCA
661	GCTTTCTTGT	ACAAAGTTGG	CATTATAAGA	AAGCATTGCT	TATCAATTTG	TTGCAACGAA
721	CAGGTCACTA	TCAGTCAAAA	TAAAATCATT	ATTTGCCATC	CAGCTGCAGC	TCTGGCCCGT
781	GTCTCAAAAT	CTCTGATGTT	ACATTGCACA	AGATAAAAAT	ATATCATCAT	GAACAATAAA
841	ACTGTCTGCT	TACATAAACA	GTAATACAAG	GGGTGTTATG	AGCCATATTC	AACGGGAAAC
901	GTCGAGGCCG	CGATTAAATT	CCAACATGGA	TGCTGATTTA	TATGGGTATA	AATGGGCTCG
961	CGATAATGTC	GGGCAATCAG	GTGCGACAAT	CTATCGCTTG	TATGGGAAGC	CCGATGCGCC
1021	AGAGTTGTTT	CTGAAACATG	GCAAAGGTAG	CGTTGCCAAT	GATGTTACAG	ATGAGATGGT
1081	CAGACTAAAC	TGGCTGACGG	AATTTATGCC	TCTTCCGACC	ATCAAGCATT	TTATCCGTAC
1141	TCCTGATGAT	GCATGGTTAC	TCACCACTGC	GATCCCCGGA	AAAACAGCAT	TCCAGGTATT
	AGAAGAATAT					
1261	GTTGCATTCG	ATTCCTGTTT	GTAATTGTCC	TTTTAACAGC	GATCGCGTAT	TTCGTCTCGC
1321	TCAGGCGCAA	TCACGAATGA	ATAACGGTTT	GGTTGATGCG	AGTGATTTTG	ATGACGAGCG
1381	TAATGGCTGG	CCTGTTGAAC	AAGTCTGGAA	AGAAATGCAT	AAACTTTTGC	CATTCTCACC
1441	GGATTCAGTC	GTCACTCATG	GTGATTTCTC	ACTTGATAAC	CTTATTTTTG	ACGAGGGGAA
1501	ATTAATAGGT	TGTATTGATG	TTGGACGAGT	CGGAATCGCA	GACCGATACC	AGGATCTTGC
1561	CATCCTATGG	AACTGCCTCG	GTGAGTTTTC	TCCTTCATTA	CAGAAACGGC	TTTTTCAAAA
	ATATGGTATT					
	TTTCTAATCA					
	AGCGTCAGAC					
	AATCTGCTGC					
	AGAGCTACCA					
	TGTTCTTCTA					
	ATACCTCGCT					
	TACCGGGTTG		1			
	GGGTTCGTGC					
	GCGTGAGCTA					
	AAGCGGCAGG					
	TCTTTATAGT					
	GTCAGGGGGG					
	CTTTTGCTGG					
	CCGTATTACC					
	GCCAGGCATC					
	TGTTTGTCGG					
	GTGAAGCAAC		GTGGCGGGCA	GGACGCCCGC	CATAAACTGC	CAGGCATCAA
2701	ACTAAGCAGA	AGGCCATC				

Figure [2A: Cloning Sites of the Entry Vector pENTR3C (reading frame C)

Int		attL:					Dra:			Xmn:			lI		BamH]		
TTG AAC	TAC ATG	AAA TTT	AAA TTT	GCA CGT	GGC .CCG	TCT AGA	ATT TAA	AAG TTC	GAA CTT	CCA GGT	ATT TAA	CAG GTC	TCG AGC	ACT TGA	GGA CCT	TCC AGG	GGT CCA
		Lys					•			•				•		•	•

KpnI EcoRI PvuI EcoRI NotI XhoI EcoRV XbaI

ACC CAA TTC CAT CGC-- ccdB --G AAT TCG CGG CCG CAC TCG AGA TAT CTA
TGG CTT AAG CTA GCG

Thr Glu Phe Asn Ser Arg Pro His Ser Arg Tyr Leu

attL2 Int

GAC CCA GCT TTC TTG TAC AAA G CTG GGT CGA AAG AAC ATG TTT C

Asp Pro Ala Phe Leu Tyr Lys

pENTR3C 2723 bp

Location (Base Nos.)	Gene Encoded
67166	attL1
327632	ccdB
661760	attL2
8831692	KmR
17972370	ori

		GCCTTTTTGC				
		TAATGATTTT				
		TTTTTATAAT				
		CTGGATCCGG				
241	GCGTATTTGC	GCGCTGATTT	TTGCGGTATA	AGAATATATA	CTGATATGTA	TACCCGAAGT
		GAGGTGTGCT				
		TCTGTTTGTG				
		CCTGGCCAGT				
		TATCGGGGAT				
		TATCGGGGAA				
		CCTGATGTTC				
		CTTGTACAAA				
		CACTATCAGT				
		AAAATCTCTG				
		CTGCTTACAT				
		GGCCGCGATT				
		ATGTCGGGCA				
		TGTTTCTGAA				
		TAAACTGGCT				
1141	CGTACTCCTG	ATGATGCATG	GTTACTCACC	ACTGCGATCC	CCGGAAAAAC	AGCATTCCAG
		AATATCCTGA				
1261	CGCCGGTTGC	ATTCGATTCC	TGTTTGTAAT	TGTCCTTTTA	ACAGCGATCG	CGTATTTCGT
		CGCAATCACG				
1381	GAGCGTAATG	GCTGGCCTGT	TGAACAAGTC	TGGAAAGAAA	TGCATAAACT	TTTGCCATTC
1441	TCACCGGATT	CAGTCGTCAC	TCATGGTGAT	TTCTCACTTG	ATAACCTTAT	TTTTGACGAG
1501	GGGAAATTAA	TAGGTTGTAT	TGATGTTGGA	CGAGTCGGAA	TCGCAGACCG	ATACCAGGAT
1561	CTTGCCATCC	TATGGAACTG	CCTCGGTGAG	TTTTCTCCTT	CATTACAGAA	ACGGCTTTTT
1621	CAAAAATATG	GTATTGATAA	TCCTGATATG	AATAAATTGC	AGTTTCATTT	GATGCTCGAT
1681	GAGTTTTTCT	AATCAGAATT	GGTTAATTGG	TTGTAACATT	ATTCAGATTG	GGCCCCGTTC
1741	CACTGAGCGT	CAGACCCCGT	AGAAAAGATC	AAAGGATCTT	CTTGAGATCC	TTTTTTTCTG
		GCTGCTTGCA				
1861	GATCAAGAGC	TACCAACTCT	TTTTCCGAAG	GTAACTGGCT	TCAGCAGAGC	GCAGATACCA
1921	AATACTGTTC	TTCTAGTGTA	GCCGTAGTTA	GGCCACCACT	TCAAGAACTC	TGTAGCACCG
1981	CCTACATACO	TCGCTCTGCT	AATCCTGTTA	CCAGTGGCTG	CTGCCAGTGG	CGATAAGTCG
2041	TGTCTTACCG	GGTTGGACTC	AAGACGATAG	TTACCGGATA	AGGCGCAGCG	GTCGGGCTGA
.2101	ACGGGGGGTT	CGTGCACACA	GCCCAGCTTG	GAGCGAACGA	CCTACACCGA	ACTGAGATAC
2161	CTACAGCGT	AGCTATGAGA	AAGCGCCACG	CTTCCCGAAG	GGAGAAAGGC	GGACAGGTAT
2221	CCGGTAAGCG	GCAGGGTCGG	AACAGGAGAG	CGCACGAGGG	AGCTTCCAGG	GGGAAACGCC
2281	TGGTATCTTT	ATAGTCCTGT	CGGGTTTCGC	CACCTCTGAC	TTGAGCGTCG	ATTTTTGTGA
						TTTACGGTTC
						TGATTCTGTG
						CGAGAGTAGG
	-					TTTCGTTTTA
						GCGGATTTGA
						ACTGCCAGGC
		A GCAGAAGGC			 	
2,01	·					

Figure 13A: Cloning Sites of the Entry Vector pENTR4

	attL1	NcoI	Kozak XmnI		BamHI
TTG AAC	TAC AAA AAA GCA GGC ATG TTT TTT CGT CCG	TCC ACC ATG	GGA ACC AAT	TCA GTC GAC	TGG ATC CGG
Leu	Tyr Lys Lys Ala Gly	Ser Thr Met	/ V Gly Thr Asn	√ Ser Val Asp	Trp Ile Arg

TTC TTG TAC AAA G
AAG AAC ATG TTT C

Phe Leu Tyr Lys

pENTR4 2720 bp

Location (Base Nos.)	Gene Encoded
67166	attL1
324629	ccdB
658757	attL2
8801689	KmR
17942367	ori

		1/242.	,0 /	OLI		
1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTCCAC	CATGGGAACC
181	AATTCAGTCG	ACTGGATCCG	GTACCGAATT	CGCTTACTAA	AAGCCAGATA	ACAGTATGCG
241	TATTTGCGCG	CTGATTTTTG	CGGTATAAGA	ATATATACTG	ATATGTATAC	CCGAAGTATG
301	TCAAAAAGAG	GTGTGCTTCT	AGAATGCAGT	TTAAGGTTTA	CACCTATAAA	AGAGAGAGCC
361	GTTATCGTCT	GTTTGTGGAT	GTACAGAGTG	ATATTATTGA	CACGCCCGGG	CGACGGATGG
421	TGATCCCCCT	GGCCAGTGCA	CGTCTGCTGT	CAGATAAAGT	CTCCCGTGAA	CTTTACCCGG
481	TGGTGCATAT	CGGGGATGAA	AGCTGGCGCA	TGATGACCAC	CGATATGGCC	AGTGTGCCGG
541	TCTCCGTTAT	CGGGGAAGAA	GTGGCTGATC	TCAGCCACCG	CGAAAATGAC	ATCAAAAACG
601	CCATTAACCT	GATGTTCTGG	GGAATATAGA	ATTCGCGGCC	GCACTCGAGA	TATCTAGACC
661	CAGCTTTCTT	GTACAAAGTT	GGCATTATAA	GAAAGCATTG	CTTATCAATT	TGTTGCAACG
721	AACAGGTCAC	TATCAGTCAA	AATAAAATCA	TTATTTGCCA	TCCAGCTGCA	GCTCTGGCCC
781	GTGTCTCAAA	ATCTCTGATG	TTACATTGCA	CAAGATAAAA	ATATATCATC	ATGAACAATA
841	AAACTGTCTG	CTTACATAAA	CAGTAATACA	AGGGGTGTTA	TGAGCCATAT	TCAACGGGAA
901	ACGTCGAGGC	CGCGATTAAA	TTCCAACATG	GATGCTGATT	TATATGGGTA	TAAATGGGCT
961	CGCGATAATG	TCGGGCAATC	AGGTGCGACA	ATCTATCGCT	TGTATGGGAA	GCCCGATGCG
1021	CCAGAGTTGT	TTCTGAAACA	TGGCAAAGGT	AGCGTTGCCA	ATGATGTTAC	AGATGAGATG
1081	GTCAGACTAA	ACTGGCTGAC	GGAATTTATG	CCTCTTCCGA	CCATCAAGCA	TTTTATCCGT
1141	ACTCCTGGTG	ATGCATGGTT	ACTCACCACT	GCGATCCCCG	GAAAAACAGC	ATTCCAGGTA
1201	TTAGAAGAAT	ATCCTGATTC	AGGTGAAAAT	ATTGTTGATG	CGCTGGCAGT	GTTCCTGCGC
1261	CGGTTGCATT	CGATTCCTGT	TTGTAATTGT	CCTTTTAACA	GCGATCGCGT	ATTTCGTCTC
1321	GCTCAGGCGC	AATCACGAAT	GAATAACGGT	TTGGTTGATG	CGAGTGATTT	TGATGACGAG
1381	CGTAATGGCT	GGCCTGTTGA	ACAAGTCTGG	AAAGAAATGC	ATAAACTTTT	GCCATTCTCA
1441	CCGGATTCAG	TCGTCACTCA	TGGTGATTTC	TCACTTGATA	ACCTTATTTT	TGACGAGGGG
1501	AAATTAATAG	GTTGTATTGA	TGTTGGACGA	GTCGGAATCG	CAGACCGATA	CCAGGATCTT
1561	GCCATCCTAT	GGAACTGCCT	CGGTGAGTTT	TCTCCTTCAT	TACAGAAACG	GCTTTTTCAA
1621	AAATATGGTA	TTGATAATCC	TGATATGAAT	AAATTGCAGT	TTCATTTGAT	GCTCGATGAG
1681	TTTTTCTAAT	CAGAATTGGT	TAATTGGTTG	TAACATTATT	CAGATTGGGC	CCCGTTCCAC
1741	TGAGCGTCAG	ACCCCGTAGA	AAAGATCAAA	GGATCTTCTT	GAGATCCTTT	TTTTCTGCGC
1801	GTAATCTGCT	GCTTGCAAAC	АААААААССА	CCGCTACCAG	CGGTGGTTTG	TTTGCCGGAT
1861	CAAGAGCTAC	CAACTCTTTT	TCCGAAGGTA	ACTGGCTTCA	GCAGAGCGCA	GATACCAAAT
1921	ACTGTTCTTC	TAGTGTAGCC	GTAGTTAGGC	CACCACTTCA	AGAACTCTGT	AGCACCGCCT
1981	ACATACCTCG	CTCTGCTAAT	CCTGTTACCA	GTGGCTGCTG	CCAGTGGCGA	TAAGTCGTGT
2041	CTTACCGGGT	TGGACTCAAG	ACGATAGTTA	CCGGATAAGG	CGCAGCGGTC	GGGCTGAACG
2101	GGGGGTTCGT	GCACACAGCC	CAGCTTGGAG	CGAACGACCT	ACACCGAACT	GAGATACCTA
2161	CAGCGTGAGC	TATGAGAAAG	CGCCACGCTT	CCCGAAGGGA	GAAAGGCGGA	CAGGTATCCG
2221	GTAAGCGGCA	GGGTCGGAAC	AGGAGAGCGC	ACGAGGGAGC	TTCCAGGGGG	AAACGCCTGG
2281	TATCTTTATA	GTCCTGTCGG	GTTTCGCCAC	CTCTGACTTG	AGCGTCGATT	TTTGTGATGC
2341	TCGTCAGGGG	GGCGGAGCCT	ATGGAAAAAC	GCCAGCAACG	CGGCCTTTTT	ACGGTTCCTG
	GCCTTTTGCT					
	AACCGTATTA					
	CTGCCAGGCA					
	GTTGTTTGTC					
	TTGTGAAGCA					
2701	AAACTAAGCA	GAAGGCCATC				

Figure 14. Cloning sites of the Entry Vector PENTES

Int att 1 Me I Ky Xun I Sil I For grant and and and grant grant cat at grant at the grant and the grant and the grant and the cat are cat the grant can be the Tyr Lys Lys Ma Gly Pue His Met Gly The An Ser Val

gac top atc con tac con att coc --- Death --- and att coc cto acc tag got atg get taa gog --- (ccdB) --- tet taa gog Asp Trp IIe Ary Tyr Ary IIe

Mut I Mul Ectric Ma Int att 12

bgc cgc act cga gat atc tag acc cag ctt tcr zgr aca adg --ccg acg tga get cta tag atc tgg gtc gaa aga aca tgt ttr ---

pENTR5 2720 bp

Location (Base Nos.)	Gene Encoded
67166	attLl
324629	ccdB
658757	attL2
8801689	KmR
17942367	ori

1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTTTCA	TATGGGAACC
181	AATTCAGTCG	ACTGGATCCG	GTACCGAATT	CGCTTACTAA	AAGCCAGATA	ACAGTATGCG
241	TATTTGCGCG	CTGATTTTTG	CGGTATAAGA	ATATATACTG	ATATGTATAC	CCGAAGTATG
301	TCAAAAAGAG	GTGTGCTTCT	AGAATGCAGT	TTAAGGTTTA	CACCTATAAA	AGAGAGAGCC
361	GTTATCGTCT	GTTTGTGGAT	GTACAGAGTG	ATATTATTGA	CÁCGCCCGGG	CGACGGATGG
421	TGATCCCCCT	GGCCAGTGCA	CGTCTGCTGT	CAGATAAAGT	CTCCCGTGAA	CTTTACCCGG
481	TGGTGCATAT	CGGGGATGAA	AGCTGGCGCA	TGATGACCAC	CGATATGGCC	AGTGTGCCGG
541	TCTCCGTTAT	CGGGGAAGAA	GTGGCTGATC	TCAGCCACCG	CGAAAATGAC	ATCAAAAACG
601	CCATTAACCT	GATGTTCTGG	GGAATATAGA	ATTCGCGGCC	GCACTCGAGA	TATCTAGACC
661	CAGCTTTCTT	GTACAAAGTT	GGCATTATAA	GAAAGCATTG	CTTATCAATT	TGTTGCAACG
721	AACAGGTCAC	TATCAGTCAA	AATAAAATCA	TTATTTGCCA	TCCAGCTGCA	GCTCTGGCCC
781	GTGTCTCAAA	ATCTCTGATG	TTACATTGCA	CAAGATAAAA	ATATATCATC	ATGAACAATA
	AAACTGTCTG					
	ACGTCGAGGC					
	CGCGATAATG					
	CCAGAGTTGT					
	GTCAGACTAA					
	ACTCCTGATG					
	TTAGAAGAAT					
	CGGTTGCATT					
	GCTCAGGCGC					
	CGTAATGGCT					
	CCGGATTCAG					
	AAATTAATAG					
	GCCATCCTAT					
	AAATATGGTA					
	TTTTTCTAAT					
	TGAGCGTCAG					
	GTAATCTGCT					
	CAAGAGCTAC					
	ACTGTTCTTC					
	ACATACCTCG					
	CTTACCGGGT					
	GGGGGTTCGT					
	CAGCGTGAGC					
	GTAAGCGGCA					
	TATCTTTATA					
	TCGTCAGGGG					
	GCCTTTTGCT					
	AACCGTATTA					
	CTGCCAGGCA					
	GTTGTTTGTC					
	TTGTGAAGCA		GGGTGGCGGG	CAGGACGCCC	GCCATAAACT	GCCAGGCATC
2701	AAACTAAGCA	GAAGGCCATC				

FIGURE 148

Figure 154: Cloning sites of the Entry Vector POUR 6

BunHI KnI EpcRI EccRI

gac tgb atc cgg tac cgg att cgc --- Death --- aga att cgc

ctg acc tag gcp atg gct taa gcg --- (ccd8) --- tct taa gcg

Asp Trp Ite Ang Tyr Ang Ite

Hut tho I Earl Taba I Int att 12

proc cor act cos gat atc tag acc cag act der tot are day --
cor oco to to tag atc tag atc tog gtc gas aga aca tot the feet


pENTR6 2717 bp

Location (Base Nos.)	Gene Encoded
67166	attL1
321626	ccdB
655754	attL2
8771686	KmR
17912364	ori

1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
	AAGCAATGCT					
	TCAGTCGACT					
	TTGCGCGCTG					
	AAAAGAGGTG					
	ATCGTCTGTT					
	TCCCCCTGGC					
481	TGCATATCGG	GGATGAAAGC	TGGCGCATGA	TGACCACCGA	TATGGCCAGT	GTGCCGGTCT
	CCGTTATCGG					
	TTAACCTGAT					
661	CTTTCTTGTA	CAAAGTTGGC	ATTATAAGAA	AGCATTGCTT	ATCAATTTGT	TGCAACGAAC
721	AGGTCACTAT	CAGTCAAAAT	AAAATCATTA	TTTGCCATCC	AGCTGCAGCT	CTGGCCCGTG
781	TCTCAAAATC	TCTGATGTTA	CATTGCACAA	GATAAAAATA	TATCATCATG	AACAATAAAA
841	CTGTCTGCTT	ACATAAACAG	TAATACAAGG	${\tt GGTGTTATGA}$	GCCATATTCA	ACGGGAAACG
901	TCGAGGCCGC	GATTAAATTC	CAACATGGAT	GCTGATTTAT	ATGGGTATAA	ATGGGCTCGC
	GATAATGTCG					
	GAGTTGTTTC					
	AGACTAAACT					
	CCTGATGATG					
	GAAGAATATC					
	TTGCATTCGA					
	CAGGCGCAAT					
	AATGGCTGGC					
	GATTCAGTCG					
	TTAATAGGTT					
	ATCCTATGGA					
	TATGGTATTG					
	TTCTAATCAG					
	GCGTCAGACC					
	ATCTGCTGCT					
	GAGCTACCAA					
	GTTCTTCTAG					
	TACCTCGCTC ACCGGGTTGG					
	GGTTCGTGCA					
	CGTGAGCTAT					
	AGCGGCAGGG					
	CTTTATAGTC					
	TCAGGGGGGC					
	TTTTGCTGGC					
	CGTATTACCG					
	CCAGGCATCA					
	GTTTGTCGGT					
	TGAAGCAACG					
	CTAAGCAGAA		_ 55555646		AIAAACIGCC	AMMAIANDEA

FIGURE 15B

Figure 16A: Cloning sites of the Entry Vector PENTRI



pENTR7 2738 bp

Location (Base Nos.)	Gene Encoded
67166	attLl
342647	ccdB
676775	attL2
8981707	KmR
18122385	ori

1 CTGACGGATG GCCTTTTTGC GTTTCTACAA ACTCTTCCTG TTAGTTAGTT ACTTAAGCTC 61 GGGCCCCAAA TAATGATTTT ATTTTGACTG ATAGTGACCT GTTCGTTGCA ACAAATTGAT 121 AAGCAATGCT TTTTTATAAT GCCAACTTTG TACAAAAAAG CAGGCTTTGA AAACCTGTAT 181 TTTCAAGGAA CCGTTTCATG CATCGTCGAC TGGATCCGGT ACCGAATTCG CTTACTAAAA 241 GCCAGATAAC AGTATGCGTA TTTGCGCGCT GATTTTGCG GTATAAGAAT ATATACTGAT 301 ATGTATACCC GAAGTATGTC AAAAAGAGGT GTGCTTCTAG AATGCAGTTT AAGGTTTACA 361 CCTATAAAAG AGAGAGCCGT TATCGTCTGT TTGTGGATGT ACAGAGTGAT ATTATTGACA 421 CGCCCGGGCG ACGGATAGTG ATCCCCCTGG CCAGTGCACG TCTGCTGTCA GATAAAGTCT 481 CCCGTGAACT TTACCCGGTG GTGCATATCG GGGATGAAAG CTGGCGCATG ATGACCACCG 541 ATATGGCCAG TGTGCCGGTC TCCGTTATCG GGGAAGAAGT GGCTGATCTC AGCCACCGCG 601 AAAATGACAT CAAAAACGCC ATTAACCTGA TGTTCTGGGG AATATAGAAT TCGCGGCCGC 661 ACTCGAGATA TCTAGACCCA GCTTTCTTGT ACAAAGTTGG CATTATAAGA AAGCATTGCT 721 TATCAATTTG TTGCAACGAA CAGGTCACTA TCAGTCAAAA TAAAATCATT ATTTGCCATC 781 CAGCTGCAGC TCTGGCCCGT GTCTCAAAAT CTCTGATGTT ACATTGCACA AGATAAAAAT 841 ATATCATCAT GAACAATAAA ACTGTCTGCT TACATAAACA GTAATACAAG GGGTGTTATG 901 AGCCATATTC AACGGGAAAC GTCGAGGCCG CGATTAAATT CCAACATGGA TGCTGATTTA 961 TATGGGTATA AATGGGCTCG CGATAATGTC GGGCAATCAG GTGCGACAAT CTATCGCTTG 1021 TATGGGAAGC CCGATGCGCC AGAGTTGTTT CTGAAACATG GCAAAGGTAG CGTTGCCAAT 1081 GATGTTACAG ATGAGATGGT CAGACTAAAC TGGCTGACGG AATTTATGCC TCTTCCGACC 1141 ATCAAGCATT TTATCCGTAC TCCTGATGAT GCATGGTTAC TCACCACTGC GATCCCCGGA 1201 AAAACAGCAT TCCAGGTATT AGAAGAATAT CCTGATTCAG GTGAAAATAT TGTTGATGCG 1261 CTGGCAGTGT TCCTGCGCCG GTTGCATTCG ATTCCTGTTT GTAATTGTCC TTTTAACAGC 1321 GATCGCGTAT TTCGTCTCGC TCAGGCGCAA TCACGAATGA ATAACGGTTT GGTTGATGCG 1381 AGTGATTTTG ATGACGAGCG TAATGGCTGG CCTGTTGAAC AAGTCTGGAA AGAAATGCAT 1441 AAACTTTTGC CATTCTCACC GGATTCAGTC GTCACTCATG GTGATTTCTC ACTTGATAAC 1501 CTTATTTTG ACGAGGGGAA ATTAATAGGT TGTATTGATG TTGGACGAGT CGGAATCGCA 1561 GACCGATACC AGGATCTTGC CATCCTATGG AACTGCCTCG GTGAGTTTTC TCCTTCATTA 1621 CAGAAACGGC TTTTTCAAAA ATATGGTATT GATAATCCTG ATATGAATAA ATTGCAGTTT 1681 CATTTGATGC TCGATGAGTT TTTCTAATCA GAATTGGTTA ATTGGTTGTA ACATTATTCA 1741 GATTGGGCCC CGTTCCACTG AGCGTCAGAC CCCGTAGAAA AGATCAAAGG ATCTTCTTGA 1801 GATCCTTTTT TTCTGCGCGT AATCTGCTGC TTGCAAACAA AAAAACCACC GCTACCAGCG 1861 GTGGTTTGTT TGCCGGATCA AGAGCTACCA ACTCTTTTTC CGAAGGTAAC TGGCTTCAGC 1921 AGAGCGCAGA TACCAAATAC TGTTCTTCTA GTGTAGCCGT AGTTAGGCCA CCACTTCAAG 1981 AACTCTGTAG CACCGCCTAC ATACCTCGCT CTGCTAATCC TGTTACCAGT GGCTGCTGCC 2041 AGTGGCGATA AGTCGTGTCT TACCGGGTTG GACTCAAGAC GATAGTTACC GGATAAGGCG , 2101 CAGCGGTCGG GCTGAACGGG GGGTTCGTGC ACACAGCCCA GCTTGGAGCG AACGACCTAC 2161 ACCGAACTGA GATACCTACA GCGTGAGCTA TGAGAAAGCG CCACGCTTCC CGAAGGGAGA 2221 AAGGCGGACA GGTATCCGGT AAGCGGCAGG GTCGGAACAG GAGAGCGCAC GAGGGAGCTT 2281 CCAGGGGGAA ACGCCTGGTA TCTTTATAGT CCTGTCGGGT TTCGCCACCT CTGACTTGAG 2341 CGTCGATTTT TGTGATGCTC GTCAGGGGGG CGGAGCCTAT GGAAAAACGC CAGCAACGCG 2401 GCCTTTTAC GGTTCCTGGC CTTTTGCTGG CCTTTTGCTC ACATGTTCTT TCCTGCGTTA 2461 TCCCCTGATT CTGTGGATAA CCGTATTACC GCTAGCATGG ATCTCGGGGA CGTCTAACTA 2521 CTAAGCGAGA GTAGGGAACT GCCAGGCATC AAATAAAACG AAAGGCTCAG TCGGAAGACT 2581 GGGCCTTTCG TTTTATCTGT TGTTTGTCGG TGAACGCTCT CCTGAGTAGG ACAAATCCGC 2641 CGGGAGCGGA TTTGAACGTT GTGAAGCAAC GGCCCGGAGG GTGGCGGGCA GGACGCCCGC 2701 CATAAACTGC CAGGCATCAA ACTAAGCAGA AGGCCATC

FIGURE 16B

Figure 17A: Cloning Sites of the EALLY Vector PENTRB

NCOI hall Sal BomHI KonI EcolI
ade atg bac cta gtc gac tog atc cgg tac cda att cgc --tgg tac ctg gat cag ctg acc tag gcc atg gct taa gcg --Thr Met Ace Leu Val Ace Tre Ile Arg Tyr Arg Ile

Death --- aga att cgc ggc cgc act cga gat atc tag acc cag --- tet taa geg ccg dcg tga get eta tag atc tgg gtc

Ctt tct/xot/aca/aag/--gaa aga aca tgt ttc/---

25/240

pENTR8 2735 bp

Location (Base Nos.)	Gene Encoded
67166	attL1
339644	ccdB
673772	attL2
8951704	KmR
18092382	ori

1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTTTGA	AAACCTGTAT
181	TTTCAAGGAA	CCATGGACCT	AGTCGACTGG	ATCCGGTACC	GAATTCGCTT	ACTAAAAGCC
241	AGATAACAGT	ATGCGTATTT	GCGCGCTGAT	TTTTGCGGTA	TAAGAATATA	TACTGATATG
301	TATACCCGAA	GTATGTCAAA	AAGAGGTGTG	CTTCTAGAAT	GCAGTTTAAG	GTTTACACCT
361	ATAAAAGAGA	GAGCCGTTAT	CGTCTGTTTG	TGGATGTACA	GAGTGATATT	ATTGACACGC
421	CCGGGCGACG	GATAGTGATC	CCCCTGGCCA	GTGCACGTCT	GCTGTCAGAT	AAAGTCTCCC
481	GTGAACTTTA	CCCGGTGGTG	CATATCGGGG	ATGAAAGCTG	GCGCATGATG	ACCACCGATA
541	TGGCCAGTGT	GCCGGTCTCC	GTTATCGGGG	AAGAAGTGGC	TGATCTCAGC	CACCGCGAAA
601	ATGACATCAA	AAACGCCATT	AACCTGATGT	TCTGGGGAAT	ATAGAATTCG	CGGCCGCACT
661	CGAGATATCT	AGACCCAGCT	TTCTTGTACA	AAGTTGGCAT	TATAAGAAAG	CATTGCTTAT
721	CAATTTGTTG	CAACGAACAG	GTCACTATCA	GTCAAAATAA	AATCATTATT	TGCCATCCAG
781	CTGCAGCTCT	GGCCCGTGTC	TCAAAATCTC	TGATGTTACA	TTGCACAAGA	TAAAAATATA
841	TCATCATGAA	CAATAAAACT	GTCTGCTTAC	ATAAACAGTA	ATACAAGGGG	TGTTATGAGC
901	CATATTCAAC	GGGAAACGTC	GAGGCCGCGA	TTAAATTCCA	ACATGGATGC	TGATTTATAT
961	GGGTATAAAT	GGGCTCGCGA	TAATGTCGGG	CAATCAGGTG	CGACAATCTA	TCGCTTGTAT
1021	GGGAAGCCCG	ATGCGCCAGA	GTTGTTTCTG	AAACATGGCA	AAGGTAGCGT	TGCCAATGAT
1081	GTTACAGATG	AGATGGTCAG	ACTAAACTGG	CTGACGGAAT	TTATGCCTCT	TCCGACCATC
1141	AAGCATTTTA	TCCGTACTCC	TGATGATGCA	TGGTTACTCA	CCACTGCGAT	CCCCGGAAAA
1201	ACAGCATTCC	AGGTATTAGA	AGAATATCCT	GATTCAGGTG	AAAATATTGT	TGATGCGCTG
1261	GCAGTGTCCC	TGCGCCGGTT	GCATTCGATT	CCTGTTTGTA	ATTGTCCTTT	TAACAGCGAT
1321	CGCGTATTTC	GTCTCGCTCA	GGCGCAATCA	CGAATGAATA	ACGGTTTGGT	TGATGCGAGT
1381	GATTTTGATG	ACGAGCGTAA	TGGCTGGCCT	GTTGAACAAG	TCTGGAAAGA	AATGCATAAA
1441	CTTTTGCCAT	TCTCACCGGA	TTCAGTCGTC	ACTCATGGTG	ATTTCTCACT	TGATAACCTT
1501	ATTTTTGACG	AGGGGAAATT	AATAGGTTGT	ATTGATGTTG	GACGAGTCGG	AATCGCAGAC
1561	CGATACCAGG	ATCTTGCCAT	CCTATGGAAC	TGCCTCGGTG	AGTTTTCTCC	TTCATTACAG
1621	AAACGGCTTT	TTCAAAAATA	TGGTATTGAT	AATCCTGATA	TGAATAAATT	GCAGTTTCAT
1681	TTGATGCTCG	ATGAGTTTTT	CTAATCAGAA	TTGGTTAATT	GGTTGTAACA	TTATTCAGAT
1741	TGGGCCCCGT	TCCACTGAGC	GTCAGACCCC	GTAGAAAAGA	TCAAAGGATC	TTCTTGAGAT
1801	CCTTTTTTC	TGCGCGTAAT	CTGCTGCTTG	CAAACAAAAA	AACCACCGCT	ACCAGCGGTG
1861	GTTTGTTTGC	CGGATCAAGA	GCTACCAACT	CTTTTTCCGA	AGGTAACTGG	CTTCAGCAGA
1921	GCGCAGATAC	CAAATACTGT	TCTTCTAGTG	TAGCCGTAGT	TAGGCCACCA	CTTCAAGAAC
1981	TCTGTAGCAC	CGCCTACATA	CCTCGCTCTG	CTAATCCTGT	TACCAGTGGC	TGCTGCCAGT
2041	GGCGATAAGT	CGTGTCTTAC	CGGGTTGGAC	TCAAGACGAT	AGTTACCGGA	TAAGGCGCAG
2101	CGGTCGGGCT	GAACGGGGG	TTCGTGCACA	CAGCCCAGCT	TGGAGCGAAC	GACCTACACC
2161	GAACTGAGAT	ACCTACAGCG	TGAGCTATGA	GAAAGCGCCA	CGCTTCCCGA	AGGGAGAAAG
2221	GCGGACAGGT	ATCCGGTAAG	CGGCAGGGTC	GGAACAGGAG	AGCGCACGAG	GGAGCTTCCA
2281	GGGGGAAACG	CCTGGTATCT	TTATAGTCCT	GTCGGGTTTC	GCCACCTCTG	ACTTGAGCGT
2341	CGATTTTTGT	GATGCTCGTC	AGGGGGGGG	AGCCTATGGA	AAAACGCCAG	CAACGCGGCC
2401	TTTTTACGGT	TCCTGGCCTT	TTGCTGGCCT	TTTGCTCACA	TGTTCTTTCC	TGCGTTATCC
2461	CCTGATTCTG	TGGATAACCG	TATTACCGCT	AGCATGGATC	TCGGGGACGT	CTAACTACTA
2521	AGCGAGAGTA	GGGAACTGCC	AGGCATCAAA	TAAAACGAAA	GGCTCAGTCG	GAAGACTGGG
2581	CCTTTCGTTT	TATCTGTTGT	TTGTCGGTGA	ACGCTCTCCT	GAGTAGGACA	AATCCGCCGG
2641	GAGCGGATTT	GAACGTTGTG	AAGCAACGGC	CCGGAGGGTG	GCGGGCAGGA	CGCCCGCCAT
2701	AAACTGCCAG	GCATCAAACT	· AAGCAGAAGG	CCATC		

FIGURE 17B

: 26/240

Figure 18th: Cloning sites of the Entry Vector penteg

Int still

The still gas as city tat tit cas ggs recommended for the still gas as city tat tity cas ggs recommended for the still gas at as gity coty the still gas at a second gity the still gas at a second gity the still gas at a second gity the still gas and city still gas and city second gas at a second gity the still gas and city second gas at a second gas and city second gas at a second gas and city second g

NdeI ByII SalI BankI Kan I Ecol I

cat atg aba tot gto gao tog ato cog tacjoga att cgc --gta tac tot aga cag cog acc tag got atg got taa gog --His Met Ang Ser Val Asp Trp Ile Ang Tyr Ang Ile

Death --- aga att ege løge ege act ega gat ate tag acc cag
--- tet taal geg eeg deg tga get eta tag atc tgg gte

ctt tet tet aea aag ---gaa aga aca tet tec ----,

27/240

pENTR9 2735 bp

Location (Base Nos.)	Gene Encoded
67166	attL1
339644	ccdB
673772	attL2
8951704	KmR
18092382	ori

1	CTGACGGATG	GCCTTTTTGC	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTTTGA	AAACCTGTAT
181	TTTCAAGGAC	ATATGAGATC	TGTCGACTGG	ATCCGGTACC	GAATTCGCTT	ACTAAAAGCC
241	AGATAACAGT	ATGCGTATTT	GCGCGCTGAT	TTTTGCGGTA	TAAGAATATA	TACTGATATG
301	TATACCCGAA	GTATGTCAAA	AAGAGGTGTG	CTTCTAGAAT	GCAGTTTAAG	GTTTACACCT
361	ATAAAAGAGA	GAGCCGTTAT	CGTCTGTTTG	TGGATGTACA	GAGTGATATT	ATTGACACGC
421	CCGGGCGACG	GATAGTGATC	CCCCTGGCCA	GTGCACGTCT	GCTGTCAGAT	AAAGTCTCCC
	GTGAACTTTA					
	TGGCCAGTGT					
	ATGACATCAA					
	CGAGATATCT					
	CAATTTGTTG					
	CTGCAGCTCT					
	TCATCATGAA					
	CATATTCAAC					
	GGGTATAAAT					
	GGGAAGCCCG		_			
	GTTACAGATG					
1141	AAGCATTTTA	TCCGTACTCC	TGATGATGCA	TGGTTACTCA	CCACTGCGAT	CCCCGGAAAA
	ACAGCATTCC					
	GCAGTGTCCC					
	CGCGTATTTC					
	GATTTTGATG					
	CTTTTGCCAT					
	ATTTTTGACG					
	CGATACCAGG					
	AAACGGCTTT					
	TTGATGCTCG					
	TGGGCCCCGT					
	CCTTTTTTC					
	GTTTGTTTGC					
	GCGCAGATAC					
	TCTGTAGCAC					· =
	GGCGATAAGT					-
1	CGGTCGGGCT					
	GAACTGAGAT					
	GCGGACAGGT					
,	GGGGGAAACG					
	CGATTTTTGT					
	TTTTTACGGT					
	CCTGATTCTG					· · · · · · · · · · · · · · · · · · ·
	AGCGAGAGTA					
	CCTTTCGTTT					
	GAGCGGATTT				GCGGGCAGGA	CGCCCGCCAT
2701	AAACTGCCAG	GCATCAAACT	AAGCAGAAGG	CCATC		

Figure 188

Figure 19A: Cloning sites of the EATY Vector PENTRIO

aty gga lace ast toa gtc gac typ atc cyg tac cya att cyc --tac cot tyg tta agt cay cay acc tag gcp aty gct taa gcg --Met Gly The Asn See Val Asp Trp Ile Asy Tyr Ag Ile

Empli Not the Ecoli to att. 2

Death --- aga att ege gge ege adt ega gat ate tag acc cag

(ccdB) --- tet taa geg eeg geg tga get eta tag ate tgg gte

ctt to lar aca aca con to ---

pENTR10 2738 bp

Location (Base Nos.)	Gene Encoded
67166	attLl
342647	ccdB
676775	attL2
8981707	KmR
18122385	ori

1 CTGACGGATG GCCTTTTTGC GTTTCTACAA ACTCTTCCTG TTAGTTAGTT ACTTAAGCTC 61 GGGCCCCAAA TAATGATTTT ATTTTGACTG ATAGTGACCT GTTCGTTGCA ACAAATTGAT 121 AAGCAATGCT TTTTTATAAT GCCAACTTTG TACAAAAAAG CAGGCTTCGA ACTAAGGAAA 181 TACTTACATA TGGGAACCAA TTCAGTCGAC TGGATCCGGT ACCGAATTCG CTTACTAAAA 241 GCCAGATAAC AGTATGCGTA TTTGCGCGCT GATTTTTGCG GTATAAGAAT ATATACTGAT 301 ATGTATACCC GAAGTATGTC AAAAAGAGGT GTGCTTCTAG AATGCAGTTT AAGGTTTACA 361 CCTATAAAAG AGAGAGCCGT TATCGTCTGT TTGTGGATGT ACAGAGTGAT ATTATTGACA 421 CGCCCGGCC ACGGATGGTG ATCCCCCTGG CCAGTGCACG TCTGCTGTCA GATAAAGTCT 481 CCCGTGAACT TTACCCGGTG GTGCATATCG GGGATGAAAG CTGGCGCATG ATGACCACCG 541 ATATGGCCAG TGTGCCGGTC TCCGTTATCG GGGAAGAAGT GGCTGATCTC AGCCACCGCG 601 AAAATGACAT CAAAAACGCC ATTAACCTGA TGTTCTGGGG AATATAGAAT TCGCGGCCGC 661 ACTCGAGATA TCTAGACCCA GCTTTCTTGT ACAAAGTTGG CATTATAAGA AAGCATTGCT 721 TATCAATTG TTGCAACGAA CAGGTCACTA TCAGTCAAAA TAAAATCATT ATTTGCCATC 781 CAGCTGCAGC TCTGGCCCGT GTCTCAAAAT CTCTGATGTT ACATTGCACA AGATAAAAAT 841 ATATCATCAT GAACAATAAA ACTGTCTGCT TACATAAACA GTAATACAAG GGGTGTTATG 901 AGCCATATTC AACGGGAAAC GTCGAGGCCG CGATTAAATT CCAACATGGA TGCTGATTTA 961 TATGGGTATA AATGGGCTCG CGATAATGTC GGGCAATCAG GTGCGACAAT CTATCGCTTG 1021 TATGGGAAGC CCGATGCGCC AGAGTTGTTT CTGAAACATG GCAAAGGTAG CGTTGCCAAT 1081 GATGTTACAG ATGAGATGGT CAGACTAAAC TGGCTGACGG AATTTATGCC TCTTCCGACC 1141 ATCAAGCATT TTATCCGTAC TCCTGATGAT GCATGGTTAC TCACCACTGC GATCCCCGGA 1201 AAAACAGCAT TCCAGGTATT AGAAGAATAT CCTGATTCAG GTGAAAATAT TGTTGATGCG 1261 CTGGCAGTGT TCCTGCGCCG GTTGCATTCG ATTCCTGTTT GTAATTGTCC TTTTAACAGC 1321 GATCGCGTAT TTCGTCTCGC TCAGGCGCAA TCACGAATGA ATAACGGTTT GGTTGATGCG 1381 AGTGATTTTG ATGACGAGCG TAATGGCTGG CCTGTTGAAC AAGTCTGGAA AGAAATGCAT 1441 AAACTTTTGC CATTCTCACC GGATTCAGTC GTCACTCATG GTGATTTCTC ACTTGATAAC 1501 CTTATTTTG ACGAGGGAA ATTAATAGGT TGTATTGATG TTGGACGAGT CGGAATCGCA 1561 GACCGATACC AGGATCTTGC CATCCTATGG AACTGCCTCG GTGAGTTTTC TCCTTCATTA 1621 CAGAAACGGC TTTTTCAAAA ATATGGTATT GATAATCCTG ATATGAATAA ATTGCAGTTT 1681 CATTTGATGC TCGATGAGTT TTTCTAATCA GAATTGGTTA ATTGGTTGTA ACATTATTCA 1741 GATTGGGCCC CGTTCCACTG AGCGTCAGAC CCCGTAGAAA AGATCAAAGG ATCTTCTTGA 1801 GATCCTTTTT TTCTGCGCGT AATCTGCTGC TTGCAAACAA AAAAACCACC GCTACCAGCG 1861 GTGGTTTGTT TGCCGGATCA AGAGCTACCA ACTCTTTTTC CGAAGGTAAC TGGCTTCAGC 1921 AGAGCGCAGA TACCAAATAC TGTTCTTCTA GTGTAGCCGT AGTTAGGCCA CCACTTCAAG 1981 AACTCTGTAG CACCGCCTAC ATACCTCGCT CTGCTAATCC TGTTACCAGT GGCTGCTGCC 2041 AGTGGCGATA AGTCGTGTCT TACCGGGTTG GACTCAAGAC GATAGTTACC GGATAAGGCG 2101 CAGCGGTCGG GCTGAACGGG GGGTTCGTGC ACACAGCCCA GCTTGGAGCG AACGACCTAC 2161 ACCGAACTGA GATACCTACA GCGTGAGCTA TGAGAAAGCG CCACGCTTCC CGAAGGGAGA 2221 AAGGCGGACA GGTATCCGGT AAGCGGCAGG GTCGGAACAG GAGGAGCGCAC GAGGGAGCTT 2281 CCAGGGGGAA ACGCCTGGTA TCTTTATAGT CCTGTCGGGT TTCGCCACCT CTGACTTGAG 2341 CGTCGATTTT TGTGATGCTC GTCAGGGGGG CGGAGCCTAT GGAAAAACGC CAGCAACGCG 2401 GCCTTTTTAC GGTTCCTGGC CTTTTGCTGG CCTTTTGCTC ACATGTTCTT TCCTGCGTTA 2461 TCCCCTGATT CTGTGGATAA CCGTATTACC GCTAGCATGG ATCTCGGGGA CGTCTAACTA 2521 CTAAGCGAGA GTAGGGAACT GCCAGGCATC GAATAAAACG AAAGGCTCAG TCGGAAGACT 2581 GGGCCTTTCG TTTTATCTGT TGTTTGTCGG TGAACGCTCT CCTGAGTAGG ACAAATCCGC 2641 CGGGAGCGGA TTTGAACGTT GTGAAGCAAC GGCCCGGAGG GTGGCGGGCA GGACGCCCGC 2701 CATAAACTGC CAGGCATCAA ACTAAGCAGA AGGCCATC

FIGURE 19B

30/240

Figure : 20A: Cloning Sites of the Entry Vector pENTR11

CAC TCG AGA TAT CTA GAC CCA GCT TTC TTG TAC AAA GGTG AGC TCT ATA GAT CTG GGT CGA AAG AAC ATG TTT C His Ser Arg Tyr Leu Asp Pro Ala Phe Leu Tyr Lys

Int	attLl	<u>s</u>	.D.	Kozak XmnI	S.D.
TTG TA	C AAA AAA GCA G TTT TTT CG1	GGC TTC GAA	GGA GAT	AGA ACC AAT T	CT CTA AGG AAA TAC GA GAT TCC TTT ATG
Leu Ty	r Lys Lys Ala	Gly Phe Glu	Gly Asp	Arg Thr Asn S	er Leu Arg Lys Tyr
Kozak	NcoI SalI	BamHI	KpnI E	CORI	EcoRI NotI
TTA AC	C ATG CTC GAC	TGG ATC CGG	TAC CGA	ATT C ccdB	G AAT TCG CGG CCG C TTA AGC GCC GGC
Leu Th	r Met Val Asr	Trp Ile Arg	Tyr Arg	Ile	Asn Ser Arg Pro
**1					
XhoI	EcoRV Xbal		Int a	ttL2	

31/240

pENTR11 2744 bp (rotated to position 2578)


Location (Base Nos.)	Gene Encoded
67166	attL1
348653	ccdB
683781	attL2
9041713	KmR
18182391	ori

1	CTGACGGATG	${\tt GCCTTTTTGC}$	GTTTCTACAA	ACTCTTCCTG	TTAGTTAGTT	ACTTAAGCTC
61	GGGCCCCAAA	TAATGATTTT	ATTTTGACTG	ATAGTGACCT	GTTCGTTGCA	ACAAATTGAT
121	AAGCAATGCT	TTTTTATAAT	GCCAACTTTG	TACAAAAAAG	CAGGCTTCGA	AGGAGATAGA
181	ACCAATTCTC	TAAGGAAATA	CTTAACCATG	GTCGACTGGA	TCCGGTACCG	AATTCGCTTA
241	CTAAAAGCCA	GATAACAGTA	TGCGTATTTG	CGCGCTGATT	TTTGCGGTAT	AAGAATATAT
301	ACTGATATGT	ATACCCGAAG	TATGTCAAAA	AGAGGTGTGC	TTCTAGAATG	CAGTTTAAGG
361	TTTACACCTA	TAAAAGAGAG	AGCCGTTATC	GTCTGTTTGT	GGATGTACAG	AGTGATATTA
	TTGACACGCC					
481	AAGTCTCCCG	TGAACTTTAC	CCGGTGGTGC	ATATCGGGGA	TGAAAGCTGG	CGCATGATGA
541	CCACCGATAT	GGCCAGTGTG	CCGGTCTCCG	TTATCGGGGA	AGAAGTGGCT	GATCTCAGCC
601	ACCGCGAAAA	TGACATCAAA	AACGCCATTA	ACCTGATGTT	CTGGGGAATA	TAGAATTCGC
661	GGCCGCACTC	GAGATATCTA	GACCCAGCTT	TCTTGTACAA	AGTTGGCATT	ATAAGAAAGC
721	ATTGCTTATC	AATTTGTTGC	AACGAACAGG	TCACTATCAG	TCAAAATAAA	ATCATTATTT
781	GCCATCCAGC	TGCAGCTCTG	GCCCGTGTCT	CAAAATCTCT	GATGTTACAT	TGCACAAGAT
841	AAAAATATAT	CATCATGAAC	AATAAAACTG	TCTGCTTACA	TAAACAGTAA	TACAAGGGGT
901	GTTATGAGCC	ATATTCAACG	GGAAACGTCG	AGGCCGCGAT	TAAATTCCAA	CATGGATGCT
961	GATTTATATG	GGTATAAATG	GGCTCGCGAT	AATGTCGGGC	AATCAGGTGC	GACAATCTAT
1021	CGCTTGTATG	GGAAGCCCGA	TGCGCCAGAG	TTGTTTCTGA	AACATGGCAA	AGGTAGCGTT
1081	GCCAATGATG	TTACAGATGA	GATGGTCAGA	CTAAACTGGC	TGACGGAATT	TATGCCTCTT
1141	CCGACCATCA	AGCATTTTAT	CCGTACTCCT	GATGATGCAT	GGTTACTCAC	CACTGCGATC
1201	CCCGGAAAAA	CAGCATTCCA	GGTATTAGAA	GAATATCCTG	ATTCAGGTGA	AAATATTGTT
1261	GATGCGCTGG	CAGTGTTCCT	GCGCCGGTTG	CATTCGATTC	CTGTTTGTAA	TTGTCCTTTT
1321	AACAGCGATC	GCGTATTTCG	TCTCGCTCAG	GCGCAATCAC	GAATGAATAA	CGGTTTGGTT
1381	GATGCGAGTG	ATTTTGATGA	CGAGCGTAAT	GGCTGGCCTG	TTGAACAAGT	CTGGAAAGAA
1441	ATGCATAAAC	TTTTGCCATT	CTCACCGGAT	TCAGTCGTCA	CTCATGGTGA	TTTCTCACTT
1501	GATAACCTTA	TTTTTGACGA	GGGGAAATTA	ATAGGTTGTA	TTGATGTTGG	ACGAGTCGGA
1561	ATCGCAGACC	GATACCAGGA	TCTTGCCATC	CTATGGAACT	GCCTCGGTGA	GTTTTCTCCT
1621	TCATTACAGA	AACGGCTTTT	TCAAAAATAT	GGTATTGATA	ATCCTGATAT	GAATAAATTG
1681	CAGTTTCATT	TGATGCTCGA	TGAGTTTTTC	TAATCAGAAT	TGGTTAATTG	GTTGTAACAT
1741	TATTCAGATT	GGGCCCCGTT	CCACTGAGCG	TCAGACCCCG	TAGAAAAGAT	CAAAGGATCT
1801	TCTTGAGATC	CTTTTTTTCT	GCGCGTAATC	TGCTGCTTGC	АААСААААА	ACCACCGCTA
1861	CCAGCGGTGG	${\tt TTTGTTTGCC}$	GGATCAAGAG	CTACCAACTC	TTTTTCCGAA	GGTAACTGGC
1921	TTCAGCAGAG	CGCAGATACC	AAATACTGTT	CTTCTAGTGT	AGCCGTAGTT	AGGCCACCAC
1981	TTCAAGAACT	CTGTAGCACC	GCCTACATAC	CTCGCTCTGC	TAATCCTGTT	ACCAGTGGCT
2041	GCTGCCAGTG	GCGATAAGTC	GTGTCTTACC	GGGTTGGACT	CAAGACGATA	GTTACCGGAT
2101	AAGGCGCAGC	GGTCGGGCTG	AACGGGGGGT	TCGTGCACAC	AGCCCAGCTT	GGAGCGAACG
2161	ACCTACACCG	AACTGAGATA	CCTACAGCGT	GAGCTATGAG	AAAGCGCCAC	GCTTCCCGAA
2221	GGGAGAAAGG	CGGACAGGTA	TCCGGTAAGC	GGCAGGGTCG	GAACAGGAGA	GCGCACGAGG
2281	GAGCTTCCAG	GGGGAAACGC	CTGGTATCTT	TATAGTCCTG	TCGGGTTTCG	CCACCTCTGA
2341	CTTGAGCGTC	GATTTTTGTG	ATGCTCGTCA	GGGGGGCGGA	GCCTATGGAA	AAACGCCAGC
2401	AACGCGGCCT	TTTTACGGTT	CCTGGCCTTT	TGCTGGCCTT	TTGCTCACAT	GTTCTTTCCT
2461	GCGTTATCCC	CTGATTCTGT	GGATAACCGT	ATTACCGCTA	GCATGGATCT	CGGGGACGTC
2521	TAACTACTAA	GCGAGAGTAG	GGAACTGCCA	GGCATCAAAT	AAAACGAAAG	GCTCAGTCGG
2581	AAGACTGGGC	CTTTCGTTTT	ATCTGTTGTT	TGTCGGTGAA	CGCTCTCCTG	AGTAGGACAA
2641	ATCCGCCGGG	AGCGGATTTG	AACGTTGTGA	AGCAACGGCC	CGGAGGGTGG	CGGGCAGGAC
2701	GCCCGCCATA	AACTGCCAGG	CATCAAACTA	AGCAGAAGGC	CATC	

FIGURE ZOB

Figure ZAPDEST1 Native Protein Expression in E. coli

- 1 atgagetget gacastaat cateeggete geataatgtg tgggattgtg ageggataac tactegacaa etggtaatta gtaggeegag catattacae acettaacae tegeetattg
- 61 aattteacac aggaaacaga caggtatagg atcacaagtt tgtacaaada agetgaagga ttaaagtgtg teetttgtet gteeatatee tagtgtteaa acatgtttte pegacteget



pDEST1 6464 bp

	<u>Location (Base Nos.)</u> 216257 397273			Gene Encoded				
		216257	7	Trc pi	Trc promoter			
		397273	3	attR1	attR1			
		647130)6	CmR				
	14261510			inacti	inactivated ccdA			
	1648 1953			ccdB				
		199421	L18	attR2				
		259835	503	ampR				
		410442	264	ori				
		450449	941	flori	(fl interge	enic region)		
		534064	120	lacIq				
1	GTTTGACAGC	TTATCATCGA	CTGCACGGTG	CACCAATGCT	TCTGGCGTCA	GGCAGCCATC		
	GGAAGCTGTG							
	GCACTCCCGT							
	TGAAATGAGC							
241	ATAACAATTT	CATCGCGAGG	TACCAAGCTA	TCACAAGTTT	GTACAAAAA	GCTGAACGAG		
301	AAACGTAAAA	TGATATAAAT	ATCAATATAT	TAAATTAGAT	TTTGCATAAA	AAACAGACTA		
361	CATAATACTG	TAAAACACAA	CATATCCAGT	CACTATGGCG	GCCGCTAAGT	TGGCAGCATC		
421	ACCCGACGCA	CTTTGCGCCG	AATAAATACC	TGTGACGGAA	GATCACTTCG	CAGAATAAAT		
	AAATCCTGGT							
	CGTTGATCGG							
601	CGTATTTTTT	GAGTTATCGA	GATTTTCAGG	AGCTAAGGAA	GCTAAAATGG	AGAAAAAAAT		
661	CACTGGATAT	ACCACCGTTG	ATATATCCCA	ATGGCATCGT	AAAGAACATT	TTGAGGCATT		
	TCAGTCAGTT							
	AAAGACCGTA							
841	CCTGATGAAT	GCTCATCCGG	AATTCCGTAT	GGCAATGAAA	GACGGTGAGC	TGGTGATATG		
	GGATAGTGTT							
	CTGGAGTGAA							
1021	GTGTTACGGT	GAAAACCTGG	CCTATTTCCC	TAAAGGGTTT	ATTGAGAATA	TGTTTTTCGT		
1081	CTCAGCCAAT	CCCTGGGTGA	GTTTCACCAG	TTTTGATTTA	AACGTGGCCA	ATATGGACAA		
1141	CTTCTTCGCC	CCCGTTTTCA	CCATGGGCAA	ATATTATACG	CAAGGCGACA	AGGTGCTGAT		
1201	GCCGCTGGCG	ATTCAGGTTC	ATCATGCCGT	CTGTGATGGC	TTCCATGTCG	GCAGAATGCT		
	TAATGAATTA							
	CTTACTAAAA							
	ATATACTGAT							
1441	ACAGTGACAG	TTGACAGCGA	CAGCTATCAG	TTGCTCAAGG	CATATATGAT	GTCAATATCT		
1501	CCGGTCTGGT	AAGCACAACC	ATGCAGAATG	AAGCCCGTCG	TCTGCGTGCC	GAACGCTGGA		
1561	AAGCGGAAAA	TCAGGAAGGG	ATGGCTGAGG	TCGCCCGGTT	TATTGAAATG	AACGGCTCTT		
1621	TTGCTGACGA	GAACAGGGAC	TGGTGAAATG	CAGTTTAAGG	TTTACACCTA	TAAAAGAGAG		
1681	AGCCGTTATC	GTCTGTTTGT	GGATGTACAG	AGTGATATTA	TTGACACGCC	CGGGCGACGG		
1741	ATGGTGATCC	CCCTGGCCAG	TGCACGTCTG	CTGTCAGATA	AAGTCTCCCG	TGAACTTTAC		
1801	CCGGTGGTGC	ATATCGGGGA	TGAAAGCTGG	CGCATGATGA	CCACCGATAT	GGCCAGTGTG		
1861	CCGGTCTCCG	TTATCGGGGA	AGAAGTGGCT	GATCTCAGCC	ACCGCGAAAA	TGACATCAAA		
1921	AACGCCATTA	ACCTGATGTT	CTGGGGAATA	TAAATGTCAG	GCTCCCTTAT	ACACAGCCAG		
1981	TCTGCAGGTC	GACCATAGTG	ACTGGATATG	TTGTGTTTTA	CAGTATTATG	TAGTCTGTTT		
2041	TTTATGCAAA	ATCTAATTTA	ATATATTGAT	ATTTATATCA	TITTACGTTT	CTCGTTCAGC		
2101	TTTCTTGTAC	AAAGTGGTGA	TAGCTTGGCT	GTTTTGGCGG	ATGAGAGAAG	ATTTTCAGCC		
2161	TGATACAGAT	TAAATCAGAA	CGCAGAAGCG	GTCTGATAAA	ACAGAATTTG	CCTGGCGGCA		
2221	GTAGCGCGGT	GGTCCCACCT	GACCCCATGC	CGAACTCAGA	AGTGAAACGC	CGTAGCGCCG		
2281	ATGGTAGTGT	GGGGTCTCCC	CATGCGAGAG	TAGGGAACTG	CCAGGCATCA	AATAAAACGA		
2341	AAGGCTCAGT	CGAAAGACTG	GGCCTTTCGT	TTTATCTGTT	GTTTGTCGGT	GAACGCTCTC		
2401	CTGAGTAGGA	CAAATCCGCC	GGGAGCGGAT	TTGAACGTTG	CGAAGCAACG	GCCCGGAGGG		
2461	TGGCGGGCAG	GACGCCCGCC	ATAAACTGCC	AGGCATCAAA	TTAAGCAGAA	GGCCATCCTG		
25ZI	ACGGATGGCC	TTTTTGCGTT	TCTACAAACT	CTTTTTGTTT	ATTTTTCTAA	ATACATTCAA-		

	ATATGTATCC					
	AGAGTATGAG					
	TTCCTGTTTT					
	GTGCACGAGT					
	GCCCCGAAGA					
	TATCCCGTGT					
	ACTTGGTTGA					
	AATTATGCAG					
	CGATCGGAGG					
3121	GCCTTGATCG	TTGGGAACCG	GAGCTGAATG	AAGCCATACC	AAACGACGAG	CGTGACACCA
3181	CGATGCCTAC	AGCAATGGCA	ACAACGTTGC	GCAAACTATT	AACTGGCGAA	CTACTTACTC
3241	TAGCTTCCCG	GCAACAATTA	ATAGACTGGA	TGGAGGCGGA	TAAAGTTGCA	GGACCACTTC
3301	TGCGCTCGGC	CCTTCCGGCT	GGCTGGTTTA	TTGCTGATAA	ATCTGGAGCC	GGTGAGCGTG
	GGTCTCGCGG					
	TCTACACGAC					
3481	GTGCCTCACT	GATTAAGCAT	TGGTAACTGT	CAGACCAAGT	TTACTCATAT	ATACTTTAGA
3541	TTGATTTAAA	ACTTCATTTT	TAATTTAAAA	GGATCTAGGT	GAAGATCCTT	TTTGATAATC
3601	TCATGACCAA	AATCCCTTAA	CGTGAGTTTT	CGTTCCACTG	AGCGTCAGAC	CCCGTAGAAA
	AGATCAAAGG					
	AAAAACCACC					
3781	CGAAGGTAAC	TGGCTTCAGC	AGAGCGCAGA	TACCAAATAC	TGTCCTTCTA	GTGTAGCCGT
3841	AGTTAGGCCA	CCACTTCAAG	AACTCTGTAG	CACCGCCTAC	ATACCTCGCT	CTGCTAATCC
3901	TGTTACCAGT	GGCTGCTGCC	AGTGGCGATA	AGTCGTGTCT	TACCGGGTTG	GACTCAAGAC
3961	GATAGTTACC	GGATAAGGCG	CAGCGGTCGG	GCTGAACGGG	GGGTTCGTGC	ACACAGCCCA
4021	GCTTGGAGCG	AACGACCTAC	ACCGAACTGA	GATACCTACA	GCGTGAGCTA	TGAGAAAGCG
4081	CCACGCTTCC	CGAAGGGAGA	AAGGCGGACA	GGTATCCGGT	AAGCGGCAGG	GTCGGAACAG
4141	GAGAGCGCAC	GAGGGAGCTT	CCAGGGGGAA	ACGCCTGGTA	TCTTTATAGT	CCTGTCGGGT
4201	TTCGCCACCT	CTGACTTGAG	CGTCGATTTT	TGTGATGCTC	GTCAGGGGGG	CCCACCCTAT
4261	GGAAAAACGC	CAGCAACGCG	GCCTTTTTAC	GGTTCCTGGC	CTTTTGCTGG	CCTTTTCCTC
4321	ACATGTTCTT	TCCTGCGTTA	TCCCCTGATT	CTGTGGATAA	CCGTATTACC	GCCTTTGAGT
4381	GAGCTGATAC	CGCTCGCCGC	AGCCGAACGA	CCGAGCGCAG	CGAGTCAGTG	ACCCACCAAC
	CGGAAGAGCG					
4501	TAATTTTGTT	AAAATTCGCG	TTAAATTTTT	GTTAAATCAG	LALLALLACOLLI	AACCAATAGG
4561	CCGAAATCGG	CAAAATCCCT	TATAAATCAA	AAGAATAGAC	CGAGATAGGG	TTGAGTGTTG
4621	TTCCAGTTTG	GAACAAGAGT	CCACTATTAA	AGAACGTGGA	CTCCAACGTC	AAAGGGCGAA
4681	AAACCGTCTA	TCAGGGCGAT	GGCCCACTAC	GTGAACCATC	ACCCTAATCA	ACTITITITIC
4741	GGTCGAGGTG	CCGTAAAGCA	CTAAATCGGA	ACCCTAAAGG	GAGCCCCCCGA	TTTACACCTT
4801	GACGGGGAAA	GCCGCGAAC	GTGGCGAGAA	AGGAAGGGAA	CAAACCCAAA	CCACCCCCCC
4861	CTAGGGCGCT	GGCAAGTGTA	GCGGTCACGC	TGCGCGTAAC	CACCACACCC	GCCCCCCTTA
4921	ATGCGCCGCT	ACAGGGCGCG	TCCATTCGCC	ATTCAGGCTG	CHCCHCHCCC	CTCTCACTAC
4981	AATCTGCTCT	GATGCCGCAT	AGTTAAGCCA	GTACCAGGCTCA	CIMIGGIGCA	TOCCACTOR
5041	TACACTCCGC	TATCGCTACG	TGACTGGGTC	ATCCCTCCCC	CCCCACACCC	CCCAACIGIA
5101	GCTGACGCGC	CCTGACGGGC	TTGTCTGCTC	CCCCCATCCC	CTTACACACAC	ACCECEGACACCC
5161	GTCTCCGGGA	GCTGCATGTG	TCAGAGGTTT	TCACCCTCAT	CITACAGACA	AGCTGTGACC
5221	CAGATCAATT	CGCGCGCGAA	GGCGAAGCCG	CATCCATCAL	CACCGAAACG	AMOGRAMOGEAG
5281	GCAAAACCTT	TCGCGGTATG	CCATCATACC	CCCCCCAACA	CACTCAACACC	ATCGAATGGT
5341	ATGTGAAACC	ACTAACCTTA	TACCATCTCC	CACACTATICA	CCCTCTCTCTC	AGGGTGGTGA
5401	TTTCCCGCGT	GGTGAACCAG	CCACCACC	TTTCTCCCAA	DACCCCCCADA	TATCAGACCG
5461	CGGCGATGGC	GGAGCTGAAT	TACATTCCCA	ACCCCCCTCCC	AACGCGGGAA	AAAGTGGAAG
5521	AGTCGTTGCT	CATTCCCCTT	GCCACCTCCA	CTCTCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	ACAACAACIG	GCGGGCAAAC
5581	TCGCGGCGAT	TAAATCTCCC	GCCGATCAAC	TCCCTCCCCT	CONCORRORS	TCGCAAATTG
5641	AACGAAGCGG	CGTCGAAGCC	TCTAACCCC	CCCTCCACA	TOTOGIGGIG	TCGATGGTAG
5701	GTGGGCTGAT	רבדרטהאטכנ	CCCCACCAG	ACCACCACAA	CATTROCTOGCG	CAACGCGTCA
5761	GCACTAATGT	TUCGGUGTTA	CCGCTGGWIG	TCTCTCTC	CALIGCIGIG	GAAGCTGCCT
5821	TTTTCTCCCA	TGAAGACGCT	ACCCCACTCC	CCCTCCACCA	TOTOGOGO	AACAGTATTA
5881	AGCAAATCGC	GCTGTTAGCC	CCCCCACIGG	CTTCTCTCTCTCTC	CCCCCCCCCA	TIGGGTCACC
5941	GCTGGCATAA	TATCTCACT	CCCCATIAA	TTCACCCAT	ACCCCA ACCC	CGTCTGGCTG
6001	GGAGTGCCATA	GTCCGGTTTT	CDCCATCAAA	TCAGCCGAT	AGCGGAACGG	GAAGGCGACT ATCGTTCCCA-
0001	COMO 1 OCCUT	5155551111	WARDENING CH,	I GCAAATGCT	GAAT GAGGGC	ATCGTTCCCA-

6061	CTGCGATGCT	GGTTGCCAAC	GATCAGATGG	CGCTGGGCGC	AATGCGCGCC	ATTACCGAGT
6121	CCGGGCTGCG	CGTTGGTGCG	GATATCTCGG	TAGTGGGATA	CGACGATACC	GAAGACAGCT
6181	CATGTTATAT	CCCGCCGTTA	ACCACCATCA	AACAGGATTT	TCGCCTGCTG	GGGCAAACCA
6241	GCGTGGACCG	CTTGCTGCAA	CTCTCTCAGG	GCCAGGCGGT	GAAGGGCAAT	CAGCTGTTGC
6301	CCGTCTCACT	GGTGAAAAGA	AAAACCACCC	TGGCACCCAA	TACGCAAACC	GCCTCTCCCC
6361	GCGCGTTGGC	CGATTCATTA	ATGCAGCTGG	CACGACAGGT	TTCCCGACTG	GAAAGCGGGC
6421	AGTOAGCGCA	አርርር አልሞሞል አ	TOTONOTING	CCCCAATTCA	TOTO	


Figure 22A: PDCST2

His6 fusions in E. coli

aat att ctg aaa tga get gtt gac aat taa tea tee ggt ceg tat aat etg tta taa gac ttt act cga daa etg tra att agt agg eea gge ata tta gac

1021 tgg aat tgt gag egg ata aca att tea eae agg aaa eag ace atg teg tae ace tta aca ete gee tat tgt taa agt gtg tee ttt gte tgg tae age atg

1072 tae eat eae eae eae eae eae ggt ate age atg ttg tae age atg gta gta gta gta gta gta gta eeg tat tgt tee aae atg ttg tee eae eae get gaa atg gta gta gta gta eeg tag tgt tee aae atg ttg ttt eae eae etg eer



pDEST2 6553 bp

Location (Base Nos.)				Gene E	ncoded	
		912962		Trc		
		122310	009	attRl		
		147321		CmR		
		225223		inactivated ccdA		
	24742779			ccdB		
		282029	44	attR2		
		350944		ampR		
		501551	.75	ori		
		541558			(fl interge	nic region)
		622575	52	lacIq		-
				-		`
1	GGCGGTGCAC	AATCTTCTCG	CGCAACGCGT	CAGTGGGCTG	ATCATTAACT	ATCCGCTGGA
61	TGACCAGGAT	GCCATTGCTG	TGGAAGCTGC	CTGCACTAAT	GTTCCGGCGT	TATTTCTTGA
121	TGTCTCTGAC	CAGACACCCA	TCAACAGTAT	TATTTTCTCC	CATGAAGACG	GTACGCGACT
181	GGGCGTGGAG	CATCTGGTCG	CATTGGGTCA	CCAGCAAATC	GCGCTGTTAG	CGGGCCCATT
241	AAGTTCTGTC	TCGGCGCGTC	TGCGTCTGGC	TGGCTGGCAT	AAATATCTCA	CTCGCAATCA
301	AATTCAGCCG	ATAGCGGAAC	GGGAAGGCGA	CTGGAGTGCC	ATGTCCGGTT	TTCAACAAAC
361	CATGCAAATG	CTGAATGAGG	GCATCGTTCC	CACTGCGATG	CTGGTTGCCA	ACGATCAGAT
421	GGCGCTGGGC	GCAATGCGCG	CCATTACCGA	GTCCGGGCTG	CGCGTTGGTG	CGGATATCTC
481	GGTAGTGGGA	TACGACGATA	CCGAAGACAG	CTCATGTTAT	ATCCCGCCGT	CAACCACCAT
541	CAAACAGGAT	TTTCGCCTGC	TGGGGCAAAC	CAGCGTGGAC	CGCTTGCTGC	AACTCTCTCA
601	GGGCCAGGCG	GTGAAGGGCA	ATCAGCTGTT	GCCCGTCTCA	CTGGTGAAAA	GAAAAACCAC
661	CCTGGCACCC	AATACGCAAA	CCGCCTCTCC	CCGCGCGTTG	GCCGATTCAT	TAATGCAGCT
721	GGCACGACAG	GTTTCCCGAC	TGGAAAGCGG	GCAGTGAGCG	CAACGCAATT	AATGTGAGTT
781	AGCGCGAATT	GATCTGGTTT	GACAGCTTAT	CATCGACTGC	ACGGTGCACC	AATGCTTCTG
841	GCGTCAGGCA	GCCATCGGAA	GCTGTGGTAT	GGCTGTGCAG	GTCGTAAATC	ACTGCATAAT
901	TCGTGTCGCT	CAAGGCGCAC	TCCCGTTCTG	GATAATGTTT	TTTGCGCCGA	CATCATAACG
961	GTTCTGGCAA	ATATTCTGAA	ATGAGCTGTT	GACAATTAAT	CATCCGGTCC	GTATAATCTG
1021	TGGAATTGTG	AGCGGATAAC	AATTTCACAC	AGGAAACAGA	CCATGTCGTA	CTACCATCAC
1081	CATCACCATC	ACGGCATCAC	AAGTTTGTAC	AAAAAAGCTG	AACGAGAAAC	GTAAAATGAT
1141	ATAAATATCA	ATATATTAAA	TTAGATTTTG	CATAAAAAAC	AGACTACATA	ATACTGTAAA
1201	ACACAACATA	TCCAGTCACT	ATGGCGGCCG	CTAAGTTGGC	AGCATCACCC	GACGCACTTT
1261	GCGCCGAATA	AATACCTGTG	ACGGAAGATC	ACTTCGCAGA	TAAATAAATA	CCTGGTGTCC
1321	CTGTTGATAC	CGGGAAGCCC	TGGGCCAACT	TTTGGCGAAA	ATGAGACGTT	GATCGGCACG
1381	TAAGAGGTTC	CAACTTTCAC	CATAATGAAA	TAAGATCACT	ACCGGGCGTA	TTTTTTGAGT
1441	TATCGAGATT	TTCAGGAGCT	AAGGAAGCTA	AAATGGAGAA	AAAAATCACT	GGATATACCA
1501	CCGTTGATAT	ATCCCAATGG	CATCGTAAAG	AACATTTTGA	GGCATTTCAG	TCAGTTGCTC
1561	AATGTACÇTA	TAACCAGACC	GTTCAGCTGG	ATATTACGGC	CTTTTTAAAG	ACCGTAAAGA
1621	AAAATAAGCA	CAAGTTTTAT	CCGGCCTTTA	TTCACATTCT	TGCCCGCCTG	ATGAATGCTC
1681	ATCCGGAATT	CCGTATGGCA	ATGAAAGACG	GTGAGCTGGT	GATATGGGAT	AGTGTTCACC
	CTTGTTACAC					
	ACGACGATTT					
1861	ACCTGGCCTA	TTTCCCTAAA	GGGTTTATTG	AGAATATGTT	TTTCGTCTCA	GCCAATCCCT
1921	GGGTGAGTTT	CACCAGTTTT	GATTTAAACG	TGGCCAATAT	GGACAACTTC	TTCGCCCCCG
1981	TTTTCACCAT	GGGCAAATAT	TATACGCAAG	GCGACAAGGT	GCTGATGCCG	CTGGCGATTC
2041	AGGTTCATCA	TGCCGTCTGT	GATGGCTTCC	ATGTCGGCAG	AATGCTTAAT	GAATTACAAC
	AGTACTGCGA					
	GATAACAGTA					
2221	ATACCCGAAG	TATGTCAAAA	AGAGGTGTGC	TATGAAGCAG	CGTATTACAG	TGACAGTTGA
	CAGCGACAGC					
	ACAACCATGC					
2401	GAAGGGATGG	CTGAGGTCGC	CCGGTTTATT	GAAATGAACG	GCTCTTTTGC	TGACGAGAAC
2461	AGGGACTGGT	GAAATGCAGT	TTAAGGTTTA	CACCTATAAA	AGAGAGAGCC	GTTATCGTCT
2521	GTTTGTGGAT	GTACAGAGTG	ATATTATTGA	CACGCCCGGG	CGACGGATGG	TGATCCCCCT-

FIGURE ZZB

2581	GGCCAGTGCA	ССТСТССТСТ	CACATAAACT	CTCCCCCXX	COMPUNICACA	TCCTCCA Man
	CGGGGATGAA					
	CGGGGAAGAA					
2/61	GATGTTCTGG	GGAATATAAA	TGTCAGGCTC	CCTTATACAC	AGCCAGTCTG	CAGGTCGACC
	ATAGTGACTG					
2881	AATTTAATAT	ATTGATATTT	ATATCATITT	ACGTTTCTCG	TTCAGCTTTC	TTGTACAAAG
2941	TGGTGATGCC	CATATGGGAA	TTCAAAGGCC	TACGTCGACG	AGCTCACTAG	TCGCGGCCGC
3001	TTCTAGAGGA	TCCCTCGAGG	CATGCGGTAC	CAAGCTTGGC	TGTTTTGGCG	GATGAGAGAA
3061	GATTTTCAGC	CTGATACAGA	TTAAATCAGA	ACGCAGAAGC	GGTCTGATAA	AACAGAATTT
3121	GCCTGGCGGC	AGTAGCGCGG	TGGTCCCACC	TGACCCCATG	CCGAACTCAG	AAGTGAAACG
3181	CCGTAGCGCC	GATGGTAGTG	TGGGGTCTCC	CCATGCGAGA	GTAGGGAACT	GCCAGGCATC
3241	AAATAAAACG	AAAGGCTCAG	TCGAAAGACT	GGGCCTTTCG	TTTTATCTGT	TGTTTGTCGG
	TGAACGCTCT					
	GGCCCGGAGG					
3421	AGGCCATCCT	GACGGATGGC	CTTTTTGCGT	TTCTACAAAC	TCTTTTTGTT	TATTTTTCTA
3481	AATACATTCA	AATATGTATC	CGCTCATGAG	ACAATAACCC	TGATAAATGC	TTCAATAATA
	TTGAAAAAGG					
3601	GGCATTTTGC	CTTCCTGTTT	TTGCTCACCC	AGAAACGCTG	GTGAAAGTAA	AAGATGCTGA
3661	AGATCAGTTG	GGTGCACGAG	TGGGTTACAT	CGAACTGGAT	CTCAACAGCG	GTAAGATCCT
3721	TGAGAGTTTT	CGCCCGAAG	AACGTTTTCC	AATGATGAGC	ACTITIAAAG	TTCTGCTATG
	TGGCGCGGTA					
3841	TTCTCAGAAT	GACTTGGTTG	AGTACTCACC	AGTCACAGAA	AAGCATCTTA	CGGATGGCAT
3901	GACAGTAAGA	GAATTATGCA	GTGCTGCCAT	AACCATGAGT	GATAACACTG	CCCCCAACTT
3961	ACTTCTGACA	ACGATCGGAG	GACCGAAGGA	GCTAACCGCT	TTTTTCCACA	ACATCCCCCA
4021	TCATGTAACT	CGCCTTGATC	GTTGGGAACC	GCAGCTGAAT	CARCCATAC	CAAACCACCA
4081	GCGTGACACC	ACGATGCCTA	CAGCAATGGC	AACAACCTTC	CCCAAACTAT	TA A CTCCCCCA
	ACTACTTACT					
4201	AGGACCACTT	CTGCGCTCGG	CCCTTCCCCC	TOCOTOCTO	ATGGAGGCGG	ATAAAGTTGC
4261	CGGTGAGCGT	GGGTCTCGCG	CCCTTCCGGC	ACCACTOCCC	CONCAMOOMA	AATCIGGAGC
	TATCGTAGTT					
4321	INICGIAGII	WICIWCWCGW	CUGUUAGICA	GGCAACTATG	(ATTACK)	
4381	CCCTCACATA	GCTCCCTCXC	TONTONACON	TTTCCCC A A CTC	TC2C2CC22	MINGACAGAI
4381	CGCTGAGATA	GGTGCCTCAC	TGATTAAGCA	TTGGTAACTG	TCAGACCAAG	TTTACTCATA
4381 4441	CGCTGAGATA TATACTTTAG	GGTGCCTCAC ATTGATTTAA	TGATTAAGCA AACTTCATTT	TTGGTAACTG TTAATTTAAA	TCAGACCAAG AGGATCTAGG	TTTACTCATA TGAAGATCCT
4381 4441 4501	CGCTGAGATA TATACTTTAG TTTTGATAAT	GGTGCCTCAC ATTGATTTAA CTCATGACCA	TGATTAAGCA AACTTCATTT AAATCCCTTA	TTGGTAACTG TTAATTTAAA ACGTGAGTTT	TCAGACCAAG AGGATCTAGG TCGTTCCACT	TTTACTCATA TGAAGATCCT GAGCGTCAGA
4381 4441 4501 4561	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG
4381 4441 4501 4561 4621	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC
4381 4441 4501 4561 4621 4681	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAG	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT
4381 4441 4501 4561 4621 4681 4741	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAG ACCACTTCAA	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC
4381 4441 4501 4561 4621 4681 4741 4801	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAG ACCACTTCAA TGGCTGCTGC	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT
4381 4441 4501 4561 4621 4681 4741 4801 4861	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAG ACCACTTCAA TGGCTGCTGC CGGATAAGGC	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGTCG	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG
4381 4441 4501 4561 4621 4681 4741 4801 4861 4921	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAG ACCACTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGTCG CACCGAACTG	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT
4381 4441 4501 4561 4621 4681 4741 4801 4861 4921 4981	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAG ACCACTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGTCG CACCGAACTG AAAGGCGGAC	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGGCAG
4381 4441 4501 4561 4621 4681 4741 4801 4861 4921 4981 5041	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC GGAGAGCGCA	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAG ACCACTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CGAGGGAGCT	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGTCG CACCGAACTG AAAGGCGGAC TCCAGGGGGA	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG AACGCCTGGT	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGGCAG ATCTTTATAG
4381 4441 4501 4561 4621 4681 4741 4801 4861 4921 4981 5041 5101	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTCGGG	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC GGAGAGCGCA TTTCGCCACC	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA ACCACTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CGAGGGAGCT TCTGACTTGA	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGTCG CACCGAACTG AAAGGCGGAC TCCAGGGGGA GCGTCGATTT	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG AACGCCTGGT TTGTGATGCT	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGGCAG ATCTTTATAG CGTCAGGGGG
4381 4441 4501 4561 4621 4681 4741 4801 4861 4921 4981 5041 5101 5161	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTCGGG GCGGAGCCTA	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC GGAGAGCGCA TTTCGCCACC TGGAAAAACC	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CGAGGGAGCT TCTGACTTGA CCAGCCACCCC	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGTCG CACCGAACTG AAAGGCGGAC TCCAGGGGGA GCGTCGATTT GGCCTTTTTA	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG TTGTGATGCT CGGTTCCTGG	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG
4381 4441 4501 4561 4621 4681 4741 4801 4861 4921 4981 5041 5101 5161 5221	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTCGGG GCGGAGCCTA GCCTTTTGCT	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC GGAGAGCGCA TTTCGCCACC TGGAAAAACG CACATGTTCT	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CGAGGGAGCT TCTGACTTGA CCAGCCACCC TTCTGACTTGA	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGTCG CACCGAACTG AAAGGCGGAC TCCAGGGGGA GCGTCGATTT GGCCTTTTTA ATCCCCTGAT	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG TTGTGATGCT CGGTTCCTGG TCTGTGGATA	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC
4381 4441 4501 4561 4621 4681 4741 4801 4861 4921 4981 5041 5101 5161 5221 5281	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTCGGG GCGGAGCCTA GCCTTTTGCT CGCCTTTGAG	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC GGAGAGCGCA TTTCGCCACC TGGAAAAACG CACATGTTCT TGAGCTGATA	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CGAGGGAGCT TCTGACTTGA CCAGCAACGC TTCCTGCGTT CCGCTCGCCG	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGACTG AAAGGCGGAC TCCAGGGGGA GCGTCGATTT GGCCTTTTTA ATCCCCTGAT CAGCCGAACG	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG TTGTGATGCT CGGTTCCTGG TCTGTGGATA ACCGAGCGCA	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC GCGAGTCAGT
4381 4441 4501 4561 4621 4681 4741 4801 4861 4921 4981 5041 5101 5161 5221 5281 5341	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTCGGG GCGGAGCCTA GCCTTTTGCT CGCCTTTGAG GAGCGAGGAA	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC GGAGAGCGCA TTTCGCCACC TGGAAAAACG CACATGTTCT TGAGCTGATA GCGGAAGAGC	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CGAGGGAGCT TCTGACTTGA CCAGCAACGC TTCCTGCGTT CCGCTGCCGG GCCTGATGCG	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGACTG AAAGGCGGAC TCCAGGGGGA GCGTCGATTT GGCCTTTTTA ATCCCCTGAT CAGCCGAACG GTATTTTCTC	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG TTGTGATGCT CGGTTCCTGG TCTGTGGATA ACCGAGCGCA CTTACGCATC	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC GCGAGTCAGT TGTGCGGTAT
4381 4441 4501 4561 4621 4681 4741 4801 4861 4921 4981 5041 5101 5161 5221 5281 5341 5401	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTCGGG GCGGAGCCTA GCCTTTTGCT CGCCTTTGAG GAGCGAGGAA TTCACACCGC	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC GGAGAGCGCA TTTCGCCACC TGGAAAAACG CACATGTTCT TGAGCTGATA GCGGAAGAGC ATAATTTTGT	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CGAGGGAGCT TCTGACTTGA CCAGCAACGC TTCCTGCGTT CCGCTCGCCG GCCTGATGCG TAAAATTCGC	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGACTG AAAGGCGGAC TCCAGGGGGA GCGTCGATTT GGCCTTTTTA ATCCCCTGAT CAGCCGAACG GTATTTTCTC GTTAAATTTT	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG TTGTGATGCT TCGTGGATA ACCGAGCGCA CCTTACGCATC TTTACGCATC	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC GCGAGTCAGT TGTGCGGTAT
4381 4441 4501 4561 4621 4681 4741 4801 4861 4921 4981 5041 5101 5221 5281 5341 5401 5461	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTCGGG GCGGAGCCTA GCCTTTTGCT CGCCTTTTGCT CGCCTTTTGAG GAGCGAGGAA TTCACACCGC	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC GGAGAGCGCA TTTCGCCACC TGGAAAAACG CACATGTTCT TGAGCTGATA GCGGAAGAGC ATAATTTTGT GCCGAAATCG	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CGAGGGAGCT TCTGACTTGA CCAGCAACGC TTCCTGCGTT CCGCTCGCCG GCCTGATGCG TAAAATTCGC GCAACTCAAAATCCC	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGACTG AAAGGCGGAC TCCAGGGGGA GCGTCGATTT GGCCTTTTTA ATCCCCTGAT CAGCCGAACG GTATTTTCTC GTTAAATTTT TTATAAATCA	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG TTGTGATGCT TCGTGATGCT CGGTTCCTGG TCTGTGGATA ACCGAGCGCA CTTACGCATC TGTTAAATCA AAAGAATAGA	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC GCGAGTCAGT TGTGCGGTAT GCTCATTTTT CCGAGATAGG
4381 4441 4501 4561 4621 4681 4741 4801 4861 4921 4981 5041 5101 5221 5281 5341 5401 5461 5521	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTCGGG GCGGAGCCTA GCCTTTTGCT CGCCTTTGAG GAGCGAGGAA TTCACACCGC TAACCAATAG GTTGAGTGTT	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC GGAGAGCGCA TTTCGCCACC TGGAAAAACG CACATGTTCT TGAGCTGATA GCGGAAGAGC ATAATTTTGT GCCGAAATCG GTTCCAGTTT	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAG ACCACTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CGAGGGAGCT TCTGACTTGA CCAGCAACGC TTCCTGCCTT CCGCTCGCCG GCCTGATGCG TAAAATTCGC GGAACAAGAG	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGACTG AAAGGCGGAC TCCAGGGGGA GCGTCGATTT GGCCTTTTTA ATCCCCTGAT CAGCCGAACG GTATTTTCTC GTTAAATTTT TTATAAATCA TCCACTATTA	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG TTGTGATGCT TCGTGATGCT CGGTTCCTGG TCTGTGGATA ACCGAGCGCA CTTACGCATC TGTTAAATCA AAAGAATAGA AAGAACGTGG	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC GCGAGTCAGT TGTGCGGTAT GCTCATTTTT CCGAGATAGG ACTCCAACGT
4381 4441 4501 4561 4681 4741 4861 4921 4981 5041 5101 5161 5221 5341 5401 5521 5521 5581	CGCTGAGATA TATACTTTAG TATACTTTAG TATACTTTAG TATACTTTAG TATACTTTAG CCCCGTAGAA ACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACACCC ATGAGAAACA TCCTGTCGGG GCGGAGCCTA GCCTTTTGCT CGCCTTTGAG GAGCGAGGAA TTCACACCGC TAACCAATAG GTTGAGTGTT CAAAGGGCGA	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC GGAGAGCGCA TTTCGCCACC TGGAAAACG CACATGTTAT GCGAAATTCT TGAGCTGATA GCGGAAGAGC ATAATTTTGT GCCGAAATCG GTTCCAGTTT AAAACCGTCT	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CCGAGGGAGCT TCTGACTTGA CCAGCAACGC TTCCTGCCTG CCGCTCGCCG GCCTGGTCG GCCTGATCGC TAAAATCCC GCAACAGG ATCAGGGCGA ATCAGGGCGA	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGTCG AAAGGCGGAC TCCAGGGGA GCGTCGATTT GGCCTTTTTA ATCCCTGAT CAGCCGAACG GTATTTCTC GTTAAATCA TCCACTATTA TCGCCCACTA	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG ACGCCTGGT TTGTGATGCT CGGTTCCTGG TCTGTGGATA ACCGAGCGCA CTTACGCATC TGTTACATC TGTTACATC TGTTACATC AAAGAATAGA AAAGAATAGA AAGAATAGA AAGAACGTGG CGTGAACCAT	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC GCGAGTCAGT TGTGCGGTAT GCTCATTTTC CCGAGATAGG ACTCCAACGT CACCCTAATC
4381 4441 4501 4561 4681 4741 4861 4921 4981 5041 5101 5161 5221 5281 5341 5401 5521 5581 5641	CGCTGAGATA TATACTTTAG TATACTTTAG TATACTTTAG TATACTTTAG TATACTTTAG CCCCGTAGAA CATCCAAACA AACTCTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTCGGG GCGGAGCTA GCCTTTGCT CGCCTTTGAT CGACTCTTGAG TTCACACCGC TAACCAATAG GTTGAGTGTT CAAAGGGCGA AAGTTTTTTG	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCACGCTTC GGAGAGCGCA TTTCGCCACC TGGAAAACG CACATGTCT TGAGCTGATA GCGGAAGAGC ATAATTTTG GCCGAAATCG GTTCCAGTTT AAACCGTCT GGGTCGAGGT	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CCGAACGCT TCTGACTTGA CCAGCAACGC TTCCTGCCTG CCGCTCGCCG GCCTGATGCG GAAAATCCC GGAACAAGAG ATCAGGGCGA GCCGTAAAGC	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGTCG AAAGGCGGAC TCCAGGGGA GCGTCGATTT GGCCTTTTTA ATCCCTGAT CAGCCGAACG GTATTTTCT GTTAAATTTT TTATAAATTCA TCCACTATTA TGGCCCACTA ACTAAATCGG	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG ACGCCTGGT TTGTGATGCT CGGTTCCTGG TCTGTGGATA ACCGAGCGCA CTTACGCATC TGTTACATCA AAAGAATAGA AAAGAATAGA AAAGAATAGA AAGAACGTGG CGTGAACCAT AACCCTAAAG	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC GCGAGTCAGT TGCGGATCAGT TGCGGATCAGT TGCTGAGATAGG ACTCCAACGT CACCCTAATC GGAGCCCCG
4381 4441 4501 4561 4681 4741 4861 4921 4981 5041 5101 5161 5221 5281 5341 5401 5521 5581 5641 5701	CGCTGAGATA TATACTTTAG TATACTTTAG TATACTTTAG TATACTTTAG TATACTTTAG CCCCGTAGAA CATCCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTCGGG GCGGAGCTA GCCTTTTGCT CGCCTTTGAG ATTCACACCGC TAACCAATAG GTTGAGTGTT CAAAGGGCGA AAGTTTTTTG ATTTAGAGCT	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCACGCTTC GGAGAGCGCA TTTCGCCACC TGGAAAACG CACATGTTAT GCGAAGAGC ATAGTTAT GCGGAAGAGC ATATTTTG GCCGAAATCG GTTCCAGTTT AAACCGTCT GGGTCGAGGT TGACGGGGAA	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CCGAGGGAGCT TCTGACTTGA CCAGCAACGC TTCCTGCGTT CCGCTCGCCG GCCTGATGCG GCCTGATCGG TAAAATTCGC GCAACAGAG ATCAGGGCGA ACCGCGAACAGAGA ACCGGCGAACAGACAG	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGTCG CACCGAACTG AAAGGCGGAC TCCAGGGGA GCGTCGATTT ACCCCTGAT CAGCCGAACG GTATTTTCT GTTAAATTTT TTATAAATCA TCCACTATTA TCGCCCACTA ACTAAATCGG CGTGGCGAGA	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG ACGCCTGGT TTGTGATGCT CGGTTCCTGG TCTGTGGATA ACCGAGCGCA CTTACGATC TGTTACATCA AAGAATAGA AAGAATAGA AAGAATAGA AAGAATAGA AAGAACGTGG CGTGAACCAT AACCCTAAAG AAGGAACGGA	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC GCGAGTCAGT TGTGCGGTAT GCTCATTTTC CGAGATAGG ACTCCAACGT CACCCTAATC GGAGCCCCG AGAAAGCGAA
4381 4441 4501 4561 4681 4741 4861 4921 4981 5041 5101 5161 5221 5341 5461 5521 5581 5641 5701 5761	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTTGCT GGCGTAGCTA GCCTTTTGCT CGCCTTTGAG GAGCGAGGAA TTCACACCGC TAACCAATAG GTTGAGTGTT CAAAGGGCGA AAGTTTTTTG ATTTAGAGCT AGGAGCGGCC AGGAGCCGC AGGAGCCGC AAGTTTTTTTG ATTTAGAGCT AGGAGCGGGC	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCACGCTTC GGAGAGCGCA TTTCGCCACC TGGAAAACG CACATGTTCT TGAGCTGATA GCGGAAGAGC ATAATTTGT GCCGAAATCG GTTCCAGTTT AAACCGTCT GGGTCGAGGT TGACGGGGAA GCTAGGGCGC	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA ACCACTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CTGACTTGA CCAGCACGC TTCTGACTTGA CCAGCACGC TTCCTGCGTT CCGCTCGCCG GCCTGATCGG GCAAAATCCC GGAACAAGAG ATCAGGGCGA ACCGGCGAA TGGCAAGTGT TGGCAAGTGT	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGAC CACCGAACTG AAAGGCGGAC TCCAGGGGA GCGTCGATTT ATCCCCTGAT CAGCCGAACG GTATTTTCT GTTAAATTTT TTATAAATCA TCGACTACTA ACTCACTACTA ACTCACTACTA ACTCACTACTA ACTCACACCACCACTA ACTCACACCACCACCACCACCACCACCACCACCACCACCA	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG ACGCCTGGT TTGTGATGCT CGGTTCCTGG TCTGTGGATA ACCGAGCGCA CTTACGATC TGTTACACTC TGTTAAATCA AAGAATCA AAGAACGTGG CGTGAACCAT AACCCTAAAG AAGGAAGGA CTGCGCGTAA	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTAGCT TAAGCGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC GCGAGTCAGT TGTGCGGTAT GCTCATTTTT CCGAGATCAGT GCTCATTTTT CCGAGATAGG ACTCCAACGT CACCCTAATC GGAGCCCCG AGAAAGCGAA CCACCACACC
4381 4441 4501 4561 4681 4741 4861 4921 4981 5041 5101 5161 5221 5341 5461 5521 5581 5641 5701 5761	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTTGCT GGCGTAGCTA GCCTTTTGCT CGCCTTTGAG GAGCGAGGAA TTCACACCGC TAACCAATAG GTTGAGTGTT CAAAGGGCGA AAGTTTTTTG ATTTAGAGCT AGGAGCGGCC AGGAGCCGC AGGAGCCGC AAGTTTTTTTG ATTTAGAGCT AGGAGCGGGC	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCACGCTTC GGAGAGCGCA TTTCGCCACC TGGAAAACG CACATGTTCT TGAGCTGATA GCGGAAGAGC ATAATTTGT GCCGAAATCG GTTCCAGTTT AAACCGTCT GGGTCGAGGT TGACGGGGAA GCTAGGGCGC	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA ACCACTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CTGACTTGA CCAGCACGC TTCTGACTTGA CCAGCACGC TTCCTGCGTT CCGCTCGCCG GCCTGATCGG GCAAAATCCC GGAACAAGAG ATCAGGGCGA ACCGGCGAA TGGCAAGTGT TGGCAAGTGT	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGAC CACCGAACTG AAAGGCGGAC TCCAGGGGA GCGTCGATTT ATCCCCTGAT CAGCCGAACG GTATTTTCT GTTAAATTTT TTATAAATCA TCGACTACTA ACTCACTACTA ACTCACTACTA ACTCACTACTA ACTCACACCACCACTA ACTCACACCACCACCACCACCACCACCACCACCACCACCA	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG ACGCCTGGT TTGTGATGCT CGGTTCCTGG TCTGTGGATA ACCGAGCGCA CTTACGATC TGTTACACTC TGTTAAATCA AAGAATCA AAGAACGTGG CGTGAACCAT AACCCTAAAG AAGGAAGGA CTGCGCGTAA	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTAGCT TAAGCGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC GCGAGTCAGT TGTGCGGTAT GCTCATTTTT CCGAGATCAGT GCTCATTTTT CCGAGATAGG ACTCCAACGT CACCCTAATC GGAGCCCCG AGAAAGCGAA CCACCACACC
4381 4441 4501 4561 4681 4741 4861 4981 5041 5101 5161 5221 5281 5341 5401 5521 5581 5761 5761 5761	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTTGGG GCGGAGCCTA GCCTTTTGCT CGCCTTTGAG GAGCGAGGAA TTCACACCGC TAACCAATAG GTTGAGTGTT CAAAGGGCGA AAGTTTTTTG ATTTAGAGCT AGGAGCGGCC CGCCGCGCTT	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC GGAGAGCGCA TTTCGCCACC TGGAAAACG CACATGTTCT TGAGCTGATA GCGGAAATCG ATAATTTGT GCCGAATCG GTTCCAGTTT AAACCGTCT GGGTCGAGGT TGACGGGGAA GCTAGGGCGC AATGCGCCCC	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CTGACTTGA CCGAACGC TTCTGACTTGA CCAGCAACGC TTCCTGCGTT CCGCTCGCCG GCCTGATGCG GAAAATCCC GGAACAAGAG ATCAGGGCGA AGCCGCGAAAGC TTCCTGCGCT TACAGGGCGC TACAGGCGCGAA	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGACTG AAAGGCGGAC TCCAGGGGA GCGTCGATTT ATCCCCTGAT CAGCCGAACTG GTAATTTT TTATAAATCA TCCACTATTA TCGCCCACTA ACTAAATCGG CGTGGCGAGA ACTAAATCGG CGTGGCGAGA ACTAAATCGG CGTGGCGAGA ACTAGATCGG GTGGCGAGA ACTAGATCGG GTGCCACTCG GTCCCATTCG	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG ACGCCTGGT TTGTGATGCT CGGTTCCTGG TCTGTGGATA ACCGAGCGCA CTTACGATC TGTTACATCA AAGAATACA AAGAATACA AAGAATAGA AAGAACGTGG CGTGAACCAT AACCCTAAAG AAGCAACGA AAGCAACGAA CCGTGAACGAA CCGTGAACGAA CCGTGAACGAA CCGTAAAGAACCAT AACCCTAAAGA AAGCAAGGGAA CCGCGCGTAA CCATTCAGGC	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTGAGCT TAAGCGGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC GCGAGTCAGT TGTGCGGTAT GCTCATTTT CCGAGATAGG ACTCCAACGT CACCCTAATC GGAGCCCCG GGAAAGCGAA CCACACAC TGCTATGGTG CTCATTGTG CACCACACC TGCTATGGTG CACCACACC TGCTATGGTG
4381 4441 4501 4561 4681 4741 4861 4981 5041 5101 5161 5221 5281 5341 5461 5521 5581 5701 5761 5821 5881	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTCGGG GCGGAGCCTA GCCTTTTGCT CGCCTTTGAG GAGCGAGGAA TTCACACCGC TTAACCAATAG GTTGAGTGTT CAAAGGGCGA AAGTTTTTTG ATTTAGAGCT AGGAGCGGCC CGCCGCGCTT CACTCTCAGT	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC GGAGAGCGCA TTCGCCACC TGGAAAACG CACATGTTCT TGAGCTGATA GCGAAATCG GTTCCAGTTT AAAACCGTCT AAAACCGTCT TGACGGGGAA GCTAGGGGGA GCTAGGGCGC AATGCGCCGC ACAATCTGCT	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CTGACTTGA CCGAACGC TCTGACTTGA CCAGCAACGC TTCCTGCTT CCGCTCGCCG GCCTGATCGG TAAAATTCGC GGAACAAGAG ATCAGGGCGA GCCGTAAAGC AGCCGCGAA TGCAAGGG TGCGAAGCC CTGATGCG CTGATGCG CCGTAAAGC CCGCACGC CTGATGCCGC CTGATGCCGC	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGACTG AAAGGCGGAC TCCAGGGGA GCGTCGATTT ACCCCTGAT ATCCCCTGAT CAGCCGAACG GTATTTTCT GTTAAATTT TTATAAATCA TCCACTATTA TCGCCCATTA ACTAAATCGG CGTGGCGAGA ACTGGCGAGA ACTGATTA ACTCACTATTA ACTCACTATTA ACTCACTATTA ACTCACTATTA ACTCACTATTA ACTCACTACTA ACTCACTACTA ACTCACTACTC ATGCCCACTCC ATAGTTAAGC	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG ACGCCTGGT TTGTGATGCT CGGTTCCTGG TCTGTGGATA ACCGAGCGCA CTTACGCATC TGTTAAATCA AAGAATAGA AAGAACGTGG CGTGAACGT ACCCTAAAG AAGCATGG CGTGAACCAT AACCCTAAAG AAGGAAGGGA CTGCGCGTAA CCATCAGGC CCAGTATACAC	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTAGCT TAAGCGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC GCGAGTCAGT TGTGCGGTAT GCTCATTTTT CCGAGATAGG ACTCCAACGT CACCCTAATC GGAGCCCCG AGAAAGCGAA CCACCACACC TGCTATTGGT TGCGGTAT CGCGCTATCG CGCCCTATCG CGCCCTATCG TCCGCTATCG TCCGCTATCG
4381 4441 4501 4561 4681 4741 4861 4981 5041 5101 5161 5221 5281 5341 5461 5521 5581 5701 5761 5821 5881 5941	CGCTGAGATA TATACTTTAG TTTTGATAAT CCCCGTAGAA CTTGCAAACA AACTCTTTTT AGTGTAGCG TCTGCTAATC GGACTCAAGA CACACAGCCC ATGAGAAAGC GGTCGGAACA TCCTGTCGGG GCGGAGCCTA GCCTTTTGCT CGCCTTTGAG GAGCGAGGAA TTCACACCA TTCACACCA TCACACATAG GTTGAGTGTT CAAAGGCGA AAGTTTTTTG ATTTAGAGCT AGGAGCGGC CGCCGCGCTT CACTCCAGT CTACCTCCAGT CTACCTGACT CTACGTGACT	GGTGCCTCAC ATTGATTTAA CTCATGACCA AAGATCAAAG AAAAAACCAC CCGAAGGTAA TAGTTAGGCC CTGTTACCAG CGATAGTTAC AGCTTGGAGC GCCACGCTTC GGAGAGCGCA TTCGCCACC TGGAAAACG CACATGTTCT TGAGCTGATA GCGGAAGAGC ATAATTTTGT GCCGAATCG GTTCCAGTTT AAAACCGTCT TGACGGGGAA GCTAGGGCGC ACAATCTGCT GGGTCAGCC CACATCTGCT GGGTCAGCC CACATCTGCT GGGTCAGCC CACATCTGCT GGGTCAGCCC CACATCTGCT GGGTCAGCCC CACATCTGCT GGGTCATGCC GGGTCATGCC	TGATTAAGCA AACTTCATTT AAATCCCTTA GATCTTCTTG CGCTACCAGC CTGGCTTCAA TGGCTGCTGC CGGATAAGGC GAACGACCTA CCGAAGGGAG CTGACTTGA CCGACGCACCT TCTGACTTGA CCAGCAACGC TTCCTGCCTT CCGCTCGCCG GCCTGATCCG GCAAAATCCC GGAACAAGAG ATCAGGGCGA ATCAGGGCGA ATCAGGGCGA TGCGCCCGCG TACAGGCGCA TGCGCCCCGA	TTGGTAACTG TTAATTTAAA ACGTGAGTTT AGATCCTTTT GGTGGTTTGT CAGAGCGCAG GAACTCTGTA CAGTGGCGAT GCAGCGGACTG AAAGGCGGAC TCCAGGGGA GCGTCGATTT ATCCCCTGAT CAGCCGAACTG GTATTTTCTC GTTAAATTT TTATAAATCA TCGCCTATTA ACTAAATCA CGTGCGAGA ACTGACTA ACTAAATCG CGTGCGAGA GCGTCACTA ACTAAATCG CGTGCCGAC GTTCCCATTCG ATAGTTAAGC ACCCCATTCG ATAGTTAAGC CACCCCCCAA	TCAGACCAAG AGGATCTAGG TCGTTCCACT TTTCTGCGCG TTGCCGGATC ATACCAAATA GCACCGCCTA AAGTCGTGTC GGCTGAACGG AGATACCTAC AGGTATCCGG TTGTGATGCT TCTGTGATGCT TCTGTGATAC ACCGACCAC TCTACGATA ACCGACCCAC TGTTAAATCA AAGAATAGA AAGAACGTGG CGTGAACCAT AACCCTAAAG AAGGAAGGGA CTGCGCGTAA CCGATCAAGC CCACTCAGC CACCCCCTGA CACCCCCCCCACAC CACCCCCCCCCC	TTTACTCATA TGAAGATCCT GAGCGTCAGA TAATCTGCTG AAGAGCTACC CTGTCCTTCT CATACCTCGC TTACCGGGTT GGGGTTCGTG AGCGTAGCT TAAGCGCAG ATCTTTATAG CGTCAGGGGG CCTTTTGCTG ACCGTATTAC GCGAGTCAGT TGTGCGGTAT GCTCATTTTT CCGAGATAGG ACTCCAACGT CACCCTAATC GGAGCCCCG AGAAAGCGAA CCACCACACC TGCTATTGGT TGCGGTAT CGCGCTATCG CGCCCTATCG CGCCCTATCG TCCGCTATCG TCCGCTATCG

FIGURE 22C

6061	ATGTGTCAGA	GGTTTTCACC	GTCATCACCG	AAACGCGCGA	GGCAGCAGAT	CAATTCGCGC
6121	GCGAAGGCGA	AGCGGCATGC	ATTTACGTTG	ACACCATCGA	ATGGTGCAAA	ACCTTTCGCG
6181	GTATGGCATG	ATAGCGCCCG	GAAGAGAGTC	AATTCAGGGT	GGTGAATGTG	AAACCAGTAA
6241	CGTTATACGA	TGTCGCAGAG	TATGCCGGTG	TCTCTTATCA	GACCGTTTCC	CGCGTGGTGA
6301	ACCAGGCCAG	CCACGTTTCT	GCGAAAACGC	GGGAAAAAGT	GGAAGCGGCG	ATGGCGGAGC
6361	TGAATTACAT	TCCCAACCGC	GTGGCACAAC	AACTGGCGGG	CAAACAGTCG	TTGCTGATTG
6421	GCGTTGCCAC	CTCCAGTCTG	GCCCTGCACG	CGCCGTCGCA	AATTGTCGCG	GCGATTAAAT
6481	CTCGCGCCGA	TCAACTGGGT	GCCAGCGTGG	TGGTGTCGAT	GGTAGAACGA	AGCGGCGTCG
6543	AACCCTCTAA	ACC				

Figure 23A: PDEST3

GST fusions in E. coli


cgg ttc tgg caa ata ttc tga aat gag ctg ttg aca att aat cat cgg ctc gcc aag acc gtt tat aag act tta ctc gac aac tgt taa tta gta gcc gag

205 gta taa dgt gtg gaa ttg tga gcg gat aac aat ttc aca cag gaa aca gta cat att aca cac ctt aac act cgc cta ttg tta aag tgt gtc ctt tgt cat

256 ttc atg tcc cct ata cta ggt tat tgg aaa att aag gge ctt gtg caa ccc aag gaa tat gat cca ata acc ttt taa ttc ccg gaa cac gtt ggg

919 ctg gtt ccg cgt gga tct cgt cgt gca tct gtt gga tcc cca tca aca agt gac caa ggc gca cct aga gca gca cgt aga caa cct agg ggt agt tgt tca

970 ttg zac aaz aza get gaa cga gaa acg taa aat gat ata aat aza aat ata aac atg ttt ttt cga czt gcz czt tgc att tta cta tat tta tag tta tat



pDEST3 6823 bp

Location (Base Nos.)	Gene Encoded
150200	Trc
1087963	attR1
13371996	CmR
21162200	inactivated ccdA
23382643	ccdB
26842808	attR2
32314091	ampR
52956254	lacIq

1	ACGTTATCGA	CTGCACGGTG	CACCAATGCT	TCTGGCGTCA	GGCAGCCATC	GGAAGCTGTG
61	GTATGGCTGT	GCAGGTCGTA	AATCACTGCA	TAATTCGTGT	CGCTCAAGGC	GCACTCCCGT
121	TCTGGATAAT	GTTTTTTGCG	CCGACATCAT	AACGGTTCTG	GCAAATATTC	TGAAATGAGC
181	TGTTGACAAT	TAATCATCGG	CTCGTATAAT	GTGTGGAATT	GTGAGCGGAT	AACAATTTCA
241	CACAGGAAAC	AGTATTCATG	TCCCCTATAC	TAGGTTATTG	GAAAATTAAG	GGCCTTGTGC
301	AACCCACTCG	ACTTCTTTTG	GAATATCTTG	AAGAAAAATA	TGAAGAGCAT	TTGTATGAGC
361	GCGATGAAGG	TGATAAATGG	CGAAACAAAA	AGTTTGAATT	GGGTTTGGAG	TTTCCCAATC
421	TTCCTTATTA	TATTGATGGT	GATGTTAAAT	TAACACAGTC	TATGGCCATC	ATACGTTATA
481	TAGCTGACAA	GCACAACATG	TTGGGTGGTT	GTCCAAAAGA	GCGTGCAGAG	ATTTCAATGC
541	TTGAAGGAGC	GGTTTTGGAT	ATTAGATACG	GTGTTTCGAG	AATTGCATAT	AGTAAAGACT
601	TTGAAACTCT	CAAAGTTGAT	TTTCTTAGCA	AGCTACCTGA	AATGCTGAAA	ATGTTCGAAG
661	ATCGTTTATG	TCATAAAACA	TATTTAAATG	GTGATCATGT	AACCCATCCT	GACTTCATGT
721	TGTATGACGC	TCTTGATGTT	GTTTTATACA	TGGACCCAAT	GTGCCTGGAT	GCGTTCCCAA
781	AATTAGTTTG	TTTTAAAAAA	CGTATTGAAG	CTATCCCACA	AATTGATAAG	TACTTGAAAT
841	CCAGCAAGTA	TATAGCATGG	CCTTTGCAGG	GCTGGCAAGC	CACGTTTGGT	GGTGGCGACC
901	ATCCTCCAAA	ATCGGATCTG	GTTCCGCGTG	GATCTCGTCG	TGCATCTGTT	GGATCCCCAT
961	CAACAAGTTT	GTACAAAAA	GCTGAACGAG	AAACGTAAAA	TGATATAAAT	ATCAATATAT
1021	TAAATTAGAT	TTTGCATAAA	AAACAGACTA	CATAATACTG	TAAAACACAA	CATATCCAGT
1081	CACTATGGCG	GCCGCTAAGT	TGGCAGCATC	ACCCGACGCA	CTTTGCGCCG	AATAAATACC
1141	TGTGACGGAA	GATCACTTCG	CAGAATAAAT	AAATCCTGGT	GTCCCTGTTG	ATACCGGGAA
1201	GCCCTGGGCC	AACTTTTGGC	GAAAATGAGA	CGTTGATCGG	CACGTAAGAG	GTTCCAACTT
1261	TCACCATAAT	GAAATAAGAT	CACTACCGGG	CGTATTTTTT	GAGTTATCGA	GATTTTCAGG
1321	AGCTAAGGAA	GCTAAAATGG	AGAAAAAAT	CACTGGATAT	ACCACCGTTG	ATATATCCCA
1381	ATGGCATCGT	AAAGAACATT	TTGAGGCATT	TCAGTCAGTT	GCTCAATGTA	CCTATAACCA
1441	GACCGTTCAG	CTGGATATTA	CGGCCTTTTT	AAAGACCGTA	AAGAAAAATA	AGCACAAGTT
1501	TTATCCGGCC	TTTATTCACA	TTCTTGCCCG	CCTGATGAAT	GCTCATCCGG	AATTCCGTAT
1561	GGCAATGAAA	GACGGTGAGC	TGGTGATATG	GGATAGTGTT	CACCCTTGTT	ACACCGTTTT
1621	CCATGAGCAA	ACTGAAACGT	TTTCATCGCT	CTGGAGTGAA	TACCACGACG	ATTTCCGGCA
1681	GTTTCTACAC	ATATATTCGC	AAGATGTGGC	GTGTTACGGT	GAAAACCTGG	CCTATTTCCC
1741	TAAAGGGTTT	ATTGAGAATA	TGTTTTTCGT	CTCAGCCAAT	CCCTGGGTGA	GTTTCACCAG
1801	TTTTGATTTA	AACGTGGCCA	ATATGGACAA	CTTCTTCGCC	CCCGTTTTCA	CCATGGGCAA
1861	ATATTATACG	CAAGGCGACA	AGGTGCTGAT	GCCGCTGGCG	ATTCAGGTTC	ATCATGCCGT
,1921	CTGTGATGGC	TTCCATGTCG	GCAGAATGCT	TAATGAATTA	CAACAGTACT	GCGATGAGTG
1981	GCAGGGCGGG	GCGTAAAGAT	CTGGATCCGG	CTTACTAAAA	GCCAGATAAC	AGTATGCGTA
2041	TTTGCGCGCT	GATTTTTGCG	GTATAAGAAT	ATATACTGAT	ATGTATACCC	GAAGTATGTC
2101	AAAAAGAGGT	GTGCTATGAA	GCAGCGTATT	ACAGTGACAG	TTGACAGCGA	CAGCTATCAG
2161	TTGCTCAAGG	CATATATGAT	GTCAATATCT	CCGGTCTGGT	AAGCACAACC	ATGCAGAATG
2221	AAGCCCGTCG	TCTGCGTGCC	GAACGCTGGA	AAGCGGAAAA	TCAGGAAGGG	ATGGCTGAGG
2281	TCGCCCGGTT	TATTGAAATG	AACGGCTCTT	TTGCTGACGA	GAACAGGGAC	TGGTGAAATG
2341	CAGTTTAAGG	TTTACACCTA	TAAAAGAGAG	AGCCGTTATC	GTCTGTTTGT	GGATGTACAG
2401	AGTGATATTA	TTGACACGCC	CGGGCGACGG	ATGGTGATCC	CCCTGGCCAG	TGCACGTCTG
2461	CTGTCAGATA	AAGTCTCCCG	TGAACTTTAC	CCGGTGGTGC	ATATCGGGGA	TGAAAGCTGG
2521	CGCATGATGA	CCACCGATAT	GGCCAGTGTG	CCGGTCTCCG	TTATCGGGGA	AGAAGTGGCT
2581	GATCTCAGCC	ACCGCGAAAA	TGACATCAAA	AACGCCATTA	ACCTGATGTT	CTGGGGAATA
2641	TAAATGTCAG	GCTCCCTTAT	ACACAGCCAG	TCTGCAGGTC	GACCATAGTG	ACTGGATATG-

FIGURE 23B

2701 TTGTGTTTTA CAGTATTATG TAGTCTGTTT TTTATGCAAA ATCTAATTTA ATATATTGAT 2761 ATTTATATCA TTTTACGTTT CTCGTTCAGC TTTCTTGTAC AAAGTGGTTG ATGGGAATTC 2821 ATCGTGACTG ACTGACGATC TGCCTCGCGC GTTTCGGTGA TGACGGTGAA AACCTCTGAC 2881 ACATGCAGCT CCCGGAGACG GTCACAGCTT GTCTGTAAGC GGATGCCGGG AGCAGACAAG 2941 CCCGTCAGGG CGCGTCAGCG GGTGTTGGCG GGTGTCGGGG CGCAGCCATG ACCCAGTCAC 3001 GTAGCGATAG CGGAGTGTAT AATTCTTGAA GACGAAAGGG CCTCGTGATA CGCCTATTTT 3061 TATAGGTTAA TGTCATGATA ATAATGGTTT CTTAGACGTC AGGTGGCACT TTTCGGGGAA 3121 ATGTGCGCGG AACCCCTATT TGTTTATTTT TCTAAATACA TTCAAATATG TATCCGCTCA 3181 TGAGACAATA ACCCTGATAA ATGCTTCAAT AATATTGAAA AAGGAAGAGT ATGAGTATTC 3241 AACATTTCCG TGTCGCCCTT ATTCCCTTTT TTGCGGCATT TTGCCTTCCT GTTTTTGCTC 3301 ACCCAGAAAC GCTGGTGAAA GTAAAAGATG CTGAAGATCA GTTGGGTGCA CGAGTGGGTT 3361 ACATCGAACT GGATCTCAAC AGCGGTAAGA TCCTTGAGAG TTTTCGCCCC GAAGAACGTT 3421 TTCCAATGAT GAGCACTTTT AAAGTTCTGC TATGTGGCGC GGTATTATCC CGTGTTGACG 3481 CCGGGCAAGA GCAACTCGGT CGCCGCATAC ACTATTCTCA GAATGACTTG GTTGAGTACT 3541 CACCAGTCAC AGAAAAGCAT CTTACGGATG GCATGACAGT AAGAGAATTA TGCAGTGCTG 3601 CCATAACCAT GAGTGATAAC ACTGCGGCCA ACTTACTTCT GACAACGATC GGAGGACCGA 3661 AGGAGCTAAC CGCTTTTTTG CACAACATGG GGGATCATGT AACTCGCCTT GATCGTTGGG 3721 AACCGGAGCT GAATGAAGCC ATACCAAACG ACGAGCGTGA CACCACGATG CCTGCAGCAA 3781 TGGCAACAAC GTTGCGCAAA CTATTAACTG GCGAACTACT TACTCTAGCT TCCCGGCAAC 3841 AATTAATAGA CTGGATGGAG GCGGATAAAG TTGCAGGACC ACTTCTGCGC TCGGCCCTTC 3901 CGGCTGGCTG GTTTATTGCT GATAAATCTG GAGCCGGTGA GCGTGGGTCT CGCGGTATCA 3961 TTGCAGCACT GGGGCCAGAT GGTAAGCCCT CCCGTATCGT AGTTATCTAC ACGACGGGGA 4021 GTCAGGCAAC TATGGATGAA CGAAATAGAC AGATCGCTGA GATAGGTGCC TCACTGATTA 4081 AGCATTGGTA ACTGTCAGAC CAAGTTTACT CATATATACT TTAGATTGAT TTAAAACTTC 4141 ATTTTTAATT TAAAAGGATC TAGGTGAAGA TCCTTTTTGA TAATCTCATG ACCAAAATCC 4201 CTTAACGTGA GTTTTCGTTC CACTGAGCGT CAGACCCCGT AGAAAAGATC AAAGGATCTT 4261 CTTGAGATCC TTTTTTCTG CGCGTAATCT GCTGCTTGCA AACAAAAAA CCACCGCTAC 4321 CAGCGGTGGT TTGTTTGCCG GATCAAGAGC TACCAACTCT TTTTCCGAAG GTAACTGGCT 4381 TCAGCAGAGC GCAGATACCA AATACTGTCC TTCTAGTGTA GCCGTAGTTA GGCCACCACT 4441 TCAAGAACTC TGTAGCACCG CCTACATACC TCGCTCTGCT AATCCTGTTA CCAGTGGCTG 4501 CTGCCAGTGG CGATAAGTCG TGTCTTACCG GGTTGGACTC AAGACGATAG TTACCGGATA 4561 AGGCGCAGCG GTCGGGCTGA ACGGGGGGTT CGTGCACACA GCCCAGCTTG GAGCGAACGA 4621 CCTACACCGA ACTGAGATAC CTACAGCGTG AGCTATGAGA AAGCGCCACG CTTCCCGAAG 4681 GGAGAAAGGC GGACAGGTAT CCGGTAAGCG GCAGGGTCGG AACAGGAGAG CGCACGAGGG 4741 AGCTTCCAGG GGGAAACGCC TGGTATCTTT ATAGTCCTGT CGGGTTTCGC CACCTCTGAC 4801 TTGAGCGTCG ATTTTTGTGA TGCTCGTCAG GGGGGGGGAG CCTATGGAAA AACGCCAGCA 4861 ACGCGGCCTT TTTACGGTTC CTGGCCTTTT GCTGGCCTTT TGCTCACATG TTCTTTCCTG 4921 CGTTATCCCC TGATTCTGTG GATAACCGTA TTACCGCCTT TGAGTGAGCT GATACCGCTC 4981 GCCGCAGCCG AACGACCGAG CGCAGCGAGT CAGTGAGCGA GGAAGCGGAA GAGCGCCTGA 5041 TGCGGTATTT TCTCCTTACG CATCTGTGCG GTATTTCACA CCGCATAAAT TCCGACACCA 5101 TCGAATGGTG CAAAACCTTT CGCGGTATGG CATGATAGCG CCCGGAAGAG AGTCAATTCA 5161 GGGTGGTGAA TGTGAAACCA GTAACGTTAT ACGATGTCGC AGAGTATGCC GGTGTCTCTT 5221 ATCAGACCGT TTCCCGCGTG GTGAACCAGG CCAGCCACGT TTCTGCGAAA ACGCGGGAAA 5281 AAGTGGAAGC GGCGATGGCG GAGCTGAATT ACATTCCCAA CCGCGTGGCA CAACAACTGG 5341 CGGGCAAACA GTCGTTGCTG ATTGGCGTTG CCACCTCCAG TCTGGCCCTG CACGCGCCGT 5401 CGCAAATTGT CGCGGCGATT AAATCTCGCG CCGATCAACT GGGTGCCAGC GTGGTGGTGT 5461 CGATGGTAGA ACGAAGCGGC GTCGAAGCCT GTAAAGCGGC GGTGCACAAT CTTCTCGCGC 5521 AACGCGTCAG TGGGCTGATC ATTAACTATC CGCTGGATGA CCAGGATGCC ATTGCTGTGG 5581 AAGCTGCCTG CACTAATGTT CCGGCGTTAT TTCTTGATGT CTCTGACCAG ACACCCATCA 5641 ACAGTATTAT TTTCTCCCAT GAAGACGGTA CGCGACTGGG CGTGGAGCAT CTGGTCGCAT 5701 TGGGTCACCA GCAAATCGCG CTGTTAGCGG GCCCATTAAG TTCTGTCTCG GCGCGTCTGC 5761 GTCTGGCTGG CTGGCATAAA TATCTCACTC GCAATCAAAT TCAGCCGATA GCGGAACGGG 5821 AAGGCGACTG GAGTGCCATG TCCGGTTTTC AACAAACCAT GCAAATGCTG AATGAGGGCA 5881 TCGTTCCCAC TGCGATGCTG GTTGCCAACG ATCAGATGGC GCTGGGCGCA ATGCGCGCCA 5941 TTACCGAGTC CGGGCTGCGC GTTGGTGCGG ATATCTCGGT AGTGGGATAC GACGATACCG 6001 AAGACAGCTC ATGTTATATC CCGCCGTTAA CCACCATCAA ACAGGATTTT CGCCTGCTGG 6061 GGCAAACCAG CGTGGACCGC TTGCTGCAAC TCTCTCAGGG CCAGGCGGTG AAGGGCAATC 6121 AGCTGTTGCC CGTCTCACTG GTGAAAAGAA AAACCACCCT GGCGCCCAAT ACGCAAACCG-

FIGURE 23C

6181	CCTCTCCCCG	CGCGTTGGCC	GATTCATTAA	TGCAGCTGGC	ACGACAGGTT	TCCCGACTGG
6241	AAAGCGGGCA	GTGAGCGCAA	CGCAATTAAT	GTGAGTTAGC	TCACTCATTA	GGCACCCCAG
6301	GCTTTACACT	TTATGCTTCC	GGCTCGTATG	TTGTGTGGAA	TTGTGAGCGG	ATAACAATTT
6361	CACACAGGAA	ACAGCTATGA	CCATGATTAC	GGATTCACTG	GCCGTCGTTT	TACAACGTCG
6421	TGACTGGGAA	AACCCTGGCG	TTACCCAACT	TAATCGCCTT	GCAGCACATC	CCCCTTTCGC
6481	CAGCTGGCGT	AATAGCGAAG	AGGCCCGCAC	CGATCGCCCT	TCCCAACAGT	TGCGCAGCCT
6541	GAATGGCGAA	TGGCGCTTTG	CCTGGTTTCC	GGCACCAGAA	GCGGTGCCGG	AAAGCTGGCT
6601	GGAGTGCGAT	CTTCCTGAGG	CCGATACTGT	CGTCGTCCCC	TCAAACTGGC	AGATGCACGG
6661	TTACGATGCG	CCCATCTACA	CCAACGTAAC	CTATCCCATT	ACGGTCAATC	CGCCGTTTGT
6721	TCCCACGGAG	AATCCGACGG	GTTGTTACTC	GCTCACATTT	AATGTTGATG	AAAGCTGGCT
6781	ACAGGAAGGC	CAGACGCGAA	Tale Tale Tale Tale Tale Tale Tale Tale	TEGECETTEGA	אידית	

FIGURE 23D

Figure 24/A: PD6514

His6-thioredoxin fusions in E. coli


- 919 gca aat att ctg aas tga gct gtt gar sat taa tca tcc ggt ccg tat aat cgt tta taa gac ttt act cgs cas ctg tta att agt agg cca ggc ata tta
- 978 ctg tgg last tgt gag egg ata aca att tca cac agg ass cag acc atg ggt gac acc tta aca ctc gcc tat tgt tas agt gtg tcc ttt gtc tgg tac cca

TEV protease | Thioredoxin - (~150 amine dids)

1072 tet cag gge gec cat atg age fat has att att cae etg act gge gae agt

aaa gec eeg egg gea tae teg eta tet taa taa geg gae tga eeg eeg eeg tea

1429 gat gat gat and gta coc atc act agt the the last get gas con cta ctg cta ctg ttc cat ggg tag tgt tca aac atg ttt fire gga oct gct



pDEST4 6964 bp

	Loc	ation (Base	Nos.)	<u>Gene E</u>	ncoded		
		964100		Trc			
		157714	53	attR1			
		182724	86	CmR			
		260626	90	inactivated ccdA			
	28283133			ccdB			
		317432	98	attR2			
		317432 387247	77	ampR			
		537855	38	ori			
		577862	15	flori	(fl interge	nic region)	
		658770)4	lacIq			
1	CTATCCGCTG	GATGACCAGG	ATGCCATTGC	TGTGGAAGCT	GCCTGCACTA	ATGTTCCGGC	
_	GTTATTTCTT						
_	CGGTACGCGA						
	AGCGGGCCCA						
	CACTCGCAAT						
	TTTTCAACAA						
	CAACGATCAG						
	TGCGGATATC						
	GTCAACCACC						
	GCAACTCTCT						
	AAGAAAAACC						
	ATTAATGCAG						
	TTAATGTGAG						
	CCAATGCTTC						
	TCACTGCATA						
	GACATCATAA						
-	CCGTATAATC						
-	CATCATCATC						
	GCCCATATGA						
	AAAGCGGACG						
	ATCGCCCCGA						
	CTGAACATCG						
	CTGCTGCTGT					•	
	CAGTTGAAAG						
	AAGGTACCCA						
	ATCAATATAT						
	CATATCCAGT						
	AATAAATACC						
	ATACCGGGAA						
	GTTCCAACTT						
	GATTTTCAGG						
	ATATATCCCA						
						AAGAAAAATA	
						GCTCATCCGG	
						CACCCTTGTT	
						TACCACGACG	
						GAAAACCTGG	
						CCCTGGGTGA	
						CCCGTTTTCA	
						ATTCAGGTTC	
						CAACAGTACT	
						GCCAGATAAC	
2521	AGTATGCGTA	TTTGCGCGCT	GATTTTTGCG	GTATAAGAAT	ATATACTGAT	ATGTATACCC-	

FIGURE 24B

2581	GAAGTATGTC	AAAAAGAGGT	GTGCTATGAA	GCAGCGTATT	ACAGTGACAG	TTGACAGCGA
2641	CAGCTATCAG	TTGCTCAAGG	CATATATGAT	GTCAATATCT	CCGGTCTGGT	AAGCACAACC
2701	ATGCAGAATG	AAGCCCGTCG	TCTGCGTGCC	GAACGCTGGA	AAGCGGAAAA	TCAGGAAGGG
2761	ATGGCTGAGG	TCGCCCGGTT	TATTGAAATG	AACGGCTCTT	TTGCTGACGA	GAACAGGGAC
2821	TGGTGAAATG	CAGTTTAAGG	TTTACACCTA	TAAAAGAGAG	AGCCGTTATC	GTCTGTTTGT
2881	GGATGTACAG	AGTGATATTA	TTGACACGCC	CGGGCGACGG	ATGGTGATCC	CCCTGGCCAG
2941	TGCACGTCTG	CTGTCAGATA	AAGTCTCCCG	TGAACTTTAC	CCGGTGGTGC	ATATCGGGGA
3001	TGAAAGCTGG	CGCATGATGA	CCACCGATAT	GGCCAGTGTG	CCGGTCTCCG	TTATCGGGGA
3061	AGAAGTGGCT	GATCTCAGCC	ACCGCGAAAA	TGACATCAAA	AACGCCATTA	ACCTGATGTT
3121	CTGGGGAATA	TAAATGTCAG	GCTCCCTTAT	ACACAGCCAG	TCTGCAGGTC	GACCATAGTG
3181	ACTGGATATG	TTGTGTTTTA	CAGTATTATG	TAGTCTGTTT	TTTATGCAAA	ATCTAATTTA
3241	ATATATTGAT	ATTTATATCA	TTTTACGTTT	CTCGTTCAGC	TTTCTTGTAC	AAAGTGGTGA
3301	TGGGGATCCT	CTAGAGTCGA	CCTGCAGTAA	TCGTACAGGG	TAGTACAAAT	AAAAAAGGCA
3361	CGTCAGATGA	CGTGCCTTTT	TTCTTGTGAG	CAGTAAGCTT	GGCTGTTTTG	GCGGATGAGA
3421	GAAGATTTTC	AGCCTGATAC	AGATTAAATC	AGAACGCAGA	AGCGGTCTGA	TAAAACAGAA
3481	TTTGCCTGGC	GGCAGTAGCG	CGGTGGTCCC	ACCTGACCCC	ATGCCGAACT	CAGAAGTGAA
3541	ACGCCGTAGC	GCCGATGGTA	GTGTGGGGTC	TCCCCATGCG	AGAGTAGGGA	ACTGCCAGGC
3601	ATCAAATAAA	ACGAAAGGCT	CAGTCGAAAG	ACTGGGCCTT	TCGTTTTATC	ТСТТСТТТСТ
3661	CGGTGAACGC	TCTCCTGAGT	AGGACAAATC	CGCCGGGAGC	GGATTTGAAC	GTTGCGAAGC
3721	AACGGCCCGG	AGGGTGGCGG	GCAGGACGCC	CGCCATAAAC	TGCCAGGCAT	CAAATTAAGC
3781	AGAAGGCCAT	CCTGACGGAT	GGCCTTTTTG	CGTTTCTACA	AACTCTTTTT	GTTTATTTTT
3841	CTAAATACAT	TCAAATATGT	ATCCGCTCAT	GAGACAATAA	CCCTGATAAA	TGCTTCAATA
3901	ATATTGAAAA	AGGAAGAGTA	TGAGTATTCA	ACATTTCCGT	GTCGCCCTTA	TTCCCTTTTT
3961	TGCGGCATTT	TGCCTTCCTG	TTTTTGCTCA	CCCAGAAACG	CTGGTGAAAG	TAAAAGATGC
4021	TGAAGATCAG	TTGGGTGCAC	GAGTGGGTTA	CATCGAACTG	GATCTCAACA	GCGGTAAGAT
4081	CCTTGAGAGT	TTTCGCCCCG	AAGAACGTTT	TCCAATGATG	AGCACTTTTA	AAGTTCTGCT
4141	ATGTGGCGCG	GTATTATCCC	GTGTTGACGC	CGGGCAAGAG	CAACTCGGTC	GCCGCATACA
4201	CTATTCTCAG	AATGACTTGG	TTGAGTACTC	ACCAGTCACA	GAAAAGCATC	TTACGGATGG
4261	CATGACAGTA	AGAGAATTAT	GCAGTGCTGC	CATAACCATG	AGTGATAACA	CTGCGGCCAA
4321	CTTACTTCTG	ACAACGATCG	GAGGACCGAA	GGAGCTAACC	GCTTTTTTGC	ACAACATGGG
4381	GGATCATGTA	ACTCGCCTTG	ATCGTTGGGA	ACCGGAGCTG	AATGAAGCCA	TACCAAACGA
4441	CGAGCGTGAC	ACCACGATGC	CTACAGCAAT	GGCAACAACG	TTGCGCAAAC	TATTAACTCC
4501	CGAACTACTT	ACTCTAGCTT	CCCGGCAACA	ATTAATAGAC	TGGATGGAGG	CGGATAAAGT
4561	TGCAGGACCA	CTTCTGCGCT	CGGCCCTTCC	GGCTGGCTGG	TTTATTGCTG	ATAAATCTGG
4621	AGCCGGTGAG	CGTGGGTCTC	GCGGTATCAT	TGCAGCACTG	GGGCCAGATG	GTAAGCCCTC
4681	CCGTATCGTA	GTTATCTACA	CGACGGGGAG	TCAGGCAACT	ATGGATGAAC	GAAATAGACA
4741	GATCGCTGAG	ATAGGTGCCT	CACTGATTAA	GCATTGGTAA	CTGTCAGACC	AACTTTACTC
4801	ATATATACTT	TAGATTGATT	TAAAACTTCA	TTTTAATTT	AAAAGGATCT	AGGTGAAGAT
4861	${\tt CCTTTTTGAT}$	AATCTCATGA	CCAAAATCCC	TTAACGTGAG	TTTTCGTTCC	ACTGAGCGTC
4921	AGACCCCGTA	GAAAAGATCA	AAGGATCTTC	TTGAGATCCT	TITIOTICC	GCGTAATCTC
4981	CTGCTTGCAA	ACAAAAAAAC	CACCGCTACC	AGCGGTGGTT	TGTTTGCCGG	ATCAACACCT
5041	ACCAACTCTT	TTTCCGAAGG	TAACTGGCTT	CAGCAGAGCG	CAGATACCAA	ATACTGTCCT
5101	TCTAGTGTAG	CCGTAGTTAG	GCCACCACTT	CAAGAACTCT	GTAGCACCGC	CTACATACCT
5161	CGCTCTGCTA	ATCCTGTTAC	CAGTGGCTGC	TGCCAGTGGC	GATAAGTCGT	GTCTTACCCC
5221	GTTGGACTCA	AGACGATAGT	TACCGGATAA	GGCGCAGCGG	TCGGGCTGAA	CGGGGGGGTTC
5281	GTGCACACAG	CCCAGCTTGG	AGCGAACGAC	CTACACCGAA	CTGAGATACC	TACACCCTCA
5341	GCTATGAGAA	AGCGCCACGC	TTCCCGAAGG	GAGAAAGGCG	GACAGGTATC	CCCTAACCCC
5401	CAGGGTCGGA	ACAGGAGAGC	GCACGAGGGA	GCTTCCAGGG	GGAAACGCCT	CGGIAAGCGG
5461	TAGTCCTGTC	GGGTTTCGCC	ACCTCTGACT	TGAGCGTCGA	TTTTTCTCAT	GCTCCTCACC
5521	GGGGCGGAGC	CTATGGAAAA	ACGCCAGCAA	CGCGGCCTTTT	TTACCCTTCC	TCICCICHOG
5581	CTGGCCTTTT	GCTCACATGT	TCTTTCCTGC	GTTATCCCCT	CATTCCGITCC	ATAACCCIIIG
5641	TACCGCCTTT	GAGTGAGCTG	ATACCGCTCG	CCGCAGCCGA	PULL TOTAL	CCACCCACMC
5701	AGTGAGCGAG	GAAGCGGAAG	AGCGCCTGAT	CCGCAGCCGA	CTCCTTACC	ATCTCTCTCCC
5761	TATTTCACAC	CGCATAATTT	TGTTAAAATT	CCCCTATIII	OTCUTTACEC	TCACCHCAMP
5821	TTTTAACCAA	TAGGCCGAAA	TCGGCAAAAT	CCCTTAMAI	TTTTGTTWAA	ACAGCTCATT
5881	AGGGTTGAGT	GTTGTTCCAG	TTTGGAACAA	COCTIMINAN	TTN N NC N N C C	TCCACTCCA
5941	CGTCAAAGGG	CGAAAAACCG	TCTATCAGGG	CCATCCACIA	T TWWWGWWCG	CATCA COCCE
6001	ATCAAGTTTT	TTGGGGTCGA	GGTGCCGTAA	PCCVCTV VVC	CIACGIGAAC	AACCOLGGG
			AWIDOCCGIMA	AUCACTAAAT	CGGAACCCTA	AAGGGAGCCC-

FIGURE 24C

6061	CCGATTTAGA	GCTTGACGGG	GAAAGCCGGC	GAACGTGGCG	AGAAAGGAAG	GGAAGAAAGC
6121	GAAAGGAGCG					
6181	ACCCGCCGCG	CTTAATGCGC	CGCTACAGGG	CGCGTCCATT	CGCCATTCAG	GCTGCTATGG
6241	TGCACTCTCA	GTACAATCTG	CTCTGATGCC	GCATAGTTAA	GCCAGTATAC	ACTCCGCTAT
6301	CGCTACGTGA	CTGGGTCATG	GCTGCGCCCC	GACACCCGCC	AACACCCGCT	GACGCGCCCT
6361	GACGGGCTTĠ	TCTGCTCCCG	GCATCCGCTT	ACAGACAAGC	TGTGACCGTC	TCCGGGAGCT
6421	GCATGTGTCA	GAGGTTTTCA	CCGTCATCAC	CGAAACGCGC	GAGGCAGCAG	ATCAATTCGC
6481	GCGCGAAGGC	GAAGCGGCAT	GCATTTACGT	TGACACCATC	GAATGGTGCA	AAACCTTTCG
6541	CGGTATGGCA	TGATAGCGCC	CGGAAGAGAG	TCAATTCAGG	GTGGTGAATG	TGAAACCAGT
6601	AACGTTATAC	GATGTCGCAG	AGTATGCCGG	TGTCTCTTAT	CAGACCGTTT	CCCGCGTGGT
6661	GAACCAGGCC	AGCCACGTTT	CTGCGAAAAC	GCGGGAAAAA	GTGGAAGCGG	CGATGGCGGA
6721	GCTGAATTAC	ATTCCCAACC	GCGTGGCACA	ACAACTGGCG	GGCAAACAGT	CGTTGCTGAT
6781	TGGCGTTGCC	ACCTCCAGTC	TGGCCCTGCA	CGCGCCGTCG	CAAATTGTCG	CGGCGATTAA
6841		GATCAACTGG		GGTGGTGTCG		
6901	CGAAGCCTGT	AAAGCGGCGG	TGCACAATCT	TCTCGCGCAA	CGCGTCAGTN	GGGCTGATCA
6061	ע ע נואוו					

FIGURE 241)

. . <u>j</u>i

Figure 25A PDESTS

pSPORT '+' (for sequencing, probes, phagemid)

- 1 agg cac ccc agg ctt tac act tta tgc ttc cgg ctc gta tgt tgt gtg gaa tcc gtg ggg tcc gaa atg tga aat acg aag gcc gag cat aca aca cac ctt
- ttg tga gcg gat aac aat ttc aca cag gaa aca gct atg acc atg att acg aac act cgc cta ttg tta aag tgt gtc ctt tgt cga tac tgg tac taa tgc
- 103 cca age tet aat aeg aet cae tat agg gaa age tgg tae gee tge agg tae]
 ggt teg aga tta tge tga gtg ata tee ett teg ace atg egg aeg tee atg
- 154 cgg tec gga att cec ggg teg acg atc aca agt ttg xac ara sha get gaa gec agg cet taa ggg cec age tge tag tgt tea aac atg ttt ttx cga get

Gene

- Int Str 2 Spe 1990 til acg tit ctc oft cap ctr tet tot aca aag tog tog tea cta oft oge saa ege aga des tog tte acc act agt gat cag ceg
- Not Xba Bam Hmd3 Mlu Soh


 2041 bgc cgc tct aga dga tcc aga ctt acg tac gcg tgc atgl cga cgt cat agc
 ccg gcg aga tct cct agg ttc gaa tgc atg cgc acg tac gct gca gta tcg
- 2092 tet tet ata gre tea eet aaa tea erg gee gre gre tra caa egr aga aga tat cae agr gga tet aag tra agr gae egg cag caa aar gre gea spu RNA

 "forward sequencing"....
- cgt gac tgg gaa aac cct ggc gtt acc caa ctt aat cgc ctt gca gca cat gca ctg acc ctt ttg gga ccg caa tgg gtt gaa tta gcg gaa cgt cgt gta

Figure 45B

7 DOSTS

(cont'd)



PCT/US00/05432

50/240

pDEST5 5957 bp

	Loc	ation (Base	Nos.)	Gene I	Encoded	
		305181	L	attR1		
		555121	14	CmR		
		133414	118	inacti	ivated ccdA	
		155618	361	ccdB		
		190220	26	attR2		
		227827	733	f1 (f1	l intergenio	region)
		286537	722	ampR		
		53785	538	ori		
		475659	922	lacI		
	AGGCACCCCA					
61	GATAACAATT	TCACACAGGA	AACAGCTATG	ACCATGATTA	CGCCAAGCTC	TAATACGACT
	CACTATAGGG					
	ACAAGTTTGT					
	AATTAGATTT					
	CTATGGCGGC					
	TGACGGAAGA					
421	CCTGGGCCAA	CTTTTGGCGA	AAATGAGACG	TTGATCGGCA	CGTAAGAGGT	TCCAACTTTC
	ACCATAATGA					
541	CTAAGGAAGC	TAAAATGGAG	AAAAAAATCA	CTGGATATAC	CACCGTTGAT	ATATCCCAAT
601	GGCATCGTAA	AGAACATTTT	GAGGCATTTC	AGTCAGTTGC	TCAATGTACC	TATAACCAGA
661	CCGTTCAGCT	GGATATTACG	GCCTTTTTAA	AGACCGTAAA	GAAAAATAAG	CACAAGTTTT
721	ATCCGGCCTT	TATTCACATT	CTTGCCCGCC	TGATGAATGC	TCATCCGGAA	TTCCGTATGG
781	CAATGAAAGA	CGGTGAGCTG	GTGATATGGG	ATAGTGTTCA	CCCTTGTTAC	ACCGTTTTCC
841	ATGAGCAAAC	TGAAACGTTT	TCATCGCTCT	GGAGTGAATA	CCACGACGAT	TTCCGGCAGT
901	TTCTACACAT	ATATTCGCAA	GATGTGGCGT	GTTACGGTGA	AAACCTGGCC	TATTTCCCTA
	AAGGGTTTAT					
	TTGATTTAAA					
1081	ATTATACGCA	AGGCGACAAG	GTGCTGATGC	CGCTGGCGAT	TCAGGTTCAT	CATGCCGTCT
1141	GTGATGGCTT	CCATGTCGGC	AGAATGCTTA	ATGAATTACA	ACAGTACTGC	GATGAGTGGC
	AGGGCGGGC					
1261	TGCGCGCTGA	TTTTTGCGGT	ATAAGAATAT	ATACTGATAT	GTATACCCGA	AGTATGTCAA
	AAAGAGGTGT					
1381	GCTCAAGGCA	TATATGATGT	CAATATCTCC	GGTCTGGTAA	GCACAACCAT	GCAGAATGAA
1441	GCCCGTCGTC	TGCGTGCCGA	ACGCTGGAAA	GCGGAAAATC	AGGAAGGGAT	GGCTGAGGTC
1501	GCCCGGTTTA	TTGAAATGAA	CGGCTCTTTT	GCTGACGAGA	ACAGGGACTG	GTGAAATGCA
1561	GTTTAAGGTT	TACACCTATA	AAAGAGAGAG	CCGTTATCGT	CTGTTTGTGG	ATGTACAGAG
1621	TGATATTATT	GACACGCCCG	GGCGACGGAT	GGTGATCCCC	CTGGCCAGTG	CACGTCTGCT
1681	GTCAGATAAA	GTCTCCCGTG	AACTTTACCC	GGTGGTGCAT	ATCGGGGATG	AAAGCTGGCG
1741	CATGATGACC	ACCGATATGG	CCAGTGTGCC	GGTCTCCGTT	ATCGGGGAAG	AAGTGGCTGA
1801	TCTCAGCCAC	CGCGAAAATG	ACATCAAAAA	CGCCATTAAC	CTGATGTTCT	GGGGAATATA
1861	AATGTCAGGC	TCCCTTATAC	ACAGCCAGTC	TGCAGGTCGA	CCATAGTGAC	TGGATATGTT
1921	GTGTTTTACA	GTATTATGTA	GTCTGTTTTT	TATGCAAAAT	CTAATTTAAT	ATATTGATAT
	TTATATCATT					
2041	GGCCGCTCTA	GAGGATCCAA	GCTTACGTAC	GCGTGCATGC	GACGTCATAG	CTCTTCTATA
2101	GTGTCACCTA	AATTCAATTC	ACTGGCCGTC	GTTTTACAAC	GTCGTGACTG	GGAAAACCCT
2161	GGCGTTACCC	AACTTAATCG	CCTTGCAGCA	CATCCCCCTT	TCGCCAGCTG	GCGTAATAGC
2221	GAAGAGGCCC	GCACCGATCG	CCCTTCCCAA	CAGTTGCGCA	GCCTGAATGG	CGAATGGACG
2281	CGCCCTGTAG	CGGCGCATTA	AGCGCGGCGG	GTGTGGTGGT	TACGCGCAGC	GTGACCGCTA
2341	CACTTGCCAG	CGCCCTAGCG	CCCGCTCCTT	TCGCTTTCTT	CCCTTCCTTT	CTCGCCACGT
2401	TCGCCGGCTT	TCCCCGTCAA	GCTCTAAATC	GGGGGCTCCC	TTTAGGGTTC	CGATTTAGTG
2461	CTTTACGGCA	CCTCGACCCC	AAAAAACTTG	ATTAGGGTGA	TGGTTCACGT	AGTGGGCCAT
2521	CGCCCTGATA	GACGGTTTTT	CGCCCTTTGA	CGTTGGAGTC	CACGTTCTTT	AATAGTGGAC
2581	TCTTGTTCCA	AACTGGAACA	ACACTCAACC	CTATCTCGGT	CTATTCTTTT	GATTTATAAG-

FIGURE 25C

	aa. mmmaaa	a s mmm c a a a a a a a a a a a a a a a a a	ሞአጥጥርርጥጥል ል	AAAATGAGCT	GATTTAACAA .	AAATTTAACG
2641	GGATTTTGCC	GATTTCGGCC	ACCTTUACAA	TTTCAGGTGG	CACTTTTCGG	GGAAATGTGC
2701	CGAATTTTAA	CAAAAIAIIA	ACGITIACAA	TACATTCAAA	TATGTATCCG	CTCATGAGAC
2761	GCGGAACCCC	ATANATOTTA	CANTANTATT	GAAAAAGGAA	GAGTATGAGT	ATTCAACATT
2821	MATAACCCIG	CCTTATTCCC	CARTARIATI	CATTTTGCCT	TCCTGTTTTT	GCTCACCCAG
2881	TCCGTGTCGC	CARACTARA	CATCCTCAAG	ATCAGTTGGG	TGCACGAGTG	GGTTACATCG
2941	AAACGCTGGT	CARACIARAR	ANGATOCTTG	AGAGTTTTCG	CCCCGAAGAA	CGTTTTCCAA
3001	AACTGGATCT	CAACAGCGG1	CTCCTATCTC	GCGCGGTATT	ATCCCGTATT	GACGCCGGGC
3061	TGATGAGCAC	CCCTCCCCCC	TTATTATT	CTCAGAATGA	CTTGGTTGAG	TACTCACCAG
3121	MAGAGCAACI	CCATCTTACG	GATGGCATGA	CAGTAAGAGA	ATTATGCAGT	GCTGCCATAA
3181	TCACAGAAAA	TAACACTGCG	GCCAACTTAC	TTCTGACAAC	GATCGGAGGA	CCGAAGGAGC
3241	TA A CCCCTTT	TTTCCACAC	ATGGGGGATC	ATGTAACTCG	CCTTGATCGT	TGGGAACCGG
3301	ACCTCAATCA	ACCCATACCA	AACGACGAGC	GTGACACCAC	GATGCCTGTA	GCAATGGCAA
3361	CAACCTTTCCC	CANACTATTA	ACTGGCGAAC	TACTTACTCT	AGCTTCCCGG	CAACAATTAA
3421	TACACTIGES	CCACCCCCAT	AAAGTTGCAG	GACCACTTCT	GCGCTCGGCC	CTTCCGGCTG
3401	CCTCCTTTAT	TGCTGATAAA	TCTGGAGCCG	GTGAGCGTGG	GTCTCGCGGT	ATCATTGCAG
3541	CACTCCCCCC	ACATCGTAAG	CCCTCCCGTA	TCGTAGTTAT	CTACACGACG	GGGAGTCAGG
3601	CACIGGGGCC	TGAACGAAAT	AGACAGATCG	CTGAGATAGG	TGCCTCACTG	ATTAAGCATT
3001	CAACIAIGGA	AGACCAAGTT	TACTCATATA	TACTTTAGAT	TGATTTAAAA	CTTCATTTTT
3721	AATTTAAAAA	CATCTAGGTG	AAGATCCTTT	TTGATAATCT	CATGACCAAA	ATCCCTTAAC
3/01	CTCACTTTTC	GTTCCACTGA	GCGTCAGACC	CCGTAGAAAA	GATCAAAGGA	TCTTCTTGAG
3041	ATCCTTTTT	TCTGCGCGTA	ATCTGCTGCT	TGCAAACAAA	AAAACCACCG	CTACCAGCGG
3901	TCCTTTTT	GCCGGATCAA	GAGCTACCAA	CTCTTTTTCC	GAAGGTAACT	GGCTTCAGCA
4021	GACCCCAGAT	ACCAAATACT	GTCCTTCTAG	TGTAGCCGTA	GTTAGGCCAC	CACTTCAAGA
4021	ACTOTOTO	ACCGCCTACA	TACCTCGCTC	TGCTAATCCT	GTTACCAGTG	GCTGCTGCCA
4101	GTGGCGATAA	GTCGTGTCTT	ACCGGGTTGG	ACTCAAGACG	ATAGTTACCG	GATAAGGCGC
4201	AGCGGTCGGG	CTGAACGGGG	GGTTCGTGCA	CACAGCCCAG	CTTGGAGCGA	ACGACCTACA
4261	CCGAACTGAG	ATACCTACAG	CGTGAGCATT	GAGAAAGCGC	CACGCTTCCC	GAAGGGAGAA
4201	AGGCGGACAG	GTATCCGGTA	AGCGGCAGGG	TCGGAACAGG	AGAGCGCACG	AGGGAGCTTC
4321	CAGGGGGAAA	CGCCTGGTAT	CTTTATAGTC	CTGTCGGGTT	TCGCCACCTC	TGACTTGAGC
4301	ביירים ביירים ביירים מורים ביירים ביירים	GTGATGCTCG	TCAGGGGGG	GGAGCCTATG	GAAAAACGCC	AGCAACGCGG
4501	. פונטאוווי רויידידימרת	GTTCCTGGCC	TTTTGCTGGC	CTTTTGCTCA	CATGTTCTTT	CCTGCGTTAT
4561	CCCCTGATTC	TGTGGATAAC	CGTATTACCG	CCTTTGAGTG	AGCTGATACC	GCTCGCCGCA
4601	GCCGAACGA	CGAGCGCAGC	GAGTCAGTGA	GCGAGGAAGC	GGAAGAGCGC	CCAATACGCA
4681	AACCGCCTCT	CCCCGCGCGT	TGGCCGATTC	ATTAATGCAG	AGCTTGCAAT	TCGCGCGCGA
4741	AGGCGAAGC	GCATTTACGT	TGACACCATO	GAATGGCGCA	AAACCTTTCG	CGGTATGGCA
4901	TGATAGCGC	CGGAAGAGAG	TCAATTCAGG	GTGGTGAATG	TGAAACCAGT	AACGTTATAC
486	GATGTCGCA	AGTATGCCG	TGTCTCTTAT	CAGACCGTTT	CCCGCGTGGT	GAACCAGGCC
492	AGCCACGTT	r CTGCGAAAAC	GCGGGAAAA	GTGGAAGCGG	CGATGGCGGA	GCTGAATTAC
498	ATTCCCAAC	G GCGTGGCAC	ACAACTGGC	GGCAAACAGT	CGTTGCTGAT	TGGCGTTGCC
504	ACCTCCAGT	C TGGCCCTGC/	CGCGCCGTCG	CAAATTGTCG	CGGCGATTAA	ATCTCGCGCC
510	GATCAACTG	G GTGCCAGCG	r GGTGGTGTC	ATGGTAGAAC	GAAGCGGCGT	CGAAGCCTGT
516	AAAGCGGCG	G TGCACAATC	TCTCGCGCA	A CGGGTCAGTG	GGCTGATCAT	TAACTATCCG
522	1 CTGGATGAC	C AGGATGCCA	r TGCTGTGGA	A GCTGCCTGCA	CTAATGTTCC	GGCGTTATTT
528	1 CTTGATGTC	T CTGACCAGA	C ACCCATCAA	AGTATTATTI	TCTCCCATGA	AGACGGTACG
534	1 CGACTGGGC	G TGGAGCATC	r GGTCGCATT	G GGTCACCAGC	: AAATCGCGCT	GTTAGCGGGC
540	1 CCATTAAGT	T CTGTCTCGG	C GCGTCTGCG	r ctggctggci	GGCATAAATA	1 TCTCACTCGC
546	1 AATCAAATT	C AGCCGATAG	C GGAACGGGA	A GGCGACTGGA	A GTGCCATGTC	CGGTTTTCAA
552	1. CAAACCATG	C AAATGCTGA	A TGAGGGCAT	C GTTCCCACTC	GATGCTGG1	TGCCAACGAT
558	1 CAGATGGCG	C TGGGCGCAA	T GCGCGCCAT	T ACCGAGTCC	GGCTGCGCG1	TGGTGCGGAT
564	1 ATCTCGGTA	G TGGGATACG	A CGATACCGA	A GACAGCTCAT	C GTTATATCC	GCCGTCAACC
570	1 ACCATCAAA	C AGGATTTTC	G CCTGCTGGG	G CAAACCAGC	TGGACCGCT	r GCTGCAACTC
576	1 TCTCAGGGC	C AGGCGGTGA	A GGGCAATCA	G CTGTTGCCCC	TCTCACTGGT	GAAAAGAAAA
582	1 ACCACCCTG	G CGCCCAATA	C GCAAACCGC	C TCTCCCCGC(G CGTTGGCCG2	A TTCATTAATG
588	1 CAGCTGGCA	C GACAGGTTT	C CCGACTGGA	A AGCGGGCAG	r GAGCGCAAC	G CAATTAATGT
	1 GAGTTAGCT					

FIGURE 25D

Figure 26A PDST6

pSPORT "-" (opposite strand)

"forward" sequencing primers

- 1 taa egc cag ggt ttt ccc agt cac gac gtt gta aaa cga cgg cca gtg aat att gcg gtc cca aaa ggg tca gtg ctg caa cat ttt gct gcc ggt cac tta
- 590 promoter

 57h Mlu

 52 tga att tag gtg aca cta tag aag age tat gae gte gea tge acg egt aeg act taa ate eae tgt gat ate tte teg ata etg eag dgt acg tge gea tge
- Hud3 Bom Xba Not See attR1 Int

 103 tala get tala ate ede tag agel gge ege get get de tag tgt teg tae
 att ega ace tag gag ate teg eeg geg get gat dae tag tgt tea aac atg

Gene

- 1939 tat the tat mat the acg set che get tag cut set tot aca aag tog toga at a mat at a gramaa tog aaa gag caa gro gaa aga aca tog tto acc act
- Sal Son Ecoli ten 6t

 1990 tog tog acc dgg daa tto ogg acc ggt acc agg ogt acc ago tto occ ago agg agg agg agg tog gaa ggg
 ago ago tgg gcc ott aag gcc tgg dca tgg acg toc gca tgg tog aaa ggg
- 2041 tat agt gag tog tat tag ago ttg gog taa toa tgg toa tag otg ttt cot ata toa ote ago ata ato tog aac ogo att agt acc agt ato gac aaa gga

 T7 promoter


 X-peptide

 T7 promoter
- 2092 gtg tga aat tgt tat ceg ctc aca att cca cac aac ata cga gct gga agc cac act tta aca ata ggc gag tgt taa ggt gtg ttg tat gct cgg cct tcg
 ... segnencing primers lae RNA
- 2143 ata ang tgt and gcc tgg ggt gcc tan tga gtg agc tan ctc aca tta att tat ttc aca ttt cgg acc cca cgg att act cac tcg att gag tgt ant tan

Figure 268

PDEST6

(cont'd)



pDEST6 5957 bp

Location (Base Nos.) 266..142 Gene Encoded

attRl

		200142	•	accki			
	5161175			CmR			
	12951379			inactivated ccdA			
	15171822		ccdB				
		186319	87	attR2			
		220333	369	lacI			
		440352	260	ampR			
		539258	347	f1 (f)	intergenio	region)	
1	TAACGCCAGG	GTTTTCCCAG	TCACGACGTT	GTAAAACGAC	GGCCAGTGAA	TTGAATTTAG	
61	GTGACACTAT	AGAAGAGCTA	TGACGTCGCA	TGCACGCGTA	CGTAAGCTTG	GATCCTCTAG	
121	AGCGGCCGCC	GACTAGTGAT	CACAAGTTTG	TACAAAAAAG	CTGAACGAGA	AACGTAAAAT	
181	GATATAAATA	TCAATATATT	AAATTAGATT	TTGCATAAAA	AACAGACTAC	ATAATACTGT	
241	AAAACACAAC	ATATCCAGTC	ACTATGGCGG	CCGCTAAGTT	GGCAGCATCA	CCCGACGCAC	
301	TTTGCGCCGA	ATAAATACCT	GTGACGGAAG	ATCACTTCGC	AGAATAAATA	AATCCTGGTG	
361	TCCCTGTTGA	TACCGGGAAG	CCCTGGGCCA	ACTTTTGGCG	AAAATGAGAC	GTTGATCGGC	
					ACTACCGGGC		
					GAAAAAAATC		
					TGAGGCATTT		
					GGCCTTTTTA		
					TCTTGCCCGC		
					GGTGATATGG		
					TTCATCGCTC		
					AGATGTGGCG		
					GTTTTTCGTC		
					TATGGACAAC		
					GGTGCTGATG		
					CAGAATGCTT		
					TGGATCCGGC		
					TATAAGAATA		
					CAGCGTATTA		
					TCAATATCTC		
					AACGCTGGAA		
					ACGGCTCTTT		
					AAAAGAGAGA		
					GGGCGACGGA		
					GAACTTTACC		
					GCCAGTGTGC		
					GACATCAAAA		
					CACAGCCAGT		
					AGTCTGTTTT		
					TCGTTCAGCT		
					GCAGGCGTAC		
					AGCTGTTTCC		
2101	TGTTATCCGC	TCACAATTCC	ACACAACATA	CGAGCCGGAA	GCATAAAGTG	TAAAGCCTGG	
2161	GGTGCCTAAT	GAGTGAGCTA	ACTCACATTA	ATTGCGTTGC	GCTCACTGCC	CGCTTTCCAG	
2221	TCGGGAAACC	TGTCGTGCCA	GCTGCATTAA	TGAATCGGCC	AACGCGCGGG	GAGAGGCGGT	
2281	TTGCGTATTG	GGCGCCAGGG	TGGTTTTTCT	TTTCACCAGT	GAGACGGGCA	ACAGCTGATT	
2341	GCCCTTCACC	GCCTGGCCCT	GAGAGAGTTG	CAGCAAGCGG	TCCACGCTGG	TTTGCCCCAG	
2401	CAGGCGAAAA	TCCTGTTTGA	TGGTGGTTGA	CGGCGGGATA	TAACATGAGC	TGTCTTCGGT	
2461	ATCGTCGTAT	CCCACTACCG	AGATATCCGC	ACCAACGCGC	AGCCCGGACT	CGGTAATGGC	
2521	GCGCATTGCG	CCCAGCGCCA	TCTGATCGTT	GGCAACCAGC	ATCGCAGTGG	GAACGATGCC	
2581	CTCATTCAGC	ATTTGCATGG	TTTGTTGAAA	ACCGGACATG	GCACTCCAGT	CGCCTTCCCG	
2641	TTCCGCTATC	GGCTGAATTT	GATTGCGAGT	GAGATATTTA	TGCCAGCCAG	CCAGACGCAG-	


FIGURE 26C

2701	ACGCGCCGAG	ACAGAACTTA	ATGGGCCCGC	TAACAGCGCG	ATTTGCTGGT	GACCCAATGC
	GACCAGATGC					
2821	GGGTGTCTGG	TCAGAGACAT	CAAGAAATAA	CGCCGGAACA	TTAGTGCAGG	CAGCTTCCAC
2881	AGCAATGGCA	TCCTGGTCAT	CCAGCGGATA	GTTAATGATC	AGCCCACTGA	CCCGTTGCGC
2941	GAGAAGATTG	TGCACCGCCG	CTTTACAGGC	TTCGACGCCG	CTTCGTTCTA	CCATCGACAC
3001	CACCACGCTG	GCACCCAGTT	GATCGGCGCG	AGATTTAATC	GCCGCGACAA	TTTGCGACGG
3061	CGCGTGCAGG	GCCAGACTGG	AGGTGGCAAC	GCCAATCAGC	AACGACTGTT	TGCCCGCCAG
3121	TTGTTGTGCC	ACGCGGTTGG	GAATGTAATT	CAGCTCCGCC	ATCGCCGCTT	CCACTTTTTC
3181	CCGCGTTTTC	GCAGAAACGT	GGCTGGCCTG	GTTCACCACG	CGGGAAACGG	TCTGATAAGA
3241	GACACCGGCA	TACTCTGCGA	CATCGTATAA	CGTTACTGGT	TTCACATTCA	CCACCCTGAA
3301	TTGACTCTCT	TCCGGGCGCT	ATCATGCCAT	ACCGCGAAAG	GTTTTGCGCC	ATTCGATGGT
3361	GTCAACGTAA	ATGCCGCTTC	GCCTTCGCGC	GCGAATTGCA	AGCTCTGCAT	TAATGAATCG
3421	GCCAACGCGC	GGGGAGAGGC	GGTTTGCGTA	TTGGGCGCTC	TTCCGCTTCC	TCGCTCACTG
3481	ACTCGCTGCG	CTCGGTCGTT	CGGCTGCGGC	GAGCGGTATC	AGCTCACTCA	AAGGCGGTAA
3541	TACGGTTATC	CACAGAATCA	GGGGATAACG	CAGGAAAGAA	CATGTGAGCA	AAAGGCCAGC
3601	AAAAGGCCAG	GAACCGTAAA	AAGGCCGCGT	TGCTGGCGTT	TTTCCATAGG	CTCCGCCCCC
3661	CTGACGAGCA	TCACAAAAAT	CGACGCTCAA	GTCAGAGGTG	GCGAAACCCG	ACAGGACTAT
3721	AAAGATACCA	GGCGTTTCCC	CCTGGAAGCT	CCCTCGTGCG	CTCTCCTGTT	CCGACCCTGC
3781	CGCTTACCGG	ATACCTGTCC	GCCTTTCTCC	CTTCGGGAAG	CGTGGCGCTT	TCTCAATGCT
3841	CACGCTGTAG	GTATCTCAGT	TCGGTGTAGG	TCGTTCGCTC	CAAGCTGGGC	TGTGTGCACG
3901	AACCCCCCGT	TCAGCCCGAC	CGCTGCGCCT	TATCCGGTAA	CTATCGTCTT	GAGTCCAACC
3961	CGGTAAGACA	CGACTTATCG	CCACTGGCAG	CAGCCACTGG	TAACAGGATT	AGCAGAGCGA
4021	GGTATGTAGG	CGGTGCTACA	GAGTTCTTGA	AGTGGTGGCC	TAACTACGGC	TACACTAGAA
4081	GGACAGTATT	TGGTATCTGC	GCTCTGCTGA	AGCCAGTTAC	CTTCGGAAAA	AGAGTTGGTA
4141	GCTCTTGATC	CGGCAAACAA	ACCACCGCTG	GTAGCGGTGG	TTTTTTTTTTTT	TGCAAGCAGC
4201	AGATTACGCG	CAGAAAAAA	GGATCTCAAG	AAGATCCTTT	GATCTTTTCT	ACGGGGTCTG
4261	ACGCTCAGTG	GAACGAAAAC	TCACGTTAAG	GGATTTTGGT	CATGAGATTA	TCAAAAAGGA
4321	TCTTCACCTA	GATCCTTTTA	TAAAAATTAA	GAAGTTTTAA	ATCAATCTAA	AGTATATATG
4381	AGTAAACTTG	GTCTGACAGT	TACCAATGCT	TAATCAGTGA	GGCACCTATC	TCAGCGATCT
4441	GTCTATTTCG	TTCATCCATA	GTTGCCTGAC	TCCCCGTCGT	GTAGATAACT	ACGATACGGG
4501	AGGGCTTACC	ATCTGGCCCC	AGTGCTGCAA	TGATACCGCG	AGACCCACGC	TCACCGGCTC
	CAGATTTATC					
	CTTTATCCGC					
4681	CAGTTAATAG	TTTGCGCAAC	GTTGTTGCCA	TTGCTACAGG	CATCGTGGTG	TCACGCTCGT
	CGTTTGGTAT					
	CCATGTTGTG					
	TGGCCGCAGT					
	CATCCGTAAG					
	GTATGCGGCG					
	GCAGAACTTT					
	TCTTACCGCT					
	CATCTTTTAC					
	AAAAGGGAAT					
	ATTGAAGCAT					
						GAAATTGTAA
						TTTTTTAACC
						ATAGGGTTGA
						AACGTCAAAG
						TAATCAAGTT
						CCCCGATTTA
						GCGAAAGGAG
						ACACCCGCCG
						ACTGTTGGGA
			CTTCGCTATT	ACGCCAGCTG	GCGAAAGGGG	GATGTGCTGC
5941	AAGGCGATTA	AG I TGGG				

FIGURE 26D

Figure 27A: PDEST 7

CMV promoter for eukaryotic expression




pDEST7 6025 bp (rotated to position 2800)


Location (Base Nos.)	<u>Gene Encoded</u>
67589	CMV promoter
906782	attR1
10151674	CmR
17941878	inactivated ccdA
20162321	ccdB
23622486	attR2
26713033	small t & polyA
32273502	f1
39624822	ampR
50225661	ori

```
1 ATTATCATGA CATTAACCTA TAAAAATAGG CGTAGTACGA GGCCCTTTCA CTCATTAGAT
  61 GCATGTCGTT ACATAACTTA CGGTAAATGG CCCGCCTGGC TGACCGCCCA ACGACCCCCG
 121 CCCATTGACG TCAATAATGA CGTATGTTCC CATAGTAACG CCAATAGGGA CTTTCCATTG
 181 ACGTCAATGG GTGGAGTATT TACGGTAAAC TGCCCACTTG GCAGTACATC AAGTGTATCA
 241 TATGCCAAGT ACGCCCCCTA TTGACGTCAA TGACGGTAAA TGGCCCGCCT GGCATTATGC
 301 CCAGTACATG ACCTTATGGG ACTTTCCTAC TTGGCAGTAC ATCTACGTAT TAGTCATCGC
 361 TATTACCATG GTGATGCGGT TTTGGCAGTA CATCAATGGG CGTGGATAGC GGTTTGACTC
 421 ACGGGGATTT CCAAGTCTCC ACCCCATTGA CGTCAATGGG AGTTTGTTTT GGCACCAAAA
 481 TCAACGGGAC TTTCCAAAAT GTCGTAACAA CTCCGCCCCA TTGACGCAAA TGGGCGGTAG
 541 GCGTGTACGG TGGGAGGTCT ATATAAGCAG AGCTCGTTTA GTGAACCGTC AGATCGCCTG
 601 GAGACGCCAT CCACGCTGTT TTGACCTCCA TAGAAGACAC CGGGACCGAT CCAGCCTCCG
 661 GACTCTAGCC TAGGCCGCGG AGCGGATAAC AATTTCACAC AGGAAACAGC TATGACCATT
 721 AGGCCTTTGC AAAAAGCTAT TTAGGTGACA CTATAGAAGG TACGCCTGCA GGTACCGGAT
 781 CACAAGTTTG TACAAAAAG CTGAACGAGA AACGTAAAAT GATATAAATA TCAATATATT
 841 AAATTAGATT TTGCATAAAA AACAGACTAC ATAATACTGT AAAACACAAC ATATCCAGTC
 901 ACTATGGCGG CCGCATTAGG CACCCCAGGC TTTACACTTT ATGCTTCCGG CTCGTATAAT
 961 GTGTGGATTT TGAGTTAGGA TCCGTCGAGA TTTTCAGGAG CTAAGGAAGC TAAAATGGAG
1021 AAAAAATCA CTGGATATAC CACCGTTGAT ATATCCCAAT GGCATCGTAA AGAACATTTT
1081 GAGGCATTTC AGTCAGTTGC TCAATGTACC TATAACCAGA CCGTTCAGCT GGATATTACG
1141 GCCTTTTTAA AGACCGTAAA GAAAAATAAG CÁCAAGTTTT ATCCGGCCTT TATTCACATT
1201 CTTGCCCGCC TGATGAATGC TCATCCGGAA TTCCGTATGG CAATGAAAGA CGGTGAGCTG
1261 GTGATATGGG ATAGTGTTCA CCCTTGTTAC ACCGTTTTCC ATGAGCAAAC TGAAACGTTT
1321 TCATCGCTCT GGAGTGAATA CCACGACGAT TTCCGGCAGT TTCTACACAT ATATTCGCAA
1381 GATGTGGCGT GTTACGGTGA AAACCTGGCC TATTTCCCTA AAGGGTTTAT TGAGAATATG
1441 TITTTCGTCT CAGCCAATCC CTGGGTGAGT TTCACCAGTT TTGATTTAAA CGTGGCCAAT
1501 ATGGACAACT TCTTCGCCCC CGTTTTCACC ATGGGCAAAT ATTATACGCA AGGCGACAAG
1561 GTGCTGATGC CGCTGGCGAT TCAGGTTCAT CATGCCGTCT GTGATGGCTT CCATGTCGGC
1621 AGAATGCTTA ATGAATTACA ACAGTACTGC GATGAGTGGC AGGGCGGGGC GTAAACGCGT
1681 GGATCCGGCT TACTAAAAGC CAGATAACAG TATGCGTATT TGCGCGCTGA TTTTTGCGGT
1741 ATAAGAATAT ATACTGATAT GTATACCCGA AGTATGTCAA AAAGAGGTGT GCTATGAAGC
1801 AGCGTATTAC AGTGACAGTT GACAGCGACA GCTATCAGTT GCTCAAGGCA TATATGATGT
1861 CAATATCTCC GGTCTGGTAA GCACAACCAT GCAGAATGAA GCCCGTCGTC TGCGTGCCGA
1921 ACGCTGGAAA GCGGAAAATC AGGAAGGGAT GGCTGAGGTC GCCCGGTTTA TTGAAATGAA
1981 CGGCTCTTTT GCTGACGAGA ACAGGGACTG GTGAAATGCA GTTTAAGGTT TACACCTATA
2041 AAAGAGAGAG CCGTTATCGT CTGTTTGTGG ATGTACAGAG TGATATTATT GACACGCCCG
2101 GGCGACGGAT GGTGATCCCC CTGGCCAGTG CACGTCTGCT GTCAGATAAA GTCTCCCGTG
2161 AACTTTACCC GGTGGTGCAT ATCGGGGATG AAAGCTGGCG CATGATGACC ACCGATATGG
2221 CCAGTGTGCC GGTCTCCGTT ATCGGGGAAG AAGTGGCTGA TCTCAGCCAC CGCGAAAATG
2281 ACATCAAAAA CGCCATTAAC CTGATGTTCT GGGGAATATA AATGTCAGGC TCCCTTATAC
2341 ACAGCCAGTC TGCAGGTCGA CCATAGTGAC TGGATATGTT GTGTTTTACA GTATTATGTA
2401 GTCTGTTTTT TATGCAAAAT CTAATTTAAT ATATTGATAT TTATATCATT TTACGTTTCT
2461 CGTTCAGCTT TCTTGTACAA AGTGGTGATC GCGTGCATGC GACGTCATAG CTCTCTCCCT
2521 ATAGTGAGTC GTATTATAAG CTAGGCACTG GCCGTCGTTT TACAACGTCG TGACTGGGAA-
```

	AACTGCTAGC					
	AAACTACCTA					
	GTTAAACTAG					
	AAATATTATA					
	AAGGCTCATT					
	ACATTTGTAG					
	CATAAAATGA					
3001	TAAAGCAATA	GCATCACAAA	TTTCACAAAT	AAAGCATTTT	TTTCACTGCA	TTCTAGTTGT
3061	GGTTTGTCCA	AACTCATCAA	TGTATCTTAT	CATGTCTGGA	TCGATCCTGC	ATTAATGAAT
3121	CGGCCAACGC	GCGGGGAGAG	GCGGTTTGCG	TATTGGCTGG	CGTAATAGCG	AAGAGGCCCG
3181	CACCGATCGC	CCTTCCCAAC	AGTTGCGCAG	CCTGAATGGC	GAATGGGACG	CGCCCTGTAG
3241	CGGCGCATTA	AGCGCGGCGG	GTGTGGTGGT	TACGCGCAGC	GTGACCGCTA	CACTTGCCAG
3301	CGCCCTAGCG	CCCGCTCCTT	TCGCTTTCTT	CCCTTCCTTT	CTCGCCACGT	TCGCCGGCTT
3361	TCCCCGTCAA	GCTCTAAATC	GGGGGCTCCC	TTTAGGGTTC	CGATTTAGTG	CTTTACGGCA
3421	CCTCGACCCC	AAAAAACTTG	ATTAGGGTGA	TGGTTCACGT	AGTGGGCCAT	CGCCCTGATA
	GACGGTTTTT					
3541	AACTGGAACA	ACACTCAACC	CTATCTCGGT	CTATTCTTTT	GATTTATAAG	GGATTTTGCC
	GATTTCGGCC					
	CAAAATATTA					
	TATTTGTTTA					
	GGTGAGAACG					
	TGTGCGATAG					
	ATGTGTGCCC					
	AAGGAAGAGT					
	TTGCCTTCCT					
	GTTGGGTGCA		-			
	TTTTCGCCCC					
	GGTATTATCC					
	GAATGACTTG					
	AAGAGAATTA					
	GACAACGATC					
	AACTCGCCTT					
	CACCACGATG					
	TACTCTAGCT					
	ACTTCTGCGC					
	GCGTGGGTCT					
	AGTTATCTAC					
	GATAGGTGCC					
	TTAGATTGAT					
	TAATCTCATG					
	CCCTTAACGT					
	TTCTTGAGAT					
	ACCAGCGGTG					
	CTTCAGCAGA					
5221	CTTCAAGAAC	TCTGTAGCAC	CGCCTACATA	CCTCGCTCTG	CTAATCCTGT	TACCAGTGGC
5281	TGCTGCCAGT	GGCGATAAGT	CGTGTCTTAC	CGGGTTGGAC	TCAAGACGAT	AGTTACCGGA
5341	TAAGGCGCAG	CGGTCGGGCT	GAACGGGGGG	TTCGTGCACA	CAGCCCAGCT	TGGAGCGAAC
5401	GACCTACACC	GAACTGAGAT	ACCTACAGCG	TGAGCATTGA	GAAAGCGCCA	CGCTTCCCGA
5461	AGGGAGAAAG	GCGGACAGGT	ATCCGGTAAG	CGGCAGGGTC	GGAACAGGAG	AGCGCACGAG
5521	GGAGCTTCCA	GGGGGAAACG	CCTGGTATCT	TTATAGTCCT	GTCGGGTTTC	GCCACCTCTG
5581	ACTTGAGCGT	CGATTTTTGT	GATGCTCGTC	AGGGGGGCGG	AGCCTATGGA	AAAACGCCAG
5641	CAACGCGGCC	TTTTTACGGT	TCCTGGCCTT	TTGCTGGCCT	${\tt TTTGCTCACA}$	TGTTCTTTCC
5701	TGCGTTATCC	CCTGATTCTG	TGGATAACCG	TATTACCGCC	${\tt TTTGAGTGAG}$	CTGATACCGC
5761	TCGCCGCAGC	CGAACGACCG	AGCGCAGCGA	GTCAGTGAGC	GAGGAAGCGG	AAGAGCGCCC
5821	AATACGCAAA	CCGCCTCTCC	CCGCGCGTTG	GCCGATTCAT	TAATGCAGAG	CTTGCAATTC
5881	GCGCGTTTTT	CAATATTATT	GAAGCATTTA	TCAGGGTTAT	TGTCTCATGA	GCGGATACAT
5941	ATTTGAATGT	ATTTAGAAAA	ATAAACAAAT	AGGGGTTCCG	CGCACATTTC	CCCGAAAAGT
	GCCACCTGAC					

Figure 784: pDEST8 Polyhedron Promoter, Baculovirus --Transfer Plasmid ---





pDEST8 6526 bp

Location (Base Nos.)	<u>Gene Encoded</u>
23152	Ppolh
284160	attR1
5341193	CmR
13131397	inactivated ccdA
15351840	ccdB
18812005	attR2
27663146	f1
32404090	ampR
42894869	ori
55646496	genR

		556464	196	genR		
	COMPAND OFFICE	CC 3 A M 3 M M 3 A	m>c>mc>mc>mcc		*********	
	CGTATACTCC TAAATAAGTA					
	GGATTATTCA					
	GAACGAGAAA					
	CAGACTACAT					
	CAGCATCACC					
	AATAAATAAA					
	AATGAGACGT					
	TACCGGGCGT					
	AAAAAATCAC					
	AGGCATTTCA					
	CCTTTTTAAA					
	TTGCCCGCCT					
	TGATATGGGA					
	CATCGCTCTG					
	ATGTGGCGTG					_
	TTTTCGTCTC					
1021	TGGACAACTT	CTTCGCCCCC	GTTTTCACCA	TGGGCAAATA	TTATACGCAA	GGCGACAAGG
1081	TGCTGATGCC	GCTGGCGATT	CAGGTTCATC	ATGCCGTCTG	TGATGGCTTC	CATGTCGGCA
1141	GAATGCTTAA	TGAATTACAA	CAGTACTGCG	ATGAGTGGCA	GGGCGGGGCG	TAAACGCGTG
1201	GATCCGGCTT	ACTAAAAGCC	AGATAACAGT	ATGCGTATTT	GCGCGCTGAT	TTTTGCGGTA
1261	TAAGAATATA	TACTGATATG	TATACCCGAA	GTATGTCAAA	AAGAGGTGTG	CTATGAAGCA
1321	GCGTATTACA	GTGACAGTTG	ACAGCGACAG	CTATCAGTTG	CTCAAGGCAT	ATATGATGTC
1381	AATATCTCCG	GTCTGGTAAG	CACAACCATG	CAGAATGAAG	CCCGTCGTCT	GCGTGCCGAA
1441	CGCTGGAAAG	CGGAAAATCA	GGAAGGGATG	GCTGAGGTCG	CCCGGTTTAT	TGAAATGAAC
	GGCTCTTTTG					
	AAGAGAGAGC					
1621	GCGACGGATG	GTGATCCCCC	TGGCCAGTGC	ACGTCTGCTG	TCAGATAAAG	TCTCCCGTGA
	ACTTTACCCG					
1741	CAGTGTGCCG	GTCTCCGTTA	TCGGGGAAGA	AGTGGCTGAT	CTCAGCCACC	GCGAAAATGA
1,801	CATCAAAAAC	GCCATTAACC	TGATGTTCTG	GGGAATATAA	ATGTCAGGCT	CCCTTATACA
1861	CAGCCAGTCT	GCAGGTCGAC	CATAGTGACT	GGATATGTTG	TGTTTTACAG	TATTATGTAG
	TCTGTTTTTT					
	GTTCAGCTTT					
	AGCCATACCA					
	AACCTGAAAC					
2161	GGTTACAAAT	AAAGCAATAG	CATCACAAAT	TTCACAAATA	AAGCATTTTT	TTCACTGCAT
2221	TCTAGTTGTG	GTTTGTCCAA	ACTCATCAAT	GTATCTTATC	ATGTCTGGAT	CTGATCACTG
2281	CTTGAGCCTA	GGAGATCCGA	ACCAGATAAG	TGAAATCTAG	TTCCAAACTA	TTTTGTCATT
2341	TTTAATTTTC	GTATTAGCTT	ACGACGCTAC	ACCCAGTTCC	CATCTATTTT	GTCACTCTTC
2401	CCTAAATAAT	CCTTAAAAAC	TCCATTTCCA	CCCCTCCCAG	TTCCCAACTA	TTTTGTCCGC
	CCACAGCGGG					
2521	TGACAAACCG	TCATCTTCGG	CTACTTTTTC	TCTGTCACAG	AATGAAAATT	TTTCTGTCAT-

FIGURE 28B

		mm a a mornemor	ምእ አጥጥር እ ርጥር	AATATCAACG	CTTATTTGCA	GCCTGAATGG
2581	CTCTTCGTTA	CCCCCTCTAG	CCCCCCCATTA	AGCGCGGCGG	GTGTGGTGGT	TACGCGCAGC
2641	CGAATGGACG	CACCCIGIAG	CGCCCTAGCG	CCCGCTCCTT	TCGCTTTCTT	CCCTTCCTTT
2701	GTGACCGCTA	TCCCCCCCTT	TCCCCCTCAA	GCTCTAAATC	GGGGGCTCCC	TTTAGGGTTC
2761	CTCGCCACGT	TEGECGGCII	CCTCGACCCC	AAAAAACTTG	ATTAGGGTGA	TGGTTCACGT
2821	CGATTTAGTG	CTTTACGGCA	COLCGACCCC	CGCCCTTTGA	CGTTGGAGTC	CACGTTCTTT
2881	AGTGGGCCAT	CGCCCIGAIA	AACTCCAACA	ACACTCAACC	CTATCTCGGT	CTATTCTTTT
2941	AATAGTGGAC	TCTTGTTCCA	CAMPUTCCCCC	TATTGGTTAA	AAAATGAGCT	GATTTAACAA
3001	GATTTATAAG	GGATTTTGCC	CALLICUGCC	ACGTTTACAA	TTTCAGGTGG	CACTTTTCGG
3061	AAATTTAACG	CGAATITIAA	CHARAINIA	TTTTTCTAAA	TACATTCAAA	TATGTATCCG
3121	GGAAATGTGC	GCGGAACCCC	ATTANTOCTT	CAATAATATT	GAAAAAGGAA	GAGTATGAGT
3181	CTCATGAGAC	AATAACCCIG	COTTATTCCC	TTTTTTGCGG	CATTTTGCCT	TCCTGTTTTT
3241	ATTCAACATT	TCCGIGICGC	CANACTANA	GATGCTGAAG	ATCAGTTGGG	TGCACGAGTG
3301	GCTCACCCAG	AAACGCIGGI	CARACICACA	AAGATCCTTG	AGAGTTTTCG	CCCCGAAGAA
3361	GGTTACATCG	MACIGGAICI	CHACAGCGG1	CTGCTATGTG	GCGCGGTATT	ATCCCGTATT
3421	CGTTTTCCAA	TGATGAGCAC	CCCTCCCCCC	ATACACTATT	CTCAGAATGA	CTTGGTTGAG
3481	GACGCCGGGC	AAGAGCAACI	CGGTCGCCGC	GATGGCATGA	CAGTAAGAGA	ATTATGCAGT
3541	TACTCACCAG	TCACAGAAAA	GCAICIIACG	GCCAACTTAC	TTCTCACAAC	GATCGGAGGA
3601	GCTGCCATAA	CCATGAGTGA	TAACACIGCG	ATGGGGGATC	ATCTAACTCG	CCTTGATCGT
3661	CCGAAGGAGC	TAACCGCTTT	TITIGCACAAC	AACGACGAGC	GTGACACCAC	GATGCCTGTA
3721	TGGGAACCGG	AGCTGAATGA	AGCCATACCA	ACTGGCGAAC	TACTTACTCT	AGCTTCCCGG
3781	GCAATGGCAA	CAACGTTGCG	CAAACTATTA	AAAGTTGCAG	CACCACTTCT	GCGCTCGGCC
3841	CAACAATTAA	TAGACTGGAT	GGAGGCGGAT	TCTGGAGCCG	CTCACCCTCC	GTCTCGCGGT
3901	CTTCCGGCTG	GCTGGTTTAT	TGCTGATAAA	CCCTCCCCTA	TCCTACTTAT	CTACACGACG
3961	ATCATTGCAG	CACTGGGGCC	AGATGGTAAG	CCCTCCCGTA	CTCACATACC	TCCCTCACTC
4021	GGGAGTCAGG	CAACTATGGA	TGAACGAAAT	AGACAGATCG	TACTTTACAT	TCATTTAAAA
4081	ATTAAGCATT	GGTAACTGTC	AGACCAAGTT	TACTCATATA	TACTITAGAI	CATCACCAAA
4141	CTTCATTTT	AATTTAAAAG	GATCTAGGTG	AAGATCCTTT	CCCTACAAAC	CATCANACCA
4201	ATCCCTTAAC	GTGAGTTITC	GTTCCACTGA	GCGTCAGACC	CCGIAGAAAA	GATCAAAGGA
4261	TCTTCTTGAG	ATCCTTTTT	TCTGCGCGTA	ATCTGCTGCT	COCCAAACAAA	CARCCEARCE
4321	. CTACCAGCGG	TGGTTTGTTI	GCCGGATCAA	GAGCTACCAA	CICITITICC	GAAGGTAACT
4381	. GGCTTCAGCA	GAGCGCAGAT	ACCAAATACI	GTCCTTCTAG	TGTAGCCGTA	CTTAGGCCAC
4441	. CACTTCAAGA	ACTCTGTAGO	ACCGCCTACA	TACCTCGCTC	TGCTAATCCT	GTTACCAGTG
4501	. GCTGCTGCCA	GTGGCGATAA	GTCGTGTCTI	ACCGGGTTGG	ACTCAAGACG	ATAGTTACCG
4561	GATAAGGCGC	AGCGGTCGGG	CTGAACGGGG	GGTTCGTGCA	CACAGCCCAG	CTTGGAGCGA
4621	L ACGACCTACA	A CCGAACTGAG	ATACCTACAC	CGTGAGCATI	GAGAAAGCGC	CACGCTTCCC
4681	L GAAGGGAGAA	A AGGCGGACAC	GTATCCGGT	AGCGGCAGGG	TCGGAACAGG	AGAGCGCACG
4741	AGGGAGCTT	CAGGGGGAA	CGCCTGGTAT	CTTTATAGTC	CTGTCGGGT1	TCGCCACCTC
4801	L TGACTTGAGG	GTCGATTTT	GTGATGCTCC	TCAGGGGGGC	GGAGCCTATC	GAAAAACGCC
4861	L AGCAACGCGG	CCTTTTTACC	GTTCCTGGC	TTTTGCTGGC	CTTTTGCTCA	CATGTTCTTT
492	CCTGCGTTA	r CCCCTGATT	TGTGGATAA	CGTATTACCG	CCTTTGAGTG	AGCTGATACC
498	1 GCTCGCCGC2	A GCCGAACGA	CCGAGCGCAG	C GAGTCAGTGA	GCGAGGAAGC	GGAAGAGCGC
504	1 CTGATGCGG	r ATTTTCTCC	TACGCATCT	G TGCGGTATTI	CACACCGCAC	ACCAGCCGCG
510	1 TAACCTGGC	A AAATCGGTT	A CGGTTGAGT	A ATAAATGGAT	GCCCTGCGT/	AGCGGGTGTG
516	1 GGCGGACAA	r aaagtctta	A ACTGAACAA	A ATAGATCTA	ACTATGACA	TAAAGTCTTA
522	1 AACTAGACA	G AATAGTTGT	A AACTGAAAT	C AGTCCAGTIA	A TGCTGTGAAA	AAGCATACTG
528	1 GACTTTTGT	r atggctaaa	G CAAACTCTT	C ATTTTCTGAZ	A GTGCAAATTC	CCCGTCGTAT
534	1 TAAAGAGGG	G CGTGGCCAA	G GGCATGGTA	A AGACTATAT	r cgcggcgrr	TGACAATTTA
540	1 CCGAACAAC	T CCGCGGCCG	G GAAGCCGAT	C TCGGCTTGA	A CGAATTGTT	GGTGGCGGTA
546	1 CTTGGGTCG	A TATCAAAGT	G CATCACTTC	T TCCCGTATG	C CCAACTTTG	TATAGAGAGCC
552	1 ACTGCGGGA	T CGTCACCGT.	A ATCTGCTTG	C ACGTAGATC	A CATAAGCAC	C AAGCGCGTTG
558	1 GCCTCATGC	T TGAGGAGAT	T GATGAGCGC	G GTGGCAATG	CCTGCCTCC	GTGCTCGCCG
564	1 GAGACTGCG	A GATCATAGA	T ATAGATCTC	A CTACGCGGC	r gctcaaacc	r GGGCAGAACG
570	1 TAAGCCGCG	A GAGCGCCAA	C AACCGCTTC	T TGGTCGAAG	G CAGCAAGCG	CGATGAATGTC
576	1 TTACTACGG	A GCAAGTTCC	C GAGGTAATC	G GAGTCCGGC	r gatgttggg.	A GTAGGTGGCT
582	1 ACGTCTCCG	A ACTCACGAC	C GAAAAGATC	A AGAGCAGCC	C GCATGGATT	r gacttggtca
588	1 GGGCCGAGC	C TACATGTGC	G AATGATGCC	C ATACTTGAG	C CACCTAACT	T TGTTTTAGGG
594	1 CGACTGCCC	T GCTGCGTAA	C ATCGTTGCT	G CTGCGTAAC	A TCGTTGCTG	C TCCATAACAT
600	1 CAAACATCG	A CCCACGGCG	T AACGCGCTT	G CTGCTTGGA	T GCCCGAGGC	A TAGACTGTAC-

6061	AAAAAAACAG	TCATAACAAG	CCATGAAAAC	CGCCACTGCG	CCGTTACCAC	CGCTGCGTTC
6121	GGTCAAGGTT	CTGGACCAGT	TGCGTGAGCG	CATACGCTAC	TTGCATTACA	GTTTACGAAC
6181	CGAACAGGCT	TATGTCAACT	GGGTTCGTGC	CTTCATCCGT	TTCCACGGTG	TGCGTCACCC
6241	GGCAACCTTG	GGCAGCAGCG	AAGTCGAGGC	ATTTCTGTCC	TGGCTGGCGA	ACGAGCGCAA
6301	GGTTTCGGTC	TCCACGCATC	GTCAGGCATT	GGCGGCCTTG	CTGTTCTTCT	ACGGCAAGGT
6361	GCTGTGCACG	GATCTGCCCT	GGCTTCAGGA	GATCGGAAGA	CCTCGGCCGT	CGCGGCGCTT
6421	GCCGGTGGTG	CTGACCCCGG	ATGAAGTGGT	TCGCATCCTC	GGTTTTCTGG	AAGGCGAGCA
6481	TCGTTTGTTC	GCCCAGGACT	CTAGCTATAG	TTCTAGTGGT	TGGCTA	

FIGURE 28D

Figure 29A: PDCST9


Semliki Forest Virus vector

ttg geg agg gac att aag geg ttt aag aaa ttg aga gga eet gtt ata cac
aac ege tee etg taa tte ege aaa tte ttt aac tet eet gga caa tat geg

245 aonake 2265 RAA

154 ett tae gge ggt eet aga teg geg egt taa tae aca gaa tte tga ttg gat
gag atg eeg eea gga tet aac eae gea att atg tgt ett aag aet aac eta

205 eee ggt eeg aag ege get tte eea tea aca aga ttg tgt ett aag aet aac eta
ggg eea gge tte geg ega aag ggt agt tgt tea aac atg ttt ttr ega ett



pDEST9 12464 bp

	Loca	ation (Base		Gene E	ncoaea			
	355232				attR1			
		605126		_	CmR			
		138414			vated ccdA			
		160619		ccdB				
		195220		attR2				
		253227		ori				
		348242		ampR				
		523253		-	omoter	-1		
		536569				al protein 1		
		696592				al protein 2		
		926510				al protein 3		
		108651	.61	nsP4:n	on-structur	al protein 4		
	AGCAAGTGGT	TCCCCACACC	רדייים מפנים כי	CAACTCCACC	тесстасталс	ልጥርጥልርርጥልጥ		
- 1	GAGGTAGAGG	CCTCCAAAAC	TATCCTCATA	GCCATGGCCA	CCTTGGCGAG	CCACATTAAC		
	GCGTTTAAGA							
	TAATACACAG							
	ACAAAAAAGC							
	TGCATAAAAA							
	CGCTAAGTTG							
	TCACTTCGCA							
	CTTTTGGCGA							
	AATAAGATCA							
	TAAAATGGAG							
601	AGAACATTTT	AAAAAAAICA	ACTICATATAC	TCA ATCTACC	TATAACCAAA	CCCTTCACCT		
	GGATATTACG							
	TATTCACATT							
	CGGTGAGCTG							
	TGAAACGTTT							
	ATATTCGCAA							
	TGAGAATATG							
	CGTGGCCAAT							
	AGGCGACAAG							
	CCATGTCGGC							
	GTAAAGATCT							
	TTTTTGCGGT							
	GCTATGAAGC							
	TATATGATGT							
	TGCGTGCCGA							
	TTGAAATGAA							
	TACACCTATA							
	GACACGCCCG							
	GTCTCCCGTG							
	ACCGATATGG							
	CGCGAAAATG							
	, TCCCTTATAC							
	GTATTATGTA							
	TTTTACGTTT							
	TCGATCCCGC							
	AATTACATCC							
	CCTTGGCCGT							
	ATGCAGCAAC							
	GCTAGGAGCT							
2401	TATTTCCAAA	АААААААА	ААААААААА	ААААААААА	АААААААА	-ААААААААА		

FIGURE 29B

2461 AAAAAAAAA AAAAAAACTA GAAATCGCGA TTTCTAGTCT GCATTAATGA ATCGGCCAAC 2521 GCGCGGGGAG AGGCGGTTTG CGTATTGGGC GCTCTTCCGC TTCCTCGCTC ACTGACTCGC 2581 TGCGCTCGGT CGTTCGGCTG CGGCGAGCGG TATCAGCTCA CTCAAAGGCG GTAATACGGT 2641 TATCCACAGA ATCAGGGGAT AACGCAGGAA AGAACATGTG AGCAAAAGGC CAGCAAAAGG 2701 CCAGGAACCG TAAAAAGGCC GCGTTGCTGG CGTTTTTCCA TAGGCTCCGC CCCCTGACG 2761 AGCATCACAA AAATCGACGC TCAAGTCAGA GGTGGCGAAA CCCGACAGGA CTATAAAGAT 2821 ACCAGGCGTT TCCCCCTGGA AGCTCCCTCG TGCGCTCTCC TGTTCCGACC CTGCCGCTTA 2881 CCGGATACCT GTCCGCCTTT CTCCCTTCGG GAAGCGTGGC GCTTTCTCAA TGCTCGCGCT 2941 GTAGGTATCT CAGTTCGGTG TAGGTCGTTC GCTCCAAGCT GGGCTGTGTG CACGAACCCC 3001 CCGTTCAGCC CGACCGCTGC GCCTTATCCG GTAACTATCG TCTTGAGTCC AACCCGGTAA 3061 GACACGACTT ATCGCCACTG GCAGCAGCCA CTGGTAACAG GATTAGCAGA GCGAGGTATG 3121 TAGGCGGTGC TACAGAGTTC TTGAAGTGGT GGCCTAACTA CGGCTACACT AGAAGGACAG 3181 TATTTGGTAT CTGCGCTCTG CTGAAGCCAG TTACCTTCGG AAAAAGAGTT GGTAGCTCTT 3241 GATCCGGCAA ACAAACCACC GCTGGTAGCG GTGGTTTTTT TGTTTGCAAG CAGCAGATTA 3301 CGCGCAGAAA AAAAGGATCT CAAGAAGATC CTTTGATCTT TTCTACGGGG TCTGACGCTC 3361 AGTGGAACGA AAACTCACGT TAAGGGATTT TGGTCATGAG ATTATCAAAA AGGATCTTCA 3421 CCTAGATCCT TTTAAATTAA AAATGAAGTT TTAAATCAAT CTAAAGTATA TATGAGTAAA 3481 CTTGGTCTGA CAGTTACCAA TGCTTAATCA GTGAGGCACC TATCTCAGCG ATCTGTCTAT 3541 TTCGTTCATC CATAGTTGCC TGACTCCCCG TCGTGTAGAT AACTACGATA CGGGAGGGCT 3601 TACCATCTGG CCCCAGTGCT GCAATGATAC CGCGAGACCC ACGCTCACCG GCTCCAGATT 3661 TATCAGCAAT AAACCAGCCA GCCGGAAGGG CCGAGCGCAG AAGTGGTCCT GCAACTTTAT 3721 CCGCCTCCAT CCAGTCTATT AATTGTTGCC GGGAAGCTAG AGTAAGTAGT TCGCCAGTTA 3781 ATAGTTTGCG CAACGTTGTT GCCATTGCTA CAGGCATCGT GGTGTCACGC TCGTCGTTTG 3841 GTATGGCTTC ATTCAGCTCC GGTTCCCAAC GATCAAGGCG AGTTACATGA TCCCCCATGT 3901 TGTGCAAAAA AGCGGTTAGC TCCTTCGGTC CTCCGATCGT TGTCAGAAGT AAGTTGGCCG 3961 CAGTGTTATC ACTCATGGTT ATGGCAGCAC TGCATAATTC TCTTACTGTC ATGCCATCCG 4021 TAAGATGCTT TTCTGTGACT GGTGAGTACT CAACCAAGTC ATTCTGAGAA TAGTGTATGC 4081 GGCGACCGAG TTGCTCTTGC CCGGCGTCAA TACGGGATAA TACCGCGCCA CATAGCAGAA 4141 CTTTAAAAGT GCTCATCATT GGAAAACGTT CTTCGGGGCG AAAACTCTCA AGGATCTTAC 4201 CGCTGTTGAG ATCCAGTTCG ATGTAACCCA CTCGTGCACC CAACTGATCT TCAGCATCTT 4261 TTACTTTCAC CAGCGTTTCT GGGTGAGCAA AAACAGGAAG GCAAAAATGCC GCAAAAAAGG 4321 GAATAAGGGC GACACGGAAA TGTTGAATAC TCATACTCTT CCTTTTTCAA TATTATTGAA 4381 GCATTTATCA GGGTTATTGT CTCATGAGCG GATACATATT TGAATGTATT TAGAAAAATA 4441 AACAAATAGG GGTTCCGCGC ACATTTCCCC GAAAAGTGCC ACCTGACGTC TAAGAAACCA 4501 TTATTATCAT GACATTAACC TATAAAAATA GGCGTATCAC GAGGCCCTTT CGTCTCGCGC 4561 GTTTCGGTGA TGACGGTGAA AACCTCTGAC ACATGCAGCT CCCGGAGACG GTCACAGCTT 4621 CTGTCTAAGC GGATGCCGGG AGCAGACAAG CCCGTCAGGG CGCGTCAGCG GGTGTTGGCG 4681 GGTGTCGGGG CTGGCTTAAC TATGCGGCAT CAGAGCAGAT TGTACTGAGA GTGCACCATA 4741 TCGACGCTCT CCCTTATGCG ACTCCTGCAT TAGGAAGCAG CCCAGTACTA GGTTGAGGCC 4801 GTTGAGCACC GCCGCCGCAA GGAATGGTGC ATGCAAGGAG ATGGCGCCCA ACAGTCCCCC 4861 GGCCACGGG CCTGCCACCA TACCCACGCC GAAACAAGCG CTCATGAGCC CGAAGTGGCG 4921 AGCCCGATCT TCCCCATCGG TGATGTCGGC GATATAGGCG CCAGCAACCG CACCTGTGGC 4981 GCCGGTGATG CCGGCCACGA TGCGTCCGGC GTAGAGGATC TGGCTAGCGA TGACCCTGCT 5041 GATTGGTTCG CTGACCATTT CCGGGGTGCG GAACGGCGTT ACCAGAAACT CAGAAGGTTC 5101 GTCCAACCAA ACCGACTCTG ACGGCAGTTT ACGAGAGAGA TGATAGGGTC TGCTTCAGTA 5161 AGCCAGATGC TACACAATTA GGCTTGTACA TATTGTCGTT AGAACGCGGC TACAATTAAT 5221 ACATAACCTT ATGTATCATA CACATACGAT TTAGGTGACA CTATAGATGG CGGATGTGTG 5281 ACATACACGA CGCCAAAAGA TTTTGTTCCA GCTCCTGCCA CCTCCGCTAC GCGAGAGATT 5341 AACCACCCAC GATGGCCGCC AAAGTGCATG TTGATATTGA GGCTGACAGC CCATTCATCA 5401 AGTCTTTGCA GAAGGCATTT CCGTCGTTCG AGGTGGAGTC ATTGCAGGTC ACACCAAATG 5461 ACCATGCAAA TGCCAGAGCA TTTTCGCACC TGGCTACCAA ATTGATCGAG CAGGAGACTG 5521 ACAAAGACAC ACTCATCTTG GATATCGGCA GTGCGCCTTC CAGGAGAATG ATGTCTACGC 5581 ACAAATACCA CTGCGTATGC CCTATGCGCA GCGCAGAAGA CCCCGAAAGG CTCGATAGCT 5641 ACGCAAAGAA ACTGGCAGCG GCCTCCGGGA AGGTGCTGGA TAGAGAGATC GCAGGAAAAA 5701 TCACCGACCT GCAGACCGTC ATGGCTACGC CAGACGCTGA ATCTCCTACC TTTTGCCTGC 5761 ATACAGACGT CACGTGTCGT ACGGCAGCCG AAGTGGCCGT ATACCAGGAC GTGTATGCTG 5821 TACATGCACC AACATCGCTG TACCATCAGG CGATGAAAGG TGTCAGAACG GCGTATTGGA 5881 TTGGGTTTGA CACCACCCCG TTTATGTTTG ACGCGCTAGC AGGCGCGTAT CCAACCTACG-

FIGURE Z9C

66/240

5941 CCACAAACTG GGCCGACGAG CAGGTGTTAC AGGCCAGGAA CATAGGACTG TGTGCAGCAT 6001 CCTTGACTGA GGGAAGACTC GGCAAACTGT CCATTCTCCG CAAGAAGCAA TTGAAACCTT 6061 GCGACACAGT CATGTTCTCG GTAGGATCTA CATTGTACAC TGAGAGCAGA AAGCTACTGA 6121 GGAGCTGGCA CTTACCCTCC GTATTCCACC TGAAAGGTAA ACAATCCTTT ACCTGTAGGT 6181 GCGATACCAT CGTATCATGT GAAGGGTACG TAGTTAAGAA AATCACTATG TGCCCCGGCC 6241 TGTACGGTAA AACGGTAGGG TACGCCGTGA CGTATCACGC GGAGGGATTC CTAGTGTGCA 6301 AGACCACAGA CACTGTCAAA GGAGAAAGAG TCTCATTCCC TGTATGCACC TACGTCCCCT 6361 CAACCATCTG TGATCAAATG ACTGGCATAC TAGCGACCGA CGTCACACCG GAGGACGCAC 6421 AGAAGTTGTT AGTGGGATTG AATCAGAGGA TAGTTGTGAA CGGAAGAACA CAGCGAAACA 6481 CTAACACGAT GAAGAACTAT CTGCTTCCGA TTGTGGCCGT CGCATTTAGC AAGTGGGCGA 6541 GGGAATACAA GGCAGACCTT GATGATGAAA AACCTCTGGG TGTCCGAGAG AGGTCACTTA 6601 CTTGCTGCTG CTTGTGGGCA TTTAAAACGA GGAAGATGCA CACCATGTAC AAGAAACCAG 6661 ACACCCAGAC AATAGTGAAG GTGCCTTCAG AGTTTAACTC GTTCGTCATC CCGAGCCTAT 6721 GGTCTACAGG CCTCGCAATC CCAGTCAGAT CACGCATTAA GATGCTTTTG GCCAAGAAGA 6781 CCAAGCGAGA GTTAATACCT GTTCTCGACG CGTCGTCAGC CAGGGATGCT GAACAAGAGG 6841 AGAAGGAGAG GTTGGAGGCC GAGCTGACTA GAGAAGCCTT ACCACCCCTC GTCCCCATCG 6901 CGCCGGCGGA GACGGGAGTC GTCGACGTCG ACGTTGAAGA ACTAGAGTAT CACGCAGGTG 6961 CAGGGGTCGT GGAAACACCT CGCAGCGCGT TGAAAGTCAC CGCACAGCCG AACGACGTAC 7021 TACTAGGAAA TTACGTAGTT CTGTCCCCGC AGACCGTGCT CAAGAGCTCC AAGTTGGCCC 7081 CCGTGCACCC TCTAGCAGAG CAGGTGAAAA TAATAACACA TAACGGGAGG GCCGGCGGTT 7141 ACCAGGTCGA CGGATATGAC GGCAGGGTCC TACTACCATG TGGATCGGCC ATTCCGGTCC 7201 CTGAGTTTCA GGCTTTGAGC GAGAGCGCCA CTATGGTGTA CAACGAAAGG GAGTTCGTCA 7261 ACAGGAAACT ATACCATATT GCCGTTCACG GACCCTCGCT GAACACCGAC GAGGAGAACT 7321 ACGAGAAAGT CAGAGCTGAA AGAACTGACG CCGAGTACGT GTTCGACGTA GATAAAAAAT 7381 GCTGCGTCAA GAGAGAGGAA GCGTCGGGTT TGGTGTTGGT GGGAGAGCTA ACCAACCCCC 7441 CGTTCCATGA ATTCGCCTAC GAAGGGCTGA AGATCAGGCC GTCGGCACCA TATAAGACTA 7501 CAGTAGTAGG AGTCTTTGGG GTTCCGGGAT CAGGCAAGTC TGCTATTATT AAGAGCCTCG 7561 TGACCAAACA CGATCTGGTC ACCAGCGGCA AGAAGGAGAA CTGCCAGGAA ATAGTTAACG 7621 ACGTGAAGAA GCACCGCGGG AAGGGGACAA GTAGGGAAAA CAGTGACTCC ATCCTGCTAA 7681 ACGGGTGTCG TCGTGCCGTG GACATCCTAT ATGTGGACGA GGCTTTCGCT TGCCATTCCG 7741 GTACTCTGCT GGCCCTAATT GCTCTTGTTA AACCTCGGAG CAAAGTGGTG TTATGCGGAG 7801 ACCCCAAGCA ATGCGGATTC TTCAATATGA TGCAGCTTAA GGTGAACTTC AACCACAACA 7861 TCTGCACTGA AGTATGTCAT AAAAGTATAT CCAGACGTTG CACGCGTCCA GTCACGGCCA 7921 TCGTGTCTAC GTTGCACTAC GGAGGCAAGA TGCGCACGAC CAACCCGTGC AACAAACCA 7981 TAATCATAGA CACCACAGGA CAGACCAAGC CCAAGCCAGG AGACATCGTG TTAACATGCT 8041 TCCGAGGCTG GGCAAAGCAG CTGCAGTTGG ACTACCGTGG ACACGAAGTC ATGACAGCAG 8101 CAGCATCTCA GGGCCTCACC CGCAAAGGGG TATACGCCGT AAGGCAGAAG GTGAATGAAA 8161 ATCCCTTGTA TGCCCCTGCG TCGGAGCACG TGAATGTACT GCTGACGCGC ACTGAGGATA 8221 GGCTGGTGTG GAAAACGCTG GCCGGCGATC CCTGGATTAA GGTCCTATCA AACATTCCAC 8281 AGGGTAACTT TACGGCCACA TTGGAAGAAT GGCAAGAAGA ACACGACAAA ATAATGAAGG 8341 TGATTGAAGG ACCGGCTGCG CCTGTGGACG CGTTCCAGAA CAAAGCGAAC GTGTGTTGGG 8401 CGAAAAGCCT GGTGCCTGTC CTGGACACTG CCGGAATCAG ATTGACAGCA GAGGAGTGGA 8461 GCACCATAAT TACAGCATTT AAGGAGGACA GAGCTTACTC TCCAGTGGTG GCCTTGAATG 8521 AAATTTGCAC CAAGTACTAT GGAGTTGACC TGGACAGTGG CCTGTTTTCT GCCCCGAAGG 8581 TGTCCCTGTA TTACGAGAAC AACCACTGGG ATAACAGACC TGGTGGAAGG ATGTAT3GAT 8641 TCAATGCCGC AACAGCTGCC AGGCTGGAAG CTAGACATAC CTTCCTGAAG GGGCAGTGGC 8701 ATACGGGCAA GCAGGCAGTT ATCGCAGAAA GAAAAATCCA ACCGCTTTCT GTGCTGGACA 8761 ATGTAATTCC TATCAACCGC AGGCTGCCGC ACGCCCTGGT GGCTGAGTAC AAGACGGTTA 8821: AAGGCAGTAG GGTTGAGTGG CTGGTCAATA AAGTAAGAGG GTACCACGTC CTGCTGGTGA 8881 GTGAGTACAA CCTGGCTTTG CCTCGACGCA GGGTCACTTG GTTGTCACCG CTGAATGTCA 8941 CAGGCGCCGA TAGGTGCTAC GACCTAAGTT TAGGACTGCC GGCTGACGCC GGCAGGTTCG 9001 ACTTGGTCTT TGTGAACATT CACACGGAAT TCAGAATCCA CCACTACCAG CAGTGTGTCG 9061 ACCACGCCAT GAAGCTGCAG ATGCTTGGGG GAGATGCGCT ACGACTGCTA AAACCCGGCG 9121 GCATCTTGAT GAGAGCTTAC GGATACGCCG ATAAAATCAG CGAAGCCGTT GTTTCCTCCT 9181 TAAGCAGAAA GTTCTCGTCT GCAAGAGTGT TGCGCCCGGA TTGTGTCACC AGCAATACAG 9241 AAGTGTTCTT GCTGTTCTCC AACTTTGACA ACGGAAAGAG ACCCTCTACG CTACACCAGA 9301 TGAATACCAA GCTGAGTGCC GTGTATGCCG GAGAAGCCAT GCACACGGCC GGGTGTGCAC 9361 CATCCTACAG AGTTAAGAGA GCAGACATAG CCACGTGCAC AGAAGCGGCT GTGGTTAACG-

FIGURE 29A

	CAGCTAACGC					
	CGTCAGCCTT					
	CGTACCCCGT					
	ACCGCGAATT					
	GCAGCGTAGC					
	AGCAATCCCT					
	ACTGCAGAGA					
	TGGAGTTGCT					
	GCAGCCTGGT					
	AAGGTACGAA					
	GACTGCAAGA					
	TCAGATCCAA					
	GCCTGTGCCG					
	AAAGCATGGT					
	AGGTAAAGTG					
	GGAAGTATGC					
	ACTGGACCAC					
	CGTGTGACAT					
	ACCCTGAACC					
	ATGTGGACCT					
	CCCGCGCGGC					
	CGTTTAGGAA					
	TGGCCTCCGG					
	CATATATTTT					
	ACAATCTCCA					
	TGGATACTGA					
	ATAAGAGTCG					
11041	TCACATCGGG	GGCCAGATTG	TACACGGGAG	CGGACGTAGG	CCGCATACCA	ACATACGCGG
	TTCGGTACCC					
	TAGCAATCGC					
	AGATAACAGA					
11281	ACAGAGCGAC	ATTCTGCCCG	GCGAAGCTCC	GGTGCTACCC	GAAACATCAT	GCGTACCACC
11341	AGCCGACTGT	ACGCAGTGCC	GTCCCGTCAC	CCTTTCAGAA	CACACTACAG	AACGTGCTAG
	CGGCTGCCAC					
	CGGCAGTGTT					
11521	AATATGCTAA	ACAACCTATC	CGGATAACCA	CTGAGAACAT	CACTACCTAT	GTGACCAAAT
	TGAAAGGCCC					
	AGGTTCCCAT					
	CGAAACACAC					
	CCGCTTACCT					
	CTAACGTGCA					
11881	ACTTCCACCC	AGGAGACCCG	GTTCTAGAGA	CGGACATTGC	ATCATTCGAC	AAAAGCCAGG
11941	ACGACTCCTT	GGCTCTTACA	GGTTTAATGA	TCCTCGAAGA	TCTAGGGGTG	GATCAGTACC
12001	TGCTGGACTT	GATCGAGGCA	GCCTTTGGGG	AAATATCCAG	CTGTCACCTA	CCAACTGGCA
12061	CGCGCTTCAA	GTTCGGAGCT	ATGATGAAAT	CGGGCATGTT	TCTGACTTTG	TTTATTAACA
12121	CTGTTTTGAA	CATCACCATA	GCAAGCAGGG	TACTGGAGCA	GAGACTCACT	GACTCCGCCT
12181	GTGCGGCCTT	CATCGGCGAC	GACAACATCG	TTCACGGAGT	GATCTCCGAC	AAGCTGATGG
12241	CGGAGAGGTG	CGCGTCGTGG	GTCAACATGG	AGGTGAAGAT	CATTGACGCT	GTCATGGGCG
12301	AAAAACCCCC	ATATTTTTGT	GGGGGATTCA	TAGTTTTTGA	CAGCGTCACA	CAGACCGCCT
12361	GCCGTGTTTC	AGACCCACTT	AAGCGCCTGT	TCAAGTTGGG	TAAGCCGCTA	ACAGCTGAAG
12421	ACAAGCAGGA	CGAAGACAGG	CGACGAGCAC	TGAGTGACGA	GGTT .	



Figure 30A: pDEST10 Polyhedron Promoter with N-His6,
Baculovirus Transfer Plasmid

mRNA from polyhedrin promoter


154 aaa taa gta ttt tac tgt ttt cgt aac agt ttt gta ata aaa aaa cct ata
ttt att cat aaa atg aca aaa gca ttg tca aaa cat tat ttt ttt gga tat

205 aat att ccg gat tat tea tae egt eee aee ate ggg ege gga tet egg tee tta taa gge eta ata agt atg gea ggg tgg tag eee geg eet aga gee agg

Met Ser Tyr Tyr His His His His His His Ase Tyr Ase Tie & ctt tgg tac age atg gta gtg gta gtg gta gtg cta atg cta tag ggt

TEV polease

307 The The Glu Ash Leu Tur Phe Gint Slu Ile The See Leu Tur Lus Lus acg acc gaa aac ctg tat tit cag ggc atc aca agt tigetec ada aaa gct tgc tgg ctt ttg gac ata aaa gtc ccg tag tgt tca aac atg ttt tur oga att R1




pDEST10 6708 bp

Location (Base Nos.)	Gene Encoded
23152	Ppolh
461337	attR1
7111370	CmR
14901574	inactivated ccdA
17122017	ccdB
20582182	attR2
33944369	ampR
45105164	ori
565862	genR

1	CCCCGGATGA	AGTGGTTCGC	ATCCTCGGTT	TTCTGGAAGG	CGAGCATCGT	TTGTTCGCCC
61	AGGACTCTAG	CTATAGTTCT	AGTGGTTGGC	TACGTATACT	CCGGAATATT	AATAGATCAT
	GGAGATAATT					
181	AGTTTTGTAA	TAAAAAAACC	TATAAATATT	CCGGATTATT	CATACCGTCC	CACCATCGGG
	CGCGGATCTC					
301	ATCCCAACGA	CCGAAAACCT	GTATTTTCAG	GGCATCACAA	GTTTGTACAA	AAAAGCTGAA
361	CGAGAAACGT	AAAATGATAT	AAATATCAAT	ATATTAAATT	AGATTTTGCA	TAAAAAACAG
	ACTACATAAT					
	CATCACCCGA					
	AAATAAATCC					
	GAGACGTTGA					
	CGGGCGTATT					
721	AAATCACTGG	ATATACCACC	GTTGATATAT	CCCAATGGCA	TCGTAAAGAA	CATTTTGAGG
	CATTTCAGTC					
	TTTTAAAGAC					
	CCCGCCTGAT					
961	TATGGGATAG	TGTTCACCCT	TGTTACACCG	TTTTCCATGA	GCAAACTGAA	ACGTTTTCAT
1021	CGCTCTGGAG	TGAATACCAC	GACGATTTCC	${\tt GGCAGTTTCT}$	ACACATATAT	TCGCAAGATG
	TGGCGTGTTA					
	TCGTCTCAGC					
	ACAACTTCTT					
	TGATGCCGCT					
	TGCTTAATGA					
1381	CCGGCTTACT	AAAAGCCAGA	TAACAGTATG	CGTATTTGCG	CGCTGATTTT	TGCGGTATAA
	GAATATATAC					
1501	TATTACAGTG	ACAGTTGACA	GCGACAGCTA	TCAGTTGCTC	AAGGCATATA	TGATGTCAAT
1561	ATCTCCGGTC	TGGTAAGCAC	AACCATGCAG	AATGAAGCCC	GTCGTCTGCG	TGCCGAACGC
1621	TGGAAAGCGG	AAAATCAGGA	AGGGATGGCT	GAGGTCGCCC	GGTTTATTGA	AATGAACGGC
1681	TCTTTTGCTG	ACGAGAACAG	GGACTGGTGA	AATGCAGTTT	AAGGTTTACA	CCTATAAAAG
1741	AGAGAGCCGT	TATCGTCTGT	TTGTGGATGT	ACAGAGTGAT	ATTATTGACA	CGCCCGGGCG
1801	ACGGATGGTG	ATCCCCCTGG	CCAGTGCACG	TCTGCTGTCA	GATAAAGTCT	CCCGTGAACT
1861	TTACCCGGTG	GTGCATATCG	GGGATGAAAG	CTGGCGCATG	ATGACCACCG	ATATGGCCAG
1921	TGTGCCGGTC	TCCGTTATCG	GGGAAGAAGT	GGCTGATCTC	AGCCACCGCG	AAAATGACAT
1981	CAAAAACGCC	ATTAACCTGA	TGTTCTGGGG	AATATAAATG	TCAGGCTCCC	TTATACACAG
2041	CCAGTCTGCA	GGTCGACCAT	AGTGACTGGA	TATGTTGTGT	TTTACAGTAT	TATGTAGTCT
2101	GTTTTTTATG	CAAAATCTAA	TTTAATATAT	TGATATTTAT	ATCATTTTAC	GTTTCTCGTT
2161	CAGCTTTCTT	GTACAAAGTG	GTGATGCCAT	GGATCCGGAA	TTCAAAGGCC	TACGTCGACG
2221	AGCTCAACTA	GTGCGGCCGC	TTTCGAATCT	AGAGCCTGCA	GTCTCGAGGC	ATGCGGTACC
2281	AAGCTTGTCG	AGAAGTACTA	GAGGATCATA	ATCAGCCATA	CCACATTTGT	AGAGGTTTTA
2341	CTTGCTTTAA	AAAACCTCCC	ACACCTCCCC	CTGAACCTGA	AACATAAAAT	GAATGCAATT
2401	GTTGTTGTTA	ACTTGTTTAT	TGCAGCTTAT	AATGGTTACA	AATAAAGCAA	TAGCATCACA
2461	AATTTCACAA	ATAAAGCATT	TTTTTCACTG	CATTCTAGTT	GTGGTTTGTC	CAAACTCATC
2521	AATGTATCTT	ATCATGTCTG	GATCTGATCA	CTGCTTGAGC	${\tt CTAGGAGATC}$	CGAACCAGAT
2581	AAGTGAAATC	TAGTTCCAAA	CTATTTTGTC	TTAATTTTAA	TTCGTATTAG	CTTACGACGC-

2641 TACACCCAGT TCCCATCTAT TTTGTCACTC TTCCCTAAAT AATCCTTAAA AACTCCATTT 2701 CCACCCCTCC CAGTTCCCAA CTATTTTGTC CGCCCACAGC GGGGCATTTT TCTTCCTGTT 2761 ATGTTTTTAA TCAAACATCC TGCCAACTCC ATGTGACAAA CCGTCATCTT CGGCTACTTT 2821 TTCTCTGTCA CAGAATGAAA ATTTTTCTGT CATCTCTTCG TTATTAATGT TTGTAATTGA 2881 CTGAATATCA ACGCTTATTT GCAGCCTGAA TGGCGAATGG GACGCGCCCT GTAGCGGCGC 2941 ATTAAGCGCG GCGGGTGTGG TGGTTACGCG CAGCGTGACC GCTACACTTG CCAGCGCCCT 3001 AGCGCCCGCT CCTTTCGCTT TCTTCCCTTC CTTTCTCGCC ACGTTCGCCG GCTTTCCCCG 3061 TCAAGCTCTA AATCGGGGGC TCCCTTTAGG GTTCCGATTT AGTGCTTTAC GGCACCTCGA 3121 CCCCAAAAAA CTTGATTAGG GTGATGGTTC ACGTAGTGGG CCATCGCCCT GATAGACGGT 3181 TTTTCGCCCT TTGACGTTGG AGTCCACGTT CTTTAATAGT GGACTCTTGT TCCAAACTGG 3241 AACAACACTC AACCCTATCT CGGTCTATTC TTTTGATTTA TAAGGGATTT TGCCGATTTC 3301 GGCCTATTGG TTAAAAAATG AGCTGATTTA ACAAAAATTT AACGCGAATT TTAACAAAAT 3361 ATTAACGTTT ACAATTTCAG GTGGCACTTT TCGGGGAAAT GTGCGCGGAA CCCCTATTTG 3421 TTTATTTTC TAAATACATT CAAATATGTA TCCGCTCATG AGACAATAAC CCTGATAAAT 3481 GCTTCAATAA TATTGAAAAA GGAAGAGTAT GAGTATTCAA CATTTCCGTG TCGCCCTTAT 3541 TCCCTTTTTT GCGGCATTTT GCCTTCCTGT TTTTGCTCAC CCAGAAACGC TGGTGAAAGT 3601 AAAAGATGCT GAAGATCAGT TGGGTGCACG AGTGGGTTAC ATCGAACTGG ATCTCAACAG 3661 CGGTAAGATC CTTGAGAGTT TTCGCCCCGA AGAACGTTTT CCAATGATGA GCACTTTTAA 3721 AGTTCTGCTA TGTGGCGCGG TATTATCCCG TATTGACGCC GGGCAAGAGC AACTCGGTCG 3781 CCGCATACAC TATTCTCAGA ATGACTTGGT TGAGTACTCA CCAGTCACAG AAAAGCATCT 3841 TACGGATGGC ATGACAGTAA GAGAATTATG CAGTGCTGCC ATAACCATGA GTGATAACAC 3901 TGCGGCCAAC TTACTTCTGA CAACGATCGG AGGACCGAAG GAGCTAACCG CTTTTTTGCA 3961 CAACATGGGG GATCATGTAA CTCGCCTTGA TCGTTGGGAA CCGGAGCTGA ATGAAGCCAT 4021 ACCAAACGAC GAGCGTGACA CCACGATGCC TGTAGCAATG GCAACAACGT TGCGCAAACT 4081 ATTAACTGGC GAACTACTTA CTCTAGCTTC CCGGCAACAA TTAATAGACT GGATGGAGGC 4141 GGATAAAGTT GCAGGACCAC TTCTGCGCTC GGCCCTTCCG GCTGGCTGGT TTATTGCTGA 4201 TAAATCTGGA GCCGGTGAGC GTGGGTCTCG CGGTATCATT GCAGCACTGG GGCCAGATGG 4261 TAAGCCCTCC, CGTATCGTAG TTATCTACAC GACGGGGAGT CAGGCAACTA TGGATGAACG 4321 AAATAGACAG ATCGCTGAGA TAGGTGCCTC ACTGATTAAG CATTGGTAAC TGTCAGACCA 4381 AGTTTACTCA TATATACTTT AGATTGATTT AAAACTTCAT TTTTAATTTA AAAGGATCTA 4441 GGTGAAGATC CTTTTTGATA ATCTCATGAC CAAAATCCCT TAACGTGAGT TTTCGTTCCA 4501 CTGAGCGTCA GACCCCGTAG AAAAGATCAA AGGATCTTCT TGAGATCCTT TTTTTCTGCG 4561 CGTAATCTGC TGCTTGCAAA CAAAAAAACC ACCGCTACCA GCGGTGGTTT GTTTGCCGGA 4621 TCAAGAGCTA CCAACTCTTT TTCCGAAGGT AACTGGCTTC AGCAGAGCGC AGATACCAAA 4681 TACTGTCCTT CTAGTGTAGC CGTAGTTAGG CCACCACTTC AAGAACTCTG TAGCACCGCC 4741 TACATACCTC GCTCTGCTAA TCCTGTTACC AGTGGCTGCT GCCAGTGGCG ATAAGTCGTG 4801 TCTTACCGGG TTGGACTCAA GACGATAGTT ACCGGATAAG GCGCAGCGGT CGGGCTGAAC 4861 GGGGGGTTCG TGCACACAGC CCAGCTTGGA GCGAACGACC TACACCGAAC TGAGATACCT 4921 ACAGCGTGAG CATTGAGAAA GCGCCACGCT TCCCGAAGGG AGAAAGGCGG ACAGGTATCC 4981 GGTAAGCGGC AGGGTCGGAA CAGGAGAGCG CACGAGGGAG CTTCCAGGGG GAAACGCCTG 5041 GTATCTTTAT AGTCCTGTCG GGTTTCGCCA CCTCTGACTT GAGCGTCGAT TTTTGTGATG 5101 CTCGTCAGGG GGGCGGAGCC TATGGAAAAA CGCCAGCAAC GCGGCCTTTT TACGGTTCCT 5161 GGCCTTTTGC TGGCCTTTTG CTCACATGTT CTTTCCTGCG TTATCCCCTG ATTCTGTGGA 5221 TAACCGTATT ACCGCCTTTG AGTGAGCTGA TACCGCTCGC CGCAGCCGAA CGACCGAGCG 5281 CAGCGAGTCA GTGAGCGAGG AAGCGGAAGA GCGCCTGATG CGGTATTTTC TCCTTACGCA 5341 TCTGTGCGGT ATTTCACACC GCAGACCAGC CGCGTAACCT GGCAAAATCG GTTACGGTTG 5401 AGTAATAAAT GGATGCCCTG CGTAAGCGGG TGTGGGCGGA CAATAAAGTC TTAAACTGAA 5461 CAAAATAGAT CTAAACTATG ACAATAAAGT CTTAAACTAG ACAGAATAGT TGTAAACTGA 5521 AATCAGTCCA GTTATGCTGT GAAAAAGCAT ACTGGACTTT TGTTATGGCT AAAGCAAACT 5581 CTTCATTTTC TGAAGTGCAA ATTGCCCGTC GTATTAAAGA GGGGCGTGGC CAAGGGCATG 5641 GTAAAGACTA TATTCGCGGC GTTGTGACAA TTTACCGAAC AACTCCGCGG CCGGGAAGCC 5701 GATCTCGGCT TGAACGAATT GTTAGGTGGC GGTACTTGGG TCGATATCAA AGTGCATCAC 5761 TTCTTCCCGT ATGCCCAACT TTGTATAGAG AGCCACTGCG GGATCGTCAC CGTAATCTGC 5821 TTGCACGTAG ATCACATAAG CACCAAGCGC GTTGGCCTCA TGCTTGAGGA GATTGATGAG 5881 CGCGGTGGCA ATGCCCTGCC TCCGGTGCTC GCCGGAGACT GCGAGATCAT AGATATAGAT 5941 CTCACTACGC GGCTGCTCAA ACCTGGGCAG AACGTAAGCC GCGAGAGCGC CAACAACCGC 6001 TTCTTGGTCG AAGGCAGCAA GCGCGATGAA TGTCTTACTA CGGAGCAAGT TCCCGAGGTA 6061 ATCGGAGTCC GGCTGATGTT GGGAGTAGGT GGCTACGTCT CCGAACTCAC GACCGAAAAG-




6121	ATCAAGAGCA	GCCCGCATGG	ATTTGACTTG	GTCAGGGCCG	AGCCTACATG	TGCGAATGAT
6181	GCCCATACTT	GAGCCACCTA	ACTITGTTTT	AGGGCGACTG	CCCTGCTGCG	TAACATCGTT
6241	GCTGCTGCGT	AACATCGTTG	CTGCTCCATA	ACATCAAACA	TCGACCCACG	GCGTAACGCG
6301	CTTGCTGCTT	GGATGCCCGA	${\tt GGCATAGACT}$	GTACAAAAA	ACAGTCATAA	CAAGCCATGA
6361	AAACCGCCAC	TGCGCCGTTA	CCACCGCTGC	GTTCGGTCAA	GGTTCTGGAC	CAGTTGCGTG
6421	AGCGCATACG	CTACTTGCAT	${\tt TACAGTTTAC}$	GAACCGAACA	GGCTTATGTC	AACTGGGTTC
6481	GTGCCTTCAT	CCGTTTCCAC	${\tt GGTGTGCGTC}$	ACCCGGCAAC	CTTGGGCAGC	AGCGAAGTCG
6541	AGGCATTTCT	GTCCTGGCTG	GCGAACGAGC	GCAAGGTTTC	GGTCTCCACG	CATCGTCAGG
6601	CATTGGCGGC	CTTGCTGTTC	${\tt TTCTACGGCA}$	AGGTGCTGTG	CACGGATCTG	CCCTGGCTTC
6661	AGGAGATCGG	AAGACCTCGG	CCGTCGCGGC	GCTTGCCGGT	GGTGCTGA	

Figure 31A:

DEST 11

Tet-regulated eukaryotic expression



pDEST11 7026 bp

Location (Base Nos.)				Gene Encoded		
	4479			Tetp ((Tet operator)7 and min		
		33/5			V promoter)	
		638514		attR1	v promocer,	
		888154		CmR		
		166717		-	vated ccdA	
		188921		ccdB	vaceu ccun	
		223523	_	attR2		
		240241		polyA		
		434748 494057		fl ori		
		.494037	37	ampR		
_	CGAGTTTACC					
	TCAGTGATAG					
	GAAAGTCGAG					
	TCCCTATCAG					
241	AAAAGTGAAA	GTCGAGTTTA	CCACTCCCTA	TCAGTGATAG	AGAAAAGTGA	AAGTCGAGCT
301	CGGTACCCGG	GTCGAGTAGG	CGTGTACGGT	GGGAGGCCTA	TATAAGCAGA	GCTCGTTTAG
361	TGAACCGTCA	GATCGCCTGG	AGACGCCATC	CACGCTGTTT	TGACCTCCAT	AGAAGACACC
421	GGGACCGATC	CAGCCTCCGC	GGCCCCGAAT	TCGAGCTCGG	TACCCGGGGA	TCCTCTAGAG
481	TCGAGGTCGA	CGGTATCGAT	AAGCTTGATA	TCAACAAGTT	TGTACAAAAA	AGCTGAACGA
541	GAAACGTAAA	ATGATATAAA	TATCAATATA	TTAAATTAGA	TTTTGCATAA	AAAACAGACT
601	ACATAATACT	GTAAAACACA	ACATATCCAG	TCACTATGGC	GGCCGCTAAG	TTGGCAGCAT
661	CACCCGACGC	ACTTTGCGCC	GAATAAATAC	CTGTGACGGA	AGATCACTTC	GCAGAATAAA
721	TAAATCCTGG	TGTCCCTGTT	GATACCGGGA	AGCCCTGGGC	CAACTTTTGG	CGAAAATGAG
781	ACGTTGATCG	GCACGTAAGA	GGTTCCAACT	TTCACCATAA	TGAAATAAGA	TCACTACCGG
841	GCGTATTTTT	TGAGTTATCG	AGATTTTCAG	GAGCTAAGGA	AGCTAAAATG	GAGAAAAAA
901	TCACTGGATA	TACCACCGTT	GATATATCCC	AATGGCATCG	TAAAGAACAT	TTTGAGGCAT
961	TTCAGTCAGT	TGCTCAATGT	ACCTATAACC	AGACCGTTCA	${\tt GCTGGATATT}$	ACGGCCTTTT
1021	TAAAGACCGT	AAAGAAAAAT	AAGCACAAGT	TTTATCCGGC	CTTTATTCAC	ATTCTTGCCC
1081	GCCTGATGAA	TGCTCATCCG	GAATTCCGTA	TGGCAATGAA	${\tt AGACGGTGAG}$	CTGGTGATAT
1141	GGGATAGTGT	TCACCCTTGT	TACACCGTTT	TCCATGAGCA	AACTGAAACG	TTTTCATCGC
1201	TCTGGAGTGA	ATACCACGAC	GATTTCCGGC	AGTTTCTACA	CATATATTCG	CAAGATGTGG
1261	CGTGTTACGG	TGAAAACCTG	GCCTATTTCC	CTAAAGGGTT	TATTGAGAAT	ATGTTTTTCG
1321	TCTCAGCCAA	TCCCTGGGTG	AGTTTCACCA	GTTTTGATTT	AAACGTGGCC	AATATGGACA
1381	ACTTCTTCGC	CCCCGTTTTC	ACCATGGGCA	AATATTATAC	GCAAGGCGAC	AAGGTGCTGA
1441	TGCCGCTGGC	GATTCAGGTT	CATCATGCCG	TCTGTGATGG	CTTCCATGTC	GGCAGAATGC
	TTAATGAATT					
1561	GCTTACTAAA	AGCCAGATAA	CAGTATGCGT	ATTTGCGCGC	TGATTTTTGC	GGTATAAGAA
1621	TATATACTGA	TATGTATACC	CGAAGTATGT	CAAAAAGAGG	TGTGCTATGA	AGCAGCGTAT
1681	TACAGTGACA	GTTGACAGCG	ACAGCTATCA	GTTGCTCAAG	GCATATATGA	TGTCAATATC
	TCCGGTCTGG					
	AAAGCGGAAA					
1861	TTTGCTGACG	AGAACAGGGA	CTGGTGAAAT	GCAGTTTAAG	GTTTACACCT	ATAAAAGAGA
1921	GAGCCGTTAT	CGTCTGTTTG	TGGATGTACA	GAGTGATATT	ATTGACACGC	CCGGGCGACG
	GATGGTGATC					
	CCCGGTGGTG					
	GCCGGTCTCC					
	AAACGCCATT					
	GTCTGCAGGT					
	TTTTATGCAA					
	CTTTCTTGTA				•	
	GAGCACTGCG				-	
	TAAACGCCTG					
2521	CGGATCTTTG	TGAAGGAACC	TTACTTCTGT	GGTGTGACAT	AATTGGACAA	ACTACCTACA-

2501	CACAMMINAAA	GCTCTAAGGT		משיים א משיים שיים	ጥእጥእ አጥረጥርጥ	ma a a coma como
		TTTGTGTATT				
		TTAATGAGGA				
		CTGACTCTCA				
		TTCCTTCAGA				
		GCTTTGCTAT				
		AATATTCTGT				
		TTACTCCACA				
		TTAGCTTTTT				
		GAGATCATAA				
		CACCTCCCCC				
		GCAGCTTATA				
		TTTTCACTGC				
3361	TCATGTCTGG	ATCCCCAGGA	AGCTCCTCTG	TGTCCTCATA	AACCCTAACC	TCCTCTACTT
3421	GAGAGGACAT	TCCAATCATA	GGCTGCCCAT	CCACCCTCTG	TGTCCTCCTG	TTAATTAGGT
		AAAGGAAATT				
		GGGAAGTCCC				
		AGCAGAAACA				
		CACTGTGGTT				
		GGTTCCAAAA				
		ATAAGCATTA				
		TGTAGCATTT				
		ACCCTGCAGC				
		GGGTTTTCCA				
		AGTTACCCCA				
		GGTTAAGTCC				
		GAGCTCCAAT				
		ACGTCGTGAC				
		TTTCGCCAGC				
		CAGCCTGAAT				
		GGTTACGCGC				
		CTTCCCTTCC				
		CCCTTTAGGG				
		TGATGGTTCA				
		GTCCACGTTC				
		GGTCTATTCT				
		GCTGATTTAA				
		GGCACTTTTC				
		AATATGTATC				
4921	TTGAAAAAGG	'AAGAGTATGA	GTATTCAACA	TTTCCGTGTC	GCCCTTATTC	CCTTTTTTGC
4981	GGCATTTTGC	CTTCCTGTTT	TTGCTCACCC	AGAAACGCTG	GTGAAAGTAA	AAGATGCTGA
5041	AGATCAGTTG	GGTGCACGAG	TGGGTTACAT	CGAACTGGAT	CTCAACAGCG	GTAAGATCCT
5101	TGAGAGTTTT	CGCCCGAAG	AACGTTTTCC	AATGATGAGC	ACTTTTAAAG	TTCTGCTATG
5161	TGGCGCGGTA	TTATCCCGTA	TTGACGCCGG	GCAAGAGCAA	CTCGGTCGCC	GCATACACTA
5221	TTCTCAGAAT	GACTTGGTTG	AGTACTCACC	AGTCACAGAA	AAGCATCTTA	CGGATGGCAT
5281	GACAGTAAGA	GAATTATGCA	GTGCTGCCAT	AACCATGAGT	GATAACACTG	CGGCCAACTT
5341	ACTTCTGACA	ACGATCGGAG	GACCGAAGGA	GCTAACCGCT	TTTTTGCACA	ACATGGGGGA
5401	TCATGTAACT	CGCCTTGATC	GTTGGGAACC	GGAGCTGAAT	GAAGCCATAC	CAAACGACGA
5461	GCGTGACACC	ACGATGCCTG	TAGCAATGGC	AACAACGTTG	CCCAAACTAT	TAACTGGCGA
5521	ACTACTTACT	CTAGCTTCCC	GGCAACAATT	AATAGACTCC	ATGGAGGCGG	ATAAACTTCC
5581	AGGACCACTT	CTGCGCTCGG	CCCTTCCGGC	ТСССТССТСТ	ATTGCTGATA	AATCTCCACC
5641	CGGTGAGCGT	GGGTCTCGCG	GTATCATTCC	AGCACTGGGG	CCACATCCTA	VGCCCACCC
5701	TATCGTAGTT	ATCTACACGA	CCCCCACTCA	CCCV VCTVCC	CAGAIGGIA	ATACACACAT
5761	CCCTCACATA	GGTGCCTCAC	TCATTAACCA	OCCHACIAIG	TCACACCAAC	TOTOLOGICA
5821	TATACTTOAGAIA	ATTGATTTAA	A DOTTING CA	TIGGIAACIG	ACCATOTACC	TCARCICATA
5821	TATACITIAG	CTCATGACCA	ADATCCCTTA	TIAATTTAAA	AGGATCTAGG	CAGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG
50/1	CCCCCTAGAA	AAGATCAAAG	CATCOTTA	ACGIGAGITIT	TCGTTCCACT	GAGCGTCAGA
2241	CCCCGIAGAA	ANDAI CAAAG	CCCTACCACC	AGATCCTTTT	TTTCTGCGCG	TAATCTGCTG
2001	CIIGCAAACA	MANAMACCAC	CGCIACCAGC	GGTGGTTTGT	1 TGCCGGATC	AAGAGCTACC-

6061	AACTCTTTTT	CCGAAGGTAA	CTGGCTTCAG	CAGAGCGCAG	ATACCAAATA	CTGTCCTTCT
6121	AGTGTAGCCG	TAGTTAGGCC	ACCACTTCAA	GAACTCTGTA	GCACCGCCTA	CATACCTCGC
6181	TCTGCTAATC	CTGTTACCAG	TGGCTGCTGC	CAGTGGCGAT	AAGTCGTGTC	TTACCGGGTT
6241	GGACTCAAGA	CGATAGTTAC	CGGATAAGGC	GCAGCGGTCG	GGCTGAACGG	GGGGTTCGTG
6301	CACACAGCCC	AGCTTGGAGC	GAACGACCTA	CACCGAACTG	AGATACCTAC	AGCGTGAGCT
6361	ATGAGAAAGC	GCCACGCTTC	CCGAAGGGAG	AAAGGCGGAC	AGGTATCCGG	TAAGCGGCAG
6421	GGTCGGAACA	GGAGAGCGCA	CGAGGGAGCT	TCCAGGGGGA	AACGCCTGGT	ATCTTTATAG
6481	TCCTGTCGGG	TTTCGCCACC	TCTGACTTGA	GCGTCGATTT	TTGTGATGCT	CGTCAGGGGG
6541	GCGGAGCCTA	TGGAAAAACG	CCAGCAACGC	GGCCTTTTTA	CGGTTCCTGG	CCTTTTGCTG
6601	GCCTTTTGCT	CACATGTTCT	TTCCTGCGTT	ATCCCCTGAT	TCTGTGGATA	ACCGTATTAC
6661	CGCCTTTGAG	TGAGCTGATA	CCGCTCGCCG	CAGCCGAACG	ACCGAGCGCA	GCGAGTCAGT
6721	GAGCGAGGAA	GCGGAAGAGC	GCCCAATACG	CAAACCGCCT	CTCCCCGCGC	GTTGGCCGAT
6781	TCATTAATGC	AGCTGGCACG	ACAGGTTTCC	CGACTGGAAA	GCGGGCAGTG	AGCGCAACGC
6841	AATTAATGTG	AGTTAGCTCA	CTCATTAGGC	ACCCCAGGCT	TTACACTTTA	TGCTTCCGGC
6901	TCGTATGTTG	TGTGGAATTG	TGAGCGGATA	ACAATTTCAC	ACAGGAAACA	GCTATGACCA
6961	TGATTACGCC	AAGCGCGCAA	TTAACCCTCA	CTAAAGGGAA	CAAAAGCTGG	GTACCGGGCC
7021	CCCCCT					

FIGURE 31)

Figure 32A: pDEST12.2 CMV Promoter for Eukaryotic Expression, SV40 Promoter/ori for G418 Resistance


acc grc aga tcg cct gga gac gcc atc cac gct gtt ttg acc tcc ata gaa tgg cag tct agc gga gac gcc atc cac gct gtt ttg acc tcc ata gaa tgg cag tct agc gga cct ctg cgg tag gtg cga caa aac tgg agg tat ctt

358 gac acc ggg acc gat cca gcc tcc gga ctc tag cct agg ccg cgg agc gga ctg tgg ccc tgg cct tcg cct

409 taa caa ttt cac aca gga aac agc tat gac cat tag gcc ttt gca aaa agc att gtt aaa gtg tgt cct ttg tcg ata ctg gta atc cgg aaa cgt ttt tcg

460 tat tta ggt gac act ata gaa ggt acg cct gca ggt acc ggt ccg gaa ttc ata aat cca ctg tga tat ctt cca tgc gga cgt cca tgg cch ggc ctt aag

511 cca tca aca agt ttg tao ada aaa gct gaa cga gaa acg taa aat gat ata ggt agt tgt tca aac atg ttt ttt cga ctt tgc att tag ggt agt tgt tca aac atg ttt ttt cga ctt tgc att tag ca taa aat gat ata



pDEST12.2 7278 bp (rotated to position 3900)

Location (Base Nos.) 86..136 Gene Encoded

ori

		220742		CMV pr	omoter	
		105993	5	attRl		
		116818	27	CmR		
		194720	31	inacti	vated ccdA	
		216924	74	ccdB		
		251526	39	attR2		
		282431	.86	small	t & polyA	
		331033	78	lac		
		436351	.57	neo		
		568065	40	ampR		
				AACGCGGCCT		
61	TGCTGGCCTT	TTGCTCACAT	GTTCTTTCCT	GCGTTATCCC	CTGATTCTGT	GGATAACCGT
				CGCCGCAGCC		
				AATGCATGTC		
241	TGGCCCGCCT	GGCTGACCGC	CCAACGACCC	CCGCCCATTG	ACGTCAATAA	TGACGTATGT
				TTGACGTCAA		
				TCATATGCCA		
421	CAATGACGGT	AAATGGCCCG	CCTGGCATTA	TGCCCAGTAC	ATGACCTTAT	GGGACTTTCC
				CGCTATTACC		
541	GTACATCAAT	GGGCGTGGAT	AGCGGTTTGA	CTCACGGGGA	TTTCCAAGTC	TCCACCCCAT
				AAATCAACGG		
				TAGGCGTGTA		
721	CAGAGCTCGT	TTAGTGAACC	GTCAGATCGC	CTGGAGACGC	CATCCACGCT	GTTTTGACCT
				CCGGACTCTA		
				ATTAGGCCTT		
				GATCACAAGT		
				ATTAAATTAG		
1021	TACATAATAC	TGTAAAACAC	AACATATCCA	GTCACTATGG	CGGCCGCATT	AGGCACCCCA
1081	GGCTTTACAC	TTTATGCTTC	CGGCTCGTAT	AATGTGTGGA	TTTTGAGTTA	GGATCCGTCG
				GAGAAAAAA		
				TTTGAGGCAT		
				ACGGCCTTTT		
				ATTCTTGCCC		
				CTGGTGATAT		
1441	TACACCGTTT	TCCATGAGCA	AACTGAAACG	TTTTCATCGC	TCTGGAGTGA	ATACCACGAC
				CAAGATGTGG		
1561	GCCTATTTCC	CTAAAGGGTT	TATTGAGAAT	ATGTTTTTCG	TCTCAGCCAA	TCCCTGGGTG
						CCCCGTTTTC
				AAGGTGCTGA		
				GGCAGAATGC		
						AGCCAGATAA
				GGTATAAGAA		
						GTTGACAGCG
1981	ACAGCTATCA	GTTGCTCAAG	GCATATATGA	TGTCAATATC	TCCGGTCTGG	TAAGCACAAC
						ATCAGGAAGG
						AGAACAGGGA
						CGTCTGTTTG
						CCCCTGGCCA
						CATATCGGGG
						GTTATCGGGG
2401	AAGAAGTGGC	TGATCTCAGC	CACCGCGAAA	ATGACATCAA	AAACGCCATI	AACCTGATGT

FIGURE 32B

2461 TCTGGGGAAT ATAAATGTCA GGCTCCCTTA TACACAGCCA GTCTGCAGGT CGACCATAGT 2521 GACTGGATAT GTTGTGTTTT ACAGTATTAT GTAGTCTGTT TTTTATGCAA AATCTAATTT 2581 AATATATTGA TATTTATATC ATTTTACGTT TCTCGTTCAG CTTTCTTGTA CAAAGTGGTG 2641 ATCGCGTGCA TGCGACGTCA TAGCTCTCTC CCTATAGTGA GTCGTATTAT AAGCTAGGCA 2701 CTGGCCGTCG TTTTACAACG TCGTGACTGG GAAAACTGCT AGCTTGGGAT CTTTGTGAAG 2761 GAACCTTACT TCTGTGGTGT GACATAATTG GACAAACTAC CTACAGAGAT TTAAAGCTCT 2821 AAGGTAAATA TAAAATTTTT AAGTGTATAA TGTGTTAAAC TAGCTGCATA TGCTTGCTGC 2881 TTGAGAGTTT TGCTTACTGA GTATGATTTA TGAAAATATT ATACACAGGA GCTAGTGATT 2941 CTAATTGTTT GTGTATTTTA GATTCACAGT CCCAAGGCTC ATTTCAGGCC CCTCAGTCCT 3001 CACAGTCTGT TCATGATCAT AATCAGCCAT ACCACATTTG TAGAGGTTTT ACTTGCTTTA 3061 AAAAACCTCC CACACCTCCC CCTGAACCTG AAACATAAAA TGAATGCAAT TGTTGTTGTT 3121 AACTTGTTTA TTGCAGCTTA TAATGGTTAC AAATAAAGCA ATAGCATCAC AAATTTCACA 3181 AATAAAGCAT TTTTTTCACT GCATTCTAGT TGTGGTTTGT CCAAACTCAT CAATGTATCT 3241 TATCATGTCT GGATCGATCC TGCATTAATG AATCGGCCAA CGCGCGGGGA GAGGCGGTTT 3301 GCGTATTGGC TGGCGTAATA GCGAAGAGGC CCGCACCGAT CGCCCTTCCC AACAGTTGCG 3361 CAGCCTGAAT GGCGAATGGG ACGCGCCCTG TAGCGGCGCA TTAAGCGCGG CGGGTGTGGT 3421 GGTTACGCGC AGCGTGACCG CTACACTTGC CAGCGCCCTA GCGCCCGCTC CTTTCGCTTT 3481 CTTCCCTTCC TTTCTCGCCA CGTTCGCCGG CTTTCCCCGT CAAGCTCTAA ATCGGGGGGCT 3541 CCCTTTAGGG TTCCGATTTA GTGCTTTACG GCACCTCGAC CCCAAAAAAC TTGATTAGGG 3601 TGATGGTTCA CGTAGTGGGC CATCGCCCTG ATAGACGGTT TTTCGCCCTT TGACGTTGGA 3661 GTCCACGTTC TTTAATAGTG GACTCTTGTT CCAAACTGGA ACAACACTCA ACCCTATCTC 3721 GGTCTATTCT TTTGATTTAT AAGGGATTTT GCCGATTTCG GCCTATTGGT TAAAAAATGA 3781 GCTGATTTAA CAAATATTTA ACGCGAATTT TAACAAAATA TTAACGTTTA CAATTTCGCC 3841 TGATGCGGTA TTTTCTCCTT ACGCATCTGT GCGGTATTTC ACACCGCATA CGCGGATCTG 3901 CGCAGCACCA TGGCCTGAAA TAACCTCTGA AAGAGGAACT TGGTTAGGTA CCTTCTGAGG 3961 CGGAAAGAAC CAGCTGTGGA ATGTGTGTCA GTTAGGGTGT GGAAAGTCCC CAGGCTCCCC 4021 AGCAGGCAGA AGTATGCAAA GCATGCATCT CAATTAGTCA GCAACCAGGT GTGGAAAGTC 4081 CCCAGGCTCC CCAGCAGGCA GAAGTATGCA AAGCATGCAT CTCAATTAGT CAGCAACCAT 4141 AGTCCCGCCC CTAACTCCGC CCATCCCGCC CCTAACTCCG CCCAGTTCCG CCCATTCTCC 4201 GCCCCATGGC TGACTAATTT TTTTTATTTA TGCAGAGGCC GAGGCCGCCT CGGCCTCTGA 4261 GCTATTCCAG AAGTAGTGAG GAGGCTTTTT TGGAGGCCTA GGCTTTTGCA AAAAGCTTGA 4321 TTCTTCTGAC ACAACAGTCT CGAACTTAAG GCTAGAGCCA CCATGATTGA ACAAGATGGA 4381 TTGCACGCAG GTTCTCCGGC CGCTTGGGTG GAGAGGCTAT TCGGCTATGA CTGGGCACAA 4441 CAGACAATCG GCTGCTCTGA TGCCGCCGTG TTCCGGCTGT CAGCGCAGGG GCGCCCGGTT 4501 CTTTTTGTCA AGACCGACCT GTCCGGTGCC CTGAATGAAC TGCAGGACGA GGCAGCGCGG 4561 CTATCGTGGC TGGCCACGAC GGGCGTTCCT TGCGCAGCTG TGCTCGACGT TGTCACTGAA 4621 GCGGGAAGGG ACTGGCTGCT ATTGGGCGAA GTGCCGGGGC AGGATCTCCT GTCATCTCAC 4681 CTTGCTCCTG CCGAGAAAGT ATCCATCATG GCTGATGCAA TGCGGCGGCT GCATACGCTT 4741 GATCCGGCTA CCTGCCCATT CGACCACCAA GCGAAACATC GCATCGAGCG AGCACGTACT 4801 CGGATGGAAG CCGGTCTTGT CGATCAGGAT GATCTGGACG AAGAGCATCA GGGGCTCGCG 4861 CCAGCCGAAC TGTTCGCCAG GCTCAAGGCG CGCATGCCCG ACGGCGAGGA TCTCGTCGTG 4921 ACCCATGGCG ATGCCTGCTT GCCGAATATC ATGGTGGAAA ATGGCCGCTT TTCTGGATTC 4981 ATCGACTGTG GCCGGCTGGG TGTGGCGGAC CGCTATCAGG ACATAGCGTT GGCTACCCGT 5041 GATATTGCTG AAGAGCTTGG CGGCGAATGG GCTGACCGCT TCCTCGTGCT TTACGGTATC 5101 GCCGCTCCCG ATTCGCAGCG CATCGCCTTC TATCGCCTTC TTGACGAGTT CTTCTGAGCG 5161 GGACTCTGGG GTTCGAAATG ACCGACCAAG CGACGCCCAA CCTGCCATCA CGATGGCCGC 5221 AATAAAATAT CTTTATTTTC ATTACATCTG TGTGTTGGTT TTTTGTGTGA ATCGATAGCG 5281 ATAAGGATCC GCGTATGGTG CACTCTCAGT ACAATCTGCT CTGATGCCGC ATAGTTAAGC 5341: CAGCCCCGAC ACCCGCCAAC ACCCGCTGAC GCGCCCTGAC GGGCTTGTCT GCTCCCGGCA 5401 TCCGCTTACA GACAAGCTGT GACCGTCTCC GGGAGCTGCA TGTGTCAGAG GTTTTCACCG 5461 TCATCACCGA AACGCGCGAG ACGAAAGGGC CTCGTGATAC GCCTATTTTT ATAGGTTAAT 5521 GTCATGATAA TAATGGTTTC TTAGACGTCA GGTGGCACTT TTCGGGGAAA TGTGCGCGGA 5581 ACCCCTATTT GTTTATTTTT CTAAATACAT TCAAATATGT ATCCGCTCAT GAGACAATAA 5641 CCCTGATAAA TGCTTCAATA ATATTGAAAA AGGAAGAGTA TGAGTATTCA ACATTTCCGT 5701 GTCGCCCTTA TTCCCTTTTT TGCGGCATTT TGCCTTCCTG TTTTTGCTCA CCCAGAAACG 5761 CTGGTGAAAG TAAAAGATGC TGAAGATCAG TTGGGTGCAC GAGTGGGTTA CATCGAACTG 5821 GATCTCAACA GCGGTAAGAT CCTTGAGAGT TTTCGCCCCG AAGAACGTTT TCCAATGATG 5881 AGCACTTTTA AAGTTCTGCT ATGTGGCGCG GTATTATCCC GTATTGACGC CGGGCAAGAG





5941	CAACTCGGTC	GCCGCATACA	CTATTCTCAG	AATGACTTGG	TTGAGTACTC	ACCAGTCACA
6001	GAAAAGCATC	TTACGGATGG	CATGACAGTA	AGAGAATTAT	GCAGTGCTGC	CATAACCATG
6061	AGTGATAACA	CTGCGGCCAA	CTTACTTCTG	ACAACGATCG	GAGGACCGAA	GGAGCTAACC
6121	GCTTTTTTGC	ACAACATGGG	GGATCATGTA	ACTCGCCTTG	ATCGTTGGGA	ACCGGAGCTG
6181	AATGAAGCCA	TACCAAACGA	CGAGCGTGAC	ACCACGATGC	CTGTAGCAAT	GGCAACAACG
6241	TTGCGCAAAC	TATTAACTGG	CGAACTACTT	ACTCTAGCTT	CCCGGCAACA	ATTAATAGAC
6301	TGGATGGAGG	CGGATAAAGT	TGCAGGACCA	CTTCTGCGCT	CGGCCCTTCC	GGCTGGCTGG
6361	TTTATTGCTG	ATAAATCTGG	AGCCGGTGAG	CGTGGGTCTC	GCGGTATCAT	TGCAGCACTG
6421	GGGCCAGATG	GTAAGCCCTC	CCGTATCGTA	GTTATCTACA	CGACGGGGAG	TCAGGCAACT
6481	ATGGATGAAC	GAAATAGACA	GATCGCTGAG	ATAGGTGCCT	CACTGATTAA	GCATTGGTAA
6541	CTGTCAGACC	AAGTTTACTC	ATATATACTT	TAGATTGATT	TAAAACTTCA	TTTTTAATTT
6601	AAAAGGATCT	AGGTGAAGAT	CCTTTTTGAT	AATCTCATGA	CCAAAATCCC	TTAACGTGAG
6661	TTTTCGTTCC	ACTGAGCGTC	AGACCCCGTA	GAAAAGATCA	AAGGATCTTC	TTGAGATCCT
6721	TTTTTTCTGC	GCGTAATCTG	CTGCTTGCAA	ACAAAAAAAC	CACCGCTACC	AGCGGTGGTT
6781	TGTTTGCCGG	ATCAAGAGCT	ACCAACTCTT	TTTCCGAAGG	TAACTGGCTT	CAGCAGAGCG
6841	CAGATACCAA	ATACTGTCCT	TCTAGTGTAG	CCGTAGTTAG	GCCACCACTT	CAAGAACTCT
6901	GTAGCACCGC	CTACATACCT	CGCTCTGCTA	ATCCTGTTAC	CAGTGGCTGC	TGCCAGTGGC
6961	GATAAGTCGT	GTCTTACCGG	GTTGGACTCA	AGACGATAGT	TACCGGATAA	GGCGCAGCGG
7021	TCGGGCTGAA	CGGGGGGTTC	GTGCACACAG	CCCAGCTTGG	AGCGAACGAC	CTACACCGAA
7081	CTGAGATACC	TACAGCGTGA	GCATTGAGAA	AGCGCCACGC	TTCCCGAAGG	GAGAAAGGCG
7141	GACAGGTATC	CGGTAAGCGG	CAGGGTCGGA	ACAGGAGAGC	GCACGAGGGA	GCTTCCAGGG
7201	GGAAACGCCT	GGTATCTTTA	TAGTCCTGTC	GGGTTTCGCC	ACCTCTGACT	TGAGCGTCGA
7261	TTTTTGTGAT	GCTCGTCA				

FIGURE 32D


Figure 33A;

p.DOST 13

Native protein in E. coli: λPL promoter

tgggcaaacc aagacagcta aagatetete acctaceaaa caatgceece etgcaaaaaa accegtttgg ttetgtegat ttetagagag tggatggtt gttacggggg gacgttttt

3781 taaattcata taaaaaacat acagataacc atetgeggtg ataaattate tetggeggtg attaagtat atttttgta tgtetattgg tagaegeeae tatttaatag agaecgeeae tagaecaeae acceatagae ggtgataetg ageaeateag caggaegeae tgaecaeatagae acceatagae ecaetatgae ecaetagae ecaetagae ecaetagae gagaagggea geatteaaag cagaaggeta ettecaetge gagaatttt aategggae ttetteeega actgeggae gagaatttt aategggae ttetteeega agaegaegeae tgaecaecat teggtgagee geatteaaag cagaaggeta ettecaetge gagaatttt aategggae ttetteeega gagaatttt gagagaagggea geatteaaag cagaaggett ettecaetge gagaatttt categggae gateateaea agtttgtaea aaaaagetga acceeacaa ctatgetttg ettegtaacc ctagtagtgt teaaacatgt ttetteegaet



pDEST13 5848 bp

Location (Base Nos.)	<u>Gene Encoded</u>
5991458	ampR
41233998	attR1
43725031	CmR
51515235	inactivated ccdA
53735678	ccdB
57195843	attR2


		571958	43	attk2		
_	mmax cmacca	GTCGTTTTAC	ΔΔCGTCGTGA	CTGGGAAAAC	CCTGGCGTTA	CCCAACTTAA
1	TTCACTGGCC	GCACATCCCC	CTTTCGCCAG	CTGGCGTAAT	AGCGAAGAGG	CCCGCACCGA
61	TCGCCTTGCA	CAACAGTTGC	CLICCCCTGV	TGGCGAATGG	CGCCTGATGC	GGTATTTTCT
121	TCGCCCTTCC	CTGTGCGGTA	TTTTCACACCG	CATATGGTGC	ACTCTCAGTA	CAATCTGCTC
181	CCTTACGCAT	TAGTTAAGCC	ACCCCCCACA	CCCCCCAACA	CCCGCTGACG	CGCCCTGACG
241	TGATGCCGCA	CTCCCGGCAT	AGCCCCGACA	A CA A COTTOTO	ACCGTCTCCG	GGAGCTGCAT
301	GGCTTGTCTG	CTCCCGGCAT	CCGCTTACAG	ACAAGCIGIG	CCANAGGGCC	TCGTGATACG
361	GTGTCAGAGG	TTTTCACCGT	CATCACCGAA	ACGCGCGAGA	TACACCTCAG	CTCCCACTTT
421	CCTATTTTTA	TAGGTTAATG	TCATGATAAT	AAIGGIIICI	TAGACGICAG	CANATATGTA
481	TCGGGGAAAT	GTGCGCGGAA	CCCCTATTIG	TTTATITIC	TAMMINGALI	CCAACACTAT
541	TCCGCTCATG	AGACAATAAC	CCTGATAAAT	GCTTCAATAA	CCCCATTT	CCCTTCCTCT
601	GAGTATTCAA	CATTTCCGTG	TCGCCCTTAT	TCCCTTTTT	GCGGCATIII	TCCCTCCACG
661	TTTTGCTCAC	CCAGAAACGC	TGGTGAAAGT	AAAAGATGCT	GAAGAT CAGT	TTCCCCCCCA
721	AGTGGGTTAC	ATCGAACTGG	ATCTCAACAG	CGGTAAGATC	CITGAGAGII	TICGCCCCGA
781	AGAACGTTTT	CCAATGATGA	GCACTTTTAA	AGTTCTGCTA	TGTGGCGCGG	AMCACTTCCT
841	TATTGACGCC	GGGCAAGAGC	AACTCGGTCG	CCGCATACAC	TATTCTCAGA	AIGACIIGGI
901	TGAGTACTCA	CCAGTCACAG	AAAAGCATCT	TACGGATGGC	ATGACAGTAA	GAGAATTATG
0.01	CACTCCTCCC	· ATAACCATGA	GTGATAACAC	TGCGGCCAAC	TTACTTCTGA	CAACGATCGG
1001	ACCACCCAAC	CACCTAACCG	CTTTTTTTGCA	CAACATGGGG	GATCATGTAA	CICGCCIIGA
1001	TOOTTOOGA	CCGGAGCTGA	ATGAAGCCAT	ACCAAACGAC	GAGCGTGACA	CCACGAIGCC
1111	ጥርጥ አርነር እ አጥር	CCAACAACGT	TGCGCAAACT	ATTAACTGGC	GAACTACTTA	CICIAGCIIC
1001	CCCCCAACAA	\	GGATGGAGGC	: GGATAAAGTT	GCAGGACCAC	TICIGCGCIC
1261	CCCCCTTCCC	CCTGGCTGGT	TTATTGCTGA	TAAATCTGGA	GCCGGTGAGC	GIGGILICG
1 221	<i>CCC</i> ጥአጥሮእጥባ	r	GGCCAGATGG	TAAGCCCTCC	CGTATCGTAG	TIAICIACAC
1 201	CACCCCAC	ኮ ሮኔርርሮልኔሮፒል	TGGATGAACG	AAATAGACAG	ATCGCTGAGA	TAGGTGCCIC
1 4 4 1	አርጥር አማጥ አበ	Z CATTGGTAAC	TGTCAGACCA	AGTTTACTCA	TATATACTT	AGATTGATTT
3 5 0 1	**************************************	ርምምየልጥምም ካ	AAAGGATCTA	A GGTGAAGATC	CITITIGATA	AICICAIGAC
350		T TAACGTGAGT	TTTCGTTCC	A CTGAGCGTCA	GACCCCGTAG	AAAAGAICAA
162	י אכים איזירי דירי	TGAGATCCTT	TTTTTCTGC	CGTAATCTGC	: TGCTTGCAAA	CAAAAAAACC
1 (0)	ACCCCTACC	እ : 	CTTTGCCGG/	A TCAAGAGCTA	CCAACTCTT1	TTCCGAAGGI
174	1 A A CTCCCTT	C AGCAGAGCGC	: AGATACCAA	A TACTGTTCTT	CTAGTGTAGC	CGTAGTTAGG
100	י ככאככאכייי	C AAGAACTCTC	TAGCACCGC	C TACATACCTO	GCTCTGCTAA	TCCTGTTACC
100	1 ACTCCCTCC	T GCCAGTGGCC	: ATAAGTCGT	G TCTTACCGG(G TTGGACTCAA	GACGATAGII
102	1 እሮሮሮርእፕእእ	G GCGCAGCGGT	r CGGGCTGAA	C GGGGGGTTCC	G TGCACACAGC	CCAGCTTGGA
100	1 CCGAACGAC	C TACACCGAA	TGAGATACC	r acagcgtgac	G CATTGAGAAA	A GCGCCACGCT
304	1 TCCCGAAGG	G AGAAAGGCG	ACAGGTATC	C GGTAAGCGG(AGGGTCGGAA	CAGGAGAGCG
210	1 CACCACCCA	G CTTCCAGGG	G GAAACGCCT	G GTATCTTTA:	r AGTCCTGTCC	GGTTTCGCCA
216	1 CCTCTGACT	T GAGCGTCGA	r ttttgtgat	G CTCGTCAGG(G GGGCGGAGC	TATGGAAAAA
222	* CCCCACCAA	C GCGGCCTTT	T TACGGTTCC	T GGCCTTTTG	C TGGCCTTTT(G CTCACATGTT
228	1 CTTTCCTGC	G TTATCCCCT	G ATTCTGTGG	A TAACCGTAT	r ACCGCCTTT	3 AGTGAGCTGA
224	1 TACCGCTCG	C CGCAGCCGA	A CGACCGAGC	G CAGCGAGTC.	A GTGAGCGAG	AAGCGGAAGA
240	1 CCCCCCAAT	A CGCAAACCG	C CTCTCCCCG	C GCGTTGGCC	G ATTCATTAA'	r gcagcrggca
246	1 CCACAGGTT	T CCCGACTGG	A AAGCGGGCA	G TGAGCGCAA	C GCAATTAAT(G TGAGTTAGCT
252	יי כארידראידיו	G GCACCCCAG	G CTTTACACT	T TATGCTTCC	G GCTCGTATG	r TGTGTGGAAT
252	TCTCACTOR	A TAACAATTT	C ACACAGGAA	A CAGCTATGA	C CATGATTAC	G CCAAGCTTGG
26/	1 CTCCACCT	A TGATTATCA	G CCAGCAGAG	A TTAAGGAAA	A CAGACAGGT	T TATTGAGCGC
204	11 THE THE THE	C CTTTATTT	T GCTGCGGTA	A GTCGCATAA	A AACCATTCT	T CATAATTCAA
2/	T TIMICITIO					



2761 TCCATTTACT ATGTTATGTT CTGAGGGGAG TGAAAATTCC CCTAATTCGA TGAAGATTCT 2821 TGCTCAATTG TTATCAGCTA TGCGCCGACC AGAACACCTT GCCGATCAGC CAAACGTCTC 2881 TTCAGGCCAC TGACTAGCGA TAACTTTCCC CACAACGGAA CAACTCTCAT TGCATGGGAT 2941 CATTGGGTAC TGTGGGTTTA GTGGTTGTAA AAACACCTGA CCGCTATCCC TGATCAGTTT 3001 CTTGAAGGTA AACTCATCAC CCCCAAGTCT GGCTATGCAG AAATCACCTG GCTCAACAGC 3121 TGCGGTCATG GAATTACCTT CAACCTCAAG CCAGAATGCA GAATCACTGG CTTTTTTGGT 3181 TGTGCTTACC CATCTCTCCG CATCACCTTT GGTAAAGGTT CTAAGCTTAG GTGAGAACAT 3241 CCCTGCCTGA ACATGAGAAA AAACAGGGTA CTCATACTCA CTTCTAAGTG ACGGCTGCAT 3301 ACTAACCGCT TCATACATCT CGTAGATTTC TCTGGCGATT GAAGGGCTAA ATTCTTCAAC 3361 GCTAACTTTG AGAATTTTTG CAAGCAATGC GGCGTTATAA GCATTTAATG CATTGATGCC 3421 ATTAAATAAA GCACCAACGC CTGACTGCCC CATCCCCATC TTGTCTGCGA CAGATTCCTG 3481 GGATAAGCCA AGTTCATTIT TCTTTTTTTC ATAAATTGCT TTAAGGCGAC GTGCGTCCTC 3541 AAGCTGCTCT TGTGTTAATG GTTTCTTTTT TGTGCTCATA CGTTAAATCT ATCACCGCAA 3601 GGGATAAATA TCTAACACCG TGCGTGTTGA CTATTTTACC TCTGGCGGTG ATAATGGTTG 3661 CATGTACTAA GGAGGTTGTA TGGAACAACG CATAACCCTG AAAGATTATG CAATGCGCTT 3721 TGGGCAAACC AAGACAGCTA AAGATCTCTC ACCTACCAAA CAATGCCCCC CTGCAAAAAA 3781 TAAATTCATA TAAAAAACAT ACAGATAACC ATCTGCGGTG ATAAATTATC TCTGGCGGTG 3841 TTGACATAAA TACCACTGGC GGTGATACTG AGCACATCAG CAGGACGCAC TGACCACCAT 3901 GAAGGTGACG CTCTTAAAAA TTAAGCCCTG AAGAAGGGCA GCATTCAAAG CAGAAGGCTT 3961 TGGGGTGTGT GATACGAAAC GAAGCATTGG GATCATCACA AGTTTGTACA AAAAAGCTGA 4021 ACGAGAAACG TAAAATGATA TAAATATCAA TATATTAAAT TAGATTITGC ATAAAAAAACA 4081 GACTACATAA TACTGTAAAA CACAACATAT CCAGTCACTA TGGCGGCCGC TAAGTTGGCA 4141 GCATCACCCG ACGCACTTTG CGCCGAATAA ATACCTGTGA CGGAAGATCA CTTCGCAGAA 4201 TAAATAAATC CTGGTGTCCC TGTTGATACC GGGAAGCCCT GGGCCAACTT TTGGCGAAAA 4261 TGAGACGTTG ATCGGCACGT AAGAGGTTCC AACTTTCACC ATAATGAAAT AAGATCACTA 4321 CCGGGCGTAT TTTTTGAGTT ATCGAGATTT TCAGGAGCTA AGGAAGCTAA AATGGAGAAA 4381 AAAATCACTG GATATACCAC CGTTGATATA TCCCAATGGC ATCGTAAAGA ACATTTTGAG 4441 GCATTTCAGT CAGTTGCTCA ATGTACCTAT AACCAGACCG TTCAGCTGGA TATTACGGCC 4501 TTTTTAAAGA CCGTAAAGAA AAATAAGCAC AAGTTTTATC CGGCCTTTAT TCACATTCTT 4561 GCCCGCCTGA TGAATGCTCA TCCGGAATTC CGTATGGCAA TGAAAGACGG TGAGCTGGTG 4621 ATATGGGATA GTGTTCACCC TTGTTACACC GTTTTCCATG AGCAAACTGA AACGTTTTCA 4681 TCGCTCTGGA GTGAATACCA CGACGATTTC CGGCAGTTTC TACACATATA TTCGCAAGAT 4741 GTGGCGTGTT ACGGTGAAAA CCTGGCCTAT TTCCCTAAAG GGTTTATTGA GAATATGTTT 4801 TTCGTCTCAG CCAATCCCTG GGTGAGTTTC ACCAGTTTTG ATTTAAACGT GGCCAATATG 4861 GACAACTTCT TCGCCCCCGT TTTCACCATG GGCAAATATT ATACGCAAGG CGACAAGGTG 4921 CTGATGCCGC TGGCGATTCA GGTTCATCAT GCCGTCTGTG ATGGCTTCCA TGTCGGCAGA 4981 ATGCTTAATG AATTACAACA GTACTGCGAT GAGTGGCAGG GCGGGGCGTA AACGCGTGGA 5041 TCCGGCTTAC TAAAAGCCAG ATAACAGTAT GCGTATTTGC GCGCTGATTT TTGCGGTATA 5101 AGAATATATA CTGATATGTA TACCCGAAGT ATGTCAAAAA GAGGTGTGCT ATGAAGCAGC 5161 GTATTACAGT GACAGTTGAC AGCGACAGCT ATCAGTTGCT CAAGGCATAT ATGATGTCAA 5221 TATCTCCGGT CTGGTAAGCA CAACCATGCA GAATGAAGCC CGTCGTCTGC GTGCCGAACG 5281 CTGGAAAGCG GAAAATCAGG AAGGGATGGC TGAGGTCGCC CGGTTTATTG AAATGAACGG 5341 CTCTTTTGCT GACGAGAACA GGGACTGGTG AAATGCAGTT TAAGGTTTAC ACCTATAAAA 5401 GAGAGAGCCG TTATCGTCTG TTTGTGGATG TACAGAGTGA TATTATTGAC ACGCCCGGGC 5461 GACGGATGGT GATCCCCCTG GCCAGTGCAC GTCTGCTGTC AGATAAAGTC TCCCGTGAAC 5521 TTTACCCGGT GGTGCATATC GGGGATGAAA GCTGGCGCAT GATGACCACC GATATGGCCA 5581 GTGTGCCGGT CTCCGTTATC GGGGAAGAAG TGGCTGATCT CAGCCACCGC GAAAATGACA 5641, TCAAAAACGC CATTAACCTG ATGTTCTGGG GAATATAAAT GTCAGGCTCC GTTATACACA 5701 GCCAGTCTGC AGGTCGACCA TAGTGACTGG ATATGTTGTG TTTTACAGTA TTATGTAGTC 5761 TGTTTTTTAT GCAAAATCTA ATTTAATATA TTGATATTTA TATCATTTTA CGTTTCTCGT 5821 TCAGCTTTCT TGTACAAAGT GGTGATAA

FIGURE 33C

Figure 34A: pDEST14 Native Protein Expression in E. coli, T7
Promoter



pDEST14 6422 bp (rotated to position 4000)

Location (Base Nos.)	Gene Encoded
18561	attR1
4351094	CmR
12141298	inactivated ccdA
14361741	ccdB
17821906	attR2
26323489	ampR

		2032113	.05	ampre		
1	CGATCCCGCG	AAATTAATAC	GACTCACTAT	AGGGAGACCA	CAACGGTTTC	CCTCTAGATC
61	ACAAGTTTGT	ACAAAAAAGC	TGAACGAGAA	ACGTAAAATG	ATATAAATAT	CAATATATTA
121	AATTAGATTT	TGCATAAAAA	ACAGACTACA	TAATACTGTA	AAACACAACA	TATCCAGTCA
181		CGCTAAGTTG				
241		TCACTTCGCA				
301	CCTGGGCCAA	CTTTTGGCGA	AAATGAGACG	TTGATCGGCA	CGTAAGAGGT	TCCAACTTTC
361	ACCATAATGA	AATAAGATCA	CTACCGGGCG	TATTTTTTGA	GTTATCGAGA	TTTTCAGGAG
421		TAAAATGGAG				
481		AGAACATTTT				
541	CCGTTCAGCT	GGATATTACG	GCCTTTTTAA	AGACCGTAAA	GAAAAATAAG	CACAAGTTTT
601	ATCCGGCCTT	TATTCACATT	CTTGCCCGCC	TGATGAATGC	TCATCCGGAA	TTCCGTATGG
661	CAATGAAAGA	CGGTGAGCTG	GTGATATGGG	ATAGTGTTCA	CCCTTGTTAC	ACCGTTTTCC
721	ATGAGCAAAC	TGAAACGTTT	TCATCGCTCT	GGAGTGAATA	CCACGACGAT	TTCCGGCAGT
781	TTCTACACAT	ATATTCGCAA	GATGTGGCGT	GTTACGGTGA	AAACCTGGCC	TATTTCCCTA
841	AAGGGTTTAT	TGAGAATATG	TTTTTCGTCT	CAGCCAATCC	CTGGGTGAGT	TTCACCAGTT
901	TTGATTTAAA	CGTGGCCAAT	ATGGACAACT	TCTTCGCCCC	CGTTTTCACC	ATGGGCAAAT
961	ATTATACGCA	AGGCGACAAG	GTGCTGATGC	CGCTGGCGAT	TCAGGTTCAT	CATGCCGTCT
1021	GTGATGGCTT	CCATGTCGGC	AGAATGCTTA	ATGAATTACA	ACAGTACTGC	GATGAGTGGC
1081	AGGGCGGGC	GTAAACGCGT	GGATCCGGCT	TACTAAAAGC	CAGATAACAG	TATGCGTATT
1141	TGCGCGCTGA	TTTTTGCGGT	ATAAGAATAT	ATACTGATAT	GTATACCCGA	AGTATGTCAA
1201	AAAGAGGTGT	GCTATGAAGC	AGCGTATTAC	AGTGACAGTT	GACAGCGACA	GCTATCAGTT
1261	GCTCAAGGCA	TATATGATGT	CAATATCTCC	${\tt GGTCTGGTAA}$	GCACAACCAT	GCAGAATGAA
1321	GCCCGTCGTC	TGCGTGCCGA	ACGCTGGAAA	GCGGAAAATC	AGGAAGGGAT	GGCTGAGGTC
1381	GCCCGGTTTA	TTGAAATGAA	CGGCTCTTTT	GCTGACGAGA	ACAGGGACTG	GTGAAATGCA
1441	GTTTAAGGTT	TACACCTATA	AAAGAGAGAG	CCGTTATCGT	CTGTTTGTGG	ATGTACAGAG
1501	TGATATTATT	GACACGCCCG	GGCGACGGAT	GGTGATCCCC	CTGGCCAGTG	CACGTCTGCT
1561	GTCAGATAAA	GTCTCCCGTG	AACTTTACCC	GGTGGTGCAT	ATCGGGGATG	AAAGCTGGCG
1621	CATGATGACC	ACCGATATGG	CCAGTGTGCC	GGTCTCCGTT	ATCGGGGAAG	AAGTGGCTGA
1681		CGCGAAAATG				
1741	${\tt AATGTCAGGC}$	TCCCTTATAC	ACAGCCAGTC	TGCAGGTCGA	CCATAGTGAC	TGGATATGTT
	GTGTTTTACA					
1861	TTATATCATT	TTACGTTTCT	CGTTCAGCTT	TCTTGTACAA	AGTGGTGATG	ATCCGGCTGC
1921	TAACAAAGCC	CGAAAGGAAG	CTGAGTTGGC	TGCTGCCACC	GCTGAGCAAT	AACTAGCATA
1981	ACCCCTTGGG					
2041	CGGATATCCA	CAGGACGGGT	GTGGTCGCCA	TGATCGCGTA	GTCGATAGTG	GCTCCAAGTA
2101	GCGAAGCGAG	CAGGACTGGG	CGGCGGCCAA	AGCGGTCGGA	CAGTGCTCCG	AGAACGGGTG
2161	CGCATAGAAA	TTGCATCAAC	GCATATAGCG	CTAGCAGCAC	GCCATAGTGA	CTGGCGATGC
2221	TGTCGGAATG	GACGATATCC	CGCAAGAGGC	CCGGCAGTAC	CGGCATAACC	AAGCCTATGC
2281	CTACAGCATC	CAGGGTGACG	GTGCCGAGGA	TGACGATGAG	CGCATTGTTA	GATTTCATAC
2341	ACGGTGCCTG	ACTGCGTTAG	CAATTTAACT	GTGATAAACT	ACCGCATTAA	AGCTTATCGA
2401	TGATAAGCTG	TCAAACATGA	${\tt GAATTCTTGA}$	AGACGAAAGG	GCCTCGTGAT	ACGCCTATTT
2461	TTATAGGTTA	ATGTCATGAT	AATAATGGTT	TCTTAGACGT	CAGGTGGCAC	TTTTCGGGGA
2521	AATGTGCGCG	GAACCCCTAT	${\tt TTGTTTATTT}$	TTCTAAATAC	ATTCAAATAT	GTATCCGCTC
2581	ATGAGACAAT	AACCCTGATA	AATGCTTCAA	TAATATTGAA	AAAGGAAGAG	TATGAGTATT
2641	CAACATTTCC	GTGTCGCCCT	TATTCCCTTT	TTTGCGGCAT	TTTGCCTTCC	TGTTTTTGCT
2701	CACCCAGAAA	CGCTGGTGAA	AGTAAAAGAT	GCTGAAGATC	AGTTGGGTGC	ACGAGTGGGT-

FIGURE 34B


2761 TACATCGAAC TGGATCTCAA CAGCGGTAAG ATCCTTGAGA GTTTTCGCCC CGAAGAACGT 2821 TTTCCAATGA TGAGCACTTT TAAAGTTCTG CTATGTGGCG CGGTATTATC CCGTGTTGAC 2881 GCCGGGCAAG AGCAACTCGG TCGCCGCATA CACTATTCTC AGAATGACTT GGTTGAGTAC 2941 TCACCAGTCA CAGAAAAGCA TCTTACGGAT GGCATGACAG TAAGAGAATT ATGCAGTGCT 3001 GCCATAACCA TGAGTGATAA CACTGCGGCC AACTTACTTC TGACAACGAT CGGAGGACCG 3061 AAGGAGCTAA CCGCTTTTTT GCACAACATG GGGGATCATG TAACTCGCCT TGATCGTTGG 3121 GAACCGGAGC TGAATGAAGC CATACCAAAC GACGAGCGTG ACACCACGAT GCCTGCAGCA 3181 ATGGCAACAA CGTTGCGCAA ACTATTAACT GGCGAACTAC TTACTCTAGC TTCCCGGCAA 3241 CAATTAATAG ACTGGATGGA GGCGGATAAA GTTGCAGGAC CACTTCTGCG CTCGGCCCTT 3301 CCGGCTGGCT GGTTTATTGC TGATAAATCT GGAGCCGGTG AGCGTGGGTC TCGCGGTATC 3361 ATTGCAGCAC TGGGGCCAGA TGGTAAGCCC TCCCGTATCG TAGTTATCTA CACGACGGGG 3421 AGTCAGGCAA CTATGGATGA ACGAAATAGA CAGATCGCTG AGATAGGTGC CTCACTGATT 3481 AAGCATTGGT AACTGTCAGA CCAAGTTTAC TCATATATAC TTTAGATTGA TTTAAAACTT 3541 CATTTTTAAT TTAAAAGGAT CTAGGTGAAG ATCCTTTTTG ATAATCTCAT GACCAAAATC 3601 CCTTAACGTG AGTTTTCGTT CCACTGAGCG TCAGACCCCG TAGAAAAGAT CAAAGGATCT 3661 TCTTGAGATC CTTTTTTCT GCGCGTAATC TGCTGCTTGC AAACAAAAAA ACCACCGCTA 3721 CCAGCGGTGG TTTGTTTGCC GGATCAAGAG CTACCAACTC TTTTTCCGAA GGTAACTGGC 3781 TTCAGCAGAG CGCAGATACC AAATACTGTC CTTCTAGTGT AGCCGTAGTT AGGCCACCAC 3841 TTCAAGAACT CTGTAGCACC GCCTACATAC CTCGCTCTGC TAATCCTGTT ACCAGTGGCT 3901 GCTGCCAGTG GCGATAAGTC GTGTCTTACC GGGTTGGACT CAAGACGATA GTTACCGGAT 3961 AAGGCGCAGC GGTCGGGCTG AACGGGGGGT TCGTGCACAC AGCCCAGCTT GGAGCGAACG 4021 ACCTACACCG AACTGAGATA CCTACAGCGT GAGCTATGAG AAAGCGCCAC GCTTCCCGAA 4081 GGGAGAAAGG CGGACAGGTA TCCGGTAAGC GGCAGGGTCG GAACAGGAGA GCGCACGAGG 4141 GAGCTTCCAG GGGGAAACGC CTGGTATCTT TATAGTCCTG TCGGGTTTCG CCACCTCTGA 4201 CTTGAGCGTC GATTTTTGTG ATGCTCGTCA GGGGGGCGGA GCCTATGGAA AAACGCCAGC 4261 AACGCGGCCT TTTTACGGTT CCTGGCCTTT TGCTGGCCTT TTGCTCACAT GTTCTTTCCT 4321 GCGTTATCCC CTGATTCTGT GGATAACCGT ATTACCGCCT TTGAGTGAGC TGATACCGCT 4381 CGCCGCAGCC GAACGACCGA GCGCAGCGAG TCAGTGAGCG AGGAAGCGGA AGAGCGCCTG 4441 ATGCGGTATT TTCTCCTTAC GCATCTGTGC GGTATTTCAC ACCGCATATA TGGTGCACTC 4501 TCAGTACAAT CTGCTCTGAT GCCGCATAGT TAAGCCAGTA TACACTCCGC TATCGCTACG 4561 TGACTGGGTC ATGGCTGCGC CCCGACACCC GCCAACACCC GCTGACGGGC CCTGACGGGC 4621 TTGTCTGCTC CCGGCATCCG CTTACAGACA AGCTGTGACC GTCTCCGGGA GCTGCATGTG 4681 TCAGAGGTTT TCACCGTCAT CACCGAAACG CGCGAGGCAG CTGCGGTAAA GCTCATCAGC 4741 GTGGTCGTGA AGCGATTCAC AGATGTCTGC CTGTTCATCC GCGTCCAGCT CGTTGAGTTT 4801 CTCCAGAAGC GTTAATGTCT GGCTTCTGAT AAAGCGGGCC ATGTTAAGGG CGGTTTTTTC 4861 CTGTTTGGTC ACTGATGCCT CCGTGTAAGG GGGATTTCTG TTCATGGGGG TAATGATACC 4921 GATGAAACGA GAGAGGATGC TCACGATACG GGTTACTGAT GATGAACATG CCCGGTTACT 4981 GGAACGTTGT GAGGGTAAAC AACTGGCGGT ATGGATGCGG CGGGACCAGA GAAAAATCAC 5041 TCAGGGTCAA TGCCAGCGCT TCGTTAATAC AGATGTAGGT GTTCCACAGG GTAGCCAGCA 5101 GCATCCTGCG ATGCAGATCC GGAACATAAT GGTGCAGGGC GCTGACTTCC GCGTTTCCAG 5161 ACTTTACGAA ACACGGAAAC CGAAGACCAT TCATGTTGTT GCTCAGGTCG CAGACGTTTT 5221 GCAGCAGCAG TCGCTTCACG TTCGCTCGCG TATCGGTGAT TCATTCTGCT AACCAGTAAG 5281 GCAACCCGC CAGCCTAGCC GGGTCCTCAA CGACAGGAGC ACGATCATGC GCACCCGTGG 5341 CCAGGACCCA ACGCTGCCCG AGATGCGCCG CGTGCGGCTG CTGGAGATGG CGGACGCGAT 5401 GGATATGTTC TGCCAAGGGT TGGTTTGCGC ATTCACAGTT CTCCGCAAGA ATTGATTGGC 5461 TCCAATTCTT GGAGTGGTGA ATCCGTTAGC GAGGTGCCGC CGGCTTCCAT TCAGGTCGAG 5521 GTGGCCCGGC TCCATGCACC GCGACGCAAC GCGGGGAGGC AGACAAGGTA TAGGGCGGCG 5581 CCTACAATCC ATGCCAACCC GTTCCATGTG CTCGCCGAGG CGGCATAAAT CGCCGTGACG 5641, ATCAGCGGTC CAGTGATCGA AGTTAGGCTG GTAAGAGCCG CGAGCGATCC TTGAAGCTGT 5701 CCCTGATGGT CGTCATCTAC CTGCCTGGAC AGCATGGCCT GCAACGCGGG CATCCCGATG 5761 CCGCCGGAAG CGAGAAGAAT CATAATGGGG AAGGCCATCC AGCCTCGCGT CGCGAACGCC 5821 AGCAAGACGT AGCCCAGCGC GTCGGCCGCC ATGCCGGCGA TAATGGCCTG CTTCTCGCCG 5881 AAACGTTTGG TGGCGGGACC AGTGACGAAG GCTTGAGCGA GGGCGTGCAA GATTCCGAAT 5941 ACCGCAAGCG ACAGGCCGAT CATCGTCGCG CTCCAGCGAA AGCGGTCCTC GCCGAAAATG 6001 ACCCAGAGCG CTGCCGGCAC CTGTCCTACG AGTTGCATGA TAAAGAAGAC AGTCATAAGT 6061 GCGGCGACGA TAGTCATGCC CCGCGCCCAC CGGAAGGAGC TGACTGGGTT GAAGGCTCTC 6121 AAGGGCATCG GTCGATCGAC GCTCTCCCTT ATGCGACTCC TGCATTAGGA AGCAGCCCAG 6181 TAGTAGGTTG AGGCCGTTGA GCACCGCCGC CGCAAGGAAT GGTGCATGCA AGGAGATGGC-

FIGURE 34C

6241 GCCCAACAGT CCCCCGGCCA CGGGGCCTGC CACCATACCC ACGCCGAAAC AAGCGCTCAT 6301 GAGCCCGAAG TGGCGAGCCC GATCTTCCCC ATCGGTGATG TCGGCGATAT AGGCGCCAGC 6361 AACCGCACCT GTGGCGCCGG TGATGCCGGC CACGATGCGT CCGGCGTAGA GGATCGAGAT 6421 CT

FIGURE 34D

Figure 357: pDEST15 Glutathione-S-transferase Fusion in E. coli, T7 Promoter



pDEST15 7013 bp

Location (Base Nos.)	Gene Encoded
108776	GST
916792	attRl
10251537	CmR
18041888	inactivated ccdA
20262331	ccdB
23722496	attR2
32334093	ampR

		323340	093	ampR		
1	ATCGAGATCT					
61	CCTCTAGAAA	TAATTTTGTT	TAACTTTAAG	AAGGAGATAT	ACATATGTCC	CCTATACTAG
121	GTTATTGGAA	AATTAAGGGC	CTTGTGCAAC	CCACTCGACT	TCTTTTGGAA	TATCTTGAAG
181	AAAAATATGA	AGAGCATTTG	TATGAGCGCG	ATGAAGGTGA	TAAATGGCGA	AACAAAAAGT
241		TTTGGAGTTT				
301	CACAGTCTAT	GGCCATCATA	CGTTATATAG	CTGACAAGCA	CAACATGTTG	GGTGGTTGTC
	CAAAAGAGCG					
421	TTTCGAGAAT	TGCATATAGT	AAAGACTTTG	AAACTCTCAA	AGTTGATTTT	CTTAGCAAGC
481	TACCTGAAAT	GCTGAAAATG	TTCGAAGATC	GTTTATGTCA	TAAAACATAT	TTAAATGGTG
541	ATCATGTAAC	CCATCCTGAC	TTCATGTTGT	ATGACGCTCT	TGATGTTGTT	TTATACATGG
601	ACCCAATGTG	CCTGGATGCG	TTCCCAAAAT	TAGTTTGTTT	TAAAAAACGT	ATTGAAGCTA
661	TCCCACAAAT	TGATAAGTAC	TTGAAATCCA	GCAAGTATAT	AGCATGGCCT	TTGCAGGGCT
721	GGCAAGCCAC	GTTTGGTGGT	GGCGACCATC	CTCCAAAATC	GGATCTGGTT	CCGCGTCCAT
	GGTCGAATCA					
841		AAATTAGATT				
	ATATCCAGTC					
961	CTCGTATAAT	GTGTGGATTT	TGAGTTAGGA	TCCGTCGAGA	TTTTCAGGAG	CTAAGGAAGC
1021	TAAAATGGAG	AAAAAAATCA	CTGGATATAC	CACCGTTGAT	ATATCCCAAT	GGCATCGTAA
1081	AGAACATTTT	GAGGCATTTC	AGTCAGTTGC	TCAATGTACC	TATAACCAGA	CCGTTCAGCT
1141	GGATATTACG	GCCTTTTTAA	AGACCGTAAA	GAAAAATAAG	CACAAGTTTT	ATCCGGCCTT
1201	TATTCACATT	CTTGCCCGCC	TGATGAATGC	TCATCCGGAA	TTCCGTATGG	CAATGAAAGA
1261	CGGTGAGCTG	GTGATATGGG	ATAGTGTTCA	CCCTTGTTAC	ACCGTTTTCC	ATGAGCAAAC
1321	TGAAACGTTT	TCATCGCTCT	GGAGTGAATA	CCACGACGAT	TTCCGGCAGT	TTCTACACAT
1381	ATATTCGCAA	GATGTGGCGT	GTTACGGTGA	AAACCTGGCC	TATTTCCCTA	AAGGGTTTAT
1441	TGAGAATATG	TTTTTCGTCT	CAGCCAATCC	CTGGGTGAGT	TTCACCAGTT	TTGATTTAAA
1501	CGTGGCCAAT	ATGGACAACT	TCTTCGCCCC	CGTTTTCACC	ATGGGCAAAT	ATTATACGCA
1561	AGGCGACAAG	GTGCTGATGC	CGCTGGCGAT	TCAGGTTCAT	CATGCCGTCT	GTGATGGCTT
1621	CCATGTCGGC	AGAATGCTTA	ATGAATTACA	ACAGTACTGC	GATGAGTGGC	AGGGCGGGC
1681	GTAATCTAGA	GGATCCGGCT	TACTAAAAGC	CAGATAACAG	TATGCGTATT	TGCGCGCTGA
1741	TTTTTGCGGT	ATAAGAATAT	ATACTGATAT	GTATACCCGA	AGTATGTCAA	AAAGAGGTGT
1801	GCTATGAAGC	AGCGTATTAC	AGTGACAGTT	GACAGCGACA	GCTATCAGTT	GCTCAAGGCA
1861	TATATGATGT	CAATATCTCC	GGTCTGGTAA	GCACAACCAT	GCAGAATGAA	GCCCGTCGTC
1921	TGCGTGCCGA	ACGCTGGAAA	GCGGAAAATC	AGGAAGGGAT	GGCTGAGGTC	GCCCGGTTTA
1981	TTGAAATGAA	CGGCTCTTTT	GCTGACGAGA	ACAGGGACTG	GTGAAATGCA	GTTTAAGGTT
2041	TACACCTATA	AAAGAGAGAG	CCGTTATCGT	CTGTTTGTGG	ATGTACAGAG	TGATATTATT
2101	GACACGCCCG	GGCGACGGAT	GGTGATCCCC	CTGGCCAGTG	CACGTCTGCT	GTCAGATAAA
2161	GTCTCCCGTG	AACTTTACCC	GGTGGTGCAT	ATCGGGGATG	AAAGCTGGCG	CATGATGACC
2221	ACCGATATGG	CCAGTGTGCC	GGTCTCCGTT	ATCGGGGAAG	AAGTGGCTGA	TCTCAGCCAC
2281	CGCGAAAATG	ACATCAAAAA	CGCCATTAAC	CTGATGTTCT	GGGGAATATA	AATGTCAGGC
2341	TCCCTTATAC	ACAGCCAGTC	TGCAGGTCGA	CCATAGTGAC	TGGATATGTT	GTGTTTTACA
2401	GTATTATGTA	GTCTGTTTTT	TATGCAAAAT	CTAATTTAAT	ATATTGATAT	TTATATCATT
2461	TTACGTTTCT	CGTTCAGCTT	TCTTGTACAA	AGTGGTTTGA	TTCGACCCGG	GATCCGGCTG
2521	CTAACAAAGC	CCGAAAGGAA	GCTGAGTTGG	CTGCTGCCAC	CGCTGAGCAA	TAACTAGCAT
2581	AACCCCTTGG	GGCCTCTAAA	CGGGTCTTGA	GGGGTTTTTT	GCTGAAAGGA	GGAACTATAT
2641	CCGGATATCC	ACAGGACGGG	TGTGGTCGCC	ATGATCGCGT	AGTCGATAGT	GGCTCCAAGT-

Favre 35B


2701 AGCGAAGCGA GCAGGACTGG GCGGCGGCCA AAGCGGTCGG ACAGTGCTCC GAGAACGGGT 2761 GCGCATAGAA ATTGCATCAA CGCATATAGC GCTAGCAGCA CGCCATAGTG ACTGGCGATG 2821 CTGTCGGAAT GGACGATATC CCGCAAGAGG CCCGGCAGTA CCGGCATAAC CAAGCCTATG 2881 CCTACAGCAT CCAGGGTGAC GGTGCCGAGG ATGACGATGA GCGCATTGTT AGATTTCATA 2941 CACGGTGCCT GACTGCGTTA GCAATTTAAC TGTGATAAAC TACCGCATTA AAGCTTATCG 3001 ATGATAAGCT GTCAAACATG AGAATTCTTG AAGACGAAAG GGCCTCGTGA TACGCCTATT 3061 TTTATAGGTT AATGTCATGA TAATAATGGT TTCTTAGACG TCAGGTGGCA CTTTTCGGGG 3121 AAATGTGCGC GGAACCCCTA TTTGTTTATT TTTCTAAATA CATTCAAATA TGTATCCGCT 3181 CATGAGACAA TAACCCTGAT AAATGCTTCA ATAATATTGA AAAAGGAAGA GTATGAGTAT 3241 TCAACATTTC CGTGTCGCCC TTATTCCCTT TTTTGCGGCA TTTTGCCTTC CTGTTTTTGC 3301 TCACCCAGAA ACGCTGGTGA AAGTAAAAGA TGCTGAAGAT CAGTTGGGTG CACGAGTGGG 3361 TTACATCGAA CTGGATCTCA ACAGCGGTAA GATCCTTGAG AGTTTTCGCC CCGAAGAACG 3421 TTTTCCAATG ATGAGCACTT TTAAAGTTCT GCTATGTGGC GCGGTATTAT CCCGTGTTGA 3481 CGCCGGCAA GAGCAACTCG GTCGCCGCAT ACACTATTCT CAGAATGACT TGGTTGAGTA 3541 CTCACCAGTC ACAGAAAAGC ATCTTACGGA TGGCATGACA GTAAGAGAAT TATGCAGTGC 3601 TGCCATAACC ATGAGTGATA ACACTGCGGC CAACTTACTT CTGACAACGA TCGGAGGACC 3661 GAAGGAGCTA ACCGCTTTTT TGCACAACAT GGGGGATCAT GTAACTCGCC TTGATCGTTG 3721 GGAACCGGAG CTGAATGAAG CCATACCAAA CGACGAGCGT GACACCACGA TGCCTGCAGC 3781 AATGGCAACA ACGTTGCGCA AACTATTAAC TGGCGAACTA CTTACTCTAG CTTCCCGGCA 3841 ACAATTAATA GACTGGATGG AGGCGGATAA AGTTGCAGGA CCACTTCTGC GCTCGGCCCT 3901 TCCGGCTGGC TGGTTTATTG CTGATAAATC TGGAGCCGGT GAGCGTGGGT CTCGCGGTAT 3961 CATTGCAGCA CTGGGGCCAG ATGGTAAGCC CTCCCGTATC GTAGTTATCT ACACGACGGG 4021 GAGTCAGGCA ACTATGGATG AACGAAATAG ACAGATCGCT GAGATAGGTG CCTCACTGAT 4081 TAAGCATTGG TAACTGTCAG ACCAAGTTTA CTCATATATA CTTTAGATTG ATTTAAAACT 4141 TCATTTTTAA TTTAAAAGGA TCTAGGTGAA GATCCTTTTT GATAATCTCA TGACCAAAAT 4201 CCCTTAACGT GAGTTTTCGT TCCACTGAGC GTCAGACCCC GTAGAAAAGA TCAAAGGATC 4261 TTCTTGAGAT CCTTTTTTC TGCGCGTAAT CTGCTGCTTG CAAACAAAAA AACCACCGCT 4321 ACCAGCGGTG GTTTGTTTGC CGGATCAAGA GCTACCAACT CTTTTTCCGA AGGTAACTGG 4381 CTTCAGCAGA GCGCAGATAC CAAATACTGT CCTTCTAGTG TAGCCGTAGT TAGGCCACCA 4441 CTTCAAGAAC TCTGTAGCAC CGCCTACATA CCTCGCTCTG CTAATCCTGT TACCAGTGGC 4501 TGCTGCCAGT GGCGATAAGT CGTGTCTTAC CGGGTTGGAC TCAAGACGAT AGTTACCGGA 4561 TAAGGCGCAG CGGTCGGGCT GAACGGGGGG TTCGTGCACA CAGCCCAGCT TGGAGCGAAC 4621 GACCTACACC GAACTGAGAT ACCTACAGCG TGAGCTATGA GAAAGCGCCA CGCTTCCCGA 4681 AGGGAGAAAG GCGGACAGGT ATCCGGTAAG CGGCAGGGTC GGAACAGGAG AGCGCACGAG 4741 GGAGCTTCCA GGGGGAAACG CCTGGTATCT TTATAGTCCT GTCGGGTTTC GCCACCTCTG 4801 ACTTGAGCGT CGATTTTTGT GATGCTCGTC AGGGGGGCGG AGCCTATGGA AAAACGCCAG 4861 CAACGCGGCC TTTTTACGGT TCCTGGCCTT TTGCTGGCCT TTTGCTCACA TGTTCTTTCC 4921 TGCGTTATCC CCTGATTCTG TGGATAACCG TATTACCGCC TTTGAGTGAG CTGATACCGC 4981 TCGCCGCAGC CGAACGACCG AGCGCAGCGA GTCAGTGAGC GAGGAAGCGG AAGAGCGCCT 5041 GATGCGGTAT TTTCTCCTTA CGCATCTGTG CGGTATTTCA CACCGCATAT ATGGTGCACT 5101 CTCAGTACAA TCTGCTCTGA TGCCGCATAG TTAAGCCAGT ATACACTCCG CTATCGCTAC 5161 GTGACTGGGT CATGGCTGCG CCCCGACACC CGCCAACACC CGCTGACGCG CCCTGACGGG 5221 CTTGTCTGCT CCCGGCATCC GCTTACAGAC AAGCTGTGAC CGTCTCCGGG AGCTGCATGT 5281 GTCAGAGGTT TTCACCGTCA TCACCGAAAC GCGCGAGGCA GCTGCGGTAA AGCTCATCAG 5341 CGTGGTCGTG AAGCGATTCA CAGATGTCTG CCTGTTCATC CGCGTCCAGC TCGTTGAGTT 5401 TCTCCAGAAG CGTTAATGTC TGGCTTCTGA TAAAGCGGGC CATGTTAAGG GCGGTTTTTT 5461 CCTGTTTGGT CACTGATGCC TCCGTGTAAG GGGGATTTCT GTTCATGGGG GTAATGATAC 5521 CGATGAAACG AGAGAGGATG CTCACGATAC GGGTTACTGA TGATGAACAT GCCCGGTTAC 5581 TGGAACGTTG TGAGGGTAAA CAACTGGCGG TATGGATGCG GCGGGACCAG AGAAAAATCA 5641 CTCAGGGTCA ATGCCAGCGC TTCGTTAATA CAGATGTAGG TGTTCCACAG GGTAGCCAGC 5701 AGCATCCTGC GATGCAGATC CGGAACATAA TGGTGCAGGG CGCTGACTTC CGCGTTTCCA 5761 GACTITACGA AACACGGAAA CCGAAGACCA TTCATGTTGT TGCTCAGGTC GCAGACGTTT 5821 TGCAGCAGCA GTCGCTTCAC GTTCGCTCGC GTATCGGTGA TTCATTCTGC TAACCAGTAA 5881 GGCAACCCCG CCAGCCTAGC CGGGTCCTCA ACGACAGGAG CACGATCATG CGCACCCGTG 5941 GCCAGGACCC AACGCTGCCC GAGATGCGCC GCCTGCGGCT GCTGGAGATG GCGGACGCGA 6001 TGGATATGTT CTGCCAAGGG TTGGTTTGCG CATTCACAGT TCTCCGCAAG AATTGATTGG 6061 CTCCAATTCT TGGAGTGGTG AATCCGTTAG CGAGGTGCCG CCGGCTTCCA TTCAGGTCGA 6121 GGTGGCCCGG CTCCATGCAC CGCGACGCAA CGCGGGGAGG CAGACAAGGT ATAGGGCGGC-


FIGURE 35C

6181	GCCTACAATC	CATGCCAACC	CGTTCCATGT	GCTCGCCGAG	GCGGCATAAA	TCGCCGTGAC
6241	GATCAGCGGT	CCAGTGATCG	AAGTTAGGCT	GGTAAGAGCC	GCGAGCGATC	CTTGAAGCTG
6301	TCCCTGATGG	TCGTCATCTA	CCTGCCTGGA	CAGCATGGCC	TGCAACGCGG	GCATCCCGAT
6361	GCCGCCGGAA	GCGAGAAGAA	TCATAATGGG	GAAGGCCATC	CAGCCTCGCG	TCGCGAACGC
6421	CAGCAAGACG	TAGCCCAGCG	CGTCGGCCGC	CATGCCGGCG	ATAATGGCCT	GCTTCTCGCC
6481	GAAACGTTTG	GTGGCGGGAC	CAGTGACGAA	GGCTTGAGCG	AGGGCGTGCA	AGATTCCGAA
6541	TACCGCAAGC	GACAGGCCGA	TCATCGTCGC	GCTCCAGCGA	AAGCGGTCCT	CGCCGAAAAT
6601	GACCCAGAGC	GCTGCCGGCA	CCTGTCCTAC	GAGTTGCATG	ATAAAGAAGA	CAGTCATAAG
6661		ATAGTCATGC				
6721	CAAGGGCATC	GGTCGATCGA	CGCTCTCCCT	TATGCGACTC	CTGCATTAGG	AAGCAGCCCA
6781	GTAGTAGGTT	GAGGCCGTTG	AGCACCGCCG	CCGCAAGGAA	TGGTGCATGC	AAGGAGATGG
6841		TCCCCCGGCC				
6901		GTGGCGAGCC				
6961	CAACCGCACC	TGTGGCGCCG	GTGATGCCGG	CCACGATGCG	TCCGGCGTAG	AGG

Figure 36A: PDEST16

Thioredoxin N-Fusion Protein in E. coli with T7 Promoter





pDEST16 6675 bp

Location (Base Nos.)	Gene Encoded
104457	trxA
585461	attR1
6941353	CmR
14731557	inactivated ccdA
16952000	ccdB
20412165	attR2

1	AGATCTCGAT	CCCGCGAAAT	TAATACGACT	CACTATAGGG	AGACCACAAC	GGTTTCCCTC
61	. TAGAAATAAT	' TTTGTTTAAC	TTTAAGAAGG	AGATATACAT	ATGAGCGATZ	እአአጥጥአጥጥርአ
121	. CCTGACTGAC	GACAGTTTTC	ACACGGATGT	ACTCAAAGCG	GACGGGGGGG	TOTOTOTO
181	TITCTGGGCA	GAGTGGTGCG	GTCCGTGCAA	AATGATCGCC	CCGATTCTGG	ATCANATOCC
241	TGACGAATAT	' CAGGGCAAAC	TGACCGTTGC	. AAAACTGAAC	מ מ מישר משרים א	ACCCTCCCA C
301	TGCGCCGAAA	TATGGCATCC	: GTGGTATCCC	GACTCTGCTG	ר מ מ מיירים ריים איירים	ACCOMO A ACM
361	GGCGGCAACC	AAAGTGGGTG	CACTGTCTAA	AGGTCAGTTG	ΔΔΔΩΔΩΤΤΌΟ	TOCACCOMA
421	CCTGGCCGGT	TCTGGTTCTG	GTGATGACGA	TGACAAGATC	ልሮልል ርጥተጥርጥ	י אראאאאמר
481	TGAACGAGAA	ACGTAAAATG	ATATAAATAT	' СААТАТАТТА	ΔΔ ΥΥΔαλΥΥΥ	ממממשת של מיי
54 L	ACAGACTACA	TAATACTGTA	AAACACAACA	TATCCAGTCA	CTATGGCGGG	CCCATTACCC
P0.T	ACCCCAGGCT	TTACACTTTA	TGCTTCCGGC	TCGTATAATG	TGTGGATTTT	CACTUACCAT
99 T	CCGGCGAGAT	TTTCAGGAGC	' TAAGGAAGCT	AAAATGGAGA	ΑΑΑΑΑΑΤΓΑΓ	TCCATATACC
721	ACCGTTGATA	TATCCCAATG	GCATCGTAAA	GAACATTTTG	ACCUATTON	CTCACTTCCT
/8 T	CAATGTACCT	ATAACCAGAC	CGTTCAGCTG	GATATTACGG	ע ע ע הבובנהניט ע ע	CACCCTAAAC
841	AAAAATAAGC	ACAAGTTTA	TCCGGCCTTT	ATTCACATTC	TTGCCCCCCC	CATCAATCCT
901	CATCCGGAAT	TCCGTATGGC	AATGAAAGAC	GGTGAGCTGG	TGATATCCCA	TACTOTOTO
APT	CCTTGTTACA	CCGTTTTCCA	TGAGCAAACT	GAAACGTTTT	CATCGCTCTG	CACTOAATAC
T07T	CACGACGATT	TCCGGCAGTT	TCTACACATA	TATTCGCAAG	ATGTGGCGTG	TTACCCTCAA
TOST	AACCTGGCCT	ATTTCCCTAA	AGGGTTTATT	GAGAATATGT	TATATACCALCAC	ACCCA ATCCC
1141	TGGGTGAGTT	TCACCAGTTT	TGATTTAAAC	GTGGCCAATA	TGGACAACTT	CTTCCCCCCC
1201	GTTTTCACCA	TGGGCAAATA	TTATACGCAA	GGCGACAAGG	TGCTGATGCC	CCTCCCATT
T591	CAGGTTCATC	ATGCCGTCTG	TGATGGCTTC	CATGTCGGCA	GAATGCTTAA	ጥር እ እጥጥ አር እ እ
1321	CAGTACTGCG	ATGAGTGGCA	GGGCGGGGCG	TAAACGCGTG	CATCCCCCTT	ስርጥል እ አ አ ር ር ር
TRRT	AGATAACAGT	ATGCGTATTT	GCGCGCTGAT	TTTTGCGGTA	ТАВСАВТАТА	ጥል ሮሞሮ አጥአ ሞር
1441	TATACCCGAA	GTATGTCAAA	AAGAGGTGTG	CTATGAAGCA	CCCTATTACA	CTCACACTOR
TOOT	ACAGCGACAG	CTATCAGTTG	CTCAAGGCAT	ATATGATGTC	AATATCTCCC	CTCTCCTTAAC
1201	CACAACCATG	CAGAATGAAG	CCCGTCGTCT	GCGTGCCGAA	CCCTCCAAAC	CCCANAMON
1071	GGAAGGGATG	GCTGAGGTCG	CCCGGTTTAT	TGAAATGAAC	GGCTCTTTTC	CTGACCACAA
TOOT	CAGGGACTGG	TGAAATGCAG	TTTAAGGTTT	ACACCTATAA	AAGAGAGAGC	CCTTATCCTC
1/41	TGTTTGTGGA	TGTACAGAGT	GATATTATTG	ACACGCCCGG	GCGACGGATC	CTCATCCCCC
TOOT	1 GGCCAGTGC	ACGICIGCTG	TCAGATAAAG	TCTCCCCTCA	አርጥጥጥ አርርርር	CTCCTCCT
TOOT	ICGGGGAIGA	AAGCTGGCGC	ATGATGACCA	CCGATATGGC	CAGTGTGGGG	CTCTCCCCC
1721	LOGGGAAGA	AGIGGCIGAT	CTCAGCCACC	GCGAAAATGA	CATCANANC	CCCATTANA
1901	IGAIGIICIG	GGGAATATAA	ATGTCAGGCT	CCCTTATACA	CAGCCAGTCT	CCACCTCCAC
2041	CATAGIGACI	GGATATGTTG	TGTTTTACAG	TATTATGTAG	ԱՐԱՐԱՐԻՐԻՐԻՐԻ	ATTCC A A A ATTC
2101	TAATTTAATA	TATTGATATT	TATATCATTT	TACGTTTCTC	CTTCACCTTT	CTTCTTACTATA
2101	GIGGIGATGA	TCCGGCTGCT	AACAAAGCCC	GAAAGGAAGC	TCACTTCCCT	CCTCCCTCCC
2221	CIGAGCAATA	ACTAGCATAA	CCCCTTGGGG	CCTCTAAACC	CCTCTTCACC	CCMMmmmaa
2201	1 GAMAGGAGG	AACTATATCC	GGATATCCAC	AGGACGGGTG	TECTECCENT	CATCCCCCTA
2341	TCGWINGIGG	CTCCAAGTAG	CGAAGCGAGC	AGGACTGGGC	GGCGGCCAAA	CCCCTTCCC
2401	MOTOCICCOA	GAACGGGTGC	GCATAGAAAT	ጥርር ውጥር እአርር	CATATACCCC	magaaaa
2401	CCATAGIGAC	TGGCGATGCT	GTCGGAATGG	እ ሮርእጥአጥራራራ	CCANCACCC	00000
	OGCATAACCA	MOCCIMICC	TACAGCATCC	AGGGTGACGG	TECCENCENT	CACCAMORGO
2001	CULICITAG	WITTCHINCH	CGGTGCCTCA	CTCCCTTALACC	A A TOTAL A COMO	ma
5031	CCGCATTAAA	GUITAICGAT	GATAAGCTGT	CAAACATCAC	እ እጥጥርጥጥር እ አ	0300333000
	CCICGIGMIM	COCCIMILI	TATAGGTTTAA	תרבות ביותר איתים איתים	A LLY A LL CALLER	Amms 4
7 / D I	AGGTGGCACT	TTTCGGGGAA	ATGTGCGCGG	AACCCCTATT	TGTTTATTTT	TCTAAATACA-

2821 TTCAAATATG TATCCGCTCA TGAGACAATA ACCCTGATAA ATGCTTCAAT AATATTGAAA 2881 AAGGAAGAGT ATGAGTATTC AACATTTCCG TGTCGCCCTT ATTCCCTTTT TTGCGGCATT 2941 TTGCCTTCCT GTTTTTGCTC ACCCAGAAAC GCTGGTGAAA GTAAAAGATG CTGAAGATCA 3001 GTTGGGTGCA CGAGTGGGTT ACATCGAACT GGATCTCAAC AGCGGTAAGA TCCTTGAGAG 3061 TTTTCGCCCC GAAGAACGTT TTCCAATGAT GAGCACTTTT AAAGTTCTGC TATGTGGCGC 3121 GGTATTATCC CGTGTTGACG CCGGGCAAGA GCAACTCGGT CGCCGCATAC ACTATTCTCA 3181 GAATGACTTG GTTGAGTACT CACCAGTCAC AGAAAAGCAT CTTACGGATG GCATGACAGT 3241 AAGAGAATTA TGCAGTGCTG CCATAACCAT GAGTGATAAC ACTGCGGCCA ACTTACTTCT 3301 GACAACGATC GGAGGACCGA AGGAGCTAAC CGCTTTTTTG CACAACATGG GGGATCATGT 3361 AACTCGCCTT GATCGTTGGG AACCGGAGCT GAATGAAGCC ATACCAAACG ACGAGCGTGA 3421 CACCACGATG CCTGCAGCAA TGGCAACAAC GTTGCGCAAA CTATTAACTG GCGAACTACT 3481 TACTCTAGCT TCCCGGCAAC AATTAATAGA CTGGATGGAG GCGGATAAAG TTGCAGGACC 3541 ACTTCTGCGC TCGGCCCTTC CGGCTGGCTG GTTTATTGCT GATAAATCTG GAGCCGGTGA 3601 GCGTGGGTCT CGCGGTATCA TTGCAGCACT GGGGCCAGAT GGTAAGCCCT CCCGTATCGT 3661 AGTTATCTAC ACGACGGGGA GTCAGGCAAC TATGGATGAA CGAAATAGAC AGATCGCTGA 3721 GATAGGTGCC TCACTGATTA AGCATTGGTA ACTGTCAGAC CAAGTTTACT CATATATACT 3781 TTAGATTGAT TTAAAACTTC ATTITTAATT TAAAAGGATC TAGGTGAAGA TCCTTTTTGA 3841 TAATCTCATG ACCAAAATCC CTTAACGTGA GTTTTCGTTC CACTGAGCGT CAGACCCCGT 3901 AGAAAAGATC AAAGGATCTT CTTGAGATCC TTTTTTTCTG CGCGTAATCT GCTGCTTGCA 3961 AACAAAAAA CCACCGCTAC CAGCGGTGGT TTGTTTGCCG GATCAAGAGC TACCAACTCT 4021 TTTTCCGAAG GTAACTGGCT TCAGCAGAGC GCAGATACCA AATACTGTCC TTCTAGTGTA 4081 GCCGTAGTTA GGCCACCACT TCAAGAACTC TGTAGCACCG CCTACATACC TCGCTCTGCT 4141 AATCCTGTTA CCAGTGGCTG CTGCCAGTGG CGATAAGTCG TGTCTTACCG GGTTGGACTC 4201 AAGACGATAG TTACCGGATA AGGCGCAGCG GTCGGGCTGA ACGGGGGGTT CGTGCACACA 4261 GCCCAGCTTG GAGCGAACGA CCTACACCGA ACTGAGATAC CTACAGCGTG AGCTATGAGA 4321 AAGCGCCACG CTTCCCGAAG GGAGAAAGGC GGACAGGTAT CCGGTAAGCG GCAGGGTCGG 4381 AACAGGAGAG CGCACGAGGG AGCTTCCAGG GGGAAACGCC TGGTATCTTT ATAGTCCTGT 4441 CGGGTTTCGC CACCTCTGAC TTGAGCGTCG ATTTTTGTGA TGCTCGTCAG GGGGGCGGAG 4501 CCTATGGAAA AACGCCAGCA ACGCGGCCTT TTTACGGTTC CTGGCCTTTT GCTGGCCTTT 4561 TGCTCACATG TTCTTTCCTG CGTTATCCCC TGATTCTGTG GATAACCGTA TTACCGCCTT 4621 TGAGTGAGCT GATACCGCTC GCCGCAGCCG AACGACCGAG CGCAGCGAGT CAGTGAGCGA 4681 GGAAGCGGAA GAGCGCCTGA TGCGGTATTT TCTCCTTACG CATCTGTGCG GTATTTCACA 4741 CCGCATATAT GGTGCACTCT CAGTACAATC TGCTCTGATG CCGCATAGTT AAGCCAGTAT 4801 ACACTCCGCT ATCGCTACGT GACTGGGTCA TGGCTGCGCC CCGACACCCG CCAACACCCG 4861 CTGACGCGCC CTGACGGGCT TGTCTGCTCC CGGCATCCGC TTACAGACAA GCTGTGACCG 4921 TCTCCGGGAG CTGCATGTGT CAGAGGTTTT CACCGTCATC ACCGAAACGC GCGAGGCAGC 4981 TGCGGTAAAG CTCATCAGCG TGGTCGTGAA GCGATTCACA GATGTCTGCC TGTTCATCCG 5041 CGTCCAGCTC GTTGAGTTTC TCCAGAAGCG TTAATGTCTG GCTTCTGATA AAGCGGGCCA 5101 TGTTAAGGGC GGTTTTTTCC TGTTTGGTCA CTGATGCCTC CGTGTAAGGG GGATTTCTGT 5161 TCATGGGGGT AATGATACCG ATGAAACGAG AGAGGATGCT CACGATACGG GTTACTGATG 5221 ATGAACATGC CCGGTTACTG GAACGTTGTG AGGGTAAACA ACTGGCGGTA TGGATGCGGC 5281 GGGACCAGAG AAAAATCACT CAGGGTCAAT GCCAGCGCTT CGTTAATACA GATGTAGGTG 5341 TTCCACAGGG TAGCCAGCAG CATCCTGCGA TGCAGATCCG GAACATAATG GTGCAGGGCG 5401 CTGACTTCCG CGTTTCCAGA CTTTACGAAA CACGGAAACC GAAGACCATT CATGTTGTTG 5461 CTCAGGTCGC AGACGTTTTG CAGCAGCAGT CGCTTCACGT TCGCTCGCGT ATCGGTGATT 5521 CATTCTGCTA ACCAGTAAGG CAACCCCGCC AGCCTAGCCG GGTCCTCAAC GACAGGAGCA 5581 CGATCATGCG CACCCGTGGC CAGGACCCAA CGCTGCCCGA GATGCGCCGC GTGCGGCTGC 5641 TGGAGATGGC GGACGCGATG GATATGTTCT GCCAAGGGTT GGTTTGCGCA TTCACAGTTC 5701, TCCGCAAGAA TTGATTGGCT CCAATTCTTG GAGTGGTGAA TCCGTTAGCG AGGTGCCGCC 5761 GGCTTCCATT CAGGTCGAGG TGGCCCGGCT CCATGCACCG CGACGCAACG CGGGGAGGCA 5821 GACAAGGTAT AGGGCGGCGC CTACAATCCA TGCCAACCCG TTCCATGTGC TCGCCGAGGC 5881 GGCATAAATC GCCGTGACGA TCAGCGGTCC AGTGATCGAA GTTAGGCTGG TAAGAGCCGC 5941 GAGCGATCCT TGAAGCTGTC CCTGATGGTC GTCATCTACC TGCCTGGACA GCATGGCCTG 6001 CAACGCGGGC ATCCCGATGC CGCCGGAAGC GAGAAGAATC ATAATGGGGA AGGCCATCCA 6061 GCCTCGCGTC GCGAACGCCA GCAAGACGTA GCCCAGCGCG TCGGCCGCCA TGCCGGCGAT 6121 AATGGCCTGC TTCTCGCCGA AACGTTTGGT GGCGGGACCA GTGACGAAGG CTTGAGCGAG 6181 GGCGTGCAAG ATTCCGAATA CCGCAAGCGA CAGGCCGATC ATCGTCGCGC TCCAGCGAAA 6241 GCGGTCCTCG CCGAAAATGA CCCAGAGCGC TGCCGGCACC TGTCCTACGA GTTGCATGAT-

FIGURE 36C

6301	AAAGAAGACA	GTCATAAGTG	CGGCGACGAT	AGTCATGCCC	CGCGCCCACC	GGAAGGAGCT
6361	CACTCCCTTC	ANGGOTOTOA	AGGGCATCGG	TCGATCGACG	CTCTCCCTTA	TGCGACTCCT
0201	GACIGOGIIG	ARGUCT CT CT	ACTACCTTCA	GGCCGTTGAG	CACCGCCGCC	GCAAGGAATG
6421	GCATTAGGAA	GCAGCCCAGI	CCCAACACTC	CCCCCCCCAC	CCCCCCTCCC	ACCATACCCA
6481	GTGCATGCAA	GGAGATGGCG	CCCAACAGIC	CCCCGGCCAC	A M COMMCCCCC	TOCCTONTOT
6541	CGCCGAAACA	AGCGCTCATG	AGCCCGAAGT	GGCGAGCCCG	ATCTTCCCCA	TCGGTGATGT
6601	CGGCGATATA	GGCGCCAGCA	ACCGCACCTG	TGGCGCCGGT	GATGCCGGCC	ACGATGCGTC
6661	CCCCCTAGAG	CATCG				

gat ccc gcg aaa tta ata cga ctc act ata ggg aga cca caa cgg ttt ccc cta ggg cgc ttt aat tat gct gag tga tat ccc tct ggt gtt gcc aaa ggg


52 tct aga aat aat ttt gtt taa ctt taa gaa gga gat ata cat atg ttg tac aga tct tta tta aaa caa att gaa att ctt cct cta tat gta tac agc atg

103 tac cat cac cat cac cat cac ctc gaa tca agt ttg tac aaa aaa gct

104 atg gta gtg gta gtg gta gtg gag ctt agt tgt tca aac atg ttt ttt cga

105 atg gta gtg gta gtg gag ctt agt gtg tca aac atg ttt ttt cga

106 atg gta gtg gta gtg gag ctt agt gtg tca aac atg ttt ttt cga




Location (Base Nos.)

pDEST17 6354 bp

Gene Encoded

				D1		
		258134		attR1		
		367102		CmR		
		114612			vated ccdA	
		136816		ccdB		
		171418		attR2		
		256434	21	ampR		
1	CGATCCCGCG	AAATTAATAC	GACTCACTAT	AGGGAGACCA	CAACGGTTTC	CCTCTAGAAA
61	TAATTTTGTT	TAACTTTAAG	AAGGAGATAT	ACATATGTCG	TACTACCATC	ACCATCACCA
121	TCACCTCGAA	TCAACAAGTT	TGTACAAAAA	AGCTGAACGA	GAAACGTAAA	ATGATATAAA
181	TATCAATATA	TTAAATTAGA	TTTTGCATAA	AAAACAGACT	ACATAATACT	GTAAAACACA
241	ACATATCCAG	TCACTATGGC	GGCCGCATTA	GGCACCCCAG	GCTTTACACT	TTATGCTTCC
301	GGCTCGTATA	ATGTGTGGAT	TTTGAGTTAG	GATCCGTCGA	GATTTTCAGG	AGCTAAGGAA
361	GCTAAAATGG	AGAAAAAAAT	CACTGGATAT	ACCACCGTTG	ATATATCCCA	ATGGCATCGT
421	AAAGAACATT	TTGAGGCATT	TCAGTCAGTT	GCTCAATGTA	CCTATAACCA	GACCGTTCAG
				AAGAAAAATA		
541	TTTATTCACA	TTCTTGCCCG	CCTGATGAAT	GCTCATCCGG	AATTCCGTAT	GGCAATGAAA
601	GACGGTGAGC	TGGTGATATG	GGATAGTGTT	CACCCTTGTT	ACACCGTTTT	CCATGAGCAA
				TACCACGACG		
721	ATATATTCGC	AAGATGTGGC	GTGTTACGGT	GAAAACCTGG	CCTATTTCCC	TAAAGGGTTT
781	ATTGAGAATA	TGTTTTTCGT	CTCAGCCAAT	CCCTGGGTGA	GTTTCACCAG	TTTTGATTTA
841	AACGTGGCCA	ATATGGACAA	CTTCTTCGCC	CCCGTTTTCA	CCATGGGCAA	ATATTATACG
901	CAAGGCGACA	AGGTGCTGAT	GCCGCTGGCG	ATTCAGGTTC	ATCATGCCGT	CTGTGATGGC
961	TTCCATGTCG	GCAGAATGCT	TAATGAATTA	CAACAGTACT	GCGATGAGTG	GCAGGGCGGG
1021	GCGTAAAGAT	CTGGATCCGG	CTTACTAAAA	GCCAGATAAC	AGTATGCGTA	TTTGCGCGCT
				ATGTATACCC		
				TTGACAGCGA		
				AAGCACAACC		
1261	TCTGCGTGCC	GAACGCTGGA	AAGCGGAAAA	TCAGGAAGGG	ATGGCTGAGG	TCGCCCGGTT
1321	TATTGAAATG	AACGGCTCTT	TTGCTGACGA	GAACAGGGAC	TGGTGAAATG	CAGTTTAAGG
1381	TTTACACCTA	TAAAAGAGAG	AGCCGTTATC	GTCTGTTTGT	GGATGTACAG	AGTGATATTA
1441	TTGACACGCC	CGGGCGACGG	ATGGTGATCC	CCCTGGCCAG	TGCACGTCTG	CTGTCAGATA
				ATATCGGGGA		
				TTATCGGGGA		
				ACCTGATGTT		
1681	GCTCCCTTAT	ACACAGCCAG	TCTGCAGGTC	GACCATAGTG	ACTGGATATG	TTGTGTTTTA
				ATCTAATTTA		
1801	TTTTACGTTT	CTCGTTCAGC	TTTCTTGTAC	AAAGTGGTTG	ATTCGAGGCT	GCTAACAAAG
1861	CCCGAAAGGA	AGCTGAGTTG	GCTGCTGCCA	CCGCTGAGCA	ATAACTAGCA	TAACCCCTTG
1921	GGGCCTCTAA	ACGGGTCTTG	AGGGGTTTTT	TGCTGAAAGG	AGGAACTATA	TCCGGATATC
				TAGTCGATAG		
				GACAGTGCTC		
2101	AATTGCATCA	ACGCATATAG	CGCTAGCAGC	ACGCCATAGT	GACTGGCGAT	GCTGTCGGAA
2161	TGGACGATAT	CCCGCAAGAG	GCCCGGCAGT	ACCGGCATAA	CCAAGCCTAT	GCCTACAGCA
						ACACGGTGCC
						GATGATAAGC
						TTTTATAGGT
						GAAATGTGCG
2461	CGGAACCCCT	ATTTGTTTAT	TTTTCTAAAT	ACATTCAAAT	ATGTATCCGC	TCATGAGACA
2521	ATAACCCTGA	TAAATGCTTC	AATAATATTG	AAAAAGGAAG	AGTATGAGTA	TTCAACATTT
2581	CCGTGTCGCC	CTTATTCCCT	TTTTTGCGGC	ATTTTGCCTT	CCTGTTTTTG	CTCACCCAGA
						GTTACATCGA-



2701 ACTGGATCTC AACAGCGGTA AGATCCTTGA GAGTTTTCGC CCCGAAGAAC GTTTTCCAAT 2761 GATGAGCACT TTTAAAGTTC TGCTATGTGG CGCGGTATTA TCCCGTGTTG ACGCCGGGCA 2821 AGAGCAACTC GGTCGCCGCA TACACTATTC TCAGAATGAC TTGGTTGAGT ACTCACCAGT 2881 CACAGAAAAG CATCTTACGG ATGGCATGAC AGTAAGAGAA TTATGCAGTG CTGCCATAAC 2941 CATGAGTGAT AACACTGCGG CCAACTTACT TCTGACAACG ATCGGAGGAC CGAAGGAGCT 3001 AACCGCTTTT TTGCACAACA TGGGGGATCA TGTAACTCGC CTTGATCGTT GGGAACCGGA 3061 GCTGAATGAA GCCATACCAA ACGACGAGCG TGACACCACG ATGCCTGCAG CAATGGCAAC 3121 AACGTTGCGC AAACTATTAA CTGGCGAACT ACTTACTCTA GCTTCCCGGC AACAATTAAT 3181 AGACTGGATG GAGGCGGATA AAGTTGCAGG ACCACTTCTG CGCTCGGCCC TTCCGGCTGG 3241 CTGGTTTATT GCTGATAAAT CTGGAGCCGG TGAGCGTGGG TCTCGCGGTA TCATTGCAGC 3301 ACTGGGGCCA GATGGTAAGC CCTCCCGTAT CGTAGTTATC TACACGACGG GGAGTCAGGC 3361 AACTATGGAT GAACGAAATA GACAGATCGC TGAGATAGGT GCCTCACTGA TTAAGCATTG 3421 GTAACTGTCA GACCAAGTTT ACTCATATAT ACTTTAGATT GATTTAAAAC TTCATTTTTA 3481 ATTTAAAAGG ATCTAGGTGA AGATCCTTTT TGATAATCTC ATGACCAAAA TCCCTTAACG 3541 TGAGTTTTCG TTCCACTGAG CGTCAGACCC CGTAGAAAAG ATCAAAGGAT CTTCTTGAGA 3601 TCCTTTTTT CTGCGCGTAA TCTGCTGCTT GCAAACAAAA AAACCACCGC TACCAGCGGT 3661 GGTTTGTTTG CCGGATCAAG AGCTACCAAC TCTTTTTCCG AAGGTAACTG GCTTCAGCAG 3721 AGCGCAGATA CCAAATACTG TCCTTCTAGT GTAGCCGTAG TTAGGCCACC ACTTCAAGAA 3781 CTCTGTAGCA CCGCCTACAT ACCTCGCTCT GCTAATCCTG TTACCAGTGG CTGCTGCCAG 3841 TGGCGATAAG TCGTGTCTTA CCGGGTTGGA CTCAAGACGA TAGTTACCGG ATAAGGCGCA 3901 GCGGTCGGGC TGAACGGGGG GTTCGTGCAC ACAGCCCAGC TTGGAGCGAA CGACCTACAC 3961 CGAACTGAGA TACCTACAGC GTGAGCTATG AGAAAGCGCC ACGCTTCCCG AAGGGAGAAA 4021 GGCGGACAGG TATCCGGTAA GCGGCAGGGT CGGAACAGGA GAGCGCACGA GGGAGCTTCC 4081 AGGGGGAAAC GCCTGGTATC TTTATAGTCC TGTCGGGTTT CGCCACCTCT GACTTGAGCG 4141 TCGATTTTTG TGATGCTCGT CAGGGGGGCG GAGCCTATGG AAAAACGCCA GCAACGCGGC 4201 CTTTTTACGG TTCCTGGCCT TTTGCTGGCC TTTTGCTCAC ATGTTCTTTC CTGCGTTATC 4261 CCCTGATTCT GTGGATAACC GTATTACCGC CTTTGAGTGA GCTGATACCG CTCGCCGCAG 4321 CCGAACGACC GAGCGCAGCG AGTCAGTGAG CGAGGAAGCG GAAGAGCGCC TGATGCGGTA 4381 TTTTCTCCTT ACGCATCTGT GCGGTATTTC ACACCGCATA TATGGTGCAC TCTCAGTACA 4441 ATCTGCTCTG ATGCCGCATA GTTAAGCCAG TATACACTCC GCTATCGCTA CGTGACTGGG 4501 TCATGGCTGC GCCCCGACAC CCGCCAACAC CCGCTGACGC GCCCTGACGG GCTTGTCTGC 4561 TCCCGGCATC CGCTTACAGA CAAGCTGTGA CCGTCTCCGG GAGCTGCATG TGTCAGAGGT 4621 TTTCACCGTC ATCACCGAAA CGCGCGAGGC AGCTGCGGTA AAGCTCATCA GCGTGGTCGT 4681 GAAGCGATTC ACAGATGTCT GCCTGTTCAT CCGCGTCCAG CTCGTTGAGT TTCTCCAGAA 4741 GCGTTAATGT CTGGCTTCTG ATAAAGCGGG CCATGTTAAG GGCGGTTTTT TCCTGTTTGG 4801 TCACTGATGC CTCCGTGTAA GGGGGATTTC TGTTCATGGG GGTAATGATA CCGATGAAAC 4861 GAGAGAGGAT GCTCACGATA CGGGTTACTG ATGATGAACA TGCCCGGTTA CTGGAACGTT 4921 GTGAGGGTAA ACAACTGGCG GTATGGATGC GGCGGGACCA GAGAAAAATC ACTCAGGGTC 4981 AATGCCAGCG CTTCGTTAAT ACAGATGTAG GTGTTCCACA GGGTAGCCAG CAGCATCCTG 5041 CGATGCAGAT CCGGAACATA ATGGTGCAGG GCGCTGACTT CCGCGTTTCC AGACTTTACG 5101 AAACACGGAA ACCGAAGACC ATTCATGTTG TTGCTCAGGT CGCAGACGTT TTGCAGCAGC 5161 AGTCGCTTCA CGTTCGCTCG CGTATCGGTG ATTCATTCTG CTAACCAGTA AGGCAACCCC 5221 GCCAGCCTAG CCGGGTCCTC AACGACAGGA GCACGATCAT GCGCACCCGT GGCCAGGACC 5281 CAACGCTGCC CGAGATGCGC CGCGTGCGGC TGCTGGAGAT GGCGGACGCG ATGGATATGT 5341 TCTGCCAAGG GTTGGTTTGC GCATTCACAG TTCTCCGCAA GAATTGATTG GCTCCAATTC 5401 TTGGAGTGGT GAATCCGTTA GCGAGGTGCC GCCGGCTTCC ATTCAGGTCG AGGTGGCCCG 5461 GCTCCATGCA CCGCGACGCA ACGCGGGGAG GCAGACAAGG TATAGGGCGG CGCCTACAAT 5521 CCATGCCAAC CCGTTCCATG TGCTCGCCGA GGCGGCATAA ATCGCCGTGA CGATCAGCGG 5581: TCCAGTGATC GAAGTTAGGC TGGTAAGAGC CGCGAGCGAT CCTTGAAGCT GTCCCTGATG 5641 GTCGTCATCT ACCTGCCTGG ACAGCATGGC CTGCAACGCG GGCATCCCGA TGCCGCCGGA 5701 AGCGAGAAGA ATCATAATGG GGAAGGCCAT CCAGCCTCGC GTCGCGAACG CCAGCAAGAC 5761 GTAGCCCAGC GCGTCGGCCG CCATGCCGGC GATAATGGCC TGCTTCTCGC CGAAACGTTT 5821 GGTGGCGGGA CCAGTGACGA AGGCTTGAGC GAGGGCGTGC AAGATTCCGA ATACCGCAAG 5881 CGACAGGCCG ATCATCGTCG CGCTCCAGCG AAAGCGGTCC TCGCCGAAAA TGACCCAGAG 5941 CGCTGCCGGC ACCTGTCCTA CGAGTTGCAT GATAAAGAAG ACAGTCATAA GTGCGGCGAC 6001 GATAGTCATG CCCCGCGCCC ACCGGAAGGA GCTGACTGGG TTGAAGGCTC TCAAGGGCAT 6061 CGGTCGATCG ACGCTCTCCC TTATGCGACT CCTGCATTAG GAAGCAGCCC AGTAGTAGGT 6121 TGAGGCCGTT GAGCACCGCC GCCGCAAGGA ATGGTGCATG CAAGGAGATG GCGCCCAACA-

FRURE 37C


6181 GTCCCCCGGC CACGGGGCCT GCCACCATAC CCACGCCGAA ACAAGCGCTC ATGAGCCCGA 6241 AGTGGCGAGC CCGATCTTCC CCATCGGTGA TGTCGGCGAT ATAGGCGCCA GCAACCGCAC 6301 CTGTGGCGCC GGTGATGCCG GCCACGATGC GTCCGGCGTA GAGGATCGAG ATCT

FIGURE 37D

Figure 38A: PDESTIE

FastBac Transfer Vector with p10 Baculovirus Promoter

```
gaagaceteg geegtegegg egettgeegg tggtgetgae eeeggatgaa gtggttegea
        cttctggage cggcagegee gegaaeggee accaegaetg gggcctaett caccaagegt
        tecteggttt tetggaagge gageategtt tgttegeeca ggaetetage tatagtteta aggagecaaa agaeetteeg etegtageaa acaagegggt eetgagateg atateaagat
 61
     gtggttgget acgtategag caagaaanta anacgccaha egegytggag tettgtged caccaacega tgeatagete gttetttat tttgeggtt gegenaeete agaacacac y PIO Romoter tattttaca angatteaga antaegene acttacaaca agggggacta tganattatgii naraanaacgt ttetaagtet ttatgegtag tganatgttgt teeceetgat acttanatae,
121
181
      carttroagg atgooggad crtraatroa accoacaca atatatrata gtraaatagg
       astratutar canarcattt gtatattaat ramaatacta tactgtaaat tacatttat
301
        ttaataaata gtttagtaaa oatataatta attttatgat atgacattta atgtaaaata
         ttacaatgag gatcatcaca agtttgtaca aaaaagctga acgagaaacg taaaatgata
361
         aatgttacte ctagtagtgt teaaacatgt tetttegact tgetetttge attttactat,,
                                                    Int
                                                                    attRI
```




pDEST18 6613 bp

Location (Base Nos.)

Gene Encoded

			•			
		474144	9	ampR		
		159022	44	ori		
		273838	50	genR		
		425141	27	attR1		
		450151		CmR		
		528053	64	inacti	vated ccdA	
		550258	07	ccdB		
		584859	72	attR2		
		659525		lacZ		
1	GACGCGCCCT	GTAGCGGCGC	ATTAAGCGCG	GCGGGTGTGG	TGGTTACGCG	CAGCGTGACC
61	GCTACACTTG	CCAGCGCCCT	AGCGCCCGCT	CCTTTCGCTT	TCTTCCCTTC	CTTTCTCGCC
121	ACGTTCGCCG	GCTTTCCCCG	TCAAGCTCTA	AATCGGGGGC	TCCCTTTAGG	GTTCCGATTT
181	AGTGCTTTAC	GGCACCTCGA	CCCCAAAAAA	CTTGATTAGG	GTGATGGTTC	ACGTAGTGGG
241	CCATCGCCCT	GATAGACGGT	TTTTCGCCCT	TTGACGTTGG	AGTCCACGTT	CTTTAATAGT
301	GGACTCTTGT	TCCAAACTGG	AACAACACTC	AACCCTATCT	CGGTCTATTC	TTTTGATTTA
361	TAAGGGATTT	TGCCGATTTC	GGCCTATTGG	TTAAAAAATG	AGCTGATTTA	ACAAAAATTT
421	AACGCGAATT	TTAACAAAAT	ATTAACGTTT	ACAATTTCAG	GTGGCACTTT	TCGGGGAAAT
481	GTGCGCGGAA	CCCCTATTTG	TTTATTTTTC	TAAATACATT	CAAATATGTA	TCCGCTCATG
541	AGACAATAAC	CCTGATAAAT	GCTTCAATAA	TATTGAAAAA	GGAAGAGTAT	GAGTATTCAA
601	CATTTCCGTG	TCGCCCTTAT	TCCCTTTTTT	GCGGCATTTT	GCCTTCCTGT	TTTTGCTCAC
661	CCAGAAACGC	TGGTGAAAGT	AAAAGATGCT	GAAGATCAGT	TGGGTGCACG	AGTGGGTTAC
721	ATCGAACTGG	ATCTCAACAG	CGGTAAGATC	CTTGAGAGTT	TTCGCCCCGA	AGAACGTTTT
781	CCAATGATGA	GCACTTTTAA	AGTTCTGCTA	TGTGGCGCGG	TATTATCCCG	TATTGACGCC
841	GGGCAAGAGC	AACTCGGTCG	CCGCATACAC	TATTCTCAGA	ATGACTTGGT	TGAGTACTCA
901	CCAGTCACAG	AAAAGCATCT	TACGGATGGC	ATGACAGTAA	GAGAATTATG	CAGTGCTGCC
961	ATAACCATGA	GTGATAACAC	TGCGGCCAAC	TTACTTCTGA	CAACGATCGG	AGGACCGAAG
1021	GAGCTAACCG	CTTTTTTGCA	CAACATGGGG	GATCATGTAA	CTCGCCTTGA	TCGTTGGGAA
1081	CCGGAGCTGA	ATGAAGCCAT	ACCAAACGAC	GAGCGTGACA	CCACGATGCC	TGTAGCAATG
1141	GCAACAACGT	TGCGCAAACT	ATTAACTGGC	GAACTACTTA	CTCTAGCTTC	CCGGCAACAA
1201	TTAATAGACT	GGATGGAGGC	GGATAAAGTT	GCAGGACCAC	TTCTGCGCTC	GGCCCTTCCG
1261	GCTGGCTGGT	TTATTGCTGA	TAAATCTGGA	GCCGGTGAGC	GTGGGTCTCG	CGGTATCATT
1321	GCAGCACTGG	GGCCAGATGG	TAAGCCCTCC	CGTATCGTAG	TTATCTACAC	GACGGGGAGT
1381	CAGGCAACTA	TGGATGAACG	AAATAGACAG	ATCGCTGAGA	TAGGTGCCTC	ACTGATTAAG
1441	CATTGGTAAC	TGTCAGACCA	AGTTTACTCA	TATATACTTT	AGATTGATTT	AAAACTTCAT
1501	TTTTAATTTA	AAAGGATCTA	GGTGAAGATC	CTTTTTGATA	ATCTCATGAC	CAAAATCCCT
1561	TAACGTGAGT	TTTCGTTCCA	CTGAGCGTCA	GACCCCGTAG	AAAAGATCAA	AGGATCTTCT
1621	TGAGATCCTT	TTTTTCTGCG	CGTAATCTGC	TGCTTGCAAA	CAAAAAAACC	ACCGCTACCA
1681	GCGGTGGTTT	GTTTGCCGGA	TCAAGAGCTA	CCAACTCTTT	TTCCGAAGGT	AACTGGCTTC
1741	AGCAGAGCGC	AGATACCAAA	TACTGTCCTT	CTAGTGTAGC	CGTAGTTAGG	CCACCACTTC
['] 1801	AAGAACTCTG	TAGCACCGCC	TACATACCTC	GCTCTGCTAA	TCCTGTTACC	AGTGGCTGCT
1861	GCCAGTGGCG	ATAAGTCGTG	TCTTACCGGG	TTGGACTCAA	GACGATAGTT	ACCGGATAAG
	GCGCAGCGGT					
1981	TACACCGAAC	TGAGATACCT	ACAGCGTGAG	CATTGAGAAA	GCGCCACGCT	TCCCGAAGGG
2041	AGAAAGGCGG	ACAGGTATCC	GGTAAGCGGC	AGGGTCGGAA	CAGGAGAGCG	CACGAGGGAG
2101	CTTCCAGGGG	GAAACGCCTG	GTATCTTTAT	AGTCCTGTCG	GGTTTCGCCA	CCTCTGACTT
2161	GAGCGTCGAT	TTTTGTGATG	CTCGTCAGGG	GGGCGGAGCC	TATGGAAAAA	CGCCAGCAAC
2221	. GCGGCCTTTI	TACGGTTCCT	GGCCTTTTGC	TGGCCTTTTG	CTCACATGTT	CTTTCCTGCG
2281	TTATCCCCTG	ATTCTGTGGA	TAACCGTATI	ACCGCCTTTG	AGTGAGCTGA	TACCGCTCGC
						GCGCCTGATG
2401	CGGTATTTTC	TCCTTACGCA	TCTGTGCGGT	ATTTCACACC	GCAGACCAGC	CGCGTAACCT
2461	GGCAAAATCG	GTTACGGTTG	AGTAATAAAT	GGATGCCCTG	CGTAAGCGGG	TGTGGGCGGA-



				~~~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	> < > > < > > < > < > < > < > < > < > <	COUNTY NO COUNTY
2521	CAATAAAGTC	TTAAACTGAA	CAAAATAGAT	CTAAACTATG	ACAATAAAGI	CITAAACTAG
2581	ACAGAATAGT	TGTAAACTGA	AATCAGTCCA	GTTATGCTGT	GAAAAAGCA: .	ACIGGACIII
2641	TGTTATGGCT	AAAGCAAACT	CTTCATTTTC	TGAAGTGCAA	ATTGCCCGTC	GTATTA-AGA
2701	GGGGCGTGGC	CAAGGGCATG	GTAAAGACTA	TATTCGCGGC	GTTGTGACAA	TTTACC JAAC
2761	AACTCCGCGG	CCGGGAAGCC	GATCTCGGCT	TGAACGAATT	GTTAGGTGGC	GGTAC'L TGGG
2821	TCGATATCAA	AGTGCATCAC	TTCTTCCCGT	ATGCCCAACT	TTGTATAGAG	AGCCACTGCG
2881	GGATCGTCAC	CGTAATCTGC	TTGCACGTAG	ATCACATAAG	CACCAAGCGC	GTTGGCCTCA
2941	TGCTTGAGGA	GATTGATGAG	CGCGGTGGCA	ATGCCCTGCC	TCCGGTGCTC	GCCGGAGACT
3001	GCGAGATCAT	AGATATAGAT	CTCACTACGC	GGCTGCTCAA	ACCTGGGCAG	AACGTAAGCC
3061	GCGAGAGCGC	CAACAACCGC	TTCTTGGTCG	AAGGCAGCAA	GCGCGATGAA	TGTCTTACTA
3121	CGGAGCAAGT	TCCCGAGGTA	ATCGGAGTCC	GGCTGATGTT	GGGAGTAGGT	GGCTACGTCT
3181	CCGAACTCAC	GACCGAAAAG	ATCAAGAGCA	GCCCGCATGG	ATTTGACTTG	GTCAGGGCCG
3241	AGCCTACATG	TGCGAATGAT	GCCCATACTT	GAGCCACCTA	ACTTTGTTTT	AGGGCGACTG
2201	CCCTCCTGCG	TAACATCGTT	GCTGCTGCGT	AACATCGTTG	CTGCTCCATA	ACATCAAACA
2261	TCGACCCACG	GCGTAACGCG	CTTGCTGCTT	GGATGCCCGA	GGCATAGACT	GTACAAAAA
3301	ACACTCATAA	CAAGCCATGA	AAACCGCCAC	TGCGCCGTTA	CCACCGCTGC	GTTCGGTCAA
3461	CCTTCTCCAC	CAGTTGCGTG	AGCGCATACG	CTACTTGCAT	TACAGTTTAC	GAACCGAACA
3461	GGIICIGGAC	AACTGGGTTC	CTCCCTTCAT	CCGTTTCCAC	GGTGTGCGTC	ACCCGGCAAC
3541	GGCTTATGTC	AGCGAAGTCG	ACCCATTTCT	GTCCTGGCTG	GCGAACGAGC	GCAAGGTTTC
3601	CTTGGGCAGC	CATCGTCAGG	AGGCATTICT	CONTCOTO	TTCTACGGCA	ACCTCCTCTC
3661	GGTCTCCACG	CATCGTCAGG	ACCACAMOCC	AACACCTCCC	CCCTCCCCCC	COTTCCCCCT
3721	CACGGATCTG	CCCTGGCTTC	AGGAGATCGG	AAGACCICGG	CEGICOCOC	ACCATCCTTT
3781	GGTGCTGACC	CCGGATGAAG	TGGTTCGCAT	CCTCGGTTTT	CTGGAAGGCG	AGCAICGIII
3841	GTTCGCCCAG	GACTCTAGCT	ATAGTTCTAG	TGGTTGGCTA	CGTATCGAGC	AAGAAAAIAA
3901	AACGCCAAAC	GCGTTGGAGT	CTTGTGTGCT	ATTTTTACAA	AGATTCAGAA	ATACGCATCA
3961	CTTACAACAA	GGGGGACTAT	GAAATTATGC	ATTTTGAGGA	TGCCGGGACC	TTTAAT TCAA
4021	CCCAACACAA	TATATTATAG	TTAAATAAGA	ATTATTTATC	AAATCATTTG	TATATTAATT
4081	AAAATACTAT	ACTGTAAATT	ACATTTTATT	TACAATGAGG	ATCATCACAA	GTTTGTACAA
4141	AAAAGCTGAA	CGAGAAACGT	AAAATGATAT	AAATATCAAT	ATATTAAATT	AGATTTTGCA
4201	TAAAAAAACAG	ACTACATAAT	ACTGTAAAAC	ACAACATATC	CAGTCACTAT	GGCGGCCGCT
4261	AAGTTGGCAG	CATCACCCGA	CGCACTTTGC	GCCGAATAAA	TACCTGTGAC	GGAAGATCAC
4321	TTCGCAGAAT	AAATAAATCC	TGGTGTCCCT	GTTGATACCG	GGAAGCCCTG	GGCCALCTTT
4381	TGGCGAAAAT	GAGACGTTGA	TCGGCACGTA	AGAGGTTCCA	ACTTTCACCA	TAATGAAATA
4441	AGATCACTAC	CGGGCGTATT	TTTTGAGTTA	TCGAGATTTT	CAGGAGCTAA	GGAAGCTAAA
4501	ATGGAGAAAA	AAATCACTGG	ATATACCACC	GTTGATATAT	CCCAATGGCA	TCGTAAAGAA
4561	CATTTTGAGG	CATTTCAGTC	AGTTGCTCAA	TGTACCTATA	ACCAGACCGT	TCAGCTGGAT
4621	ATTACGGCCT	TTTTAAAGAC	CGTAAAGAAA	AATAAGCACA	AGTTTTATCC	GGCCTTTATT
4681	CACATTCTTC	CCCGCCTGAT	GAATGCTCAT	CCGGAATTCC	GTATGGCAAT	GAAAGACGGT
4741	CACCTCCTC	A TATGGGATAG	TGTTCACCCT	TGTTACACCG	TTTTCCATGA	GCAAACTGAA
4001	ארכידידיראיז ארכידידידראיז	CGCTCTGGAG	TGAATACCAC	GACGATTTCC	GGCAGTTTCT	ACACATATAT
4001	TCCCAAGATO	TGGCGTGTTA	CGGTGAAAAC	CTGGCCTATT	TCCCTAAAGG	GTTTATTGAG
4001	ייייייייייייייייייייייייייייייייייייי	r TCGTCTCAGC	CAATCCCTGG	GTGAGTTTCA	CCAGTTTTGA	TTTAAACGTG
4001	CCCNNTNTC	ACAACTTCTI	י רפרררררפידיו	TTCACCATGG	GCAAATATTA	TACGCAAGGC
4701	CACAAIAIG	TGATGCCGCT	CGCGATTCAG	CTTCATCATC	CCGTCTGTGA	TGGCTTCCAT
		A TGCTTAATGA				
5101	N CCCCCCCC	r CCGGCTTACT	י אאאאפרראני	TANCAGTATG	CCTATTTCCC	CGCTGATTTT
2101	HCCCCTAGA	A CARTATATA	. ДИДИДОССАСА • ТСАТАТСТАТ	r accedances	TGTCAAAAAG	AGGTGTGCTA
5221	TGCGGIAIA	A GWWIWIWIW	, logialdia:	CCCCCAAGIA	TCAGTTGCTC	AAGGCATATA
528.	TGAAGCAGC	D MATTACAGIO	MCAGIIGACA	A BOUNCAGOIA	A TOROTIGOTO	GTCGTCTGCG
534.	I TGATGTCAA	r Arciceggi	, IGGIAAGCA	. AACCAIGCAG	CACCTCCCC	COTTTATTA
						GGTTTATTGA
5463	L AATGAACGG	C TCTTTTGCT(ACGAGAACAC	GGACTGGTGA	AAIGLAGITI	AAGGTTTACA
552	L CCTATAAAA	G AGAGAGCCG	TATCGTCTG	r Trunggargi	ACAGAGIGA:	ATTATTGACA
558	r ceccceecc	G ACGGATGGT	ATCCCCCTG(CCAGTGCACG	TUTGUTGTCA	GATAAAGTCT
564	1 CCCGTGAAC	T TTACCCGGT	G GTGCATATC	G GGGATGAAAG	CTGGCGCATG	ATGACCACCG
570	1 ATATGGCCA	G TGTGCCGGT	C TCCGTTATC	G GGGAAGAAG1	GGCTGATCTC	AGCCACCGCG
						TCAGGCTCCC
582	1 TTATACACA	G CCAGTCTGC	A GGTCGACCA	T AGTGACTGGA	A TATGTTGTGT	TTTACAGTAT
588	1 TATGTAGTC	T GTTTTTTAT	G CAAAATCTA	A TTTAATATA	TGATATTTAT	ATCATTITAC
594	1 GTTTCTCGT	T CAGCTTTCT	r gtacaaagt	G GTGATAGCT	r grcgagaagi	ACTAGAGGAT-

6001	CATAATCAGC	CATACCACAT	TTGTAGAGGT	TTTACTTGCT	TTAAAAAACC	TCCCACACCT	
6061	CCCCCTGAAC	CTGAAACATA	AAATGAATGC	AATTGTTGTT	GTTAACTTGT	TTATTGCAGC	
6121	TTATAATGGT	TACAAATAAA	GCAATAGCAT	CACAAATTTC	ACAAATAAAG	CATTTTTTC	
6181	ACTGCATTCT	AGTTGTGGTT	TGTCCAAACT	CATCAATGTA	TCTTATCATG	TCTGGATCTG	
6241	ATCACTGCTT	GAGCCTAGGA	GATCCGAACC	AGATAAGTGA	AATCTAGTTC	CAAACTATTT	
6301	TGTCATTTTT	AATTTTCGTA	TTAGCTTACG	ACGCTACACC	CAGTTCCCAT	CTATTTTGTC	
6361	ACTCTTCCCT	AAATAATCCT	TAAAAACTCC	ATTTCCACCC	CTCCCAGTTC	CCAACTATTT	
6421	TGTCCGCCCA	CAGCGGGGCA	TTTTTCTTCC	TGTTATGTTT	TTAATCAAAC	ATCCTGCCAA	
6481	CTCCATGTGA	CAAACCGTCA	TCTTCGGCTA	CTTTTTCTCT	GTCACAGAAT	GAAAATTTTT	
6541	CTGTCATCTC	TTCGTTATTA	ATGTTTGTAA	TTGACTGAAT	ATCAACGCTT	ATTTGCAGCC	
6601	TGAATGGCGA	ATG					

FIGURE 38D

ggtgacgceg tcatctttcc attgtaacgt aaatggcaac ttgtagatga acgcgctgtc ccactgcggc agtagaaagg taacattgca tttaccgttg aacatctact tgcgcgacag

aaaaaaccgg ccagtttctt ccacaaactc gcgcacggct gtctcgtaaa cttttgcgtc ttttttggcc ggtcaaagaa ggtgtttgag cgcgtgccga cagagcattt gaaaacgcag 39 K Promoter

gcaacaatcg cgatgacctc gtggtatgga aattttttct aaaaaagtgt cgttcatgtc

gcgttgttagc gctactggag caccatacct ttaaaaaaaga ttttttcaca gcaagtacag


gggggcggcg ttcgcgcgc ggtacgcgc acgggcacac agcaggacag ccttgtccgg

ccgccgccgc aagcgcgagg catgcgcg acgggcacac agcaggacag ccttgtccgg

ccgccgccgc aagcgcgagg catgcgcc tgcccgtgtg tcgtcctgtc ggaacaggcc

ttgtacaaa

gagctaatac ataaacaatc ctgcaggcat gcaagctgga tcatcacaag tttgtacaaa
gagctaatag tatttgttag gacgtccgta cgttcgacct agtagtgtt aaacatgttt



pDEST19 6668 bp (rotated to position 1000)

<u>Gene Encoded</u>
attR1
CmR
inactivated ccdA
ccdB
attR2
lacZ
ampR
ori
genR

		360632		90		
1	AGTGGTTCGC	ATCCTCGGTT	TTCTGGAAGG	CGAGCATCGT	TTGTTCGCCC	AGGACTCTAG
61	CTATAGTTCT	AGTGGTTGGC	TACGTATATC	AAATACTTGT	AGGTGACGCC	GTCATCTTTC
121	CATTGTAACG	TAAATGGCAA	CTTGTAGATG	AACGCGCTGT	CAAAAAACCG	GCCAGTTTCT
181	TCCACAAACT	CGCGCACGGC	TGTCTCGTAA	ACTTTTGCGT	CGCAACAATC	GCGATGACCT
241	CGTGGTATGG	AAATTTTTTC	TAAAAAAGTG	TCGTTCATGT	CGGCGGCGGG	CGCGTTCGCG
301	CTCCGGTACG	CGCGACGGGC	ACACAGCAGG	ACAGCCTTGT	CCGGCTCGAT	TATCATAAAC
361	AATCCTGCAG	GCATGCAAGC	TCGGATCATC	ACAAGTTTGT	ACAAAAAAGC	TGAACGAGAA
421	ACGTAAAATG	TATAAATAT	CAATATATTA	AATTAGATTT	TGCATAAAAA	ACAGACTACA
481	TAATACTGTA	AAACACAACA	TATCCAGTCA	CTATGGCGGC	CGCTAAGTTG	GCAGCATCAC
541	CCGACGCACT	TTGCGCCGAA	TAAATACCTG	TGACGGAAGA	${\tt TCACTTCGCA}$	GAATAAATAA
601	ATCCTGGTGT	CCCTGTTGAT	ACCGGGAAGC	CCTGGGCCAA	CTTTTGGCGA	AAATGAGACG
661	TTGATCGGCA	CGTAAGAGGT	TCCAACTTTC	ACCATAATGA	AATAAGATCA	CTACCGGGCG
721	TATTTTTTGA	GTTATCGAGA	TTTTCAGGAG	CTAAGGAAGC	TAAAATGGAG	AAAAAAATCA
781	CTGGATATAC	CACCGTTGAT	ATATCCCAAT	GGCATCGTAA	AGAACATTTT	GAGGCATTTC
841	AGTCAGTTGC	TCAATGTACC	TATAACCAGA	CCGTTCAGCT	GGATATTACG	GCCTTTTTAA
901	AGACCGTAAA	GAAAAATAAG	CACAAGTTTT	ATCCGGCCTT	TATTCACATT	CTTGCCCGCC
961	TGATGAATGC	TCATCCGGAA	TTCCGTATGG	CAATGAAAGA	CGGTGAGCTG	GTGATATGGG
1021	ATAGTGTTCA	CCCTTGTTAC	ACCGTTTTCC	ATGAGCAAAC	TGAAACGTTT	TCATCGCTCT
1081	GGAGTGAATA	CCACGACGAT	TTCCGGCAGT	TTCTACACAT	ATATTCGCAA	GATGTGGCGT
1141	GTTACGGTGA	AAACCTGGCC	TATTTCCCTA	AAGGGTTTAT	TGAGAATATG	TTTTTCGTCT
1201	CAGCCAATCC	CTGGGTGAGT	TTCACCAGTT	TTGATTTAAA	CGTGGCCAAT	ATGGACAACT
1261	TCTTCGCCCC	CGTTTTCACC	ATGGGCAAAT	ATTATACGCA	AGGCGACAAG	GTGCTGATGC
1321	CGCTGGCGAT	TCAGGTTCAT	CATGCCGTCT	GTGATGGCTT	CCATGTCGGC	AGAATGCTTA
1381	ATGAATTACA	ACAGTACTGC	GATGAGTGGC	AGGGCGGGGC	GTAAACGCGT	GGATCCGGCT
1441	TACTAAAAGC	CAGATAACAG	TATGCGTATT	TGCGCGCTGA	TTTTTGCGGT	ATAAGAATAT
1501	ATACTGATAT	GTATACCCGA	AGTATGTCAA	AAAGAGGTGT	GCTATGAAGC	AGCGTATTAC
1561	AGTGACAGTT	GACAGCGACA	GCTATCAGTT	GCTCAAGGCA	TATATGATGT	CAATATCTCC
1621	GGTCTGGTAA	GCACAACCAT	GCAGAATGAA	GCCCGTCGTC	TGCGTGCCGA	ACGCTGGAAA
1681	GCGGAAAATC	AGGAAGGGAT	GGCTGAGGTC	GCCCGGTTTA	TTGAAATGAA	CGGCTCTTTT
1741	GCTGACGAGA	ACAGGGACTG	GTGAAATGCA	GTTTAAGGTT	TACACCTATA	AAAGAGAGAG
1801	CCGTTATCGT	CTGTTTGTGG	ATGTACAGAG	TGATATTATT	GACACGCCCG	GGCGACGGAT
,1861	GGTGATCCCC	CTGGCCAGTG	CACGTCTGCT	GTCAGATAAA	GTCTCCCGTG	AACTTTACCC
1921	GGTGGTGCAT	ATCGGGGATG	AAAGCTGGCG	CATGATGACC	ACCGATATGG	CCAGTGTGCC
1981	GGTCTCCGTT	ATCGGGGAAG	AAGTGGCTGA	TCTCAGCCAC	CGCGAAAATG	ACATCAAAAA
2041	CGCCATTAAC	CTGATGTTCT	GGGGAATATA	AATGTCAGGC	TCCCTTATAC	ACAGCCAGTC
2101	* TGCAGGTCGA	CCATAGTGAC	TGGATATGTT	GTGTTTTACA	GTATTATGTA	GTCTGTTTTT
						CGTTCAGCTT
2221	. TCTTGTACAA	AGTGGTGATC	GAGAAGTACT	AGAGGATCAT	AATCAGCCAT	ACCACATTTG
2281	TAGAGGTTT	ACTTGCTTTA	AAAAACCTCC	CACACCTCCC	CCTGAACCTG	AAACATAAAA
2341	TGAATGCAAT	TGTTGTTGTT	AACTTGTTTA	TTGCAGCTTA	TAATGGTTAC	AAATAAAGCA
2401	ATAGCATCAC	AAATTTCACA	AATAAAGCAT	TTTTTTCACT	GCATTCTAGT	TGTGGTTTGT
2461	CCAAACTCAT	CAATGTATCT	TATCATGTCT	GGATCTGATC	ACTGCTTGAG	CCTAGGAGAT
2521	CCGAACCAGA	TAAGTGAAAT	CTAGTTCCA	A ACTATTTTGI	CATTTTTAAT	TTTCGTATTA
2581	GCTTACGACC	CTACACCCA	TTCCCATCTA	A TTTTGTCACT	CTTCCCTAAA	TAATCCTTAA

FIGURE 39B


2641	AAACTCCATT	TCCACCCCTC	CCAGTTCCCA	ACTATTTTGT	CCGCCCACAG	CGGGGCATTT
2701	TTCTTCCTGT	TATGTTTTTA	ATCAAACATC	CTGCCAACTC	CATGTGACAA	ACCGTCATCT
2761	TCGGCTACTT	TTTCTCTGTC	ACAGAATGAA	AATTTTTCTG	TCATCTCTTC	GTTATTAATG
2821	TTTGTAATTG	ACTGAATATC	AACGCTTATT	TGCAGCCTGA	ATGGCGAATG	GACGCGCCCT
2881	GTAGCGGCGC	ATTAAGCGCG	GCGGGTGTGG	TGGTTACGCG	CAGCGTGACC	GCTACACTTG
2941	CCAGCGCCCT	AGCGCCCGCT	CCTTTCGCTT	TCTTCCCTTC	CTTTCTCGCC .	ACGTTCGCCG
3001	GCTTTCCCCG	TCAAGCTCTA	AATCGGGGGC	TCCCTTTAGG	GTTCCGATTT .	AGTGCTTTAC
3061	GGCACCTCGA	CCCCAAAAAA	CTTGATTAGG	GTGATGGTTC	ACGTAGTGGG	CCATCGCCCT
3121	GATAGACGGT	TTTTCGCCCT	TTGACGTTGG	AGTCCACGTT	CTTTAATAGT	GGACTCTTGT
3181	TCCAAACTGG	AACAACACTC	AACCCTATCT	CGGTCTATTC	TTTTGATTTA	TAAGGGATTT
3241	TGCCGATTTC	GGCCTATTGG	TTAAAAAATG	AGCTGATTTA	ACAAAAATTT	AACGCGAATT
3301	TTAACAAAAT	ATTAACGTTT	ACAATTTCAG	GTGGCACTTT	TCGGGGAAAT	GTGCGCGGAA
3361	CCCCTATTTG	TTTATTTTTC	TAAATACATT	CAAATATGTA	TCCGCTCATG	AGACAATAAC
3421	CCTGATAAAT	GCTTCAATAA	TATTGAAAAA	GGAAGAGTAT	GAGTATTCAA	CATTTCCGTG
3481	TCGCCCTTAT	TCCCTTTTTT	GCGGCATTTT	GCCTTCCTGT	TTTTGCTCAC	CCAGAAACGC
3541	TGGTGAAAGT	AAAAGATGCT	GAAGATCAGT	TGGGTGCACG	AGTGGGTTAC	ATCGAACTGG
3601	ATCTCAACAG	CGGTAAGATC	CTTGAGAGTT	TTCGCCCCGA	AGAACGTTTT	CCAATGATGA
3661	GCACTTTTAA	AGTTCTGCTA	TGTGGCGCGG	TATTATCCCG	TATTGACGCC	GGGCAAGAGC
3721	AACTCGGTCG	CCGCATACAC	TATTCTCAGA	ATGACTTGGT	TGAGTACTCA	CCAGTCACAG
3781	AAAAGCATCT	TACGGATGGC	ATGACAGTAA	GAGAATTATG	CAGTGCTGCC	ATAACCATGA
3841	GTGATAACAC	TGCGGCCAAC	TTACTTCTGA	CAACGATCGG	AGGACCGAAG	GAGCTAACCG
3901	CTUTTITUTTCCA	CAACATGGGG	GATCATGTAA	CTCGCCTTGA	TCGTTGGGAA	CCGGAGCTGA
3961	ATGAAGCCAT	ACCABACGAC	GAGCGTGACA	CCACGATGCC	TGTAGCAATG	GCAACAACGT
4021	TCCCCAAACT	ATTAACTGGC	GAACTACTTA	CTCTAGCTTC	CCGGCAACAA	TTAATAGACT
4021	CCATCCACCC	CCATAAACTT	GCAGGACCAC	TTCTGCGCTC	GGCCCTTCCG	GCTGGCTGGT
4141	TENTITICATE A	TANATCTGGA	GCCGGTGAGC	GTGGGTCTCG	CGGTATCATT	GCAGCACTGG
4747	CCCCACATCC	TARRICIOGA	CCTATCGTAG	TTATCTACAC	GACGGGGAGT	CAGGCAACTA
4201	TOCATO ACC	AAATACACAC	ATCCCTGAGA	TAGGTGCCTC	ACTGATTAAG	CATTGGTAAC
4261	TOGATGAACG	AAAIAOACAO ACTETERACIO	TATATACTT	AGATTGATTT	AAAACTTCAT	TTTTAATTTA
4321	1G1CAGACCA	CCTCAAGATC	CTTTTTTTCNTA	ATCTCATGAC	CAAAATCCCT	TAACGTGAGT
4381	MAAGGAICIA TTTTCCTTCCA	CTCACCCTCA	GACCCCGTAG	AAAAGATCAA	AGGATCTTCT	TGAGATCCTT
4441	TITEGITEEA	CIGAGOGICA	TCCTTCCAAA	CAAAAAAACC	ACCGCTACCA	GCGGTGGTTT
4501	TTTTTCTGCG	CGIAAICIGC	CCAACTCTTT	TTCCGAAGGT	AACTGGCTTC	AGCAGAGCGC
4561	GTTTGCCGGA	TT CTCTCCTT	CTACTCTACC	CGTAGTTAGG	CCACCACTTC	AAGAACTCTG
				TCCTGTTACC		
				GACGATAGTT		
				CCAGCTTGGA		
4861	TGAGATACC'I	ACAGCGTGAG	CATTGAGAAA	GCGCCACGCT	CACCACCAC	CTTCCACCGG
				CAGGAGAGCG		
				GGTTTCGCCA		
				TATGGAAAAA		
5101	TACGGTTCCT	GGCCTTTTGC	TGGCCTTTTC	CTCACATGTT	TTTCCTGCG	CCCACCCCAA
				AGTGAGCTGA		
5221	CGACCGAGC	CAGCGAGTCA	GTGAGCGAGG	AAGCGGAAGA	GCGCCTGATG	CGGIAIIIIC
,5281	L TCCTTACGC	A TCTGTGCGGT	ATTTCACACC	GCAGACCAGC	CGCGTAACCT	GGCAAAATCG
				CGTAAGCGGG		
540:	L TTAAACTGAA	A CAAAATAGAT	CTAAACTATO	ACAATAAAGT	CTTAAACTAG	ACAGAATAGT
5461	L TGTAAACTGA	A AATCAGTCCA	GTTATGCTGT	r gaaaaagcat	ACTGGACTTT	TGTTATGGCT
				ATTGCCCGTC		
				C GTTGTGACAA		
				r GTTAGGTGGC		
				r TTGTATAGAG		
						TGCTTGAGGA
				C TCCGGTGCTC		
				A ACCTGGGCAG		
						CGGAGCAAGT
						CCGAACTCAC
606	1 GACCGAAAA	G ATCAAGAGC	A GCCCGCATG	G ATTTGACTTO	GTCAGGGCCG	AGCCTACATG-

PCT/US00/05432

106/240

6121 TGCGAATG	AT GCCCATACTT	GAGCCACCTA	ACTTTGTTTT	AGGGCGACTG	CCCTGCTGCG
6181 TAACATCG	TT GCTGCTGCGT	AACATCGTTG	CTGCTCCATA	ACATCAAACA	TCGACCCACG
6241 GCGTAACG	CG CTTGCTGCTT	GGATGCCCGA	GGCATAGACT	GTACAAAAAA	ACAGTCATAA
6301 CAAGCCAT	CA AAACCGCCAC	TGCGCCGTTA	CCACCGCTGC	GTTCGGTCAA	GGTTCTGGAC
6361 CAGCCAT	TO ACCCCATACG	CTACTTGCAT	TACAGTTTAC	GAACCGAACA	GGCTTATGTC
6361 CAGTIGCG	TO AGCGCATACG	CCCTTTCCAC	GGTGTGCGTC	ACCCGGCAAC	CTTGGGCAGC
6421 AACTGGGT 6481 AGCGAAGT	ic Gigcollear	CEGITICETE	CCCAACGAGC	GCAAGGTTTC	GGTCTCCACG
6481 AGCGAAGT	CG AGGCATTICI	GICCIGGCIG	TOTAL COCCA	ACCTCCTCTC	CACGGATCTG
6541 CATCGTCA	GG CATTGGCGGC	CITGCTGTTC	COCTOCOCC	AGGIGCIGIG	CCTCCTCACC
6601 CCCTGGCT	TC AGGAGATCGG	AAGACCTCGG	CCGTCGCGGC	GCTTGCCGGT	GGIGCIGACC
6661 CCGGATGA	L				

Figure 40A: pDEST20 Glutathione-S-transferase Fusion with Polyhedron Promoter for Baculovirus Expression




pDEST20 7066 bp (rotated to position 5800)

Location (Base Nos.)	Gene Encoded
5921263	GST
13971273	attR1
15062165	CmR
22852369	inactivated ccdA
25072812	ccdB
28532977	attR2
42145064	ampR
52635843	ori

1	CCACTGCGCC	GTTACCACCG	CTGCGTTCGG	TCAAGGTTCT	GGACCAGTTG	CGTGAGCGCA
61	TACGCTACTT	GCATTACAGT	TTACGAACCG	AACAGGCTTA	TGTCAACTGG	GTTCGTGCCT
121	TCATCCGTTT	CCACGGTGTG	CGTCACCCGG	CAACCTTGGG	CAGCAGCGAA	GTCGAGGCAT
181	TTCTGTCCTG	GCTGGCGAAC	GAGCGCAAGG	TTTCGGTCTC	CACGCATCGT	CAGGCATTGG
241	CGGCCTTGCT	GTTCTTCTAC	GGCAAGGTGC	TGTGCACGGA	TCTGCCCTGG	CTTCAGGAGA
301	TCGGAAGACC	TCGGCCGTCG	CGGCGCTTGC	CGGTGGTGCT	GACCCCGGAT	GAAGTGGTTC
361	GCATCCTCGG	TTTTCTGGAA	GGCGAGCATC	GTTTGTTCGC	CCAGGACTCT	AGCTATAGTT
421	CTAGTGGTTG	GCTACGTATA	CTCCGGAATA	TTAATAGATC	ATGGAGATAA	TTAAAATGAT
481	AACCATCTCG	CAAATAAATA	AGTATTTTAC	TGTTTTCGTA	ACAGTTTTGT	AATAAAAAA
541	CCTATAAATA	TTCCGGATTA	TTCATACCGT	CCCACCATCG	GGCGCGGATC	CATGGCCCCT
601	ATACTAGGTT	ATTGGAAAAT	TAAGGGCCTT	GTGCAACCCA	CTCGACTTCT	TTTGGAATAT
661	CTTGAAGAAA	AATATGAAGA	GCATTTGTAT	GAGCGCGATG	AAGGTGATAA	ATGGCGAAAC
721	AAAAAGTTTG	AATTGGGTTT	GGAGTTTCCC	AATCTTCCTT	ATTATATTGA	TGGTGATGTT
781	AAATTAACAC	AGTCTATGGC	CATCATACGT	TATATAGCTG	ACAAGCACAA	CATGTTGGGT
841	GGTTGTCCAA	AAGAGCGTGC	AGAGATTTCA	ATGCTTGAAG	GAGCGGTTTT	GGATATTAGA
901	TACGGTGTTT	CGAGAATTGC	ATATAGTAAA	GACTTTGAAA	CTCTCAAAGT	TGATTTTCTT
961	AGCAAGCTAC	CTGAAATGCT	GAAAATGTTC	GAAGATCGTT	TATGTCATAA	AACATATTTA
1021	AATGGTGATC	ATGTAACCCA	TCCTGACTTC	ATGTTGTATG	ACGCTCTTGA	TGTTGTTTTA
1081	TACATGGACC	CAATGTGCCT	GGATGCGTTC	CCAAAATTAG	TTTGTTTTAA	AAAACGTATT
1141	GAAGCTATCC	CACAAATTGA	TAAGTACTTG	AAATCCAGCA	AGTATATAGC	ATGGCCTTTG
1201	CAGGGCTGGC	AAGCCACGTT	TGGTGGTGGC	GACCATCCTC	CAAAATCGGA	TCTGGTTCCG
1261	CGTCATAATC	AAACAAGTTT	GTACAAAAA	GCTGAACGAG	AAACGTAAAA	TGATATAAAT
1321	ATCAATATAT	TAAATTAGAT	TTTGCATAAA	AAACAGACTA	CATAATACTG	TAAAACACAA
1381	CATATCCAGT	CACTATGGCG	GCCGCATTAG	GCACCCCAGG	CTTTACACTT	TATGCTTCCG
1441	GCTCGTATGT	TGTGTGGATT	TTGAGTTAGG	ATCCGGCGAG	ATTTTCAGGA	GCTAAGGAAG
1501	CTAAAATGGA	GAAAAAAATC	ACTGGATATA	CCACCGTTGA	TATATCCCAA	TGGCATCGTA
1561	AAGAACATTT	TGAGGCATTT	CAGTCAGTTG	CTCAATGTAC	CTATAACCAG	ACCGTTCAGC
	TGGATATTAC					
	TTATTCACAT					
	ACGGTGAGCT					
	CTGAAACGTT					
	TATATTCGCA					
	TTGAGAATAT					
	ACGTGGCCAA					
2041	AAGGCGACAA	GGTGCTGATG	CCGCTGGCGA	TTCAGGTTCA	TCATGCCGTC	TGTGATGGCT
2101	TCCATGTCGG	CAGAATGCTT	AATGAATTAC	AACAGTACTG	CGATGAGTGG	CAGGGCGGGG
2161	CGTAATCTAG	AGGATCCGGC	TTACTAAAAG	CCAGATAACA	GTATGCGTAT	TTGCGCGCTG
	ATTITTGCGG					
2281	TGCTATGAAG	CAGCGTATTA	CAGTGACAGT	TGACAGCGAC	AGCTATCAGT	TGCTCAAGGC
2341	ATATATGATG	TCAATATCTC	CGGTCTGGTA	AGCACAACCA	TGCAGAATGA	AGCCCGTCGT
2401	CTGCGTGCCG	AACGCTGGAA	AGCGGAAAAT	CAGGAAGGGA	${\tt TGGCTGAGGT}$	CGCCCGGTTT
2461	ATTGAAATGA	ACGGCTCTTT	TGCTGACGAG	AACAGGGACT	GGTGAAATGC	AGTTTAAGGT
2521		AAAAGAGAGA				
2581	TGACACGCCC	GGGCGACGGA	TGGTGATCCC	CCTGGCCAGT	GCACGTCTGC	TGTCAGATAA
2641	AGTCTCCCGT	GAACTTTACC	CGGTGGTGCA	TATCGGGGAT	GAAAGCTGGC	GCATGATGAC-

FOURE 40B

2701	CACCGATATG	GCCAGTGTGC	CGGTCTCCGT	TATCGGGGAA	GAAGTGGCTG	ATCTCAGCCA
2761	CCCCGAAAAT	GACATCAAAA	ACGCCATTAA	CCTGATGTTC '	TGGGGAATAT A	AAATGTCAGG
2821	CTCCCTTATA	CACAGCCAGT	CTGCAGGTCG	ACCATAGTGA	CTGGATATGT '	TGTGTTTTAC
2991	ACTATTATGT	AGTCTGTTTT	TTATGCAAAA	TCTAATTTAA	TATATTGATA '	TTTATATCAT
2941	TTTACGTTTC	TCGTTCAGCT	TTCTTGTACA	AAGTGGTTTG	ATAGCTTGTC	GAGAAGTACT
3001	AGAGGATCAT	AATCAGCCAT	ACCACATTTG	TAGAGGTTTT	ACTTGCTTTA .	AAAAACCTCC
3061	CACACCTCCC	CCTGAACCTG	AAACATAAAA	TGAATGCAAT	TGTTGTTGTT .	AACTTGTTTA
2121	TTGCAGCTTA	TAATGGTTAC	AAATAAAGCA	ATAGCATCAC	AAATTTCACA	AATAAAGCAT
3121	TIOCHTOCITI	GCATTCTAGT	TGTGGTTTGT	CCAAACTCAT	CAATGTATCT	TATCATGTCT
3241	GGATCTGATC	ACTGCTTGAG	CCTAGGAGAT	CCGAACCAGA	TAAGTGAAAT	CTAGTTCCAA
2201	ACTATTTTGT	CATTTTTAAT	TTTCGTATTA	GCTTACGACG	CTACACCCAG	TTCCCATCTA
2261	ተሞተርተር ነርተ	CTTCCCTAAA	TAATCCTTAA	AAACTCCATT	TCCACCCCTC	CCAGTTCCCA
3421	ACTATTTGT	CCGCCCACAG	CGGGGCATTT	TTCTTCCTGT	TATGTTTTTA	ATCAAACATC
2461	CTCCCAACTC	CATGTGACAA	ACCGTCATCT	TCGGCTACTT	TTTCTCTGTC	ACAGAATGAA
3401	CIGCOMICIC	TCATCTCTTC	GTTATTAATG	TTTGTAATTG	ACTGAATATC	AACGCTTATT
3241	TCCACCCTCA	ATGGCGAATG	GACGCGCCCT	GTAGCGGCGC	ATTAAGCGCG	GCGGGTGTGG
3601	TOCAGCCIGA	CAGCGTGACC	GCTACACTTG	CCAGCGCCCT	AGCGCCCGCT	CCTTTCGCTT
3001	TGGTTACGCG	CAGCGTGACC	ACGTTCGCCG	GCTTTCCCCG	TCAAGCTCTA	AATCGGGGGC
3/21	TCTTCCCTTC	CTTTCTCGATTT	AGTGCTTTAC	GGCACCTCGA	CCCCAAAAAA	CTTGATTAGG
3781	COCCITIAGG	ACCUACTO	CCATCGCCCT	GATAGACGGT	TTTTCGCCCT	TTGACGTTGG
3841	ACTION COURT	CTTTANTAGT	GGACTCTTGT	TCCAAACTGG	AACAACACTC	AACCCTATCT
3901	AGTCCACGTT	CITIMATAGI	TAACCGATTT	TGCCGATTTC	GGCCTATTGG	TTAAAAAATG
3961	CGGTCTATTC	ITTIGATION	AACCCCAATT	TTAACAAAAT	ATTAACGTTT	ACAATTTCAG
4021	AGCTGATTTA	MCGCCCAAATII	CTCCCCCCCA	CCCCTATTIG	J.L.L.D.C.L.L.L.L.C.	TAAATACATT
4081	GTGGCACTTT	TCGGGGAAAI	ACACAATAAC	CCTGATAAAT	CCTTCDATAA	TATTGAAAA
4141	CAAATATGTA	TCCGCTCATG	AGACAATAAC	CCIGNIANA	TCCCTTTTTT	GCGGCATTTT
4201	GGAAGAGTAT	GAGTATTCAA	CATTICCGIG	TCGCCCTTAT	AAAACATCCT	GAAGATCAGT
4261	GCCTTCCTGT	TTTTGCTCAC	CCAGAAACGC	TGGTGAAAGT	CCCTAACATC	CTTCACACTT
4321	TGGGTGCACG	AGTGGGTTAC	ATCGAACTGG	ATCTCAACAG	ACTICTCOTA	TGTGGCGCGG
4381	TTCGCCCCGA	AGAACGTTTT	CCAATGATGA	GCACTTTTAA	CCCCATACAC	TATTCTCAGA
4441	TATTATCCCG	TATTGACGCC	GGGCAAGAGC	AACTCGGTCG	TACCCATACAC	ATCACACTAA
4501	ATGACTTGGT	TGAGTACTCA	CCAGTCACAG	AAAAGCATCT	TACGGATGGC	TUNCHUIAN
4561	GAGAATTATO	CAGTGCTGCC	ATAACCATGA	GTGATAACAC	TGCGGCCAAC	CAMCAMCTAA
4621	CAACGATCGG	AGGACCGAAG	GAGCTAACCG	CTTTTTTGCA	CAACATGGGG	GAICAIGIAA
4681	CTCGCCTTGA	L TCGTTGGGAA	CCGGAGCTGA	ATGAAGCCAT	ACCAAACGAC	CARCUIGACA
4741	CCACGATGC	TGTAGCAATG	GCAACAACGI	TGCGCAAACT	ATTAACTGGC	GAACTACTTA
4801	L CTCTAGCTTC	CCGGCAACAA	TTAATAGACT	GGATGGAGGC	GGATAAAGTT	GCAGGACCAC
4861	TTCTGCGCT(GGCCCTTCCG	GCTGGCTGGT	TTATTGCTGA	TAAATCTGGA	GCCGGTGAGC
492	L GTGGGTCTC	GGTATCATT	GCAGCACTGC	GGCCAGATGG	TAAGCCCTCC	CGTATCGTAG
4983	TTATCTACA	CGACGGGGAGT	CAGGCAACT	A TGGATGAACG	AAATAGACAG	ATCGCTGAGA
504	L TAGGTGCCT	C ACTGATTAAG	CATTGGTAAC	TGTCAGACCA	AGTTTACTCA	TATATACTIT
510	1 AGATTGATT	L AAAACTTCAI	TTTTAATTT	A AAAGGATCTA	GGTGAAGATC	CTTTTTGATA
516	1 ATCTCATGA	CAAAATCCCT	TAACGTGAG	r TTTCGTTCCA	. CTGAGCGTCA	GACCCCGTAG
522	1 AAAAGATCA	A AGGATCTTCT	TGAGATCCT	r TTTTTCTGCG	CGTAATCTGC	TGCTTGCAAA
528	1 CAAAAAAAC	C ACCGCTACCA	A GCGGTGGTT	r GTTTGCCGGA	. TCAAGAGCTA	CCAACTCTIT
534	1 TTCCGAAGG	r AACTGGCTT	AGCAGAGCG	C AGATACCAAA	. TACTGTCCTT	CTAGTGTAGC
540	1 CGTAGTTAG	G CCACCACTTO	AAGAACTCT(G TAGCACCGCC	TACATACCTC	GCTCTGCTAA
546	1 TCCTGTTAC	C AGTGGCTGCT	CCAGTGGC	G ATAAGTCGTG	TCTTACCGGG	TTGGACTCAA
552	1 GACGATAGT	T ACCGGATAA	GCGCAGCGG	r cgggctgaac	: GGGGGGTTCG	TGCACACAGC
558	1 CCAGCTTGG	A GCGAACGAC	TACACCGAA	C TGAGATACCT	ACAGCGTGAG	CATTGAGAAA
564	1 GCGCCACGC	T TCCCGAAGG	AGAAAGGCG	G ACAGGTATCO	GGTAAGCGGC	AGGGTCGGAA
570	1 CAGGAGAGC	G CACGAGGGA	G CTTCCAGGG	G GAAACGCCTG	GTATCTTTAT	AGTCCTGTCG
576	1 GGTTTCGCC	A CCTCTGACT	r gagcgtcga	T TTTTGTGATC	CTCGTCAGGG	GGGCGGAGCC
582	1 TATGGAAAA	A CGCCAGCAA	C GCGGCCTTT	T TACGGTTCCT	GGCCTTTTGC	TGGCCTTTTG
588	1 CTCACATGT	T CTTTCCTGC	TTATCCCCT	G ATTCTGTGG	A TAACCGTATT	ACCGCCTTTG
594	1 AGTGAGCTG	A TACCGCTCG	CGCAGCCGA	A CGACCGAGC	CAGCGAGTCA	GTGAGCGAGG
600	1 AAGCGGAAG	A GCGCCTGAT	G CGGTATTTT	C TCCTTACGC	A TCTGTGCGGT	ATTTCACACC
606	1 GCAGACCAG	C CGCGTAACC	T GGCAAAATC	G GTTACGGTT	AGTAATAAAT	GGATGCCCTG
£12	1 CGTAAGCGG	G TGTGGGCGG	A CAATAAAGT	C TTAAACTGA	A CAAAATAGAT	CTAAACTATG
0 + 2						




6181	ACAATAAAGT	CTTAAACTAG	ACAGAATAGT	TGTAAACTGA	AATCAGTCCA	GTTATGCTGT
6241	GAAAAAGCAT	ACTGGACTTT	TGTTATGGCT	AAAGCAAACT	CTTCATTTTC	TGAAGTGCAA
6301	ATTGCCCGTC	GTATTAAAGA	GGGGCGTGGC	CAAGGGCATG	${\tt GTAAAGACTA}$	TATTCGCGGC
6361	GTTGTGACAA	TTTACCGAAC	AACTCCGCGG	CCGGGAAGCC	GATCTCGGCT	TGAACGAATT
6421	GTTAGGTGGC	GGTACTTGGG	TCGATATCAA	AGTGCATCAC	TTCTTCCCGT	ATGCCCAACT
6481	TTGTATAGAG	AGCCACTGCG	GGATCGTCAC	CGTAATCTGC	TTGCACGTAG	ATCACATAAG
6541	CACCAAGCGC	GTTGGCCTCA	TGCTTGAGGA	GATTGATGAG	CGCGGTGGCA	ATGCCCTGCC
6601		GCCGGAGACT				
6661	ACCTGGGCAG	AACGTAAGCC	GCGAGAGCGC	CAACAACCGC	TTCTTGGTCG	AAGGCAGCAA
6721	GCGCGATGAA	TGTCTTACTA	CGGAGCAAGT	TCCCGAGGTA	ATCGGAGTCC	GGCTGATGTT
6781	GGGAGTAGGT	GGCTACGTCT	CCGAACTCAC	GACCGAAAAG	ATCAAGAGCA	GCCCGCATGG
6841	ATTTGACTTG	GTCAGGGCCG	AGCCTACATG	TGCGAATGAT	GCCCATACTT	GAGCCACCTA
6901	ACTTTGTTTT	AGGGCGACTG	CCCTGCTGCG	TAACATCGTT	GCTGCTGCGT	AACATCGTTG
6961	CTGCTCCATA	ACATCAAACA	TCGACCCACG	GCGTAACGCG	CTTGCTGCTT	GGATGCCCGA
7021	GGCATAGACT	GTACAAAAAA	ACAGTCATAA	CAAGCCATGA	AAACCG	


FIGURE 40)

Figure: 4 (A:

PDESTZI

2-Hybrid Vector with DNA-Binding Domain





pDEST21 11713 bp (rotated to position 11000)

	_		• •	-	•	
	Loc	cation (Base	e Nos.)	Gene_1	Encoded	
		857132		GAL4D	В	
		145613	332	attR1		
		170623	365	CmR		
		248525	569	inact	ivated ccdA	
		270730		ccdB		
		30533		attR2		
		37163			[7 promoter:	
		389943			l intergeni:	
		441466		Leu2	I Intergent	- region,
		754185		kanR		
		966810		CYH2		
		111188			(ADH promote	~~\
		111100	040	PADH	(ADA promote	er)
1	TTTATTATGT	TACAATATGG	AAGGGAACTT	TACACTTCTC	CTATGCACAT	ATATTAATTA
61	AAGTCCAATG	CTAGTAGAGA	AGGGGGGTAA	CACCCCTCCG	CGCTCTTTTC	CCATTTTTTTT
121	CTAAACCGTG	GAATATTTCG	GATATCCTTT	TGTTGTTTCC	GGGTGTACAA	TATGGACTTC
181	CTCTTTTCTG	GCAACCAAAC	CCATACATCG	GGATTCCTAT	AATACCTTCG	TTGGTCTCCC
241	TAACATGTAG	GTGGCGGAGG	GGAGATATAC	AATAGAACAG	ATACCAGACA	AGACATAATG
301	GGCTAAACAA	GACTACACCA	ATTACACTGC	CTCATTGATG	GTGGTACATA	ACCAACTAAT
361	ACTGTAGCCC	TAGACTTGAT	AGCCATCATC	ATATCGAAGT	TTCACTACCC	TTTTTCCATT
421	TGCCATCTAT	TGAAGTAATA	ATAGGCGCAT	GCAACTTCTT	TTCTTTTTTT	TTCTTTTTTT
481	TCTCCCCCGT	TGTTGTCTCA	CCATATCCCC	AATCACAAAA	AAAATGATGG	AACACACTAA
541	AGGAAAAAT	TAACGACAAA	GACAGCACCA	ACACATCTCC	TTGTTCCAGA	CCTCATCACC
601	GGTATCTTCG	DACACACGAA	A CALIMANATOCAL	TCCTTCATTC	ACGCACACTA	CTCTCTATGAGG
661	AGCAACGGTA	TACGGCCTTC	CTTCCACTTA	CTTCATIC	AAATAAAAA	CICICIAAIG
721	TTTCCTATCA	ACTATAAAATA	CITCUAGITA	TATTAATIIG	TTGTTTCCTC	AGTTTGCCGC
701	TOCTATOR	AGIAIAAAIA	GACCIGCAAI	COLCRAMO	TCAAGCTATA	GTCATTGTTC
701	AATCAACTCC	AACCOMOCAAC	CARCOMOCON	GCACAATATT	TCAAGCTATA	CCAAGCATAC
041	AATCAACICC	TATOTOGOGA	CAAGCCTCCT	GAAAGATGAA	GCTACTGTCT	TCTATCGAAC
901	AAGCATGCGA	CARCARCA	CTTAAAAAGC	TCAAGTGCTC	CAAAGAAAAA	CCGAAGTGCG
1021	TOACTACCC	BAAGAACAAC BCBCCCCCAC	TGGGAGTGTC	GCTACTCTCC	CAAAACCAAA	AGGTCTCCGC
1021	TACTCACOGG	ACATCIGACA	GAAGTGGAAT	CAAGGCTAGA	AAGACTGGAA	CAGCTATTTC
1001	TACIGATITI	COTTLGAGAA	GACCTTGACA	TGATTTTGAA	AATGGATTCT	TTACAGGATA
1141	TAAAAGCATT	GTTAACAGGA	TTATTTGTAC	AAGATAATGT	GAATAAAGAT	GCCGTCACAG
1201	ATAGATTGGC	TTCAGTGGAG	ACTGATATGC	CTCTAACATT	GAGACAGCAT	AGAATAAGTG
1261	CGACATCATC	ATCGGAAGAG	AGTAGTAACA	AAGGTCAAAG	ACAGTTGACT	GTATCGTCGA
1321	GGTCGAATCA	AACAAGTTTG	TACAAAAAAG	CTGAACGAGA	AACGTAAAAT	GATATAAATA
1381	TCAATATATT	AAATTAGATT	TIGCATAAAA	AACAGACTAC	ATAATACTGT	AAAACACAAC
1441	ATATCCAGTC	ACTATGGCGG	CCGCTAAGTT	GGCAGCATCA	CCCGACGCAC	TTTGCGCCGA
1501	ATAAATACCT	GTGACGGAAG	ATCACTTCGC	AGAATAAATA	AATCCTGGTG	TCCCTGTTGA
1561	TACCGGGAAG	CCCTGGGCCA	ACTITITGGCG	AAAATGAGAC	GTTGATCGGC	ACGTAAGAGG
1621	TTCCAACTTT	CACCATAATG	AAATAAGATC	ACTACCGGGC	GTATTTTTTG	AGTTATCGAG
1681	ATTITCAGGA	GCTAAGGAAG	CTAAAATGGA	GAAAAAAATC	ACTGGATATA	CCACCGTTGA
1741	TATATCCCAA	TGGCATCGTA	AAGAACATTT	TGAGGCATTT	CAGTCAGTTG	CTCAATGTAC
1801	CTATAACCAG	ACCGTTCAGC	TGGATATTAC	GGCCTTTTTA	AAGACCGTAA	AGAAAAATAA
1861	GCACAAGTTT	TATCCGGCCT	TTATTCACAT	TCTTGCCCGC	CTGATGAATG	CTCATCCGGA
1921	ATTCCGTATG	GCAATGAAAG	ACGGTGAGCT	GGTGATATGG	GATAGTGTTC	ACCCTTGTTA
1981	CACCGTTTTC	CATGAGCAAA	CTGAAACGTT	TTCATCGCTC	TGGAGTGAAT	ACCACGACGA
2041	TTTCCGGCAG	TTTCTACACA	TATATTCGCA	AGATGTGGCG	TGTTACGGTG	AAAACCTGGC
2101	CTATTTCCCT	AAAGGGTTTA	TTGAGAATAT	GTTTTTCGTC	TCAGCCAATC	CCTGGGTGAG
2161	TTTCACCAGT	TTTGATTTAA	ACGTGGCCAA	TATGGACAAC	TTCTTCGCCC	CCGTTTTCAC
2221	CATGGGCAAA	TATTATACGC	AAGGCGACAA	${\tt GGTGCTGATG}$	CCGCTGGCGA	${\tt TTCAGGTTCA}$
2281	TCATGCCGTC	TGTGATGGCT	TCCATGTCGG	CAGAATGCTT	AATGAATTAC	AACAGTACTG
2341	CGATGAGTGG	CAGGGCGGGG	CGTAATCTAG	AGGATCCGGC	TTACTAAAAG	CCAGATAACA
2401	GTATGCGTAT	TTGCGCGCTG	ATTTTTGCGG	TATAAGAATA	TATACTGATA	TGTATACCCG-

FIGURE 413

				CA COOMARIES	CACTCACACT	TOROROGRA
2461	AAGTATGTCA	AAAAGAGGTG	TGCTATGAAG	CAGCGTATTA	CAGIGACAGI	ACCACCOAC
2521	AGCTATCAGT	TGCTCAAGGC	ATATATGATG	TCAATATCTC	CGGTCTGGTA .	AGCACAACCA
2581	TGCAGAATGA	AGCCCGTCGT	CTGCGTGCCG	AACGCTGGAA	AGCGGAAAAT	CAGGAAGGGA
2641	TGGCTGAGGT	CGCCCGGTTT	ATTGAAATGA	ACGGCTCTTT	TGCTGACGAG	AACAGGGACT
2701	GGTGAAATGC	AGTTTAAGGT	TTACACCTAT	AAAAGAGAGA	GCCGTTATCG	TCTGTTTGTG
2761	GATGTACAGA	GTGATATTAT	TGACACGCCC	GGGCGACGGA	TGGTGATCCC	CCTGGCCAGT
	GCACGTCTGC					
2881	GAAAGCTGGC	GCATGATGAC	CACCGATATG	GCCAGTGTGC	CGGTCTCCGT	TATCGGGGAA
2941	GAAGTGGCTG	ATCTCAGCCA	CCGCGAAAAT	GACATCAAAA	ACGCCATTAA	CCTGATGTTC
3001	TGGGGAATAT	AAATGTCAGG	CTCCCTTATA	CACAGCCAGT	CTGCAGGTCG	ACCATAGTGA
3061	CTGGATATGT	TGTGTTTTAC	AGTATTATGT	AGTCTGTTTT	TTATGCAAAA	TCTAATTTAA
3121	TATATTGATA	TTTATATCAT	TTTACGTTTC	TCGTTCAGCT	TTCTTGTACA	AAGTGGTTTG
3101	ATGGCCGCTA	AGTAAGTAAG	ACGTCGAGCT	CTAAGTAAGT	AACGGCCGCC	ACCGCGGTGG
	AGCTTTGGAC					
	TACCTTGCCA					
3301	TGACACTTCT	AAATTACCCA	ATTTCTTATC	ATTTATCATT	ΥΤΤΑΤΤΑΤΤΑ	AATAAGTTAT
	AAAAAAAATA					
	ATTCTTGAGT					
	TCTTATTGAC					
3601	CACCCAATTG	TAGATATGCT	AACTCCAGCA	ATGAGTTGAT	GAATCTCGGT	OTGIATITIA
3661	TGTCCTCAGA	GGACAATACC	TGTTGTAATC	GTTCTTCCAC	ACGGATCCCA	ATTCGCCCTA
3721	TAGTGAGTCG	TATTACAATT	CACTGGCCGT	CGTTTTACAA	CGTCGTGACT	GGGAAAACCC
	TGGCGTTACC					
	CGAAGAGGCC					
	GCGCCCTGTA					
	ACACTTGCCA					
4021	TTCGCCGGCT	TTCCCCGTCA	AGCTCTAAAT	CGGGGGCTCC	CTTTAGGGTT	CCGATTTAGT
4081	GCTTTACGGC	ACCTCGACCC	CAAAAAACTT	GATTAGGGTG	ATGGTTCACG	TAGTGGGCCA
	TCGCCCTGAT					
	CTCTTGTTCC					
4261	GGGATTTTGC	CGATTTCGGC	CTATTGGTTA	AAAAATGAGC	TGATTTAACA	AAAATTTAAC
4321	GCGAATTTTA	ACAAAATATT	AACGTTTACA	ATTTCCTGAT	GCGGTATTTT	CTCCTTACGC
	ATCTGTGCGG					
	ATACCTAATA					
	TCTCTTCAAA					
	TATAGGATAA					
	GGCGCCTGAT					
	AGATGCAAGA					
	CACAGGGGCG					
	AGGTCGCCTG					
	AGGCCGGAAC					
	CAATACTTGA					
	. CAATCGTCTT					
	. TCAAGGATAT					
	. GCCAGGTGAC					
	. TTCTGATGTT					
						AGAAGGTTGA
5281	TGCCGTTTTG	TTAGGTGCTG	TGGGTGGTCC	TAAATGGGGT	ACCGGTAGTG	TTAGACCTGA
5343	ACAAGGTTTA	CTAAAAATCC	GTAAAGAACT	TCAATTGTAC	GCCAACTTAA	GACCATGTAA
5401	CTTTGCATCC	GACTCTCTT	TAGACTTATO	TCCAATCAAG	CCACAATTTG	CTAAAGGTAC
5461	TGACTTCGTT	GTTGTCAGAG	AATTAGTGGG	AGGTATTTAC	TTTGGTAAGA	GAAAGGAAGA
						TGCAAAGAAT
						TTTGGTCCTT
						AGGAAACCAT
						CCGCCATGAT
						TGTTTGGTGA
						CATCTGCGTC
						GCCACGGTTC-
200.						

FIGURE 41C

5941	TGCTCCAGAT	TTCCCA A ACA	እጥ አ አ ሮርጥጥር አ	CCCTATCCCC	» Om » mommom	
6001	GATGTTGAAA	mmcmcammca	VINNOGIICA	ACARCOURA AC	ACTATCTIGT	CIGCIGCAAT
6061	AAAGGTTTTG	CATCCACCTA	TCACA ACTION	MGAAGGTAAG	GCCATTGAAG	ATGCAGTTAA
6131	AAAGGIIIIG	COMPONE	TCAGAACTGG	IGATITAGGT	GGTTCCAACA	GTACCACCGA
6121	AGTCGGTGAT	GCTGTCGCCG	AAGAAGTTAA	GAAAATCCTT	GCTTAAAAAG	ATTCTCTTTT
9181	TTTATGATAT	TIGTACATAA	ACTITATAAA	TGAAATTCAT	AATAGAAACG	ACACGAAATT
	ACAAAATGGA					
6301	CAAGAAGGAG	AAAAAGGAGG	ATAGTAAAGG	AATACAGGTA	AGCAAATTGA	TACTAATGGC
6361	TCAACGTGAT	AAGGAAAAAG	AATTGCACTT	TAACATTAAT	ATTGACAAGG	AGGAGGCAC
6421	CACACAAAAA	GTTAGGTGTA	ACAGAAAATC	ATGAAACTAC	GATTCCTAAT	TTGATATTGG
6481	AGGATTTTCT	СТААААААА	AAAAATACAA	CAAATAAAAA	ACACTCAATG	ACCTGACCAT
6541	TTGATGGAGT	TTAAGTCAAT	ACCTTCTTGA	ACCATTTCCC	ATAATGGTGA	AAGTTCCCTC
6601	AAGAATTTTA	CTCTGTCAGA	AACGGCCTTA	CGACGTAGTC	GATATGGTGC	ACTCTCAGTA
6661	CAATCTGCTC	TGATGCCGCA	TAGTTAAGCC	AGCCCCGACA	CCCGCCAACA	CCCGCTGACG
6721	CGCCCTGACG	GGCTTGTCTG	CTCCCGGCAT	CCGCTTACAG	ACAAGCTGTG	ACCGTCTCCG
6781	GGAGCTGCAT	GTGTCAGAGG	TTTTCACCGT	CATCACCGAA	ACGCGCGAGA	CGAAAGGGCC
6841	TCGTGATACG	CCTATTTTTA	TAGGTTAATG	TCATGATAAT	AATGGTTTCT	TAGGACGGAT
6901	CGCTTGCCTG	TAACTTACAC	GCGCCTCGTA	TCTTTTAATG	ATGGAATAAT	TTGGGAATTT
6961	ACTCTGTGTT	TATTTATTTT	TATGTTTTGT	ATTTGGATTT	TAGAAAGTAA	ATAAAGAAGG
7021	TAGAAGAGTT	ACGGAATGAA	GAAAAAAAA	TAAACAAAGG	TTTAAAAAAT	TTCAACAAA
7081	AGCGTACTTT	ACATATATAT	TTATTAGACA	AGAAAAGCAG	ATTAAATAGA	TATACATTCG
7141	ATTAACGATA	AGTAAAATGT	AAAATCACAG	GATTTTCGTG	TGTGGTCTTC	TACACAGACA
7201	AGATGAAACA	ATTCGGCATT	AATACCTGAG	AGCAGGAAGA	GCAAGATAAA	ACCTACTATT
7261	TGTTGGCGAT	CCCCCTAGAG	TCTTTTACAT	CTTCGGAAAA	CAAAAACTAT	Addiagram
7321	ATTTCTTTTT	TTACTTTCTA	Jahatravahatata	יים ביייים ביים ביים	ארמאמאמדתם מראאאמאמדת	תידא א תידאת א היים א
7381	ATTATTTTTA	TAGCACGTGA	TGAAAAGGAC	CCACCTCCCA	CTTTTTTCCCCC	ANAMOTOGGG
7441	GGAACCCCTA	THACTION	TTTCTAAATA	CATTCAAATA	TCTATCCCCC	CATTCACACAC
7501	TAACCCTGAT	AAATGCTTCA	ΔΤΔΔΤΟΤΟΟ	COTTOTOTOTO	CTCTCTCAAA	ATCTCTCATC
7561	TTACATTGCA	CARCATAAAA	ATATATCATC	ATTCAACAATTA	AAACTCTCAAA	AICICIGAIG
7621	CAGTAATACA	ACCCCTCTTA	TCACCCATAT	TCAACCCCAA	AMACIGICIG	CTTACATAAA
7681	ATTAAATTCC	AACATCCATC	CTCATTTATA	TCAACGGAA	ACGICIIGCI	GGAGGCCGCG
7741	GCAATCAGGT	CCCACAATCT	TTCCATTIATA	TGGGIAIAAA	TGGGCTCGCG	ATAATGTCGG
7001	CANACATOCO	DCGACAAICI	TICGATIGIA	TGGGAAGCCC	GATGCGCCAG	AGTTGTTTCT
7061	GAAACATGGC	MAAGGIAGCG	TIGCCAATGA	TGTTACAGAT	GAGATGGTCA	GACTAAACTG
7001	GCTGACGGAA	111AIGCCIC	TICCGACCAT	CAAGCATTTT	ATCCGTACTC	CTGATGATGC
7921	ATGGTTACTC	ACCACTGCGA	TCCGCGGGAA	AACAGCATTC	CAGGTATTAG	AAGAATATCC
7981	TGATTCAGGT	GAAAATATTG	TIGATGCGCT	GGCAGTGTTC	CTGCGCCGGT	TGCATTCGAT
8041	TCCTGTTTGT	AATTGTCCTT	TTAACAGCGA	TCGCGTATTT	CGTCTCGCTC	AGGCGCAATC
8101	ACGAATGAAT	AACGGTTTGG	TTGATGCGAG	TGATTTTGAT	GACGAGCGTA	ATGGCTGGCC
8191	TGTTGAACAA	GTCTGGAAAG	AAATGCATAC	GCTTTTGCCA	TTCTCACCGG	ATTCAGTCGT
8221	CACTCATGGT	GATTTCTCAC	TTGATAACCT	TATTTTTGAC	GAGGGGAAAT	TAATAGGTTG
8281	TATTGATGTT	GGACGAGTCG	GAATCGCAGA	CCGATACCAG	GATCTTGCCA	TCCTATGGAA
8341	CTGCCTCGGT	GAGTTTTCTC	CTTCATTACA	GAAACGGCTT	TTTCAAAAAT	ATGGTATTGA
8401	TAATCCTGAT	ATGAATAAAT	TGCAGTTTCA	TTTGATGCTC	GATGAGTTTT	TCTAATCAGA
8461	ATTGGTTAAT	TGGTTGTAAC	ACTGGCAGAG	CATTACGCTG	ACTTGACGGG	ACGGCGCATG
8521	ACCAAAATCC	CTTAACGTGA	GTTTTCGTTC	CACTGAGCGT	CAGACCCCGT	AGAAAAGATC
8581	AAAGGATCTT	CTTGAGATCC	TTTTTTTCTG	CGCGTAATCT	GCTGCTTGCA	AACAAAAAA
8641	CCACCGCTAC	CAGCGGTGGT	TTGTTTGCCG	GATCAAGAGC	TACCAACTCT	TTTTCCGAAG
8701	GTAACTGGCT	TCAGCAGAGC	GCAGATACCA	AATACTGTCC	TTCTAGTGTA	GCCGTAGTTA
8761	GGCCACCACT	TCAAGAACTC	TGTAGCACCG	CCTACATACC	TCGCTCTGCT	AATCCTGTTA
8821	CCAGTGGCTG	CTGCCAGTGG	CGATAAGTCG	TGTCTTACCG	GGTTGGACTC	AAGACGATAG
8881	TTACCGGATA	AGGCGCAGCG	GTCGGGCTGA	ACGGGGGGTT	CGTGCACACA	GCCCAGCTTG
8941	GAGCGAACGA	CCTACACCGA	ACTGAGATAC	CTACAGCGTG	AGCATTGAGA	AAGCGCCACG
9001	CTTCCCGAAG	GGAGAAAGGC	GGACAGGTAT	CCGGTAAGCG	GCAGGGTCGG	AACAGGAGAG
9061	CGCACGAGGG	AGCTTCCAGG	GGGGAACGCC	TGGTATCTTT	ATAGTCCTGT	CGGGTTTCGC
9121	CACCTCTGAC	TTGAGCGTCG	ATTTTTGTGA	TGCTCGTCAG	GGGGGCCGAG	CCTATGGAAA
9181	AACGCCAGCA	ACGCGGCCTT	TTTACGGTTC	CTGGCCTTTT	GCTGGCCTTT	TGCTCACATG
9241	TTCTTTCCTG	CGTTATCCCC	TGATTCTGTG	GATAACCGTA	TTACCGCCTT	TGAGTGAGCT
9301	GATACCGCTC	GCCGCAGCCG	AACGACCGAG	CGCAGCGAGT	CAGTGAGCGA	GGAAGCGGAA
9361	GAGCGCCCAA	TACGCAAACC	GCCTCTCCCC	GCGCGTTGGC	CGATTCATTA	ATGCAGCTGG-

FIGURE 4LD

9421	CACGACAGGT	TTCCCGACTG	GAAAGCGGGC	AGTGAGCGCA	ACGCAATTAA	TGTGAGTTAC
9481	CTCACTCATT	AGGCACCCCA	GGCTTTACAC	TTTATGCTTC	CGGCTCCTAT	GTTGTGTGGA
9541	ATTGTGAGCG				ACCATGATTA	
9601	GGAATTAACC	CTCACTAAAG	GGAACAAAAG	CTGGTACCGA	TCCCGAGCTT	TGCAAATTAA
9661	AGCCTTCGAG	CGTCCCAAAA	CCTTCTCAAG	CAAGGTTTTC	AGTATAATGT	TACATGCGTA
9721	CACGCGTCTG	TACAGAAAAA	AAAGAAAAAT	TTGAAATATA	AATAACGTTC	TTAATACTAA
9781	CATAACTATA	AAAAAATAAA	TAGGGACCTA	GACTTCAGGT	TGTCTAACTC	CTTCCTTTTC
9841	GGTTAGAGCG	GATGTGGGGG	${\tt GAGGGCGTGA}$	ATGTAAGCGT	GACATAACTA	ATTACATGAT
9901	ATCGACAAAG	GAAAAGGGGC	CTGTTTACTC	ACAGGCTTTT	TTCAAGTAGG	TAATTAAGTC
9961	GTTTCTGTCT	TTTTCCTTCT	TCAACCCACC	AAAGGCCATC	TTGGTACTTT	TTTTTTTTT
10021	${\tt TTTTTTTTTT}$	${\tt TTTTTTTTT}$	${\tt TTTTTTTTTT}$	${\tt TTTTTTTTT}$	TITTTTTTT	TTTTTTTTT
10081	${\tt TTTTTTTTTT}$	TTTTTTTTT	TCATAGAAAT	AATACAGAAG	TAGATGTTGA	ATTAGATTAA
10141	ACTGAAGATA	TATAATTTAT	TGGAAAATAC	ATAGAGCTTT	TTGTTGATGC	GCTTAAGCGA
10201	TCAATTCAAC	AACACCACCA	GCAGCTCTGA	TTTTTTCTTC	AGCCAACTTG	GAGACGAATC
10261			ACATTTGGAA		ACCCAAGATC	
10321	CGGCTGCCAA	AGTGTCAATA	ACTGGAGCAG	TTTCCTTAGA	AGCAGATTTC	AAGTATTGGT
10381	CTCTCTTGTC	TTCTGGGATC	AATGTCCACA		GTTCAAGACT	
10441	AATGAGCTTG	TTGCTTGTGG	AAGTATCTCA	TACCAACCTT	ACCGAAATAA	•
10501	ATTTATCCAT	GTTAATTCTG	TGGTGATGTT	GACCACCGGC	CATACCTCTA	
	GCTTTCTGTG	••	CGACCTTTAC		GTGACCTCTG	
	· ·				TTGTTCTGGG	
					CCATCTTAAA	
10741	ACAGATGAAA	GGGTTTGAAC	CTATCTGGAA	AATAGCATTA	AACAAGCGAA	AAACTGCGAG
10801	GAAAATTGTT	TGCGTCTCTG	CGGGCTATTC	ACGCGCCAGA	GGAAAATAGG	AAAAATAACA
	GGGCATTAGA					CAGATGTTAC
					AATCTCCAAA	
					AGCTACGTGG	•
11041	GATGAAGCCG	CACAAGAGAT	ACAGGATTGG	CAACTGCAAA	TAGAATCTGG	GGATCCCCCC
					GAAATCAAGG	
					AAGTGTTGAT	
					CAATCATGCT	
					TGAGGCTGTG	
11341	TTTTTTGCGC	CTGCATTTTC	CAAGGTTTAC	CCTGCGCTAA	GGGGCGAGAT	TGGAGAAGCA
					CAACTGGTGT	_
11461	GTTGCCGAAA	GAACCTGAGT			CTAGAAGAAT	
	TTGCGAGACG				GACCATGACC	TTGAAGGTGA
11581	GACGCGCATA	ACCGCTAGAG	TACTTTGAAG	AGGAAACAGC	AATAGGGTTG	CTACCAGTAT
			CACTGGAAAT	GGTTGTCTGT	TTGAGTACGC	TTTCAATTCA
11701	TTTGGGTGTG	CAC				

FIGURE 415


Figure 42A:

.**;** ∴.

وأعلان وال

PDGT2Z

2-Hybrid Vector with Activation Domain



pDEST22 8923 bp

	Loc	904124 138812	Nos.)	Gene I	ncoded	•	
		904124	18	GAL4	AD		
		138812	264	attR1	attR1		
		163822	297	CmR			
		241725		inacti	ivated ccdA		
		263929	944	ccdB			
		298531	L09	attR2			
		383143		f1 (f:	l intergenio	region)	
		43345	L76	TRP1	_	_	
		61107	194	ampR			
		834486	56	pADH	(yeast ADH p	promoter)	
1	TTCATTTGGG	TGTGCACTTT	ATTATGTTAC	AATATGGAAG	GGAACTTTAC	ACTTCTCCTA	
	TGCACATATA						
	TCTTTTCCGA						
	TGTACAATAT						
	ACCTTCGTTG						
	CCAGACAAGA						
361	GTACATAACG	AACTAATACT	GTAGCCCTAG	ACTTGATAGC	CATCATCATA	TCGAAGTTTC	
	ACTACCCTTT						
481	TTTTTTTTC	TTTTCTCTCT	CCCCCGTTGT	TGTCTCACCA	TATCCGCAAT	GACAAAAAA	
541	ATGATGGAAG	ACACTAAAGG	AAAAAATTAA	CGACAAAGAC	AGCACCAACA	GATGTCGTTG	
601	TTCCAGAGCT	GATGAGGGGT	ATCTTCGAAC	ACACGAAACT	TTTTCCTTCC	TTCATTCACG	
661	CACACTACTC	TCTAATGAGC	AACGGTATAC	GGCCTTCCTT	CCAGTTACTT	GAATTTGAAA	
721	TAAAAAAAGT	TTGCCGCTTT	GCTATCAAGT	ATAAATAGAC	CTGCAATTAT	TAATCTTTTG	
781	TTTCCTCGTC	ATTGTTCTCG	TTCCCTTTCT	TCCTTGTTTC	TTTTTCTGCA	CAATATTTCA	
841	AGCTATACCA	AGCATACAAT	CAACTCCAAG	CTTATGCCCA	AGAAGAAGCG	GAAGGTCTCG	
901	AGCGGCGCCA	ATTTTAATCA	AAGTGGGAAT	ATTGCTGATA	GCTCATTGTC	CTTCACTTTC	
961	ACTAACAGTA	GCAACGGTCC	GAACCTCATA	ACAACTCAAA	CAAATTCTCA	AGCGCTTTCA	
1021	CAACCAATTG	CCTCCTCTAA	CGTTCATGAT	AACTTCATGA	ATAATGAAAT	CACGGCTAGT	
1081	AAAATTGATG	ATGGTAATAA	TTCAAAACCA	CTGTCACCTG	GTTGGACGGA	CCAAACTGCG	
1141	TATAACGCGT	TTGGAATCAC	TACAGGGATG	TTTAATACCA	CTACAATGGA	TGATGTATAT	
1201	AACTATCTAT	TCGATGATGA	AGATACCCCA	CCAAACCCAA	AAAAAGAGGG	TGGGTCGAAT	
1261	CAAACAAGTT	TGTACAAAAA	AGCTGAACGA	GAAACGTAAA	ATGATATAAA	TATCAATATA	
1321	TTAAATTAGA	TTTTGCATAA	AAAACAGACT	ACATAATACT	GTAAAACACA	ACATATCCAG	
1381	TCACTATGGC	GGCCGCTAAG	TTGGCAGCAT	CACCCGACGC	ACTTTGCGCC	GAATAAATAC	
1441	CTGTGACGGA	AGATCACTTC	GCAGAATAAA	TAAATCCTGG	TGTCCCTGTT	GATACCGGGA	
1501	AGCCCTGGGC	CAACTTTTGG	CGAAAATGAG	ACGTTGATCG	GCACGTAAGA	GGTTCCAACT	
1561	TTCACCATAA	TGAAATAAGA	TCACTACCGG	GCGTATTTTT	TGAGTTATCG	AGATTTTCAG	
1621	GAGCTAAGGA	AGCTAAAATG	GAGAAAAAA	TCACTGGATA	TACCACCGTT	GATATATCCC	
1681	AATGGCATCG	TAAAGAACAT	TTTGAGGCAT	TTCAGTCAGT	TGCTCAATGT	ACCTATAACC	
1741	AGACCGTTCA	GCTGGATATT	ACGGCCTTTT	TAAAGACCGT	AAAGAAAAAT	AAGCACAAGT	
1801	TTTATCCGGC	CTTTATTCAC	ATTCTTGCCC	GCCTGATGAA	TGCTCATCCG	GAATTCCGTA	
1861	TGGCAATGAA	AGACGGTGAG	CTGGTGATAT	GGGATAGTGT	TCACCCTTGT	TACACCGTTT	
1921	TCCATGAGCA	AACTGAAACG	TTTTCATCGC	TCTGGAGTGA	ATACCACGAC	GATTTCCGGC	
1981	AGTTTCTACA	CATATATTCG	CAAGATGTGG	CGTGTTACGG	TGAAAACCTG	GCCTATTTCC	
2041 [.]	CTAAAGGGTT	TATTGAGAAT	ATGTTTTTCG	TCTCAGCCAA	TCCCTGGGTG	AGTTTCACCA	
2101	GTTTTGATTT	AAACGTGGCC	AATATGGACA	ACTTCTTCGC	CCCCGTTTTC	ACCATGGGCA	
2161	AATATTATAC	GCAAGGCGAC	AAGGTGCTGA	TGCCGCTGGC	GATTCAGGTT	CATCATGCCG	
2221	TCTGTGATGG	CTTCCATGTC	GGCAGAATGC	TTAATGAATT	ACAACAGTAC	TGCGATGAGT	
2281	GGCAGGGCGG	GGCGTAATCT	AGAGGATCCG	GCTTACTAAA	AGCCAGATAA	CAGTATGCGT	
2341	ATTTGCGCGC	TGATTTTTGC	GGTATAAGAA	TATATACTGA	TATGTATACC	CGAAGTATGT	
2401	CAAAAAGAGG	TGTGCTATGA	AGCAGCGTAT	TACAGTGACA	GTTGACAGCG	ACAGCTATCA	
2461	GTTGCTCAAG	GCATATATGA	TGTCAATATC	TCCGGTCTGG	TAAGCACAAC	CATGCAGAAT	
2521	GAAGCCCGTC	GTCTGCGTGC	CGAACGCTGG	AAAGCGGAAA	ATCAGGAAGG	GATGGCTGAG-	

Faure 428

```
2581 GTCGCCCGGT TTATTGAAAT GAACGGCTCT TTTGCTGACG AGAACAGGGA CTGGTGAAAT
2641 GCAGTTTAAG GTTTACACCT ATAAAAGAGA GAGCCGTTAT CGTCTGTTTG TGGATGTACA
2701 GAGTGATATT ATTGACACGC CCGGGCGACG GATGGTGATC CCCCTGGCCA GTGCACGTCT
2761 GCTGTCAGAT AAAGTCTCCC GTGAACTTTA CCCGGTGGTG CATATCGGGG ATGAAAGCTG
2821 GCGCATGATG ACCACCGATA TGGCCAGTGT GCCGGTCTCC GTTATCGGGG AAGAAGTGGC
2881 TGATCTCAGC CACCGCGAAA ATGACATCAA AAACGCCATT AACCTGATGT TCTGGGGAAT
2941 ATAAATGTCA GGCTCCCTTA TACACAGCCA GTCTGCAGGT CGACCATAGT GACTGGATAT
3001 GTTGTGTTTT ACAGTATTAT GTAGTCTGTT TTTTATGCAA AATCTAATTT AATATATTGA
3061 TATTTATATC ATTTTACGTT TCTCGTTCAG CTTTCTTGTA CAAAGTGGTT TGATGGCCGC
3121 TAAGTAAGTA AGACGTCGAG CTCTAAGTAA GTAACGGCCG CCACCGCGGT GGAGCTTTGG
3181 ACTTCTTCGC CAGAGGTTTG GTCAAGTCTC CAATCAAGGT TGTCGGCTTG TCTACCTTGC
3241 CAGAAATTTA CGAAAAGATG GAAAAGGGTC AAATCGTTGG TAGATACGTT GTTGACACTT
3361 TAAGTGTATA CAAATTTTAA AGTGACTCTT AGGTTTTAAA ACGAAAATTC TTATTCTTGA
3421 GTAACTCTTT CCTGTAGGTC AGGTTGCTTT CTCAGGTATA GCATGAGGTC GCTCTTATTG
3481 ACCACACCTC TACCGGCATG CCGAGCAAAT GCCTGCAAAT CGCTCCCCAT TTCACCCAAT
3541 TGTAGATATG CTAACTCCAG CAATGAGTTG ATGAATCTCG GTGTGTATTT TATGTCCTCA
3601 GAGGACAATA CCTGTTGTAA TCGTTCTTCC ACACGGATCC CAATTCGCCC TATAGTGAGT
3661 CGTATTACAA TTCACTGGCC GTCGTTTTAC AACGTCGTGA CTGGGAAAAC CCTGGCGTTA
3721 CCCAACTTAA TCGCCTTGCA GCACATCCCC CTTTCGCCAG CTGGCGTAAT AGCGAAGAGG
3781 CCCGCACCGA TCGCCCTTCC CAACAGTTGC GCAGCCTGAA TGGCGAATGG ACGCGCCCTG
3841 TAGCGGCGCA TTAAGCGCGG CGGGTGTGGT GGTTACGCGC AGCGTGACCG CTACACTTGC
3961 CTTTCCCCGT CAAGCTCTAA ATCGGGGGCT CCCTTTAGGG TTCCGATTTA GTGCTTTACG
4021 GCACCTCGAC CCCAAAAAAC TTGATTAGGG TGATGGTTCA CGTAGTGGGC CATCGCCCTG
4081 ATAGACGGTT TTTCGCCCTT TGACGTTGGA GTCCACGTTC TTTAATAGTG GACTCTTGTT
4141 CCAAACTGGA ACAACACTCA ACCCTATCTC GGTCTATTCT TTTGATTTAT AAGGGATTTT
4201 GCCGATTTCG GCCTATTGGT TAAAAAATGA GCTGATTTAA CAAAAATTTA ACGCGAATTT
4261 TAACAAATA TTAACGTTTA CAATTTCCTG ATGCGGTATT TTCTCCTTAC GCATCTGTGC
4321 GGTATTTCAC ACCGCAGGCA AGTGCACAAA CAATACTTAA ATAAATACTA CTCAGTAATA
4381 ACCTATTTCT TAGCATTTTT GACGAAATTT GCTATTTTGT TAGAGTCTTT TACACCATTT
4441 GTCTCCACAC CTCCGCTTAC ATCAACACCA ATAACGCCAT TTAATCTAAG CGCATCACCA
4501 ACATTTCTG GCGTCAGTCC ACCAGCTAAC ATAAAATGTA AGCTTTCGGG GCTCTCTTGC
4561 CTTCCAACCC AGTCAGAAAT CGAGTTCCAA TCCAAAAGTT CACCTGTCCC ACCTGCTTCT
4621 GAATCAAACA AGGGAATAAA CGAATGAGGT TTCTGTGAAG CTGCACTGAG TAGTATGTTG
4681 CAGTCTTTTG GAAATACGAG TCTTTTAATA ACTGGCAAAC CGAGGAACTC TTGGTATTCT
4741 TGCCACGACT CATCTCCATG CAGTTGGACG ATATCAATGC CGTAATCATT GACCAGAGCC
4801 AAAACATCCT CCTTAGGTTG ATTACGAAAC ACGCCAACCA AGTATTTCGG AGTGCCTGAA
4861 CTATTTTTAT ATGCTTTTAC AAGACTTGAA ATTTTCCTTG CAATAACCGG GTCAATTGTT
4921 CTCTTTCTAT TGGGCACACA TATAATACCC AGCAAGTCAG CATCGGAATC TAGAGCACAT
4981 TCTGCGGCCT CTGTGCTCTG CAAGCCGCAA ACTTTCACCA ATGGACCAGA ACTACCTGTG
5041 AAATTAATAA CAGACATACT CCAAGCTGCC TTTGTGTGCT TAATCACGTA TACTCACGTG
5101 CTCAATAGTC ACCAATGCCC TCCCTCTTGG CCCTCTCCTT TTCTTTTTC GACCGAATTA
5161 ATTCTTAATC GGCAAAAAAA GAAAAGCTCC GGATCAAGAT TGTACGTAAG GTGACAAGCT
5221 ATTTTTCAAT AAAGAATATC TTCCACTACT GCCATCTGGC GTCATAACTG CAAAGTACAC
5281 ATATATTACG ATGCTGTCTA TTAAATGCTT CCTATATTAT ATATATAGTA ATGTCGTTTA
5341 TGGTGCACTC TCAGTACAAT CTGCTCTGAT GCCGCATAGT TAAGCCAGCC CCGACACCCG
5401 CCAACACCCG CTGACGCGCC CTGACGGGCT TGTCTGCTCC CGGCATCCGC TTACAGACAA
5461 GCTGTGACCG TCTCCGGGAG CTGCATGTGT CAGAGGTTTT CACCGTCATC ACCGAAACGC
5521 GCGAGACGAA AGGGCCTCGT GATACGCCTA TTTTTATAGG TTAATGTCAT GATAATAATG
5581 GTTTCTTAGG ACGGATCGCT TGCCTGTAAC TTACACGCGC CTCGTATCTT TTAATGATGG
5641 AATAATTTGG GAATTTACTC TGTGTTTATT TATTTTTATG TTTTGTATTT GGATTTTAGA
5701 AAGTAAATAA AGAAGGTAGA AGAGTTACGG AATGAAGAAA AAAAAATAAA CAAAGGTTTA
5761 AAAAATTTCA ACAAAAAGCG TACTTTACAT ATATATTTAT TAGACAAGAA AAGCAGATTA
5821 AATAGATATA CATTCGATTA ACGATAAGTA AAATGTAAAA TCACAGGATT TTCGTGTGTG
5881 GTCTTCTACA CAGACAAGAT GAAACAATTC GGCATTAATA CCTGAGAGCA GGAAGAGCAA
5941 GATAAAAGGT AGTATTTGTT GGCGATCCCC CTAGAGTCTT TTACATCTTC GGAAAACAAA
 6001 AACTATITTT TCTTTAATTT CTTTTTTTAC TTTCTATTTT TAATTTATAT ATTTATATA-
```

FIGURE 42C

6061	AATTTAA	ATTATAATTA	TTTTTATAGC	ACGTGATGAA	AAGGACCCAG	GTGGCACTTT
6101	TOCOCOANAT	CTCCCCCCAA	CCCCTATTTG	TTTATTTTTC	TAAATACATT	CAAATATGTA
C101	TOCOCOTONTO	ACACAATAAC	CCTGATAAAT	GCTTCAATAA	TATTGAAAAA	GGAAGAGIAI
C241	CACTATTCAA	CATTTCCGTG	TCGCCCTTAT	TCCCTTTTTT	GCGGCATTT	GCCTTCCTGT
C202	THE THE PROPERTY CONTRACTOR OF THE PROPERTY CONT	CCACAAACGC	TGGTGAAAGT	AAAAGATGCT	GAAGATCAGT	1 GGG 1 GCACG
6261	አርጥርርርጥጥልሮ	ATCGAACTGG	ATCTCAACAG	CGGTAAGATC	CTTGAGAGTT	TTCGCCCCGA
6421	ACAACCTTTTT	CCAATGATGA	GCACTTTTAA	AGTTCTGCTA	TGTGGCGCGG	TATTATCCCG
C401	デンター・ファイン・ファイン・ファイン・ファイン・ファイン・ファイン・ファイン・ファイン	CCCCAAGAGC	AACTCGGTCG	CCGCATACAC	TATTCTCAGA	ATGACTTGGT
6541	TCACTACTCA	CCAGTCACAG	AAAAGCATCT	TACGGATGGC	ATGACAGTAA	GAGAATTATG
6601	CAGTGCTGCC	ATAACCATGA	GTGATAACAC	TGCGGCCAAC	TTACTTCTGA	CAACGATCGG
6661	ACCACCGAAG	GAGCTAACCG	CTTTTTTTCA	CAACATGGGG	GATCATGTAA	CTCGCCTTGA
6721	TCCTTCCCAA	CCGGAGCTGA	ATGAAGCCAT	ACCAAACGAC	GAGCGTGACA	CCACGATGCC
6701	ጥርሞክርርክ አጥር	GCAACAACGT	TGCGCAAACT	ATTAACTGGC	GAACTACTTA	CTCTAGCTTC
6041	CCCCCAACAA	TTAATAGACT	GGATGGAGGC	GGATAAAGTT	GCAGGACCAC	TTCTGCGCTC
6041	CCCCCTTCCG	GCTGGCTGGT	TTATTGCTGA	TAAATCTGGA	GCCGGTGAGC	GTGGGTCTCG
6901	CCCTATCATT	GCAGCACTGG	GGCCAGATGG	TAAGCCCTCC	CGTATCGTAG	TTATCTACAC
7021	CACCCCCACT	CAGGCAACTA	TGGATGAACG	AAATAGACAG	ATCGCTGAGA	TAGGTGCCTC
7021	ACTCATTA AC	CATTGGTAAC	TGTCAGACCA	AGTTTACTCA	TATATACTTT	AGATTGATTT
7001	ACIGATIANG	TTTTAATTTA	AAAGGATCTA	GGTGAAGATC	CTTTTTGATA	ATCTCATGAC
7141	CANANTCCCT	TAACGTGAGT	TTTCGTTCCA	CTGAGCGTCA	GACCCCGTAG	AAAAGATCAA
7201	ACCAMCTTCT	TGAGATCCTT	TTTTTCTGCG	CGTAATCTGC	TGCTTGCAAA	CAAAAAAACC
7201	ACCCCTACCA	GCGGTGGTTT	GTTTGCCGGA	TCAAGAGCTA	CCAACTCTTT	TTCCGAAGGT
7321	ACCGCIACCA	AGCAGAGCGC	AGATACCAAA	TACTGTCCTT	CTAGTGTAGC	CGTAGTTAGG
7381	AACIGGCIIC	AAGAACTCTG	TAGCACCGCC	TACATACCTC	GCTCTGCTAA	TCCTGTTACC
7441	> CUACCACIIC	GCCAGTGGCG	ATABGTCGTG	TCTTACCGGG	TTGGACTCAA	GACGATAGTT
/501	AGIGGCIGCI	GCGCAGCGGT	CGGGCTGAAC	GGGGGGTTCG	TGCACACAGC	CCAGCTTGGA
7561	ACCEGATAAC	TACACCGAAC	TGAGATACCT	ACAGCGTGAG	CATTGAGAAA	GCGCCACGCT
7621	. GCGAACGAC	AGAAAGGCGG	ACAGGTATCC	GGTAAGCGGC	AGGGTCGGAA	CAGGAGAGCG
7683	. TCCCGAAGGC	CTTCCAGGGG	CCAACGCCTG	CTATCTTAT	AGTCCTGTCG	GGTTTCGCCA
7743	CACGAGGGA	GAGCGTCGAT	THETCHCATC	CTCGTCAGGG	GGGCCGAGCC	TATGGAAAAA
7801	CCTCTGACT.	C GCGGCCTTT	י האכפפתרפים	CCCCTTTTCC	TGGCCTTTTG	CTCACATGTT
7861	CGCCAGCAA	_ GCGGCCIII	NTTCTCTCC	TAACCGTATT	ACCGCCTTTG	AGTGAGCTGA
792	CTTTCCTGC	3 TIMICCCCIC	ATTCTGTGGA	CACCCAGTCA	GTGAGCGAGG	AAGCGGAAGA
798:	TACCGCTCG	CGCAGCCGAA	COACCOAGCG	CAGCGAGICA	TAATTAATTA	GCAGCTGGCA
804	L GCGCCCAAT	A CGCAAACCGC	A A C C C C C C A C	TGAGCGCAAC	GCAATTAATO	TGAGTTACCT
810	1 CGACAGGTT	r cccgaciada	AAGCGGGCAC	TOAGCGCAAC	CCTCCTATGT	TGTGTGGAAT
816	1 CACTCATTA	G GCACCCCAG	CITIACACIA CACACACAA	CACCTATGA	CATGATTAC	CCAAGCTCGG
822	1 TGTGAGCGG.	A TAACAAIII	. ALALAGGAAA	r cagciaigac	CCCCCCCTCC	GAGATCCGGGA
828	1 AATTAACCC	T CACTAAAGG	AACAAAAGC.	N ATCANCENCE	TATGARGGCA	AAGACAAATA
834	1 TCGAAGAAA	T GATGGTAAA	I GAAAIAGGA	TOTTO AT ATTACK	ATCHAPTTG(CTTTGCGGCG
840	1 TAAGGGTCG	A ACGAAAAAT	A AAGIGAAAA	J IGIIGAIAI(TOTALIA	ACCCGCGCTC
846	1 CCGAAAAAA	C GAGTTTACG	C AMIIGUACA	N CCCTCTCCC	_	TTTGCGCCTG
852	1 TTGCCGGCC	C GGCGATAAC	G CIGGGCGIG	a cocrerence	Z AGAAGCAATI	A AGAATGCCGG
858	1 CATTTTCCA	A GGTTTACCC	I GCGCTAAGG	A CACCHONING	ስ ሲያፈተው የሚተ 1 የሚያው የተ	C GCCGAAAGAA
864	1 TTGGGGTTG	G GATGATGAC	G ACCACGACA	A CINCINICA	T CCANCACTT	CCAGACGCGA
,870	1 CCTGAGTGC	A TITIGCAACA	I GAGTATACT	A CAMCAGICAC	3 VUCUTONCII	G CGAGACGCGA
876	1 GTTTGCCGG	T GGTGCGAAC	A ATAGAGCGA	T ACCOMPOSE	ANGGIGAGA ANGGIGAGA	C GCGCATAACC
882	1 GCTAGAGTA	C TTTGAAGAG	G AAACAGCAA	AGGGTTGCT	E CYV	A TAGACAGGTA
888	1 CATACAACA	C TGGAAATGG	T TGTCTGTTT	G MGTACGCTT	LCAA	

Mare 420

PDEST23

His6 carboxy-fusion vector, T7 promoter,

atc ccg cga aat taa tac gac tca cta tag gga gat cac aac ggt ttc cct tag ggc gct tta att atg ctg agt gat atc cqt ctg gtg ttg cca aag gga

256 cta gat cac aag ttt gta caa aaa agc tga acg aga aac gta aaa tga tat gat cta dtg ttc aaa cat gtt ttc ccg act ttg cat ttt act ata ac aa aa aat acg ttt tag att aaa tta tat aac tat aaa tat agt aaa atg caa aa aac acg ttt tag att aaa tta tat aac tat aaa tat agt aaa atg caa aag ac agg aca agt cga aag aac atg ttt cac cac taa tac agc atg atg gtg

1939 tct cgt tca gct ttc ttg tac aaa gtg gtg att atg tcg tac tac cac cac aag aga gca agt cga aag aac atg ttt cac cac taa tac agc atg atg gtg

1990 cat cac cat cac ccc gat gag caa tag cta acc cct ggg gaa ccc cgg aga




FIGURE 43A

pDEST23 6264 bp

Location (Base Nos.)	Gene Encoded
285161	attR1
3941053	CmR
11731257	inactivated ccdA
13951700	ccdB
17411865	attR2
18831911	his6
25743434	ampR
35834222	ori

1 TCTTCCCCAT CGGTGATGTC GGCGATATAG GCGCCAGCAA CCGCACCTGT GGCGCCGGTG 61 ATGCCGGCCA CGATGCGTCC GGCGTAGAGG ATCGAGATCT CGATCCCGCG AAATTAATAC 121 GACTCACTAT AGGGAGACCA CAACGGTTTC CCTCTAGATC ACAAGTTTGT ACAAAAAAGC 181 TGAACGAGAA ACGTAAAATG ATATAAATAT CAATATATTA AATTAGATTT TGCATAAAAA 241 ACAGACTACA TAATACTGTA AAACACAACA TATCCAGTCA CTATGGCGGC CGCATTAGGC 301 ACCCCAGGCT TTACACTTTA TGCTTCCGGC TCGTATAATG TGTGGATTTT GAGTTAGGAT 361 CCGGCGAGAT TTTCAGGAGC TAAGGAAGCT AAAATGGAGA AAAAAATCAC TGGATATACC 421 ACCGTTGATA TATCCCAATG GCATCGTAAA GAACATTTTG AGGCATTTCA GTCAGTTGCT 481 CAATGTACCT ATAACCAGAC CGTTCAGCTG GATATTACGG CCTTTTTAAA GACCGTAAAG 541 AAAAATAAGC ACAAGTTTTA TCCGGCCTTT ATTCACATTC TTGCCCGCCT GATGAATGCT 601 CATCCGGAAT TCCGTATGGC AATGAAAGAC GGTGAGCTGG TGATATGGGA TAGTGTTCAC 661 CCTTGTTACA CCGTTTTCCA TGAGCAAACT GAAACGTTTT CATCGCTCTG GAGTGAATAC 721 CACGACGATT TCCGGCAGTT TCTACACATA TATTCGCAAG ATGTGGCGTG TTACGGTGAA 781 AACCTGGCCT ATTTCCCTAA AGGGTTTATT GAGAATATGT TTTTCGTCTC AGCCAATCCC 841 TGGGTGAGTT TCACCAGTTT TGATTTAAAC GTGGCCAATA TGGACAACTT CTTCGCCCCC 901 GTTTTCACCA TGGGCAAATA TTATACGCAA GGCGACAAGG TGCTGATGCC GCTGGCGATT 961 CAGGTTCATC ATGCCGTCTG TGATGGCTTC CATGTCGGCA GAATGCTTAA TGAATTACAA 1021 CAGTACTGCG ATGAGTGGCA GGGCGGGGCG TAAACGCGTG GATCCGGCTT ACTAAAAGCC 1081 AGATAACAGT ATGCGTATTT GCGCGCTGAT TTTTGCGGTA TAAGAATATA TACTGATATG 1141 TATACCCGAA GTATGTCAAA AAGAGGTGTG CTATGAAGCA GCGTATTACA GTGACAGTTG 1201 ACAGCGACAG CTATCAGTTG CTCAAGGCAT ATATGATGTC AATATCTCCG GTCTGGTAAG 1261 CACAACCATG CAGAATGAAG CCCGTCGTCT GCGTGCCGAA CGCTGGAAAG CGGAAAATCA 1321 GGAAGGATG GCTGAGGTCG CCCGGTTTAT TGAAATGAAC GGCTCTTTTG CTGACGAGAA 1381 CAGGGACTGG TGAAATGCAG TTTAAGGTTT ACACCTATAA AAGAGAGAGC CGTTATCGTC 1441 TGTTTGTGGA TGTACAGAGT GATATTATTG ACACGCCCGG GCGACGGATG GTGATCCCCC 1501 TGGCCAGTGC ACGTCTGCTG TCAGATAAAG TCTCCCGTGA ACTTTACCCG GTGGTGCATA 1561 TCGGGGATGA AAGCTGGCGC ATGATGACCA CCGATATGGC CAGTGTGCCG GTCTCCGTTA 1621 TCGGGGAAGA AGTGGCTGAT CTCAGCCACC GCGAAAATGA CATCAAAAAC GCCATTAACC 1681 TGATGTTCTG GGGAATATAA ATGTCAGGCT CCCTTATACA CAGCCAGTCT GCAGGTCGAC 1741 CATAGTGACT GGATATGTTG TGTTTTACAG TATTATGTAG TCTGTTTTTT ATGCAAAATC 1801 TAATTTAATA TATTGATATT TATATCATTT TACGTTTCTC GTTCAGCTTT CTTGTACAAA 1861 GTGGTGATTA TGTCGTACTA CCATCACCAT CACCATCACC TCGATGAGCA ATAACTAGCA 1921 TAACCCCTTG GGGCCTCTAA ACGGGTCTTG AGGGGTTTTT TGCTGAAAGG AGGAACTATA 1981 TCCGGATATC CACAGGACGG GTGTGGTCGC CATGATCGCG TAGTCGATAG TGGCTCCAAG 2041 TAGCGAAGCG AGCAGGACTG GGCGGCGCC AAAGCGGTCG GACAGTGCTC CGAGAACGGG 2101 TGCGCATAGA AATTGCATCA ACGCATATAG CGCTAGCAGC ACGCCATAGT GACTGGCGAT 2161 GCTGTCGGAA TGGACGATAT CCCGCAAGAG GCCCGGCAGT ACCGGCATAA CCAAGCCTAT 2221 GCCTACAGCA TCCAGGGTGA CGGTGCCGAG GATGACGATG AGCGCATTGT TAGATTTCAT 2281 ACACGGTGCC TGACTGCGTT AGCAATTTAA CTGTGATAAA CTACCGCATT AAAGCTTATC 2341 GATGATAAGC TGTCAAACAT GAGAATTCTT GAAGACGAAA GGGCCTCGTG ATACGCCTAT 2401 TTTTATAGGT TAATGTCATG ATAATAATGG TTTCTTAGAC GTCAGGTGGC ACTTTTCGGG 2461 GAAATGTGCG CGGAACCCCT ATTTGTTTAT TTTTCTAAAT ACATTCAAAT ATGTATCCGC 2521 TCATGAGACA ATAACCCTGA TAAATGCTTC AATAATATTG AAAAAGGAAG AGTATGAGTA 2581 TTCAACATTT CCGTGTCGCC CTTATTCCCT TTTTTGCGGC ATTTTGCCTT CCTGTTTTTG 2641 CTCACCCAGA AACGCTGGTG AAAGTAAAAG ATGCTGAAGA TCAGTTGGGT GCACGAGTGG

	GTTACATCGA					
2761	GTTTTCCAAT	GATGAGCACT	TTTAAAGTTC	TGCTATGTGG	CGCGGTATTA	TCCCGTGTTG
	ACGCCGGGCA					
	ACTCACCAGT					
2941	CTGCCATAAC	CATGAGTGAT	AACACTGCGG	CCAACTTACT	TCTGACAACG	ATCGGAGGAC
3001	CGAAGGAGCT	AACCGCTTTT	TTGCACAACA	TGGGGGATCA	TGTAACTCGC	CTTGATCGTT
3061	GGGAACCGGA	GCTGAATGAA	GCCATACCAA	ACGACGAGCG	TGACACCACG	ATGCCTGCAG
3121	CAATGGCAAC	AACGTTGCGC	AAACTATTAA	CTGGCGAACT	ACTTACTCTA	GCTTCCCGGC
3181	AACAATTAAT	AGACTGGATG	GAGGCGGATA	AAGTTGCAGG	ACCACTTCTG	CGCTCGGCCC
3241	TTCCGGCTGG	CTGGTTTATT	GCTGATAAAT	CTGGAGCCGG	TGAGCGTGGG	TCTCGCGGTA
	TCATTGCAGC					
	GGAGTCAGGC					
	TTAAGCATTG					
	TTCATTTTTA					
3541	TCCCTTAACG	TGAGTTTTCG	TTCCACTGAG	CGTCAGACCC	CGTAGAAAAG	ATCAAAGGAT
3601	CTTCTTGAGA	TCCTTTTTTT	CTGCGCGTAA	TCTGCTGCTT	GCAAACAAAA	AAACCACCGC
3661	TACCAGCGGT	GGTTTGTTTG	CCGGATCAAG	AGCTACCAAC	TCTTTTTCCG	AAGGTAACTG
3721	GCTTCAGCAG	AGCGCAGATA	CCAAATACTG	TCCTTCTAGT	GTAGCCGTAG	TTAGGCCACC
	ACTTCAAGAA					
3841	CTGCTGCCAG	TGGCGATAAG	TCGTGTCTTA	CCGGGTTGGA	CTCAAGACGA	TAGTTACCCG
3901	ATAAGGCGCA	GCGGTCGGGC	TGAACGGGGG	GTTCGTGCAC	ACAGCCCAGC	TTGGAGCGAA
3961	CGACCTACAC	CGAACTGAGA	TACCTACAGC	GTGAGCTATG	AGAAAGCGCC	ACCUTTCCCC
4021	AAGGGAGAAA	GGCGGACAGG	TATCCGGTAA	GCGGCAGGGT	CGGAACAGGA	GAGCGCACCA
4081	GGGAGCTTCC	AGGGGGAAAC	GCCTGGTATC	TTTATACTCC	TOTOCCOTTO	CCCCACCACCA
4141	GACTTGAGCG	TCGATTTTTG	TGATGCTCGT	CAGGGGGGGG	CACCCTATCC	AAAAAGGGGA
4201	GCAACGCGGC	CTTTTTACGG	TTCCTGGCCT	TTTCCTCCCC	TTTTTCCTCXC	AMAMACGCCA
4261	CTGCGTTATC	СССТСАТТСТ	GTGGATAACC	CTATTACCCC	COMPOSICAC	AIGITUTTU
4321	CTCGCCGCAG	CCGAACGACC	GAGCGCAGCG	ACTURACTOR	CCACCAACCC	GCTGATACCG
4381	TGATGCGGTA	TTTTTCTCCTTT	ACCCATCTCT	CCCCTATOTIC	A CA CCCCA TO	GAAGAGCGCC
4441	TCTCAGTACA	ATCTGCTCTG	ATGCCGCATA	CTTANCCCAC	MACACCOCATA TATACACTICA	COMPROGERA
4501	CGTGACTGGG	TCATCCCTCC	CCCCCATA	CCCCCCAACAC	COCCECTO	GCTATCGCTA
4561	GCTTGTCTGC	TCCCGGCATC	CCCTTTACACAC	COCCAACAC	CCGCTGACGC	GCCCTGACGG
4621	TGTCAGAGGT	TTTTCACCCTC	ATCACCCAAA	CAAGCIGIGA	CCGTCTCCGG	GAGCTGCATG
4681	GCGTGGTCGT	GAACCCATTC	ACACAGGGAAA	CGCGCGAGGC	AGCTGCGGTA	AAGCTCATCA
4741	TTCTCCAGAA	CCCTTAATCT	CTCCCTTCTCT	GCCTGTTCAT	CCGCGTCCAG	CTCGTTGAGT
4001	TOTOCHGAA	TCD CTCD TCC	CIGGCTICIG	ATAAAGCGGG	CCATGTTAAG	GGCGGTTTTT
4061	TCCTGTTTGG	CACACACACA	CICCGIGIAA	GGGGGATTTC	TGTTCATGGG	GGTAATGATA
4001	CCGATGAAAC	GAGAGAGGAT	GCTCACGATA	CGGGTTACTG	ATGATGAACA	TGCCCGGTTA
4921	CTGGAACGTT	GIGAGGGIAA	ACAACTGGCG	GTATGGATGC	GGCGGGACCA	GAGAAAAATC
4901	ACTCAGGGTC	AATGCCAGCG	CTTCGTTAAT	ACAGATGTAG	GTGTTCCACA	GGGTAGCCAG
5041	CAGCATCCTG	.CGATGCAGAT	CCGGAACATA	ATGGTGCAGG	GCGCTGACTT	CCGCGTTTCC
2101	AGACTTTACG	AAACACGGAA	ACCGAAGACC	ATTCATGTTG	TTGCTCAGGT	CGCAGACGTT
2161	TTGCAGCAGC	AGTCGCTTCA	CGTTCGCTCG	CGTATCGGTG	ATTCATTCTG	CTAACCAGTA
2221	AGGCAACCCC	GCCAGCCTAG	CCGGGTCCTC	AACGACAGGA	GCACGATCAT	GCGCACCCGT
5281	GGCCAGGACC	CAACGCTGCC	CGAGATGCGC	CGCGTGCGGC	TGCTGGAGAT	GGCGGACGCG
5341	ATGGATATGT	TCTGCCAAGG	GTTGGTTTGC	GCATTCACAG	TTCTCCGCAA	GAATTGATTG
5401	GCTCCAATTC	TTGGAGTGGT	GAATCCGTTA	GCGAGGTGCC	GCCGGCTTCC	ATTCAGGTCG
5461	AGGTGGCCCG	GCTCCATGCA	CCGCGACGCA	ACGCGGGGAG	GCAGACAAGG	TATAGGGCGG
5521	CGCCTACAAT	CCATGCCAAC	CCGTTCCATG	TGCTCGCCGA	GGCGGCATAA	ATCGCCGTGA
5581,	CGATCAGCGG	TCCAGTGATC	GAAGTTAGGC	TGGTAAGAGC	CGCGAGCGAT	CCTTGAAGCT
5641	GTCCCTGATG	GTCGTCATCT	ACCTGCCTGG	ACAGCATGGC	CTGCAACGCG	GGCATCCCGA
5701	TGCCGCCGGA	AGCGAGAAGA	ATCATAATGG	GGAAGGCCAT	CCAGCCTCGC	GTCGCGAACG
5761	CCAGCAAGAC	GTAGCCCAGC	GCGTCGGCCG	CCATGCCGGC	GATAATGGCC	ТССТТСТССС
5821	CGAAACGTTT	GGTGGCGGGA	CCAGTGACGA	AGGCTTGAGC	GAGGGCGTGC	AAGATTCCGA
5881	ATACCGCAAG	CGACAGGCCG	ATCATCGTCG	CGCTCCAGCG	AAAGCGGTCC	TCGCCGAAAA
5941	TGACCCAGAG	CGCTGCCGGC	ACCTGTCCTA	CGAGTTGCAT	GATAAAGAAG	ACAGTCATAA
6001	GTGCGGCGAC	GATAGTCATG	CCCCGCGCCC	ACCGGAAGGA	GCTGACTGGG	TTGAAGGCTC
6061	TCAAGGGCAT	CGGTCGATCG	ACGCTCTCCC	TTATGCGACT	CCTGCATTAG	GAAGCAGCCC
6121	AGTAGTAGGT	TGAGGCCGTT	GAGCACCGCC	GCCGCAAGGA	ATGGTGCATG	CAAGGAGATG -

FOURE 43C

6181 GCGCCCAACA GTCCCCCGGC CACGGGGCCT GCCACCATAC CCACGCCGAA ACAAGCGCTC 6241 ATGAGCCCGA AGTGGCGAGC CCGA

FIGURE 43D

PDEST24

GST carboxy-fusion vector, T7 promoter




FIGURE 44A

pDEST24 6961 bp

Location (Base Nos.)	Gene Encoded
19571	attR1
304963	CmR
10831167	inactivated ccdA
13051610	ccdB
16511775	attR2
17832451	GST
31814041	ampR
41904829	ori

1	ATCGAGATCT	CGATCCCGCG	AAATTAATAC	GACTCACTAT	AGGGAGACCA	CAACGGTTTC
61	CCTCTAGATC	ACAAGTTTGT	ACAAAAAAGC	TGAACGAGAA	ACGTAAAATG	TATAAATATA
121	CAATATATTA	AATTAGATTT	TGCATAAAAA	ACAGACTACA	TAATACTGTA	AAACACAACA
181	TATCCAGTCA	CTATGGCGGC	CGCATTAGGC	ACCCCAGGCT	TTACACTTTA	TGCTTCCGGC
241	TCGTATAATG	TGTGGATTTT	GAGTTAGGAT	CCGGCGAGAT	TTTCAGGAGC	TAAGGAAGCT
				ACCGTTGATA		
361	GAACATTTTG	AGGCATTTCA	GTCAGTTGCT	CAATGTACCT	ATAACCAGAC	CGTTCAGCTG
421	GATATTACGG	CCTTTTTAAA	GACCGTAAAG	AAAAATAAGC	ACAAGTTTTA	TCCGGCCTTT
481	ATTCACATTC	TTGCCCGCCT	GATGAATGCT	CATCCGGAAT	TCCGTATGGC	AATGAAAGAC
541	GGTGAGCTGG	TGATATGGGA	TAGTGTTCAC	CCTTGTTACA	CCGTTTTCCA	TGAGCAAACT
601	GAAACGTTTT	CATCGCTCTG	GAGTGAATAC	CACGACGATT	TCCGGCAGTT	TCTACACATA
661	TATTCGCAAG	ATGTGGCGTG	TTACGGTGAA	AACCTGGCCT	ATTTCCCTAA	AGGGTTTATT
721	GAGAATATGT	TTTTCGTCTC	AGCCAATCCC	TGGGTGAGTT	TCACCAGTTT	TGATTTAAAC
781	GTGGCCAATA	TGGACAACTT	CTTCGCCCCC	GTTTTCACCA	TGGGCAAATA	TTATACGCAA
841	GGCGACAAGG	TGCTGATGCC	GCTGGCGATT	CAGGTTCATC	ATGCCGTCTG	TGATGGCTTC
901	CATGTCGGCA	GAATGCTTAA	TGAATTACAA	CAGTACTGCG	ATGAGTGGCA	GGGCGGGGCG
961	TAAACGCGTG	GATCCGGCTT	ACTAAAAGCC	AGATAACAGT	ATGCGTATTT	GCGCGCTGAT
1021	TTTTGCGGTA	TAAGAATATA	TACTGATATG	TATACCCGAA	GTATGTCAAA	AAGAGGTGTG
1081	CTATGAAGCA	GCGTATTACA	GTGACAGTTG	ACAGCGACAG	CTATCAGTTG	CTCAAGGCAT
1141	ATATGATGTC	AATATCTCCG	GTCTGGTAAG	CACAACCATG	CAGAATGAAG	CCCGTCGTCT
1201	GCGTGCCGAA	CGCTGGAAAG	CGGAAAATCA	GGAAGGGATG	GCTGAGGTCG	CCCGGTTTAT
1261	TGAAATGAAC	GGCTCTTTTG	CTGACGAGAA	CAGGGACTGG	TGAAATGCAG	TTTAAGGTTT
1321	ACACCTATAA	AAGAGAGAGC	CGTTATCGTC	TGTTTGTGGA	TGTACAGAGT	GATATTATTG
1381	ACACGCCCGG	GCGACGGATG	GTGATCCCCC	TGGCCAGTGC	ACGTCTGCTG	TCAGATAAAG
1441	TCTCCCGTGA	ACTTTACCCG	GTGGTGCATA	TCGGGGATGA	AAGCTGGCGC	ATGATGACCA
1501	CCGATATGGC	CAGTGTGCCG	GTCTCCGTTA	TCGGGGAAGA	AGTGGCTGAT	CTCAGCCACC
1561	GCGAAAATGA	CATCAAAAAC	GCCATTAACC	TGATGTTCTG	GGGAATATAA	ATGTCAGGCT
1621	CCCTTATACA	CAGCCAGTCT	GCAGGTCGAC	CATAGTGACT	GGATATGTTG	TGTTTTACAG
1681	TATTATGTAG	TCTGTTTTTT	ATGCAAAATC	TAATTTAATA	TATTGATATT	TATATCATTT
1741	TACGTTTCTC	GTTCAGCTTT	CTTGTACAAA	GTGGTGATTA	TGTCCCCTAT	ACTAGGTTAT
				CGACTTCTTT		
1861	TATGAAGAGC	ATTTGTATGA	GCGCGATGAA	GGTGATAAAT	GGCGAAACAA	AAAGTTTGAA
1921	TTGGGTTTGG	AGTTTCCCAA	TCTTCCTTAT	TATATTGATG	GTGATGTTAA	ATTAACACAG
1981	TCTATGGCCA	TCATACGTTA	TATAGCTGAC	AAGCACAACA	TGTTGGGTGG	TTGTCCAAAA
2041	GAGCGTGCAG	AGATTTCAAT	GCTTGAAGGA	GCGGTTTTGG	ATATTAGATA	CGGTGTTTCG
2101	AGAATTGCAT	ATAGTAAAGA	CTTTGAAACT	CTCAAAGTTG	ATTTTCTTAG	CAAGCTACCT
2161	GAAATGCTGA	AAATGTTCGA	AGATCGTTTA	TGTCATAAAA	CATATTTAAA	TGGTGATCAT
2221	GTAACCCATC	CTGACTTCAT	GTTGTATGAC	GCTCTTGATG	TTGTTTTATA	CATGGACCCA
2281	ATGTGCCTGG	ATGCGTTCCC	AAAATTAGTT	TGTTTTAAAA	AACGTATTGA	AGCTATCCCA
2341	CAAATTGATA	AGTACTTGAA	ATCCAGCAAG	TATATAGCAT	GGCCTTTGCA	GGGCTGGCAA
2401	GCCACGTTTG	GTGGTGGCGA	CCATCCTCCA	AAATCGGATC	TGGTTCCGCG	TCCATGGGGA
2461	TCCGGCTGCT	AACAAAGCCC	GAAAGGAAGC	TGAGTTGGCT	GCTGCCACCG	CTGAGCAATA
2521	ACTAGCATAA	CCCCTTGGGG	CCTCTAAACG	GGTCTTGAGG	GGTTTTTTGC	TGAAAGGAGG
2581	AACTATATCO	GGATATCCAC	AGGACGGGTG	TGGTCGCCAT	GATCGCGTAG	TCGATAGTGG
2641	CTCCAAGTAG	CGAAGCGAGC	AGGACTGGGC	GGCGGCCAAA	GCGGTCGGAC	AGTGCTCCGA-

2701	GAACGGGTGC	GCATAGAAAT	TGCATCAACG	CATATAGCGC	TAGCAGCACG	CCATAGTGAC
	TGGCGATGCT					
	AGCCTATGCC					
	ATTTCATACA					
	GCTTATCGAT					
	CGCCTATTTT					
	TTTCGGGGAA					
	TATCCGCTCA					
	ATGAGTATTC					
	GTTTTTGCTC					
	CGAGTGGGTT					
	GAAGAACGTT					
3421	CGTGTTGACG	CCGGGCAAGA	GCAACTCGGT	CGCCGCATAC	ACTATTCTCA	GAATGACTTG
3481	GTTGAGTACT	CACCAGTCAC	AGAAAAGCAT	CTTACGGATG	GCATGACAGT	AAGAGAATTA
	TGCAGTGCTG					
	GGAGGACCGA					
3661	GATCGTTGGG	AACCGGAGCT	GAATGAAGCC	ATACCAAACG	ACGAGCGTGA	CACCACGATG
3721	CCTGCAGCAA	TGGCAACAAC	GTTGCGCAAA	CTATTAACTG	GCGAACTACT	TACTCTAGCT
3781	TCCCGGCAAC	AATTAATAGA	CTGGATGGAG	GCGGATAAAG	TTGCAGGACC	ACTTCTGCGC
3841	TCGGCCCTTC	CGGCTGGCTG	GTTTATTGCT	GATAAATCTG	GAGCCGGTGA	GCGTGGGTCT
3901	CGCGGTATCA	TTGCAGCACT	GGGGCCAGAT	GGTAAGCCCT	CCCGTATCGT	AGTTATCTAC
3961	ACGACGGGGA	GTCAGGCAAC	TATGGATGAA	CGAAATAGAC	AGATCGCTGA	GATAGGTGCC
4021	TCACTGATTA	AGCATTGGTA	ACTGTCAGAC	CAAGTTTACT	CATATATACT	TTAGATTGAT
	TTAAAACTTC					
	ACCAAAATCC					
4201	AAAGGATCTT	CTTGAGATCC	TTTTTTTCTG	CGCGTAATCT	GCTGCTTGCA	AACAAAAAA
4261	CCACCGCTAC	CAGCGGTGGT	TTGTTTGCCG	GATCAAGAGC	TACCAACTCT	TTTTCCGAAG
4321	GTAACTGGCT	TCAGCAGAGC	GCAGATACCA	AATACTGTCC	TTCTAGTGTA	GCCGTAGTTA
4381	GGCCACCACT	TCAAGAACTC	TGTAGCACCG	CCTACATACC	TCGCTCTGCT	AATCCTCTTA
	CCAGTGGCTG					
	TTACCGGATA					
	GAGCGAACGA					
	CTTCCCGAAG					
4681	CGCACGAGGG	AGCTTCCAGG	GGGAAACGCC	TCCTATCTTT	ATACTCCTCT	CCCCTTTCCCC
4741	CACCTCTGAC	TTGAGCGTCG	ATTITUTE	TCCTCCTCAC	CCCCCCCCC	CGGGTTTCGC
4801	AACGCCAGCA	ACCCCCCCTT	TTTTTTTT	CTCCCCCTCAG	CONCOCCON	CCTATGGAAA
4961	THEOTOTIC	CCTTATCCCC	TCATTCGGIIC	CIGGCCTTTT	GCTGGCCTTT	TGCTCACATG
4001	TTCTTTCCTG	CCCCCACCCC	PAGGAGGAG	GATAACCGTA	TTACCGCCTT	TGAGTGAGCT
	GATACCGCTC					
	GAGCGCCTGA					
2041	GGTGCACTCT	CAGTACAATC	TGCTCTGATG	CCGCATAGTT	AAGCCAGTAT	ACACTCCGCT
2101	ATCGCTACGT	GACTGGGTCA	TGGCTGCGCC	CCGACACCCG	CCAACACCCG	CTGACGCGCC
2161	CTGACGGGCT	TGTCTGCTCC	CGGCATCCGC	TTACAGACAA	GCTGTGACCG	TCTCCGGGAG
5221	CTGCATGTGT	CAGAGGTTTT	CACCGTCATC	ACCGAAACGC	GCGAGGCAGC	TGCGGTAAAG
5281	CTCATCAGCG	TGGTCGTGAA	GCGATTCACA	GATGTCTGCC	TGTTCATCCG	CGTCCAGCTC
5341	GTTGAGTTTC	TCCAGAAGCG	TTAATGTCTG	GCTTCTGATA	AAGCGGGCCA	TGTTAAGGGC
5401	GGTTTTTTCC	TGTTTGGTCA	CTGATGCCTC	CGTGTAAGGG	GGATTTCTGT	TCATGGGGGT
5461	AATGATACCG	ATGAAACGAG	AGAGGATGCT	CACGATACGG	GTTACTGATG	ATGAACATGC
5521	CCGGTTACTG	GAACGTTGTG	AGGGTAAACA	ACTGGCGGTA	TGGATGCGGC	GGGACCAGAG
5581	AAAAATCACT	CAGGGTCAAT	GCCAGCGCTT	CGTTAATACA	GATGTAGGTG	TTCCACAGGG
5641	TAGCCAGCAG	CATCCTGCGA	TGCAGATCCG	GAACATAATG	GTGCAGGGCG	CTGACTTCCG
5701	CGTTTCCAGA	CTTTACGAAA	CACGGAAACC	GAAGACCATT	CATGTTGTTG	CTCAGGTCGC
5761	AGACGTTTTG	CAGCAGCAGT	CGCTTCACGT	TCGCTCGCGT	ATCGGTGATT	CATTCTGCTA
5821	ACCAGTAAGG	CAACCCCGCC	AGCCTAGCCG	GGTCCTCAAC	GACAGGAGCA	CGATCATGCG
5881	CACCCGTGGC	CAGGACCCAA	CGCTGCCCGA	GATGCGCCGC	GTGCGGCTGC	TGGAGATGGC
5941	GGACGCGATG	GATATGTTCT	GCCAAGGGTT	GGTTTGCGCA	TTCACAGTTC	TCCGCAAGAA
6001	TTGATTGGCT	CCAATTCTTG	GAGTGGTGAA	TCCGTTAGCG	AGGTGCCGCC	GGCTTCCATT
6061	CAGGTCGAGG	TGGCCCGGCT	CCATGCACCG	CGACGCAACG	CGGGGAGGCA	GACAACGTAT
6121	AGGGCGGCGC	CTACAATCCA	TGCCAACCCG	TTCCATGTGC	TOGGGGAGGCA	GGCATAAATC -
					- COCCOMOGC	COCKIMMIC

6181 GCCGTGACGA TCAGCGGTCC AGTGATCGAA GTTAGGCTGG TAAGAGCCGC GAGCGAC 6241 TGAAGCTGTC CCTGATGGTC GTCATCTACC TGCCTGGACA GCATGGCCTG CAACGCC 6301 ATCCCGATGC CGCCGGAAGC GAGAAGAATC ATAATGGGGA AGGCCATCCA GCCTCGC 6361 GCGAACGCCA GCAAGACGTA GCCCAGCGCG TCGGCCGCCA TGCCGGCGAT AATGGCC 6421 TTCTCGCCGA AACGTTTGGT GGCGGGACCA GTGACGAAGG CTTGAGCGAG GGCGTGC	CCT
6301 ATCCCGATGC CGCCGGAAGC GAGAAGAATC ATAATGGGGA AGGCCATCCA GCCTCGC 6361 GCGAACGCCA GCAAGACGTA GCCCAGCGCG TCGGCCGCCA TGCCGGCGAT AATGGCC	GGC
6361 GCGAACGCCA GCAAGACGTA GCCCAGCGCG TCGGCCGCCA TGCCGGCGAT AATGGC	CGTC
6361 GCGAACGCCA GCAAGACGTA GCCCAGCGCG TCGGCCGCCA TGCCGGCGCA TACCGCGCA AACGTTTGGT GGCGGGACCA GTGACGAAGG CTTGAGCGAG GGCGTG	TGC
6421 TOTOTOGOCCA AACGTTTGGT GGCGGGACCA GTGACGAAGG CTTGAGCGAG GGCGIG	מאמי
D4ZI IICICGCCGA MMCCIIICOI	AAG
6481 ATTCCGAATA CCGCAAGCGA CAGGCCGATC ATCGTCGCGC TCCAGCGAAA GCGGTC	CTCG
6541 CCGAAAATGA CCCAGAGCGC TGCCGGCACC TGTCCTACGA GTTGCATGAT AAAGAA	BACA
6601 GTCATAAGTG CGGCGACGAT AGTCATGCCC CGCGCCCACC GGAAGGAGCT GACTGG	FTTG
6661 AAGGCTCTCA AGGGCATCGG TCGATCGACG CTCTCCCTTA TGCGACTCCT GCATTA	GAA
6661 AAGGCTCTCA AGGGCATCGG TCGATCGC GCAAGGAATG GTGCAT	CAA
6721 GCAGCCCAGT AGTAGGTTGA GGCCGTTGAG CACCGCCGCC GCAAGGAATG GTGCAT	2011
6781 GGAGATGGCG CCCAACAGTC CCCCGGCCAC GGGGCCTGCC ACCATACCCA CGCCGA	AACA
6841 AGCGCTCATG AGCCCGAAGT GGCGAGCCCG ATCTTCCCCA TCGGTGATGT CGGCGA	TATA
6901 GGCGCCAGCA ACCGCACCTG TGGCGCCGGT GATGCCGGCC ACGATGCGTC CGGCGT	AGAG
6961 G	

FIGURE 44D


PDEST25
Thioredoxin carboxy-fusion vector, T7 promoter

nag atc tcg atc ccg cga aat taa tac gac tca cta tag gga gac cac aac ntc tag agc tag ggc gct tta att atg ctg agt qat atc cct ctg gtg ttg

ggt ttc cct cta gat cac aag ttt gta caa aaa agc tga acg aga aac gta

cca aag gga gat cta otg ttc aaa cat gtt ttt tcg act tgc tct ttg cat

CmR — Ccd R



pDEST25 6652 bp

Location (Base Nos.)	Gene Encoded					
844720	attR1					
9531612	CmR					
17321816	inactivated ccdA					
19542259	ccdB					
23002424	attR2					
24322794	trx					

1	CCGGAAGCGA	GAAGAATCAT	AATGGGGAAG	GCCATCCAGC	CTCGCGTCGC	GAACGCCAGC
61	AAGACGTAGC	CCAGCGCGTC	GGCCGCCATG	CCGGCGATAA	TGGCCTGCTT	CTCGCCGAAA
121	CGTTTGGTGG	CGGGACCAGT	GACGAAGGCT	TGAGCGAGGG	CGTGCAAGAT	TCCGAATACC
181	GCAAGCGACA	GGCCGATCAT	CGTCGCGCTC	CAGCGAAAGC	GGTCCTCGCC	GAAAATGACC
241	CAGAGCGCTG	CCGGCACCTG	TCCTACGAGT	TGCATGATAA	AGAAGACAGT	CATAAGTGCG
301	GCGACGATAG	TCATGCCCCG	CGCCCACCGG	AAGGAGCTGA	CTGGGTTGAA	GGCTCTCAAG
361	GGCATCGGTC	GATCGACGCT	CTCCCTTATG	CGACTCCTGC	ATTAGGAAGC	AGCCCAGTAG
421	TAGGTTGAGG	CCGTTGAGCA	CCGCCGCCGC	AAGGAATGGT	GCATGCAAGG	AGATGGCGCC
481	CAACAGTCCC	CCGGCCACGG	GGCCTGCCAC	CATACCCACG	CCGAAACAAG	CGCTCATGAG
541	CCCGAAGTGG	CGAGCCCGAT	CTTCCCCATC	GGTGATGTCG	GCGATATAGG	CGCCAGCAAC
601	CGCACCTGTG	GCGCCGGTGA	${\tt TGCCGGCCAC}$	GATGCGTCCG	GCGTAGAGGA	TCGAGATCTC
661	GATCCCGCGA	AATTAATACG	ACTCACTATA	GGGAGACCAC	AACGGTTTCC	CTCTAGATCA
721	CAAGTTŤGTA	CAAAAAAGCT	GAACGAGAAA	CGTAAAATGA	TATAAATATC	AATATATTAA
781	ATTAGATTTT	GCATAAAAA	CAGACTACAT	AATACTGTAA	AACACAACAT	ATCCAGTCAC
841	TATGGCGGCC	GCATTAGGCA	CCCCAGGCTT	TACACTTTAT	GCTTCCGGCT	CGTATAATGT
901	GTGGATTTTG	AGTTAGGATC	CGGCGAGATT	TTCAGGAGCT	AAGGAAGCTA	AAATGGAGAA
961	AAAAATCACT	GGATATACCA	CCGTTGATAT	ATCCCAATGG	CATCGTAAAG	AACATTTTGA
1021	GGCATTTCAG	TCAGTTGCTC	AATGTACCTA	TAACCAGACC	GTTCAGCTGG	ATATTACGGC
1081	CTTTTTAAAG	ACCGTAAAGA	AAAATAAGCA	CAAGTTTTAT	CCGGCCTTTA	TTCACATTCT
1141	TGCCCGCCTG	ATGAATGCTC	ATCCGGAATT	CCGTATGGCA	ATGAAAGACG	GTGAGCTGGT
1201	GATATGGGAT	AGTGTTCACC	CTTGTTACAC	CGTTTTCCAT	GAGCAAACTG	AAACGTTTTC
1261	ATCGCTCTGG	AGTGAATACC	ACGACGATTT	CCGGCAGTTT	CTACACATAT	ATTCGCAAGA
1321	TGTGGCGTGT	TACGGTGAAA	ACCTGGCCTA	TTTCCCTAAA	GGGTTTATTG	AGAATATGTT
1381	TTTCGTCTCA	GCCAATCCCT	GGGTGAGTTT	CACCAGTTTT	GATTTAAACG	TGGCCAATAT
1441	GGACAACTTC	TTCGCCCCCG	TTTTCACCAT	GGGCAAATAT	TATACGCAAG	GCGACAAGGT
1501	GCTGATGCCG	CTGGCGATTC	AGGTTCATCA	TGCCGTCTGT	GATGGCTTCC	ATGTCGGCAG
1561	AATGCTTAAT	GAATTACAAC	AGTACTGCGA	TGAGTGGCAG	GGCGGGGCGT	AAACGCGTGG
1621	ATCCGGCTTA	CTAAAAGCCA	GATAACAGTA	TGCGTATTTG	CGCGCTGATT	TTTGCGGTAT
1681	AAGAATATAT	ACTGATATGT	ATACCCGAAG	TATGTCAAAA	AGAGGTGTGC	TATGAAGCAG
1741	CGTATTACAG	TGACAGTTGA	CAGCGACAGC	TATCAGTTGC	TCAAGGCATA	TATGATGTCA
1801	ATATCTCCGG	TCTGGTAAGC	ACAACCATGO	: AGAATGAAGC	CCGTCGTCTG	CGTGCCGAAC
1861	GCTGGAAAGC	GGAAAATCAG	GAAGGGATGG	CTGAGGTCGC	CCGGTTTATI	GAAATGAACG
1921	GCTCTTTTGC	TGACGAGAAC	AGGGACTGGT	GAAATGCAGT	TTAAGGTTTA	CACCTATAAA
1981	AGAGAGAGC	C GTTATCGTCT	GTTTGTGGAT	GTACAGAGTG	ATATTATTGA	CACGCCCGGG
2041	. CGACGGATG	G TGATCCCCCT	GGCCAGTGCA	A CGTCTGCTGT	CAGATAAAGI	CTCCCGTGAA
2101	. CTTTACCCG	F TGGTGCATAT	' CGGGGATGAA	A AGCTGGCGCA	TGATGACCAC	CGATATGGCC
2161	AGTGTGCCGC	TCTCCGTTAI	' CGGGGAAGAA	A GTGGCTGATO	TCAGCCACCG	CGAAAATGAC
2221	ATCAAAAAC	G CCATTAACCT	GATGTTCTG	GGAATATAAA	TGTCAGGCTC	CCTTATACAC
2281	AGCCAGTCT	G CAGGTCGACC	ATAGTGACTO	GATATGTTGT	GTTTTACAGT	ATTATGTAGT
						ACGTTTCTCG
						TGACTGACGA
						TCTGGGCAGA
						ACGAATATCA
						G CGCCGAAATA
264	L TGGCATCCG	T GGTATCCCGA	A CTCTGCTGC	r GTTCAAAAA	GGTGAAGTG	G CGGCAACCAA
270	L AGTGGGTGC	A CTGTCTAAAC	GTCAGTTGA	A AGAGTTCCT	GACGCTAAC	TGGCCGGTTC
276	1 TGGTTCTGG	T GATGACGAT	ACAAGGTAC	CGGGGATCG	A TCCGGCTGC	r AACAAAGCCC -

Figure 45B


2821	GAAAGGAAGC	TGAGTTGGCT	GCTGCCACCG	CTGAGCAATA	ACTAGCATAA	CCCCTTGGGG
2881	CCTCTAAACG	GGTCTTGAGG	GGTTTTTTGC	TGAAAGGAGG	AACTATATCC	GGATATCCAC
2941	AGGACGGGTG	TGGTCGCCAT	GATCGCGTAG	TCGATAGTGG	CTCCAAGTAG	CGAAGCGAGC
	AGGACTGGGC					
	TGCATCAACG					
	ACGATATCCC					
	AGGGTGACGG					
	CTGCGTTAGC					
	CAAACATGAG					
	TGTCATGATA					
	AACCCCTATT					
	ACCCTGATAA					
	TGTCGCCCTT					
	GCTGGTGAAA					
	GGATCTCAAC					
	GAGCACTTTT					
	GCAACTCGGT					
	AGAAAAGCAT					
	GAGTGATAAC					
3961	CGCTTTTTTG	CACAACATGG	GGGATCATGT	AACTCGCCTT	GATCGTTGGG	AACCGGAGCT
4021	GAATGAAGCC	ATACCAAACG	ACGAGCGTGA	CACCACGATG	CCTGCAGCAA	TGGCAACAAC
4081	GTTGCGCAAA	CTATTAACTG	GCGAACTACT	TACTCTAGCT	TCCCGGCAAC	AATTAATAGA
4141	CTGGATGGAG	GCGGATAAAG	TTGCAGGACC	ACTTCTGCGC	TCGGCCCTTC	CGGCTGGCTG
4201	GTTTATTGCT	GATAAATCTG	GAGCCGGTGA	GCGTGGGTCT	CGCGGTATCA	TTGCAGCACT
4261	GGGGCCAGAT	GGTAAGCCCT	CCCGTATCGT	AGTTATCTAC	ACGACGGGGA	GTCAGGCAAC
4321	TATGGATGAA	CGAAATAGAC	AGATCGCTGA	GATAGGTGCC	TCACTGATTA	AGCATTGGTA
4381	ACTGTCAGAC	CAAGTTTACT	CATATATACT	TTAGATTGAT	TTAAAACTTC	ATTTTTAATT
	TAAAAGGATC					
	GTTTTCGTTC					
	TTTTTTTCTG					
	TTGTTTGCCG					
	GCAGATACCA					
	TGTAGCACCG					
	CGATAAGTCG					
	GTCGGGCTGA					
	ACTGAGATAC					
	GGACAGGTAT					
	GGGAAACGCC					
	ATTTTTGTGA					
	TTTACGGTTC					
						GCCGCAGCCG
-						TGCGGTATTT
	. TCTCCTTACG					
						GACTGGGTCA
						TGTCTGCTCC
						CAGAGGTTTT
5581	CACCGTCATC	ACCGAAACGC	GCGAGGCAGC	TGCGGTAAAG	CTCATCAGCG	TGGTCGTGAA
						TCCAGAAGCG
5701	. TTAATGTCTG	GCTTCTGATA	AAGCGGGCCA	TGTTAAGGGC	GGTTTTTTCC	TGTTTGGTCA
5761	CTGATGCCTC	CGTGTAAGGG	GGATTTCTGT	TCATGGGGGT	AATGATACCG	ATGAAACGAG
						GAACGTTGTG
5883	L AGGGTAAACA	ACTGGCGGTA	TGGATGCGGC	GGGACCAGAG	AAAAATCACT	CAGGGTCAAT
						CATCCTGCGA
600	L TGCAGATCC	GAACATAATG	GTGCAGGGCG	CTGACTTCC	CGTTTCCAGA	CTTTACGAAA
						CAGCAGCAGT
						CAACCCCGCC
						CAGGACCCAA
						GATATGTTCT-

6301	CCCAAGGGTT	GGTTTGCGCA	TTCACAGTTC	TCCGCAAGAA	TTGATTGGCT	CCAATTCTTG
0301	GCCAAGGG11	macamma aca	AGGEGCCGCC	GGCTTCCATT	CAGGTCGAGG	TGGCCCGGCT
6361	GAGTGGTGAA	TCCGTTAGCG	AGGIGCCGCC	CACTACCEAN	ACCCCCCCCC	רידא רא אידר רא
6421	CCATGCACCG	CGACGCAACG	CGGGGAGGCA	GACAAGGIAI	AGGGCGGCGC	CTACAATCCA
6481	TGCCAACCCG	TTCCATGTGC	TCGCCGAGGC	GGCATAAATC	GCCGTGACGA	TCAGCGGTCC
6541	A CEC A TO COA A	CTTAGGCTGG	TAAGAGCCGC	GAGCGATCCT	TGAAGCTGTC	CCTGATGGTC
6541	AGIGAICGAA	GITAGGCTGG	2017000000	CANCECCCCC	ATCCCGATGC	CG
6601	GTCATCTACC	TGCCTGGACA	GCATGGCCTG	CAACGCGGGC	MICCCOMICC	CG

FIGURE 45D

pDEST26 His6 Amino Fusion in pCMV Sport-neo Vector

600														666 888			
651	tta	cag	cat	tgt	tga	ggc	ggg	gta	act 17	a&a	ttt DWZ	acc	cgc	gta cat	ccg	Cac MJ2	atg MA
702	ggt //cca													gec cag			
753	cct	ctq	cgq	taq	qtq	cga	caa	aac	tgg	agg	tat	ctt	ctg	acc tgg	ccc	tgg	cta
804	cca ggt	gcc	tec agg	gga cct	ctc gag	tag atc	gga cct	agg	aac cca	gcc	acc tgg	tac	cac	tac atg	tác atg	ata	
855	dat gta	gtg	cat gta	gtg	tct aga	aga tet	tca agt	aca tgt	agt tca	tto	atg	aaa ttt Int	aaa Ittt Y	gct cga	gaa ctt	cga qct	gaa //



pDEST26 7481 bp

Location (Base Nos.)	Gene Encoded
492509	his6
619519	attRl
7521411	CmR
15311615	inactivated ccdA
17532058	ccdB
20992223	attR2
24092771	SV40 polyA
29663421	fl intergenic region
34853903	SV40 promoter
39484742	neo
48064854	polyA
52656125	Apr
62746913	ori
7344385	CMV promoter

1	GTAAACTGCC	CACTTGGCAG	TACATCAAGT	GTATCATATG	CCAAGTACGC	CCCCTATTGA
61	CGTCAATGAC	GGTAAATGGC	CCGCCTGGCA	TTATGCCCAG	TACATGACCT	TATGGGACTT
121	TCCTACTTGG	CAGTACATCT	ACGTATTAGT	CATCGCTATT	ACCATGGTGA	TGCGGTTTTG
181	GCAGTACATC	AATGGGCGTG	GATAGCGGTT	TGACTCACGG	GGATTTCCAA	GTCTCCACCC
241	CATTGACGTC	AATGGGAGTT	TGTTTTGGCA	CCAAAATCAA	CGGGACTTTC	CAAAATGTCG
301	TAACAACTCC	GCCCCATTGA	CGCAAATGGG	CGGTAGGCGT	GTACGGTGGG	AGGTCTATAT
361	AAGCAGAGCT	CGTTTAGTGA	ACCGTCAGAT	CGCCTGGAGA	CGCCATCCAC	GCTGTTTTGA
421	CCTCCATAGA	AGACACCGGG	ACCGATCCAG	CCTCCGGACT	CTAGCCTAGG	CCGCGGACCA
481	TGGCGTACTA	CCATCACCAT	CACCATCACT	CTAGATCAAC	AAGTTTGTAC	AAAAAAGCTG
541	AACGAGAAAC	GTAAAATGAT	ATAAATATCA	ATATATTAAA	TTAGATTTTG	CATAAAAAAC
601	AGACTACATA	ATACTGTAAA	ACACAACATA	TCCAGTCACT	ATGGCGGCCG	CATTAGGCAC
661	CCCAGGCTTT	ACACTTTATG	CTTCCGGCTC	GTATAATGTG	${\tt TGGATTTTGA}$	GTTAGGATCC
721	GGCGAGATTT	TCAGGAGCTA	AGGAAGCTAA	AATGGAGAAA	AAAATCACTG	GATATACCAC
781	CGTTGATATA	TCCCAATGGC	ATCGTAAAGA	ACATTTTGAG	GCATTTCAGT	CAGTTGCTCA
841	ATGTACCTAT	AACCAGACCG	TTCAGCTGGA	TATTACGGCC	TTTTTAAAGA	CCGTAAAGAA
901	AAATAAGCAC	AAGTTTTATC	CGGCCTTTAT	TCACATTCTT	GCCCGCCTGA	TGAATGCTCA
961	TCCGGAATTC	CGTATGGCAA	TGAAAGACGG	TGAGCTGGTG	ATATGGGATA	GTGTTCACCC
1021	TTGTTACACC	GTTTTCCATG	AGCAAACTGA	AACGTTTTCA	TCGCTCTGGA	GTGAATACCA
1081	CGACGATTTC	CGGCAGTTTC	TACACATATA	TTCGCAAGAT	GTGGCGTGTT	ACGGTGAAAA
1141	CCTGGCCTAT	TTCCCTAAAG	GGTTTATTGA	GAATATGTTT	TTCGTCTCAG	CCAATCCCTG
1201	GGTGAGTTTC	ACCAGTTTTG	ATTTAAACGT	GGCCAATATG	GACAACTTCT	TCGCCCCCGT
1261	TTTCACCATG	GGCAAATATT	ATACGCAAGG	CGACAAGGTG	CTGATGCCGC	TGGCGATTCA
1321	GGTTCATCAT	GCCGTCTGTG	ATGGCTTCCA	TGTCGGCAGA	ATGCTTAATG	AATTACAACA
1381	GTACTGCGAT	GAGTGGCAGG	GCGGGGCGTA	AAGATCTGGA	TCCGGCTTAC	TAAAAGCCAG
1441	ATAACAGTAT	GCGTATTTGC	GCGCTGATTT	TTGCGGTATA	AGAATATATA	CTGATATGTA
1501	TACCCGAAGT	ATGTCAAAAA	GAGGTGTGCT	ATGAAGCAGC	GTATTACAGT	GACAGTTGAC
1561	AGCGACAGCT	ATCAGTTGCT	CAAGGCATAT	ATGATGTCAA	TATCTCCGGT	CTGGTAAGCA
1621	CAACCATGCA	GAATGAAGCC	CGTCGTCTGC	GTGCCGAACG	CTGGAAAGCG	GAAAATCAGG
1681	AAGGGATGGC	TGAGGTCGCC	CGGTTTATTG	AAATGAACGG	CTCTTTTGCT	GACGAGAACA
1741	GGGACTGGTG	AAATGCAGTT	TAAGGTTTAC	ACCTATAAAA	GAGAGAGCCG	TTATCGTCTG
1801	TTTGTGGATG	TACAGAGTGA	TATTATTGAC	ACGCCCGGGC	GACGGATGGT	GATCCCCCTG
1861	GCCAGTGCAC	GTCTGCTGTC	AGATAAAGTC	TCCCGTGAAC	TTTACCCGGT	GGTGCATATC
1921	GGGGATGAAA	GCTGGCGCAT	GATGACCACC	GATATGGCCA	GTGTGCCGGT	CTCCGTTATC
1981	GGGGAAGAAG	TGGCTGATCT	CAGCCACCGC	GAAAATGACA	TCAAAAACGC	CATTAACCTG
2041	ATGTTCTGGG	GAATATAAAT	GTCAGGCTCC	CTTATACACA	GCCAGTCTGC	AGGTCGACCA
2101	TAGTGACTGG	ATATGTTGTG	TTTTACAGTA	TTATGTAGTC	TGTTTTTAT	GCAAAATCTA
2161	ATTTAATATA	TTGATATTTA	TATCATTTTA	CGTTTCTCGT	TCAGCTTTCT	TGTACAAAGT
2221	GGTTGATCGC	GTGCATGCGA	CGTCATAGCT	CTCTCCCTAT	AGTGAGTCGT	ATTATAAGCT
2281	AGGCACTGGC	CGTCGTTTTA	CAACGTCGTG	ACTGGGAAAA	CTGCTAGCTT	GGGATCTTTG -


						a. a. mmm
2341	TGAAGGAACC	TTACTTCTGT	GGTGTGACAT	AATTGGACAA	ACTACCTACA	GAGATTTAAA
2401	GCTCTAAGGT	AAATATAAAA	TTTTTAAGTG	TATAATGTGT	TAAACTAGCT	GCATATGCTT
2461	GCTGCTTGAG	AGTTTTGCTT	ACTGAGTATG	ATTTATGAAA	ATATTATACA	CAGGAGCTAG
2521	TGATTCTAAT	TGTTTGTGTA	TTTTAGATTC	ACAGTCCCAA	GGCTCATTTC	AGGCCCCTCA
2581	GTCCTCACAG	TCTGTTCATG	ATCATAATCA	GCCATACCAC	ATTTGTAGAG	GTTTTACTTG
2641	CTTTAAAAAA	CCTCCCACAC	CTCCCCTGA	ACCTGAAACA	TAAAATGAAT	GCAATTGTTG
2701	TTGTTAACTT	GTTTATTGCA	GCTTATAATG	GTTACAAATA	AAGCAATAGC	ATCACAAATT
2761	TCACAAATAA	AGCATTTTTT	TCACTGCATT	CTAGTTGTGG	TTTGTCCAAA	CTCATCAATG
2821	TATCTTATCA	TGTCTGGATC	GATCCTGCAT	TAATGAATCG	GCCAACGCGC	GGGGAGAGGC
2881	GGTTTGCGTA	TTGGCTGGCG	TAATAGCGAA	GAGGCCCGCA	CCGATCGCCC	TTCCCAACAG
2941	TTGCGCAGCC	TGAATGGCGA	ATGGGACGCG	CCCTGTAGCG	GCGCATTAAG	CGCGGCGGGT
3001	GTGGTGGTTA	CGCGCAGCGT	GACCGCTACA	CTTGCCAGCG	CCCTAGCGCC	CGCTCCTTTC
3061	GCTTTCTTCC	CTTCCTTTCT	CGCCACGTTC	GCCGGCTTTC	CCCGTCAAGC	TCTAAATCGG
3121	GGGCTCCCTT	TAGGGTTCCG	ATTTAGTGCT	TTACGGCACC	TCGACCCCAA	AAAACTTGAT
3181	TAGGGTGATG	GTTCACGTAG	TGGGCCATCG	CCCTGATAGA	CGGTTTTTCG	CCCTTTGACG
	TTGGAGTCCA					
	ATCTCGGTCT					
	AATGAGCTGA					
3421	TCGCCTGATG	CGGTATTTTC	TCCTTACGCA	TCTGTGCGGT	ATTTCACACC	GCATACGCGG
3481	ATCTGCGCAG	CACCATGGCC	TGAAATAACC	TCTGAAAGAG	GAACTTGGTT	AGGTACCTTC
3541	TGAGGCGGAA	AGAACCAGCT	GTGGAATGTG	TGTCAGTTAG	GGTGTGGAAA	GTCCCCAGGC
3601	TCCCCAGCAG	GCAGAAGTAT	GCAAAGCATG	CATCTCAATT	AGTCAGCAAC	CAGGTGTGGA
	AAGTCCCCAG					
	ACCATAGTCC					
	TCTCCGCCCC					
	TCTGAGCTAT					
	CTTGATTCTT					
3961	ATGGATTGCA	CGCAGGTTCT	CCGGCCGCTT	GGGTGGAGAG	GCTATTCGGC	TATGACTGGG
4021	CACAACAGAC	AATCGGCTGC	TCTGATGCCG	CCGTGTTCCG	GCTGTCAGCG	CAGGGGCGCC
4081	CGGTTCTTTT	TGTCAAGACC	GACCTGTCCG	GTGCCCTGAA	TGAACTGCAG	GACGAGGCAG
	CGCGGCTATC					
	CTGAAGCGGG					
	CTCACCTTGC					
4321	CGCTTGATCC	GGCTACCTGC	CCATTCGACC	ACCAAGCGAA	ACATCGCATC	GAGCGAGCAC
4381	GTACTCGGAT	GGAAGCCGGT	CTTGTCGATC	AGGATGATCT	GGACGAAGAG	CATCAGGGGC
4441	TCGCGCCAGC	CGAACTGTTC	GCCAGGCTCA	AGGCGCGCAT	GCCCGACGGC	GAGGATCTCG
	TCGTGACCCA					
	GATTCATCGA					
	CCCGTGATAT					
	GTATCGCCGC					
						CATCACGATG
						TGTGAATCGA
						GCCGCATAGT
						TGTCTGCTCC
400	CCCCATCCC	TTACAGACAC	CCTATCACCC	TCTCCGGGAG	CTGCATGTGT	CAGAGGTTTT
						TTTTTATAGG
						GGAAATGTGC
						CTCATGAGAC
						ATTCAACATT
						GCTCACCCAG
						GGTTACATCG
						CGTTTTCCAA
546	I TGATGAGCAC	TITTAAAGTI	CIGCIATGIC	GUGUGGTATT	AICCCGIATI	GACGCCGGGC
552	L AAGAGCAAC	r ceercecee	ATACACTATI	CTCAGAATGA	AUTHOUTTUAC	TACTCACCAG
						GCTGCCATAA
						A CCGAAGGAGC
						TGGGAACCGG
576	1 AGCTGAATG	A AGCCATACCA	AACGACGAG	: GTGACACCAC	GATGCCTGT	GCAATGGCAA -

5821	CAACGTTGCG	CAAACTATTA	ACTGGCGAAC	TACTTACTCT	AGCTTCCCGG	CAACAATTAA
5881	TAGACTGGAT	GGAGGCGGAT	AAAGTTGCAG	GACCACTTCT	GCGCTCGGCC	CTTCCGGCTG
5941	GCTGGTTTAT	TGCTGATAAA	TCTGGAGCCG	GTGAGCGTGG	GTCTCGCGGT	ATCATTGCAG
6001	CACTGGGGCC	AGATGGTAAG	CCCTCCCGTA	TCGTAGTTAT	CTACACGACG	GGGAGTCAGG
6061	CAACTATGGA	TGAACGAAAT	AGACAGATCG	CTGAGATAGG	TGCCTCACTG	ATTAAGCATT
6121	GGTAACTGTC	AGACCAAGTT	TACTCATATA	TACTTTAGAT	TGATTTAAAA	CTTCATTTTT
6181	AATTTAAAAG	GATCTAGGTG	AAGATCCTTT	TTGATAATCT	CATGACCAAA	ATCCCTTAAC
6241	GTGAGTTTTC	GTTCCACTGA	GCGTCAGACC	CCGTAGAAAA	GATCAAAGGA	TCTTCTTGAG
6301	ATCCTTTTTT	TCTGCGCGTA	ATCTGCTGCT	TGCAAACAAA	AAAACCACCG	CTACCAGCGG
6361	TGGTTTGTTT	GCCGGATCAA	GAGCTACCAA	CTCTTTTTCC	GAAGGTAACT	GGCTTCAGCA
6421	GAGCGCAGAT	ACCAAATACT	GTCCTTCTAG	TGTAGCCGTA	GTTAGGCCAC	CACTTCAAGA
6481	ACTCTGTAGC	ACCGCCTACA	TACCTCGCTC	TGCTAATCCT	GTTACCAGTG	GCTGCTGCCA
6541	GTGGCGATAA	GTCGTGTCTT	ACCGGGTTGG	ACTCAAGACG	ATAGTTACCG	GATAAGGCGC
6601	AGCGGTCGGG	CTGAACGGGG	GGTTCGTGCA	CACAGCCCAG	CTTGGAGCGA	ACGACCTACA
6661	CCGAACTGAG	ATACCTACAG	CGTGAGCATT	GAGAAAGCGC	CACGCTTCCC	GAAGGGAGAA
6721	AGGCGGACAG	GTATCCGGTA	AGCGGCAGGG	TCGGAACAGG	AGAGCGCACG	AGGGAGCTTC
6781	CAGGGGGAAA	CGCCTGGTAT	CTTTATAGTC	CTGTCGGGTT	TCGCCACCTC	TGACTTGAGC
6841	GTCGATTTTT	GTGATGCTCG	TCAGGGGGGC	GGAGCCTATG	GAAAAACGCC	AGCAACGCGG
6901	CCTTTTTACG	GTTCCTGGCC	TTTTGCTGGC	CTTTTGCTCA	CATGTTCTTT	CCTGCGTTAT
6961	CCCCTGATTC	TGTGGATAAC	CGTATTACCG	CCTTTGAGTG	AGCTGATACC	GCTCGCCGCA
7021	GCCGAACGAC	CGAGCGCAGC	GAGTCAGTGA	GCGAGGAAGC	GGAAGAGCGC	CCAATACGCA
7081	AACCGCCTCT	CCCCGCGCGT	TGGCCGATTC	ATTAATGCAG	AGCTTGCAAT	TCGCGCGTTT
7141	TTCAATATTA	TTGAAGCATT	TATCAGGGTT	ATTGTCTCAT	GAGCGGATAC	ATATTTGAAT
				CGCGCACATT		
				TAACCTATAA		
				TAACTTACGG		
				ATAATGACGT		AGTAACGCCA
7441	ATAGGGACTT	TCCATTGACG	TCAATGGGTG	GAGTATTTAC	G	•

136/240 Frouder 47A

pDEST 27 GST Amino Fusion in pCMV Sport-neove Vector

MRAMSTART WELLS																	
600 / nac ggt ggg agg tet ata taa gea gag ete gtt tag tga acc gte aga teg																	
600°	' nac	ggc	ggg	agg	tct	ata	taa	gca	gag	CEC	gee	Lag	cga	acc	900	aya.	ccg
	"ntg	cca	CCC	tee	aga	tat.	att	cgt	ctc	gag	ÇZA	atc	acc	tgg	cag	CCC	agc
1	/				~~~~												
651	cct	gga	gac	gcc	atc	cac	qct	gtt	ttg	acc	tcc	ata	gaa	gac	acc	999	acc
	gga	cct	cta	cga	tag	ata	сча	caa	aac	tgg	agg	tat	ctt	ctg	tgg	CCC	tgg
	23-		5	-33		J - L		-		*****			TAA	· a ·	D	I	, .
702	gat	003		+	~~=	~1 ~	tag	cct	agg	cca	caa	acc	ata	acc	cét	ata	cta
702	yac		900		990	~~~		~~~	~33	773	-33	taa	787	COO	aaa	tat	gat
	cta	39 c	cgg	agg	CCL	gag	all	gga		330	gcc	-22	37	w?	774	الالكه	ĞŜŢ
753	ggt	tat	tgg	aaa	att	aag	3 3c	CCC	grg	CAA	CCC	act	cga	CCC	CEE	cug	gaa
	cca	ata	acc	ttt	taa	ttc	ccg	gaa	cac	gtt	333	tga	gct	gaa	gaa	aac	CCC
						-	- (<u> </u>	Τ ΄	70	ten	n -	_				
804	tat	ctt	GAA	gaa	aaa	tat	gaa	42	cat	ttg	tat	gag	cgc	gat	gaa	ggt	gat//
•••	ata	паа	ctt	ctt	EEE	ata	čtt	ctc	gta	aac	ata	CLC	gcg	cta	ctt	cca	cta "
	er free	900			-									_	_		_
													V	P	R	S.	R
1365	<u> </u>	aat	aat	aac	gac	cat	cct	cca	aaa	tcg	gat	ctg	gtt	ccg	çgt	tct	aga
	# aaa	CCA	CCA	CCG	cta	qta	qqa	aat	ttt	age	cta	gac	caa	990	gca	aga	tet
		7	Š		75	ΤŔ	"K	. Ă_		•		<u>-</u>	,,	••	•	_	
1416	ج					223			MAA	cga	maa	ace	7				
1416	Lea	aca	ayı	ttg	cac			900	944	~^t	gtt	tac					
	agt	car	tca	aac	atg	- 559	LLL	uga	CEE	<u>qu.</u>	<u> </u>	- 737	#				
Int attk																	



pDEST27 8123 bp (rotated to position 7800)

Location (Base Nos.)	Gene Encoded
130793	GST
803927	attR1
10361695	CmR
18151899	inactivated ccdA
20372342	ccdB
23832507	attR2
26933055	SV40 polyA
32503705	fl intergenic region
37694187	SV40 promoter
42325026	neo
50905138	polyA
55496409	Apr
65587197	ori
762827	CMV promoter

1	ATAAGCAGAG	CTCGTTTAGT	GAACCGTCAG	ATCGCCTGGA	GACGCCATCC .	ACGCTGTTTT
61	CACCTCCATA	GAAGACACCG	GGACCGATCC	AGCCTCCGGA	CTCTAGCCTA	GGCCGCGGAC
121	CATGGCCCCCT	ATACTAGGTT	ATTGGAAAAT	TAAGGGCCTT	GTGCAACCCA	CTCGACTTCT
181	TTTGGAATAT	CTTGAAGAAA	AATATGAAGA	GCATTTGTAT	GAGCGCGATG	AAGGTGATAA
241	ATGGCGAAAC	AAAAAGTTTG	AATTGGGTTT	GGAGTTTCCC	AATCTTCCTT	ATTATATTGA
301	TECTEATETT	AAATTAACAC	AGTCTATGGC	CATCATACGT	TATATAGCTG	ACAAGCACAA
361	CATGTTGGGT	GGTTGTCCAA	AAGAGCGTGC	AGAGATTTCA	ATGCTTGAAG	GAGCGGTTTT
421	CCATATTAGA	TACGGTGTTT	CGAGAATTGC	ATATAGTAAA	GACTTTGAAA	CTCTCAAAGT
491	ԴՐԻՆԻՐԻՐԻՐ ԵՐ	AGCAAGCTAC	CTGAAATGCT	GAAAATGTTC	GAAGATCGTT	TATGTCATAA
541	ΑΤΤΤΑΤΑΤΑ	AATGGTGATC	ATGTAACCCA	TCCTGACTTC	ATGTTGTATG	ACCCTCTTGA
601	դերաբարարությու	TACATGGACC	CAATGTGCCT	GGATGCGTTC	CCAAAATTAG	TTTGTTTAA
661	ТТАТЭЭААА	GAAGCTATCC	CACAAATTGA	TAAGTACTTG	AAATCCAGCA	AGTATATAGC
721	ATCCCCTTTC	CAGGGCTGGC	AAGCCACGTT	TGGTGGTGGC	GACCATCCTC	CAAAATCGGA
781	TOTGGTTCCG	CGTTCTAGAT	CAACAAGTTT	GTACAAAAAA	GCTGAACGAG	AAACGTAAAA
841	TGATATAAAT	ATCAATATAT	TAAATTAGAT	TTTGCATAAA	AAACAGACTA	CATAATACTG
901	TAAAACACAA	CATATCCAGT	CACTATGGCG	GCCGCATTAG	GCACCCCAGG	CTTTACACTT
961	TATGCTTCCG	GCTCGTATAA	TGTGTGGATT	TTGAGTTAGG	ATCCGGCGAG	ATTTTCAGGA
1021	GCTAAGGAAG	CTAAAATGGA	GAAAAAAATC	ACTGGATATA	CCACCGTTGA	TATATCCCAA
1081	TGGCATCGTA	AAGAACATTT	TGAGGCATTT	CAGTCAGTTG	CTCAATGTAC	CTATAACCAG
1141	ACCGTTCAGC	TGGATATTAC	GGCCTTTTTA	AAGACCGTAA	AGAAAAATAA	GCACAAGTTT
1201	TATCCGGCCT	TTATTCACAT	TCTTGCCCGC	: CTGATGAATG	CTCATCCGGA	ATTCCGTATG
1261	GCAATGAAAG	ACGGTGAGCT	GGTGATATGG	GATAGTGTTC	ACCCTTGTTA	CACCGTTTTC
1321	CATGAGCAAA	CTGAAACGTT	TTCATCGCTC	TGGAGTGAAT	ACCACGACGA	TTTCCGGCAG
1381	TTTCTACACA	TATATTCGCA	AGATGTGGCG	TGTTACGGTG	AAAACCTGGC	CTATTTCCCT
1441	AAAGGGTTTA	TTGAGAATAT	GTTTTTCGTC	TCAGCCAATC	CCTGGGTGAG	TTTCACCAGT
150	TTTGATTTAA	ACGTGGCCAA	TATGGACAAC	C TTCTTCGCCC	CCGTTTTCAC	CATGGGCAAA
156	TATTATACGO	AAGGCGACAA	GGTGCTGAT	GCGCTGGCGA	TTCAGGTTCA	TCATGCCGTC
162	L TGTGATGGCT	TCCATGTCGG	CAGAATGCT	r aatgaattac	AACAGTACTG	CGATGAGTGG
1683	CAGGGCGGG	CGTAAAGATO	TGGATCCGG	C TTACTAAAAG	CCAGATAACA	GTATGCGTAT
174	1 TTGCGCGCTG	ATTTTTGCGG	TATAAGAAT	A TATACTGATA	TGTATACCCG	AAGTATGTCA
180	1 AAAAGAGGTO	TGCTATGAA	CAGCGTATT	A CAGTGACAGT	TGACAGCGAC	AGCTATCAGT
186	1 TGCTCAAGG	ATATATGAT	TCAATATCT	C CGGTCTGGT	AGCACAACCA	TGCAGAATGA
192	1 AGCCCGTCG	CTGCGTGCC	AACGCTGGA	A AGCGGAAAA	r CAGGAAGGGA	TGGCTGAGGT
198	1 CGCCCGGTT	C ATTGAAATG	A ACGGCTCTT	T TGCTGACGA	AACAGGGAC'I	GGTGAAATGC
204	1 AGTTTAAGG	TTACACCTA	r aaaagagag.	A GCCGTTATC	TCTGTTTGTG	GATGTACAGA
210	1 GTGATATTA	r TGACACGCC	C GGGCGACGG	A TGGTGATCC	CCTGGCCAGT	GCACGTCTGC
216	1 TGTCAGATA	A AGTCTCCCG	r gaactttac	C CGGTGGTGC	A TATCGGGGAT	GAAAGCTGGC
222	1 GCATGATGA	C CACCGATAT	G GCCAGTGTG	C CGGTCTCCG	TATCGGGGA	GAAGTGGCTG
228	1 ATCTCAGCC	A CCGCGAAAA	T GACATCAAA	A ACGCCATTA	A CCTGATGTT	TGGGGAATAT

FIGURE 47B

2341 AAATGTCAGG CTCCCTTATA CACAGCCAGT CTGCAGGTCG ACCATAGTGA CTGGATATGT 2401 TGTGTTTTAC AGTATTATGT AGTCTGTTTT TTATGCAAAA TCTAATTTAA TATATTGATA 2461 TTTATATCAT TTTACGTTTC TCGTTCAGCT TTCTTGTACA AAGTGGTTGA TCGCGTGCAT 2521 GCGACGTCAT AGCTCTCTCC CTATAGTGAG TCGTATTATA AGCTAGGCAC TGGCCGTCGT 2581 TTTACAACGT CGTGACTGGG AAAACTGCTA GCTTGGGATC TTTGTGAAGG AACCTTACTT 2641 CTGTGGTGTG ACATAATTGG ACAAACTACC TACAGAGATT TAAAGCTCTA AGGTAAATAT 2701 AAAATTTTTA AGTGTATAAT GTGTTAAACT AGCTGCATAT GCTTGCTGCT TGAGAGTTTT 2761 GCTTACTGAG TATGATTTAT GAAAATATTA TACACAGGAG CTAGTGATTC TAATTGTTTG 2821 TGTATTTAG ATTCACAGTC CCAAGGCTCA TTTCAGGCCC CTCAGTCCTC ACAGTCTGTT 2881 CATGATCATA ATCAGCCATA CCACATTTGT AGAGGTTTTA CTTGCTTTAA AAAACCTCCC 2941 ACACCTCCC CTGAACCTGA AACATAAAAT GAATGCAATT GTTGTTGTTA ACTTGTTTAT 3001 TGCAGCTTAT AATGGTTACA AATAAAGCAA TAGCATCACA AATTTCACAA ATAAAGCATT 3061 TTTTTCACTG CATTCTAGTT GTGGTTTGTC CAAACTCATC AATGTATCTT ATCATGTCTG 3121 GATCGATCCT GCATTAATGA ATCGGCCAAC GCGCGGGGAG AGGCGGTTTG CGTATTGGCT 3181 GGCGTAATAG CGAAGAGGCC CGCACCGATC GCCCTTCCCA ACAGTTGCGC AGCCTGAATG 3241 GCGAATGGGA CGCGCCCTGT AGCGGCGCAT TAAGCGCGGC GGGTGTGGTG GTTACGCGCA 3301 GCGTGACCGC TACACTTGCC AGCGCCCTAG CGCCCGCTCC TTTCGCTTTC TTCCCTTCCT 3361 TTCTCGCCAC GTTCGCCGGC TTTCCCCGTC AAGCTCTAAA TCGGGGGCTC CCTTTAGGGT 3421 TCCGATTTAG TGCTTTACGG CACCTCGACC CCAAAAAACT TGATTAGGGT GATGGTTCAC 3481 GTAGTGGGCC ATCGCCCTGA TAGACGGTTT TTCGCCCTTT GACGTTGGAG TCCACGTTCT 3541 TTAATAGTGG ACTCTTGTTC CAAACTGGAA CAACACTCAA CCCTATCTCG GTCTATTCTT 3601 TTGATTTATA AGGGATTTTG CCGATTTCGG CCTATTGGTT AAAAAATGAG CTGATTTAAC 3661 AAATATTTAA CGCGAATTTT AACAAAATAT TAACGTTTAC AATTTCGCCT GATGCGGTAT 3721 TTTCTCCTTA CGCATCTGTG CGGTATTTCA CACCGCATAC GCGGATCTGC GCAGCACCAT 3781 GGCCTGAAAT AACCTCTGAA AGAGGAACTT GGTTAGGTAC CTTCTGAGGC GGAAAGAACC 3841 AGCTGTGGAA TGTGTGTCAG TTAGGGTGTG GAAAGTCCCC AGGCTCCCCA GCAGGCAGAA 3901 GTATGCAAAG CATGCATCTC AATTAGTCAG CAACCAGGTG TGGAAAGTCC CCAGGCTCCC 3961 CAGCAGGCAG AAGTATGCAA AGCATGCATC TCAATTAGTC AGCAACCATA GTCCCGCCCC 4021 TAACTCCGCC CATCCCGCCC CTAACTCCGC CCAGTTCCGC CCATTCTCCG CCCCATGGCT 4081 GACTAATTTT TTTTATTTAT GCAGAGGCCG AGGCCGCCTC GGCCTCTGAG CTATTCCAGA 4141 AGTAGTGAGG AGGCTTTTTT GGAGGCCTAG GCTTTTGCAA AAAGCTTGAT TCTTCTGACA 4201 CAACAGTCTC GAACTTAAGG CTAGAGCCAC CATGATTGAA CAAGATGGAT TGCACGCAGG 4261 TTCTCCGGCC GCTTGGGTGG AGAGGCTATT CGGCTATGAC TGGGCACAAC AGACAATCGG 4321 CTGCTCTGAT GCCGCCGTGT TCCGGCTGTC AGCGCAGGGG CGCCCGGTTC TTTTTGTCAA 4381 GACCGACCTG TCCGGTGCCC TGAATGAACT GCAGGACGAG GCAGCGCGGC TATCGTGGCT 4441 GGCCACGACG GGCGTTCCTT GCGCAGCTGT GCTCGACGTT GTCACTGAAG CGGGAAGGGA 4501 CTGGCTGCTA TTGGGCGAAG TGCCGGGGCA GGATCTCCTG TCATCTCACC TTGCTCCTGC 4561 CGAGAAAGTA TCCATCATGG CTGATGCAAT GCGGCGGCTG CATACGCTTG ATCCGGCTAC 4621 CTGCCCATTC GACCACCAAG CGAAACATCG CATCGAGCGA GCACGTACTC GGATGGAAGC 4681 CGGTCTTGTC GATCAGGATG ATCTGGACGA AGAGCATCAG GGGCTCGCGC CAGCCGAACT 4741 GTTCGCCAGG CTCAAGGCGC GCATGCCCGA CGGCGAGGAT CTCGTCGTGA CCCATGGCGA 4801 TGCCTGCTTG CCGAATATCA TGGTGGAAAA TGGCCGCTTT TCTGGATTCA TCGACTGTGG 4861 CCGGCTGGGT GTGGCGGACC GCTATCAGGA CATAGCGTTG GCTACCCGTG ATATTGCTGA 4921 AGAGCTTGGC GGCGAATGGG CTGACCGCTT CCTCGTGCTT TACGGTATCG CCGCTCCCGA 4981 TTCGCAGCGC ATCGCCTTCT ATCGCCTTCT TGACGAGTTC TTCTGAGCGG GACTCTGGGG 5041 TTCGAAATGA CCGACCAAGC GACGCCCAAC CTGCCATCAC GATGGCCGCA ATAAAATATC 5101 TTTATTTCA TTACATCTGT GTGTTGGTTT TTTGTGTGAA TCGATAGCGA TAAGGATCCG 5161 CGTATGGTGC ACTCTCAGTA CAATCTGCTC TGATGCCGCA TAGTTAAGCC AGCCCCGACA 5221. CCCGCCAACA CCCGCTGACG CGCCCTGACG GGCTTGTCTG CTCCCGGCAT CCGCTTACAG 5281 ACAAGCTGTG ACCGTCTCCG GGAGCTGCAT GTGTCAGAGG TTTTCACCGT CATCACCGAA 5341 ACGCGCGAGA CGAAAGGGCC TCGTGATACG CCTATTTTTA TAGGTTAATG TCATGATAAT 5401 AATGGTTTCT TAGACGTCAG GTGGCACTTT TCGGGGAAAT GTGCGCGGAA CCCCTATTTG 5461 TTTATTTTC TAAATACATT CAAATATGTA TCCGCTCATG AGACAATAAC CCTGATAAAT 5521 GCTTCAATAA TATTGAAAAA GGAAGAGTAT GAGTATTCAA CATTTCCGTG TCGCCCTTAT 5581 TCCCTTTTTT GCGGCATTTT GCCTTCCTGT TTTTGCTCAC CCAGAAACGC TGGTGAAAGT 5641 AAAAGATGCT GAAGATCAGT TGGGTGCACG AGTGGGTTAC ATCGAACTGG ATCTCAACAG 5701 CGGTAAGATC CTTGAGAGTT TTCGCCCCGA AGAACGTTTT CCAATGATGA GCACTTTTAA 5761 AGTTCTGCTA TGTGGCGCGG TATTATCCCG TATTGACGCC GGGCAAGAGC AACTCGGTCG-

FIGURE 47C

5821	CCGCATACAC	TATTCTCAGA	ATGACTTGGT	TGAGTACTCA	CCAGTCACAG	AAAAGCATCT
5881	TACGGATGGC	ATGACAGTAA	GAGAATTATG	CAGTGCTGCC	ATAACCATGA	GTGATAACAC
5941	TGCGGCCAAC	TTACTTCTGA	CAACGATCGG	AGGACCGAAG	GAGCTAACCG	CTTTTTTGCA
6001	CAACATGGGG	GATCATGTAA	CTCGCCTTGA	TCGTTGGGAA	CCGGAGCTGA	ATGAAGCCAT
6061	ACCAAACGAC	GAGCGTGACA	CCACGATGCC	TGTAGCAATG	GCAACAACGT	TGCGCAAACT
6121	ATTAACTGGC	GAACTACTTA	CTCTAGCTTC	CCGGCAACAA	TTAATAGACT	GGATGGAGGC
6181	GGATAAAGTT	GCAGGACCAC	TTCTGCGCTC	GGCCCTTCCG	GCTGGCTGGT	TTATTGCTGA
6241	TAAATCTGGA	GCCGGTGAGC	GTGGGTCTCG	CGGTATCATT	GCAGCACTGG	GGCCAGATGG
6301	TAAGCCCTCC	CGTATCGTAG	TTATCTACAC	GACGGGGAGT	CAGGCAACTA	TGGATGAACG
6361	AAATAGACAG	ATCGCTGAGA	TAGGTGCCTC	ACTGATTAAG	CATTGGTAAC	TGTCAGACCA
6421	AGTTTACTCA	TATATACTTT	AGATTGATTT	AAAACTTCAT	TTTTAATTTA	AAAGGATCTA
6481	GGTGAAGATC	CTTTTTGATA	ATCTCATGAC	CAAAATCCCT	TAACGTGAGT	TTTCGTTCCA
6541	CTGAGCGTCA	GACCCCGTAG	AAAAGATCAA	AGGATCTTCT	TGAGATCCTT	TTTTTCTGCG
6601	CGTAATCTGC	TGCTTGCAAA	CAAAAAAACC	ACCGCTACCA	GCGGTGGTTT	GTTTGCCGGA
6661	TCAAGAGCTA	CCAACTCTTT	TTCCGAAGGT	AACTGGCTTC	AGCAGAGCGC	AGATACCAAA
6721	TACTGTCCTT	CTAGTGTAGC	CGTAGTTAGG	CCACCACTTC	AAGAACTCTG	TAGCACCGCC
6781	TACATACCTC	GCTCTGCTAA	TCCTGTTACC	AGTGGCTGCT	GCCAGTGGCG	ATAAGTCGTG
6841	TCTTACCGGG	TTGGACTCAA	GACGATAGTT	ACCGGATAAG	GCGCAGCGGT	CGGGCTGAAC
6901	GGGGGGTTCG	TGCACACAGC	CCAGCTTGGA	GCGAACGACC	TACACCGAAC	TGAGATACCT
6961	ACAGCGTGAG	CATTGAGAAA	GCGCCACGCT	TCCCGAAGGG	AGAAAGGCGG	ACAGGTATCC
7021	GGTAAGCGGC	AGGGTCGGAA	CAGGAGAGCG	CACGAGGGAG	CTTCCAGGGG	GAAACGCCTG
7081	GTATCTTTAT	AGTCCTGTCG	GGTTTCGCCA	CCTCTGACTT	GAGCGTCGAT	TTTTGTGATG
7141	CTCGTCAGGG	GGGCGGAGCC	TATGGAAAAA	CGCCAGCAAC	GCGGCCTTTT	TACGGTTCCT
7201	GGCCTTTTGC	TGGCCTTTTG	CTCACATGTT	CTTTCCTGCG	TTATCCCCTG	ATTCTGTGGA
7261	TAACCGTATT	ACCGCCTTTG	AGTGAGCTGA	TACCGCTCGC	CGCAGCCGAA	CGACCGAGCG
7321	CAGCGAGTCA	GTGAGCGAGG	AAGCGGAAGA	GCGCCCAATA	CGCAAACCGC	CTCTCCCCGC
7381	GCGTTGGCCG	ATTCATTAAT	GCAGAGCTTG	CAATTCGCGC	GTTTTTCAAT	ATTATTGAAG
7441	CATTTATCAG	GGTTATTGTC	TCATGAGCGG	ATACATATTT	GAATGTATTT	AGAAAAATAA
7501	ACAAATAGGG	GTTCCGCGCA	CATTTCCCCG	AAAAGTGCCA	CCTGACGTCT	AAGAAACCAT
7561	TATTATCATG	ACATTAACCT	ATAAAAATAG	GCGTAGTACG	AGGCCCTTTC	ACTCATTAGA
7621	TGCATGTCGT	TACATAACTT	ACGGTAAATG	GCCCGCCTGG	CTGACCGCCC	AACGACCCCC
7681	GCCCATTGAC	GTCAATAATG	ACGTATGTTC	CCATAGTAAC	GCCAATAGGG	ACTTTCCATT
7741	GACGTCAATG	GGTGGAGTAT	TTACGGTAAA	CTGCCCACTT	GGCAGTACAT	CAAGTGTATC
7801	ATATGCCAAG	TACGCCCCCT	ATTGACGTCA	ATGACGGTAA	ATGGCCCGCC	TGGCATTATG
7861	CCCAGTACAT	GACCTTATGG	GACTTTCCTA	CTTGGCAGTA	CATCTACGTA	TTAGTCATCG
7921	CTATTACCAT	GGTGATGCGG	TTTTGGCAGT	ACATCAATGG	GCGTGGATAG	CGGTTTGACT
7981	CACGGGGATT	TCCAAGTCTC	CACCCCATTG	ACGTCAATGG	GAGTTTGTTT	TGGCACCAAA
	ATCAACGGGA			ACTCCGCCCC	ATTGACGCAA	ATGGGCGGTA
8101	GGCGTGTACG	GTGGGAGGTC	TAT			

FIGURE 47)

Figure 48 A: pEXP501: pCMV-SPORT 6 host for attB Libraries




Figure 488: PEXP 50 (cont'd). Features of the att B cloning vector, PEXP 50 . Bases within hatched area are replaced by cDNA in some LTI cDNA libraries.

CMV mLNA

---aga get egt tta gtg aac egt cag ate gee tgg aga ege cat cea

---tet ega gea aat eac ttg gea gte tag egg ace tet geg gta ggt

cgc tgt ttt gac ctc cat aga aga cac cgg gac cga tcc agc ctc gcg aca aaa ctg gag gta tct tct gtg gcc ctg gct agg tcg gag

cgg act cta gcc tag gcc gcg gag cgg ata aca att tea cac agg gcc tga gat cgg atc cgg cgc ctc gcc tat tgt taa agt gtg tcc

ABI nev primer Sty SPG primer 596

aaa cag cta tga cca tta ggc cta ttt agg tga cac tat aga aca
ttt gtc gat act ggt aat ccg gat aaa tcc act gtg ata tct tgt

agt tig tac and and god gge tig tac con tee gga att cee ggg
tea and atg ttt ttt egt ceg at atg gee agg cet taa ggg cee

Enf I See Not Xb.

at A/Log Ecg/add ago tow ford/ground ggc cgc det aga gra tec
tat//age/age/tgc teg agt gat dag ecg ceg grg aga tet cat agg

dec gag ggg cot and ett acg cgt acc cag ctt tet tgt aca ang gag cdc dec ggg tte gan tge gda tgg gte gan aga aca tgt tte

acc and gat atc act cag cat aat att cga tcc gtg acc ggc agc

ttt tac aac gtc gtg act ggg aaa act gct agc ttg gga tct ttg--aaa atg ttg cag cac tga ccc ttt tga cga tcg aac cct aga aac---


LTI fue

pEXP501 4396 bp

					•	
1	CCATTCGCCA	TTCAGGCTGC	GCAACTGTTG	GGAAGGGCGA '	TCGGTGCGGG	CCTCTTCGCT
61	ATTACGCCAG	CCAATACGCA	AACCGCCTCT	CCCCGCGCGT '	TGGCCGATTC	ATTAATGCAG
121	GATCGATCCA	GACATGATAA	GATACATTGA	TGAGTTTGGA	CAAACCACAA	CTAGAATGCA
181	GTGAAAAAA	TGCTTTATTT	GTGAAATTTG	TGATGCTATT	GCTTTATTTG	TAACCATTAT
241	AAGCTGCAAT	AAACAAGTTA	ACAACAACAA	TTGCATTCAT	TTTATGTTTC	AGGTTCAGGG
301	GGAGGTGTGG	GAGGTTTTTT	AAAGCAAGTA	AAACCTCTAC	AAATGTGGTA	TGGCTGATTA
361	TGATCATGAA	CAGACTGTGA	GGACTGAGGG	GCCTGAAATG	AGCCTTGGGA	CTGTGAATCT
421	AAAATACACA	AACAATTAGA	ATCACTAGCT	CCTGTGTATA	ATATTTTCAT	AAATCATACT
481	CAGTAAGCAA	AACTCTCAAG	CAGCAAGCAT	ATGCAGCTAG	TTTAACACAT	TATACACTTA
541	AAAATTTTAT	ATTTACCTTA	GAGCTTTAAA	TCTCTGTAGG	TAGTTTGTCC	AATTATGTCA
601	CACCACAGAA	GTAAGGTTCC	TTCACAAAGA	TCCCAAGCTA	GCAGTTTTCC	CAGTCACGAC
661	GTTGTAAAAC	GACGGCCAGT	GCCTAGCTTA	TAATACGACT	CACTATAGGG	ACCACTTTGT
721	ACAAGAAAGC	TGGGTACGCG	TAAGCTTGGG	CCCCTCGAGG	GATCCTCTAG	AGCGGCCGCC
				AATTCCGGAC		
841	GTACAAACTT	GTTCTATAGT	GTCACCTAAA	TAGGCCTAAT	GGTCATAGCT	GTTTCCTGTG
901	TGAAATTGTT	ATCCGCTCCG	CGGCCTAGGC	TAGAGTCCGG	AGGCTGGATC	GGTCCCGGTG
961	TOTTOTATEG	AGGTCAAAAC	AGCGTGGATG	GCGTCTCCAG	GCGATCTGAC	GGTTCACTAA
1021	ACGAGCTCTG	CTTATATAGA	CCTCCCACCG	TACACGCCTA	CCGCCCATTT	GCGTCAATGG
1021	CCCCCACTTC	TTACGACATT	TTGGAAAGTC	CCGTTGATTT	TGGTGCCAAA	ACAAACTCCC
1141	ATTCACCTCA	ATGGGGTGGA	GACTTGGAAA	TCCCCGTGAG	TCAAACCGCT	ATCCACGCCC
				GGTAATAGCG		
1261	CTCCCAACTA	GGAAAGTCCC	ATAAGGTCAT	GTACTGGGCA	TAATGCCAGG	CGGGCCATTT
				TGGCATATGA		
1201	CTCCCCACTT	TACCGTAAAT	ACTCCACCCA	TTGACGTCAA	TGGAAAGTCC	CTATTGGCGT
1441	TACTATECEA	ACATACGTCA	TTATTGACGT	CAATGGGCGG	GGGTCGTTGG	GCGGTCAGCC
				GACATGCATC		
1501	ガカですれてはてご	מתעיייית	GTTAATGTCA	TGATAATAAT	GGTTTCTTAG	ACGTCAGGTG
				CTATTTGTTT		
1601	ATATGTATCC	GCTCATGAGA	CAATAACCCT	GATAAATGCT	TCAATAATAT	TGAAAAACGC
				GCCAACGCGC		
1801	TTGGGCGCTC	TTCCGCTTCC	TCGCTCACTG	ACTCGCTGCG	CTCGGTCGTT	CGGCTGCGGC
				TACGGTTATC		
1921	CACCAAAGAA	CATGTGAGCA	AAAGGCCAGC	AAAAGGCCAG	GAACCGTAAA	AAGGCCGCGT
1981	TGCTGGCGTT	TTTCCATAGG	CTCCGCCCCC	CTGACGAGCA	TCACAAAAAT	CGACGCTCAA
				AAAGATACCA		
				CGCTTACCGG		
				CACGCTGTAG		
2201	TCCTTCCCTC	CAAGCTGGGC	TGTGTGCAC	AACCCCCGT	TCAGCCCGAC	CGCTGCGCCT
2222	TATCCGGTAR	CTATCGTCTT	GAGTCCAACO	CGGTAAGACA	CGACTTATCG	CCACTGGCAG
2341	CAGCCACTGG	TAACAGGATI	AGCAGAGCG	GGTATGTAGG	CGGTGCTACA	GAGTTCTTGA
2401	AGTGGTGGCC	TAACTACGGC	TACACTAGAZ	GGACAGTATT	TGGTATCTGC	GCTCTGCTGA
				A GCTCTTGATC		
				CAGATTACGCG		
250	A AGATCCTTT	GATCTTTTCT	ACGGGGTCTC	ACGCTCAGTG	GAACGAAAAC	TCACGTTAAG
256.	CCATTTTCC1	CATGCCATA	CTTCGTATAC	CATACATTAT	ACGAAGTTAT	GGCATGAGAT
2011.	TATCAAAAA	GATCTTCACC	TAGATCCTT	ΤΑΑΑΤΤΑΑΑΤ	ATGAAGTTTT	AAATCAATCT
210.	TAICHHANN.	יים ברדם המכיים	TGGTCTGAC	A GTTACCAATC	CTTAATCAGT	GAGGCACCTA
200	T TOTOLOGIALAL	ר כיינירניים ייים	CGTTCATCC	TAGTTGCCTG	ACTCCCCGTC	GTGTAGATAA
202.	TOTACCATAC	GGAGGGCTT	CCATCTGGC	C CCAGTGCTGC	AATGATACCG	CGAGACCCAC
200.	L CLACGAIAC	TCCAGATTT	TCAGCAATA	A ACCAGCCAGC	CGGAAGGGCC	GAGCGCAGAA
200	T GCICHCCGG	Z ZOGGGETTE	GCCTCCATC	г астгтаттаа	TTGTTGCCGG	GAAGCTAGAG
						GCATCGTGG
300	I TANGINGIT	CTCGTTAR.	י איינגריייראי	T TOTAGETTE	TTCCCAACGE	TCAAGGCGAG-
212	T TRICHCACT					

3181 TTACATGATC	CCCCATGTTG	TGCAAAAAAG	CGGTTAGCTC	CTTCGGTCCT	CCGATCGTTG
3241 TCAGAAGTAA	GTTGGCCGCA	GTGTTATCAC	TCATGGTTAT	GGCAGCACTG	CATAATTCTC
3301 TTACTGTCAT	GCCATCCGTA	AGATGCTTTT	CTGTGACTGG	TGAGTACTCA	ACCAAGTCAT
3361 TCTGAGAATA	GTGTATGCGG	CGACCGAGTT	GCTCTTGCCC	GGCGTCAATA	CGGGATAATA
3421 CCGCGCCACA	TAGCAGAACT	TTAAAAGTGC	TCATCATTGG	AAAACGTTCT	TCGGGGCGAA
3481 AACTCTCAAG	GATCTTACCG	CTGTTGAGAT	CCAGTTCGAT	GTAACCCACT	CGTGCACCCA
3541 ACTGATCTTC	AGCATCTTTT	ACTTTCACCA	GCGTTTCTGG	GTGAGCAAAA	ACAGGAAGGC
3601 AAAATGCCGC	AAAAAAGGGA	ATAAGGGCGA	CACGGAAATG	TTGAATACTC	ATACTCTTCC
3661 TTTTTCAATA	TTATTGAAGC	ATTTATCAGG	GTTATTGTCT	CATGCCAGGG	GTGGGCACAC
3721 ATATTTGATA	CCAGCGATCC	CTACACAGCA	CATAATTCAA	TGCGACTTCC	CTCTATCGCA
3781 CATCTTAGAC	CTTTATTCTC	CCTCCAGCAC	ACATCGAAGC	TGCCGAGCAA	GCCGTTCTCA
3841 CCAGTCCAAG	ACCTGGCATG	AGCGGATACA	TATTTGAATG	TATTTAGAAA	AATAAACAAA
3901 TAGGGGTTCC	GCGCACATTT	CCCCGAAAAG	TGCCACCTGA	AATTGTAAAC	GTTAATATTT
3961 TGTTAAAATT	CGCGTTAAAT	TTTTGTTAAA	TCAGCTCATT	TTTTAACCAA	TAGGCCGAAA
4021 TCGGCAAAAT	CCCTTATAAA	TCAAAAGAAT	AGACCGAGAT	AGGGTTGAGT	GTTGTTCCAG
4081 TTTGGAACAA	GAGTCCACTA	TTAAAGAACG	TGGACTCCAA	CGTCAAAGGG	CGAAAAACCG
4141 TCTATCAGGG	CGATGGCCCA	CTACGTGAAC	CATCACCCTA	ATCAAGTTTT	TTGGGGTCGA
4201 GGTGCCGTAA	AGCACTAAAT	CGGAACCCTA	AAGGGAGCCC	CCGATTTAGA	GCTTGACGGG
4261 GAAAGCCGGC	GAACGTGGCG	AGAAAGGAAG	GGAAGAAAGC	GAAAGGAGCG	GGCGCTAGGG
4321 CGCTGGCAAG	TGTAGCGGTC	ACGCTGCGCG	TAACCACCAC	ACCCGCCGCG	CTTAATGCGC
4381 CGCTACAGGG	CGCGTC				

FIGURE 48D




pDONR201 4470 bp (rotated to position 3516)

Location (Base Nos.)	Gene Encoded
26029	attP1
656961	ccdB
10991184	ccdA
13031962	CmR
22102442	attP2
25653374	Kmr
34954134	ori

1 GTTAACGCTA GCATGGATCT CGGGCCCCAA ATAATGATTT TATTTTGACT GATAGTGACC 61 TGTTCGTTGC AACAAATTGA TGAGCAATGC TTTTTTATAA TGCCAACTTT GTACAAAAAA 121 GCTGAACGAG AAACGTAAAA TGATATAAAT ATCAATATAT TAAATTAGAT TTTGCATAAA 181 AAACAGACTA CATAATACTG TAAAACACAA CATATCCAGT CACTATGAAT CAACTACTTA 241 GATGGTATTA GTGACCTGTA GTCGACCGAC AGCCTTCCAA ATGTTCTTCG GGTGATGCTG 301 CCAACTTAGT CGACCGACAG CCTTCCAAAT GTTCTTCTCA AACGGAATCG TCGTATCCAG 361 CCTACTCGCT ATTGTCCTCA ATGCCGTATT AAATCATAAA AAGAAATAAG AAAAAGAGGT 421 GCGAGCCTCT TTTTTGTGTG ACAAAATAAA AACATCTACC TATTCATATA CGCTAGTGTC 481 ATAGTCCTGA AAATCATCTG CATCAAGAAC AATTTCACAA CTCTTATACT TTTCTCTTAC 541 AAGTCGTTCG GCTTCATCTG GATTTTCAGC CTCTATACTT ACTAAACGTG ATAAAGTTTC 601 TGTAATTTCT ACTGTATCGA CCTGCAGACT GGCTGTGTAT AAGGGAGCCT GACATTTATA 661 TTCCCCAGAA CATCAGGTTA ATGGCGTTTT TGATGTCATT TTCGCGGTGG CTGAGATCAG 721 CCACTTCTTC CCCGATAACG GAGACCGGCA CACTGGCCAT ATCGGTGGTC ATCATGCGCC 781 AGCTTTCATC CCCGATATGC ACCACCGGGT AAAGTTCACG GGAGACTTTA TCTGACAGCA 841 GACGTGCACT GGCCAGGGG ATCACCATCC GTCGCCCGGG CGTGTCAATA ATATCACTCT 901 GTACATCCAC AAACAGACGA TAACGGCTCT CTCTTTTATA GGTGTAAACC TTAAACTGCA 961 TTTCACCAGT CCCTGTTCTC GTCAGCAAAA GAGCCGTTCA TTTCAATAAA CCGGGCGACC 1021 TCAGCCATCC CTTCCTGATT TTCCGCTTTC CAGCGTTCGG CACGCAGACG ACGGGCTTCA 1081 TTCTGCATGG TTGTGCTTAC CAGACCGGAG ATATTGACAT CATATATGCC TTGAGCAACT 1141 GATAGCTGTC GCTGTCAACT GTCACTGTAA TACGCTGCTT CATAGCACAC CTCTTTTTGA 1201 CATACTTCGG GTATACATAT CAGTATATAT TCTTATACCG CAAAAATCAG CGCGCAAATA 1261 CGCATACTGT TATCTGGCTT TTAGTAAGCC GGATCCACGC GATTACGCCC CGCCCTGCCA 1321 CTCATCGCAG TACTGTTGTA ATTCATTAAG CATTCTGCCG ACATGGAAGC CATCACAGAC 1381 GGCATGATGA ACCTGAATCG CCAGCGGCAT CAGCACCTTG TCGCCTTGCG TATAATATTT 1441 GCCCATGGTG AAAACGGGGG CGAAGAAGTT GTCCATATTG GCCACGTTTA AATCAAAACT 1501 GGTGAAACTC ACCCAGGGAT TGGCTGAGAC GAAAAACATA TTCTCAATAA ACCCTTTAGG 1561 GAAATAGGCC AGGTTTTCAC CGTAACACGC CACATCTTGC GAATATATGT GTAGAAACTG 1621 CCGGAAATCG TCGTGGTATT CACTCCAGAG CGATGAAAAC GTTTCAGTTT GCTCATGGAA 1681 AACGGTGTAA CAAGGGTGAA CACTATCCCA TATCACCAGC TCACCGTCTT TCATTGCCAT 1741 ACGGAATTCC GGATGAGCAT TCATCAGGCG GGCAAGAATG TGAATAAAGG CCGGATAAAA 1801 CTTGTGCTTA TTTTTCTTTA CGGTCTTTAA AAAGGCCGTA ATATCCAGCT GAACGGTCTG 1861 GTTATAGGTA CATTGAGCAA CTGACTGAAA TGCCTCAAAA TGTTCTTTAC GATGCCATTG 1921 GGATATATCA ACGGTGGTAT ATCCAGTGAT TTTTTTCTCC ATTTTAGCTT CCTTAGCTCC 1981 TGANAATCTC GATAACTCAA AAAATACGCC CGGTAGTGAT CTTATTTCAT TATGGTGAAA 2041 GTTGGAACCT CTTACGTGCC GATCAACGTC TCATTTTCGC CAAAAGTTGG CCCAGGGCTT 2101 CCCGGTATCA ACAGGGACAC CAGGATTTAT TTATTCTGCG AAGTGATCTT CCGTCACAGG 2161 TATTTATTCG GCGCAAAGTG CGTCGGGTGA TGCTGCCAAC TTAGTCGACT ACAGGTCACT 2221 AATACCATCT AAGTÄGTTGA TTCATAGTGA CTGGATATGT TGTGTTTTAC AGTATTATGT 2281 AGTCTGTTTT TTATGCAAAA TCTAATTTAA TATATTGATA TTTATATCAT TTTACGTTTC 2341 TCGTTCAGCT TTCTTGTACA AAGTTGGCAT TATAAGAAAG CATTGCTTAT CAATTTGTTG 2401 CAACGAACAG GTCACTATCA GTCAAAATAA AATCATTATT TGCCATCCAG CTGCAGCTCT 2461 GGCCCGTGTC TCAAAATCTC TGATGTTACA TTGCACAAGA TAAAAATATA TCATCATGAA 2521 CAATAAAACT GTCTGCTTAC ATAAACAGTA ATACAAGGGG TGTTATGAGC CATATTCAAC 2581 GGGAAACGTC GAGGCCGCGA TTAAATTCCA ACATGGATGC TGATTTATAT GGGTATAAAT 2641 GGGCTCGCGA TAATGTCGGG CAATCAGGTG CGACAATCTA TCGCTTGTAT GGGAAGCCCG 2701 ATGCGCCAGA GTTGTTTCTG AAACATGGCA AAGGTAGCGT TGCCAATGAT GTTACAGATG~

276	51	AGATGGTCAG	ACTAAACTGG	CTGACGGAAT	TTATGCCTCT	TCCGACCATC	AAGCATTTTA
282	21	TCCGTACTCC	TGATGATGCA	TGGTTACTCA	CCACTGCGAT	CCCCGGAAAA	ACAGCATTCC
288	31	AGGTATTAGA	AGAATATCCT	GATTCAGGTG	AAAATATTGT	TGATGCGCTG	GCAGTGTTCC
294	41	TGCGCCGGTT	GCATTCGATT	CCTGTTTGTA	ATTGTCCTTT	TAACAGCGAT	CGCGTATTTC
300	01	GTCTCGCTCA	GGCGCAATCA	CGAATGAATA	ACGGTTTGGT	TGATGCGAGT	GATTTTGATG
306	51	ACGAGCGTAA	TGGCTGGCCT	GTTGAACAAG	TCTGGAAAGA	AATGCATAAA	CTTTTGCCAT
312	21	TCTCACCGGA	TTCAGTCGTC	ACTCATGGTG	ATTTCTCACT	TGATAACCTT	ATTTTTGACG
318	81	AGGGGAAATT	AATAGGTTGT	ATTGATGTTG	GACGAGTCGG	AATCGCAGAC	CGATACCAGG
324	41	ATCTTGCCAT	CCTATGGAAC	TGCCTCGGTG	AGTTTTCTCC	TTCATTACAG	AAACGGCTTT
33	01	TTCAAAAATA	TGGTATTGAT	AATCCTGATA	TGAATAAATT	GCAGTTTCAT	TTGATGCTCG
330	61	ATGAGTTTTT	CTAATCAGAA	TTGGTTAATT	GGTTGTAACA	CTGGCAGAGC	ATTACGCTGA
342	21	CTTGACGGGA	CGGCGCAAGC	TCATGACCAA	AATCCCTTAA	CGTGAGTTTT	CGTTCCACTG
34	81	AGCGTCAGAC	CCCGTAGAAA	AGATCAAAGG	ATCTTCTTGA	GATCCTTTTT	TTCTGCGCGT
354	41	AATCTGCTGC	TTGCAAACAA	AAAAACCACC	GCTACCAGCG	GTGGTTTGTT	TGCCGGATCA
36	01	AGAGCTACCA	ACTCTTTTTC	CGAAGGTAAC	TGGCTTCAGC	AGAGCGCAGA	TACCAAATAC
36	61	TGTCCTTCTA	GTGTAGCCGT	AGTTAGGCCA	CCACTTCAAG	AACTCTGTAG	CACCGCCTAC
37	21	ATACCTCGCT	CTGCTAATCC	TGTTACCAGT	GGCTGCTGCC	AGTGGCGATA	AGTCGTGTCT
37	81	TACCGGGTTG	GACTCAAGAC	GATAGTTACC	GGATAAGGCG	CAGCGGTCGG	GCTGAACGGG
38	41	GGGTTCGTGC	ACACAGCCCA	GCTTGGAGCG	AACGACCTAC	ACCGAACTGA	GATACCTACA
39	01	GCGTGAGCTA	TGAGAAAGCG	CCACGCTTCC	CGAAGGGAGA	AAGGCGGACA	GGTATCCGGT
39	61	AAGCGGCAGG	GTCGGAACAG	GAGAGCGCAC	GAGGGAGCTT	CCAGGGGGAA	ACGCCTGGTA
40	21	TCTTTATAGT	CCTGTCGGGT	TTCGCCACCT	CTGACTTGAG	CGTCGATTTT	TGTGATGCTC
40	81	GTCAGGGGGG	CGGAGCCTAT	GGAAAAACGC	CAGCAACGCG	GCCTTTTTAC	GGTTCCTGGC
41	41	CTTTTGCTGG	CCTTTTGCTC	ACATGTTCTT	TCCTGCGTTA	TCCCCTGATT	CTGTGGATAA
42	01	CCGTATTACC	GCTAGCCAGG	AAGAGTTTGT	AGAAACGCAA	AAAGGCCATC	CGTCAGGATG
42	61	GCCTTCTGCT	TAGTTTGATG	CCTGGCAGTT	TATGGCGGGC	GTCCTGCCCG	CCACCCTCCG
43	21	GGCCGTTGCT	TCACAACGTT	CAAATCCGCT	CCCGGCGGAT	TTGTCCTACT	CAGGAGAGCG
43	81	TTCACCGACA	AACAACAGAT	AAAACGAAAG	GCCCAGTCTT	CCGACTGAGC	CTTTCGTTTT
44	41	ATTTGATGCC	TGGCAGTTCC	CTACTCTCGC			

FIGURE 49C




Gene Encoded

pDONR202 4204 bp

Location (Base Nos.)

		369127	1	attP1		
		486105		ori		
		122821	.07	KmR		
		238121		attP2		
		262932	88	CmR		
		340834		inacti	vated ccdA	
		363039	35	ccdB		
1	CGGCATTGAG	GACAATAGCG	AGTAGGCTGG	ATACGACGAT	TCCGTTTGAG	AAGAACATTT
61	GGAAGGCTGT	CGGTCGACTA	AGTTGGCAGC	ATCACCCGAA	GAACATTTGG	AAGGCTGTCG
121	GTCGACTACA	GGTCACTAAT	ACCATCTAAG	TAGTTGATTC	ATAGTGACTG	GATATGTTGT
181	GTTTTACAGT	ATTATGTAGT	CTGTTTTTTA	TGCAAAATCT	AATTTAATAT	ATTGATATTT
241	ATATCATTTT	ACGTTTCTCG	TTCAGCTTTT	TTGTACAAAG	TTGGCATTAT	AAAAAAGCAT
301	TGCTCATCAA	TTTGTTGCAA	CGAACAGGTC	ACTATCAGTC	AAAATAAAAT	CATTATTTGG
361	GGCCCGAGAT	CCATGCTAGC	GGTAATACGG	TTATCCACAG	AATCAGGGGA	TAACGCAGGA
421	AAGAACATGT	GAGCAAAAGG	CCAGCAAAAG	GCCAGGAACC	GTAAAAAGGC	CGCGTTGCTG
481	GCGTTTTTCC	ATAGGCTCCG	CCCCCTGAC	GAGCATCACA	AAAATCGACG	CTCAAGTCAG
541	AGGTGGCGAA	ACCCGACAGG	ACTATAAAGA	TACCAGGCGT	TTCCCCCTGG	AAGCTCCCTC
601	GTGCGCTCTC	CTGTTCCGAC	CCTGCCGCTT	ACCGGATACC	TGTCCGCCTT	TCTCCCTTCG
661	GGAAGCGTGG	CGCTTTCTCA	TAGCTCACGC	TGTAGGTATC	TCAGTTCGGT	GTAGGTCGTT
721	CGCTCCAAGC	TGGGCTGTGT	GCACGAACCC	CCCGTTCAGC	CCGACCGCTG	CGCCTTATCC
781	GGTAACTATC	GTCTTGAGTC	CAACCCGGTA	AGACACGACT	TATCGCCACT	GGCAGCAGCC
841	ACTGGTAACA	GGATTAGCAG	AGCGAGGTAT	GTAGGCGGTG	CTACAGAGTT	CTTGAAGTGG
				GTATTTGGTA		
961	GTTACCTTCG	GAAAAAGAGT	TGGTAGCTCT	TGATCCGGCA	AACAAACCAC	CGCTGGTAGC
1021	GGTGGTTTTT	TTGTTTGCAA	GCAGCAGATT	ACGCGCAGAA	AAAAAGGATC	TCAAGAAGAT
1081	CCTTTGATCT	TTTCTACGGG	GTCTGACGCT	CAGTGGAACG	AAAACTCACG	TTAAGGGATT
1141	TTGGTCATGA	GCTTGCGCCG	TCCCGTCAAG	TCAGCGTAAT	GCTCTGCCAG	TGTTACAACC
1201	AATTAACCAA	TTCTGATTAG	AAAAACTCAT	CGAGCATCAA	ATGAAACTGC	AATTTATTCA
1261	TATCAGGATT	ATCAATACCA	TATTTTTGAA	AAAGCCGTTT	CTGTAATGAA	GGAGAAAACT
1321	CACCGAGGCA	GTTCCATAGG	ATGGCAAGAT	CCTGGTATCG	GTCTGCGATT	CCGACTCGTC
1381	CAACATCAAT	ACAACCTATT	AATTTCCCCT	CGTCAAAAAT	AAGGTTATCA	AGTGAGAAAT
1441	CACCATGAGT	GACGACTGAA	TCCGGTGAGA	ATGGCAAAAG	TTTATGCATT	TCTTTCCAGA
1501	CTTGTTCAAC	AGGCCAGCCA	TTACGCTCGT	CATCAAAATC	ACTCGCATCA	ACCAAACCGT
1561	TATTCATTCG	TGATTGCGCC	TGAGCGAGAC	GAAATACGCG	ATCGCTGTTA	AAAGGACAAT
1621	TACAAACAGG	AATCGAATGC	AACCGGCGCA	GGAACACTGC	CAGCGCATCA	ACAATATTTT
1681	CACCTGAATC	AGGATATTCT	TCTAATACCT	GGAATGCTGT	TTTTCCGGGG	ATCGCAGTGG
1741	TGAGTAACCA	TGCATCATCA	GGAGTACGGA	TAAAATGCTT	GATGGTCGGA	AGAGGCATAA
1801	ATTCCGTCAG	CCAGTTTAGT	CTGACCATCT	CATCTGTAAC	ATCATTGGCA	ACGCTACCTT
1861	TGCCATGTTT	CAGAAACAAC	TCTGGCGCAT	CGGGCTTCCC	ATACAAGCGA	TAGATTGTCG
1921	CACCTGATTG	CCCGACATTA	TCGCGAGCCC	ATTTATACCC	ATATAAATCA	GCATCCATGT
1981	TGGAATTTAA	TCGCGGCCTC	GACGTTTCCC	GTTGAATATG	GCTCATAACA	CCCCTTGTAT
2041	TACTGTTTAT	GTAAGCAGAC	AGTTTTATTG	TTCATGATGA	TATATTTTTA	TCTTGTGCAA
2101	TGTAACATCA	GAGATTTTGA	GACACGGGCC	AGAGCTGCAG	CTGGATGGCA	AATAATGATT
2161	TTATTTTGAC	TGATAGTGAC	CTGTTCGTTG	CAACAAATTG	ATAAGCAATG	CTTTCTTATA
2221:	ATGCCAACTT	TGTACAAGAA	AGCTGAACGA	GAAACGTAAA	ATGATATAAA	TATCAATATA
2281	TTAAATTAGA	TTTTGCATAA	AAAACAGACT	ACATAATACT	GTAAAACACA	ACATATCCAG
2341	TCACTATGAA	TCAACTACTT	AGATGGTATT	AGTGACCTGT	AGTCGACTAA	GTTGGCAGCA
2401	TCACCCGACG	CACTTTGCGC	CGAATAAATA	CCTGTGACGG	AAGATCACTT	CGCAGAATAA
2461	ATAAATCCTG	GTGTCCCTGT	TGATACCGGG	AAGCCCTGGG	CCAACTTTTG	GCGAAAATGA
2521	GACGTTGATC	GGCACGTAAG	AGGTTCCAAC	TTTCACCATA	ATGAAATAAG	ATCACTACCG
2581	GGCGTATTTT	TTGAGTTATC	GAGATTTTCA	GGAGCTAAGG	AAGCTAAAAT	GGAGAAAAA
2641	ATCACTGGAT	ATACCACCGT	TGATATATCC	CAATGGCATC	GTAAAGAACA	TTTTGAGGCA
2701	TTTCAGTCAG	TTGCTCAATG	TACCTATAAC	CAGACCGTTC	AGCTGGATAT	TACGGCCTTT -

2761	TTAAAGACCG	TAAAGAAAAA	TAAGCACAAG	TTTTATCCGG	${\tt CCTTTATTCA}$	CATTCTTGCC
2821	CGCCTGATGA	ATGCTCATCC	GGAATTCCGT	ATGGCAATGA	AAGACGGTGA	GCTGGTGATA
2881	TGGGATAGTG	TTCACCCTTG	TTACACCGTT	TTCCATGAGC	AAACTGAAAC	GTTTTCATCG
2941	CTCTGGAGTG	AATACCACGA	CGATTTCCGG	CAGTTTCTAC	ACATATATTC	GCAAGATGTG
3001	GCGTGTTACG	GTGAAAACCT	GGCCTATTTC	CCTAAAGGGT	TTATTGAGAA	TATGTTTTTC
3061	GTCTCAGCCA	ATCCCTGGGT	GAGTTTCACC	AGTTTTGATT	TAAACGTGGC	CAATATGGAC
3121	AACTTCTTCG	CCCCCGTTTT	CACCATGGGC	AAATATTATA	CGCAAGGCGA	CAAGGTGCTG
3181	ATGCCGCTGG	CGATTCAGGT	TCATCATGCC	GTCTGTGATG	GCTTCCATGT	CGGCAGAATG
3241	CTTAATGAAT	TACAACAGTA	CTGCGATGAG	TGGCAGGGCG	GGGCGTAATC	GCGTGGATCC
3301	GGCTTACTAA	AAGCCAGATA	ACAGTATGCG	TATTTGCGCG	CTGATTTTTG	CGGTATAAGA
3361	ATATATACTG	ATATGTATAC	CCGAAGTATG	TCAAAAAGAG	GTGTGCTATG	AAGCAGCGTA
3421	TTACAGTGAC	AGTTGACAGC	GACAGCTATC	AGTTGCTCAA	GGCATATATG	ATGTCAATAT
3481	CTCCGGTCTG	GTAAGCACAA	CCATGCAGAA	TGAAGCCCGT	CGTCTGCGTG	CCGAACGCTG
3541	GAAAGCGGAA	AATCAGGAAG	GGATGGCTGA	GGTCGCCCGG	TTTATTGAAA	TGAACGGCTC
3601	TTTTGCTGAC	GAGAACAGGG	ACTGGTGAAA	TGCAGTTTAA	GGTTTACACC	TATAAAAGAG
3661	AGAGCCGTTA	TCGTCTGTTT	GTGGATGTAC	AGAGTGATAT	TATTGACACG	CCCGGGCGAC
3721	GGATGGTGAT	CCCCCTGGCC	AGTGCACGTC	TGCTGTCAGA	TAXAGTCTCC	CGTGAACTTT
3781	ACCCGGTGGT	GCATATCGGG	GATGAAAGCT	GGCGCATGAT	GACCACCGAT	ATGGCCAGTG
3841	TGCCGGTCTC	CGTTATCGGG	GAAGAAGTGG	CTGATCTCAG	CCACCGCGAA	AATGACATCA
3901	AAAACGCCAT	TAACCTGATG	TTCTGGGGAA	TATAAATGTC	AGGCTCCCTT	ATACACAGCC
3961	AGTCTGCAGG	TCGATACAGT	AGAAATTACA	GAAACTTTAT	CACGTTTAGT	AAGTATAGAG
4021	GCTGAAAATC	CAGATGAAGC	CGAACGACTT	GTAAGAGAAA	AGTATAAGAG	TTGTGAAATT
4081	GTTCTTGATG	CAGATGATTT	TCAGGACTAT	GACACTAGCG	TATATGAATA	GGTAGATGTT
4141	TTTATTTTGT	CACACAAAAA	AGAGGCTCGC	ACCTCTTTTT	CTTATTTCTT	TTTATGATTT
4201	AATA					



pDONR203 4208 bp


Location (Base Nos.)	<u>Gene Encoded</u>
47131	inactivated ccdA
251910	CmR
11581398	attP2
15092082	ori
22513130	KmR
34643174	attPļ
38124117	ccdB

		381241	17	ccdB	•	
				CTGCATGGTT		
				TAGCTGTCGC		
				TACTTCGGGT		
				CATACTGTTA		
				CATCGCAGTA		
				CATGATGAAC		
				CCATGGTGAA		
				TGAAACTCAC		
				AATAGGCCAG		
				GGAAATCGTC		
				CGGTGTAACA		
				GGAATTCCGG		
				TGTGCTTATT		
				TATAGGTACA		
				ATATATCAAC		
				AAAATCTCGA		
				TGGAACCTCT		
				CGGTATCAAC		
				TTTATTCGGC		
				TACCATCTAA		
				TCTGTTTTTT		
				GTTCAGCTTT		
				ACGAACAGGT		
				CGGTTATCCA		
				AAGGCCAGGA		
				GACGAGCATC		
				AGATACCAGG		
				CTTACCGGAT		
				CGCTGTAGGT		
				CCCCCGTTC		
				GTAAGACACG		
				TATGTAGGCG		
				ACAGTATTTG		
				TCTTGATCCG		
				ATTACGCGCA		
				GCTCAGTGGA		
				AAGTCAGCGT		
				CATCGAGCAT		
				GAAAAAGCCG		
				GATCCTGGTA		
				CCTCGTCAAA		
				AGAATGGCAA		
				CGTCATCAAA		
				GACGAAATAC		***
				GCAGGAACAC		
270	L TTTCACCTGA	A ATCAGGATAT	TCTTCTAATA	a CCTGGAATGC	, IGILLLICCG	GGGATCGCAG-

2761	TGGTGAGTAA	CCATGCATCA	TCAGGAGTAC	GGATAAAATG	CTTGATGGTC	GGAAGAGGCA
2821	TAAATTCCGT	CAGCCAGTTT	AGTCTGACCA	TCTCATCTGT	AACATCATTG	GCAACGCTAC
2881	CTTTGCCATG	TTTCAGAAAC	AACTCTGGCG	CATCGGGCTT	CCCATACAAG	CGATAGATTG
2941	TCGCACCTGA	TTGCCCGACA	TTATCGCGAG	CCCATTTATA	CCCATATAAA	TCAGCATCCA
3001	TGTTGGAATT	TAATCGCGGC	CTCGACGTTT	CCCGTTGAAT	ATGGCTCATA	ACACCCCTTG
3061	TATTACTGTT	TATGTAAGCA	GACAGTTTTA	TTGTTCATGA	TGATATATTT	TTATCTTGTG
3121	CAATGTAACA	TCAGAGATTT	TGAGACACGG	GCCAGAGCTG	CAGCTAGCAT	GGATCTCGGG
3181	CCCCAAATAA	TGATTTTATT	TTGACTGATA	GTGACCTGTT	CGTTGCAACA	AATTGATGAG
3241	CAATGCTTTT	TTATAATGCC	AACTTTGTAC	AAAAAAGCTG	AACGAGAAAC	GTAAAATGAT
3301	ATAAATATCA	ATATATTAAA	TTAGATTTTG	CATAAAAAAC	AGACTACATA	ATACTGTAAA
3361	ACACAACATA	TCCAGTCACT	ATGAATCAAC	TACTTAGATG	GTATTAGTGA	CCTGTAGTCG
3421	ACCGACAGCC	TTCCAAATGT	TCTTCGGGTG	ATGCTGCCAA	CTTAGTCGAC	CGACAGCCTT
3481	CCAAATGTTC	TTCTCAAACG	GAATCGTCGT	ATCCAGCCTA	CTCGCTATTG	TCCTCAATGC
3541	CGTATTAAAT	CATAAAAAGA	AATAAGAAAA	AGAGGTGCGA	GCCTCTTTTT	TGTGTGACAA
3601	AATAAAAACA	TCTACCTATT	CATATACGCT	AGTGTCATAG	TCCTGAAAAT	CATCTGCATC
3661	AAGAACAATT	TCACAACTCT	TATACTTTTC	TCTTACAAGT	CGTTCGGCTT	CATCTGGATT
3721	TTCAGCCTCT	ATACTTACTA	AACGTGATAA	AGTTTCTGTA	ATTTCTACTG	TATCGACCTG
3781	CAGACTGGCT	GTGTATAAGG	GAGCCTGACA	TTTATATTCC	CCAGAACATC	AGGTTAATGG
3841	CGTTTTTGAT	GTCATTTTCG	CGGTGGCTGA	GATCAGCCAC	TTCTTCCCCG	ATAACGGAGA
3901	CCGGCACACT	GGCCATATCG	GTGGTCATCA	TGCGCCAGCT	TTCATCCCCG	ATATGCACCA
3961	CCGGGTAAAG	TTCACGGGAG	ACTTTATCTG	ACAGCAGACG	TGCACTGGCC	AGGGGGATCA
4021	CCATCCGTCG	CCCGGGCGTG	TCAATAATAT	CACTCTGTAC	ATCCACAAAC	AGACGATAAC
4081	GGCTCTCTCT	TTTATAGGTG	TAAACCTTAA	ACTGCATTTC	ACCAGTCCCT	GTTCTCGTCA
4141	GCAAAAGAGC	CGTTCATTTC	AATAAACCGG	GCGACCTCAG	CCATCCCTTC	CTGATTTTCC
4201	GCTTTCCA					

.

WO 00/52027 153/240 FIGURE 52A PDOURZOY (KANR)



pDONR204 4165 bp


1	CGGCATTGAG	GACAATAGCG	AGTAGGCTGG	ATACGACGAT	TCCGTTTGAG	AAGAACATTT
61	GGAAGGCTGT	CGGTCGACTA	CAGGTCACTA	ATACCATCTA	AGTAGTTGAA	TCATAGTGAC
121	TGGATATGTT	GTGTTTTACA	GTATTATGTA	GTCTGTTTTT	TATGCAAAAT	CTAATTTAAT
181	ATATTGATAT	TTATATCATT	TTACGTTTCT	CGTTCAGCTT	TTTTGTACAA	AGTTGGCATT
241	ATAAAAAAGC	ATTGCTTATC	AATTTGTTGC	AACGAACAGG	TCACTATCAG	TCAAAATAAA
301	ATCATTATTT	GGGGCCCGAG	ATCCATGCTA	GCTGCAGTGC	GCAGGGCCCG	TGTCTCAAAA
361	TCTCTGATGT	TACATTGCAC	AAGATAAAAA	TATATCATCA	TGAACAATAA	AACTGTCTGC
421	TTACATAAAC	AGTAATACAA	GGGGTGTTAT	GAGCCATATT	CAACGGGAAA	CGTCTTGCTG
481	GAGGCCGCGA	TTAAATTCCA	ACATGGATGC	TGATTTATAT	GGGTATAAAT	GGGCTCGCGA
541	TAATGTCGGG	CAATCAGGTG	CGACAATCTT	TCGATTGTAT	GGGAAGCCCG	ATGCGCCAGA
601	GTTGTTTCTG	AAACATGGCA	AAGGTAGCGT	TGCCAATGAT	GTTACAGATG	AGATGGTCAG
661	ACTAAACTGG	CTGACGGAAT	TTATGCCTCT	TCCGACCATC	AAGCATTTTA	TCCGTACTCC
721	TGATGATGCA	TGGTTACTCA	CCACTGCGAT	CCGCGGGAAA	ACAGCATTCC	AGGTATTAGA
781	AGAATATCCT	GATTCAGGTG	AAAATATTGT	TGATGCGCTG	GCAGTGTTCC	TGCGCCGGTT
841	GCATTCGATT	CCTGTTTGTA	ATTGTCCTTT	TAACAGCGAT	CGCGTATTTC	GTCTCGCTCA
901	GGCGCAATCA	CGAATGAATA	ACGGTTTGGT	TGATGCGAGT	GATTTTGATG	ACGAGCGTAA
961	TGGCTGGCCT	GTTGAACAAG	TCTGGAAAGA	AATGCATACG	CTTTTGCCAT	TCTCACCGGA
1021	TTCAGTCGTC	ACTCATGGTG	ATTTCTCACT	TGATAACCTT	ATTTTTGACG	AGGGGAAATT
1081	AATAGGTTGT	ATTGATGTTG	GACGAGTCGG	AATCGCAGAC	CGATACCAGG	ATCTTGCCAT
1141	CCTATGGAAC	TGCCTCGGTG	AGTTTTCTCC	TTCATTACAG	AAACGGCTTT	TTCAAAAATA
1201	TGGTATTGAT	AATCCTGATA	TGAATAAATT	GCAGTTTCAT	TTGATGCTCG	ATGAGTTTTT
1261	CTAATCAGAA	TTGGTTAATT	GGTTGTAACA	CTGGCAGAGC	ATTACGCTGA	CTTGACGGGA
1321	CGGCGNCATG	ACCAAAATCC	CTTAACGTGA	GTTTTCGTTC	CACTGAGCGT	CAGACCCCGT ·
1381	AGAAAAGATC	AAAGGATCTT	CTTGAGATCC	TTTTTTTCTG	CGCGTAATCT	GCTGCTTGCA
1441	AACAAAAAA	CCACCGCTAC	CAGCGGTGGT	TTGTTTGCCG	GATCAAGAGC	TACCAACTCT
1501	TTTTCCGAAG	GTAACTGGCT	TCAGCAGAGC	GCAGATACCA	AATACTGTCC	TTCTAGTGTA
1561	GCCGTAGTTA	GGCCACCACT	TCAAGAACTC	TGTAGCACCG	CCTACATACC	TCGCTCTGCT
1621	AATCCTGTTA	CCAGTGGCTG	CTGCCAGTGG	CGATAAGTCG	TGTCTTACCG	GGTTGGACTC
1681	AAGACGATAG	TTACCGGATA	AGGCGCAGCG	GTCGGGCTGA	ACGGGGGGTT	CGTGCACACA
1741	GCCCAGCTTG	GAGCGAACGA	CCTACACCGA	ACTGAGATAC	CTACAGCGTG	AGCTATGAGA
1801	AAGCGCCACG	CTTCCCGAAG	GGAGAAAGGC	GGACAGGTAT	CCGGTAAGCG	GCAGGGTCGG
1861	AACAGGAGAG	CGCACGAGGG	AGCTTCCAGG	GGGAAACGCC	TGGTATCTTT	ATAGTCCTGT
1921	CGGGTTTCGC	CACCTCTGAC	TTGAGCGTCG	ATTTTTGTGA	TGCTCGTCAG	GGGGGCGGAG
1981	CCTATGGAAA	AACGCCAGCA	ACGCGGCCTT	TTTACGGTTC	CTGGCCTTTT	GCTGGCCTTT
2041	TGCTCACATG	TTCTTTCCTG	CGTTATCCCC	TGATTCTGTG	GATAACCGTA	TTACCGCTAG
2101	CTGGATCGGC	AAATAATGAT	TTTATTTTGA	CTGATAGTGA	CCTGTTCGTT	GCAACAAATT
2161	GATAAGCAAT	GCTTTTTTAT	AATGCCAACT	TTGTACAAGA	AAGCTGAACG	AGAAACGTAA
2221	AATGATATAA	ATATCAATAT	ATTAAATTAG	ATTTTGCATA	AAAAACAGAC	TACATAATAC
2281	TGTAAAACAC	AACATATCCA	GTCACTATGA	TTCAACTACT	TAGATGGTAT	TAGTGACCTG
2341	TAGTCGACTA	AGTTGGCAGC	ATCACCCGAC	GCACTTTGCG	CCGAATAAAT	ACCTGTGACG
2401	GAAGATCACT	TCGCAGAATA	AATAAATCCT	GGTGTCCCTG	TTGATACCGG	GAAGCCCTGG
2461	GCCAACTTTT	GGCGAAAATG	AGACGTTGAT	CGGCACATTT	CACAACTCTT	ATACTTTTCT
2521	CTTACAAGTC	GTTCGGCTTC	ATCTGGATTT	TCAGCCTCTA	TACTTACTAA	ACGTGATAAA
2581	GTTTCTGTAA	TTTCTACTGT	ATCGACCTGC	AGACTGGCTG	TGTATAACGG	AGCCTGACAT
2641	TTATATTCCC	CAGAACATCA	GGTTAATGGC	GTTTTTGATG	TCATTTTCGC	GGTGGCTGAG
2701	ATCAGCCACT	TCTTCCCCGA	TAACGGAGAC	CGGCACACTG	GCCATATCGG	TGGTCATCAT
2761	GCGCCAGCTT	TCATCCCCGA	TATGCACCAC	CGGGTAAAGT	TCACGGGAGA	CTTTATCTGA
2821	CAGCAGACGT	GCACTGGCCA	GGGGGATCAC	CATCCGTCGC	CCGGGCGTGT	CAATAATATC
2881	ACTCTGTACA	TCCACAAACA	GACGATAACG	GCTCTCTCTT	TTATAGGTGT	AAACCTTAAA
						ATAAACCGGG
3001	CGACCTCAGC	CATCCCTTCC	TGATTTTCCG	CTTTCCAGCG	TTCGGCACGC	AGACGACGGG
						ATGCCTTGAG
						CACACCTCTT-

FIGURE 52B

3181	TTTGACATAC	TTCGGGTATA	CATATCAGTA	TATATTCTTA	TACCGCAAAA	ATCAGCGCGC
3241	AAATACGCAT	ACTGTTATCT	GGCTTTTAGT	AAGCCGGATC	CACGCGTTTA	CGCCCCGCCC
3301	TGCCACTCAT	CGCAGTACTG	TTGTAATTCA	TTAAGCATTC	TGCCGACATG	GAAGCCATCA
3361	CAGACGGCAT	GATGAACCTG	AATCGCCAGC	GGCATCAGCA	CCTTGTCGCC	TTGCGTATAA
3421	TATTTGCCCA	TGGTGAAAAC	GGGGGCGAAG	AAGTTGTCCA	TATTGGCCAC	GTTTAAATCA
3481	AAACTGGTGA	AACTCACCCA	GGGATTGGCT	GAGACGAAAA	ACATATTCTC	AATAAACCCT
3541	TTAGGGAAAT	AGGCCAGGTT	TTCACCGTAA	CACGCCACAT	CTTGCGAATA	TATGTGTAGA
3601	AACTGCCGGA	AATCGTCGTG	GTATTCACTC	CAGAGCGATG	AAAACGTTTC	AGTTTGCTCA
3661	TGGAAAACGG	TGTAACAAGG	GTGAACACTA	TCCCATATCA	CCAGCTCACC	GTCTTTCATT
3721	GCCATACGGA	ATTCCGGATG	AGCATTCATC	AGGCGGGCAA	GAATGTGAAT	AAAGGCCGGA
3781	TAAAACTTGT	GCTTATTTTT	CTTTACGGTC	TTTAAAAAGG	CCGTAATATC	CAGCTGAACG
3841	GTCTGGTTAT	AGGTACATTG	AGCAACTGAC	TGAAATGCCT	CAAAATGTTC	TTTACGATGC
3901	CATTGGGATA	TATCAACGGT	GGTATATCCA	GTGATTTTTT	TCTCCATTTT	AGCTTCCTTA
3961	GCTCCTGAAA	ATCTCGATAA	CTCAAAAAAT	ACGCCCGGTA	GTGATCTTAT	TTCATTATGG
4021	TGAAAGTTGG	AACCTCTTAC	TGTTCTTGAT	GCAGATGATT	TTCAGGACTA	TGACACTAGC
4081	ATATATGAAT	AGGTAGATGT	TTTTATTTTG	TCACACAAAA	AAGAGGCTCG	CACCTCTTTT
4141	TCTTATTTCT	TTTTATGATT	TAATA			

FIGURE 52C


Figure 53A; pDONR205 (tetR)



pDONR205 4939 bp

GGCATCAGCACCTTGTCGCCTTGCGTATAATATTTGCCCATGGTGAAAACGGGGGCGAAG AAGTTGTCCATATTGGCCACGTTTAAATCAAAACTGGTGAAACTCACCCAGGGATTGGCT GAGACGAAAAACATATTCTCAATAAACCCTTTAGGGAAATAGGCCAGGTTTTCACCGTAA CACGCCACATCTTGCGAATATATGTGTAGAAACTGCCGGAAATCGTCGTGGTATTCACTC CAGAGCGATGAAAACGTTTCAGTTTGCTCATGGAAAACGGTGTAACAAGGGTGAACACTA TCCCATATCACCAGCTCACCGTCTTTCATTGCCATACGGAATTCCGGATGAGCATTCATC AGGCGGGCAAGAATGTGAATAAAGGCCGGATAAAACTTGTGCTTATTTTTCTTTACGGTC TTTAAAAAGGCCGTAATATCCAGCTGAACGGTCTGGTTATAGGTACATTGAGCAACTGAC TGAAATGCCTCAAAATGTTCTTTACGATGCCATTGGGATATATCAACGGTGGTATATCCA GTGATTTTTTCTCCATTTTAGCTTCCTTAGCTCCTGAAAATCTCGATAACTCAAAAAAT ${\tt ACGCCCGGTAGTGATCTTATTTCATTATGGTGAAAGTTGGAACCTCTTACGTGCCGATCA}$ ACGTCTCATTTTCGCCAAAAGTTGGCCCAGGGCTTCCCGGTATCAACAGGGACACCAGGA GGTGATGCTGCCAACTTAGTCGACTACAGGTCACTAATACCATCTAAGTAGTTGATTCAT AGTGACTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTAA TTTAATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTTTCTTGTACAAAGTT GGCATTATAAGAAAGCATTGCTTATCAATTTGTTGCAACGAACAGGTCACTATCAGTCAA AATAAAATCATTATTTGCCATCCAGCTGCAGCTCTGGCCCGTGTCTCAAAATCTCTGATG TTACATTGCACAAGATAAAAATATATCATCATGAATTCTCATGTTTGACAGCTTATCATC GATAAGCTTTAATGCGGTAGTTTATCACAGTTAAATTGCTAACGCAGTCAGGCACCGTGT ATGAAATCTAACAATGCGCTCATCGTCATCCTCGGCACCGTCACCCTGGATGCTGTAGGC ATAGGCTTGGTTATGCCGGTACTGCCGGGCCTCTTGCGGGATATCGTCCATTCCGACAGC ATCGCCAGTCACTATGGCGTGCTGCTAGCGCTATATGCGTTGATGCAATTTCTATGCGCA CCCGTTCTCGGAGCACTGTCCGACCGCTTTGGCCGCCCCAGTCCTGCTTCGCTA CTTGGAGCCACTATCGACTACGCGATCATGGCGACCACCCCGTCCTGTGGATCCTCTAC GCCGGACGCATCGTGGCCGGCATCACCGGCGCCACAGGTGCGGTTGCTGGCGCCTATATC GCCGACATCACCGATGGGGAAGATCGGGCTCGCCACTTCGGGCTCATGAGCGCTTGTTTC GGCGTGGGTATGGTGGCAGGCCCGTGGCCGGGGGACTGTTGGGCGCCATCTCCTTGCAT GCACCATTCCTTGCGGCGGCGTGCTCAACGGCCTCAACCTACTACTGGGCTGCTTCCTA ATGCAGGAGTCGCATAAGGGAGAGCGTCGACCGATGCCCTTGAGAGCCTTCAACCCAGTC AGCTCCTTCCGGTGGGCGCGGGCATGACTATCGTCGCCGCACTTATGACTGTCTTCTTT ATCATGCAACTCGTAGGACAGGTGCCGGCAGCGCTCTGGGTCATTTTCGGCGAGGACCGC TTTCGCTGGAGCGCGATGATCGGCCTGTCGCTTGCGGTATTCGGAATCTTGCACGCC CTCGCTCAAGCCTTCGTCACTGGTCCCGCCACCAAACGTTTCGGCGAGAAGCAGGCCATT ATCGCCGGCATGGCGGCCGACGCGTGGGCTACGTCTTGCTGGCGTTCGCGACGCGAGGC TGGATGGCCTTCCCCATTATGATTCTTCTCGCTTCCGGCGGCATCGGGATGCCCGCGTTG CAGGCCATGCTGTCCAGGCAGGTAGATGACGACCATCAGGGACAGCTTCAAGGATCGCTC GCGGCTCTTACCAGCCTAACTTCGATCATTGGACCGCTGATCGTCACGGCGATTTATGCC GCCTCGGCGAGCACATGGAACGGGTTGGCATGGATTGTAGGCGCCGCCCTATACCTTGTC TGCCTCCCGCGTTGCGTCGCGTGCATGGAGCCGGGCCACCTCGACCTGAATGGAAGCC GAACTGTGAATGCGCAAACCAACCCTTGGCAGAACATATCCATCGCATGACCAAAATCCC TTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTC AGCGGTGGTTTGTTTGCCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACTGGCTT CAGCAGAGCGCAGATACCAAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTT CAAGAACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGC TGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAA GGCGCAGCGGTCGGGCTGAACGGGGGGTTCGTGCACACCCCAGCTTGGAGCGAACGAC CTACACCGAACTGAGATACCTACAGCGTGAGCTATGAGAAAGCGCCACGCTTCCCGAAGG GAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGA GCTTCCAGGGGAAACGCCTGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTGACT CGCGGCCTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCCTGC GTTATCCCCTGATTCTGTGGATAACCGTATTACCGCTAGCCAGGAAGAGTTTGTAGAAAC GCAAAAAGGCCATCCGTCAGGATGGCCTTCTGCTTAGTTTGATGCCTGGCAGTTTATGGC GGGCGTCCTGCCCGCCACCCTCCGGGCCGTTGCTTCACAACGTTCAAATCCGCTCCCGGC GGATTTGTCCTACTCAGGAGAGCGTTCACCGACAAACAACAGATAAAACGAAAGGCCCAG TCTTCCGACTGAGCCTTTCGTTTTATTTGATGCCTGGCAGTTCCCTACTCTCGCGTTAAC GCTAGCATGGATCTCGGGCCCCAAATAATGATTTTATTTTGACTGATAGTGACCTGTTCG TTGCAACAAATTGATGAGCAATGCTTTTTTATAATGCCAACTTTGTACAAAAAAGCTGAA CGAGAAACGTAAAATGATATAAATATCAATATTAAATTAGATTTTGCATAAAAAACAG ACTACATAATACTGTAAAACACAACATATCCAGTCACTATGAATCAACTACTTAGATGGT ATTAGTGACCTGTAGTCGACCGACAGCCTTCCAAATGTTCTTCGGGTGATGCTGCCAACT TAGTCGACCGACAGCCTTCCAAATGTTCTTCTCAAACGGAATCGTCGTATCCAGCCTACT CGCTATTGTCCTCAATGCCGTATTAAATCATAAAAAGAAATAAGAAAAAAGAGGTGCGAGC CTCTTTTTTGTGTGACAAAATAAAAACATCTACCTATTCATATACGCTAGTGTCATAGTC CTGAAAATCATCTGCATCAAGAACAATTTCACAACTCTTATACTTTTCTCTTACAAGTCG TTCGGCTTCATCTGGATTTTCAGCCTCTATACTTACTAAACGTGATAAAGTTTCTGTAAT TTCTACTGTATCGACCTGCAGACTGGCTGTGTATAAGGGAGCCTGACATTTATATTCCCC AGAACATCAGGTTAATGGCGTTTTTGATGTCATTTTCGCGGTGGCTGAGATCAGCCACTT CTTCCCGATAACGGAGACCGGCACACTGGCCATATCGGTGGTCATCATGCGCCAGCTTT CATCCCCGATATGCACCACCGGGTAAAGTTCACGGGAGACTTTATCTGACAGCAGACGTG CACTGGCCAGGGGGATCACCATCCGTCGCCCGGGCGTGTCAATAATATCACTCTGTACAT CCACAAACAGACGATAACGGCTCTCTCTTTTATAGGTGTAAACCTTAAACTGCATTTCAC CAGTCCCTGTTCTCGTCAGCAAAAGAGCCGTTCATTTCAATAAACCGGGCGACCTCAGCC ATCCCTTCCTGATTTTCCGCTTTCCAGCGTTCGGCACGCAGACGACGGGCTTCATTCTGC ATGGTTGTGCTTACCAGACCGGAGATATTGACATCATATATGCCTTGAGCAACTGATAGC TGTCGCTGTCAACTGTCACTGTAATACGCTGCTTCATAGCACACCTCTTTTTTGACATACT TCGGGTATACATATCAGTATATATTCTTATACCGCAAAAATCAGCGCGCAAATACGCATA $\tt CTGTTATCTGGCTTTTAGTAAGCCGGATCCACGCGATTACGCCCCGCCCTGCCACTCATC$ GCAGTACTGTTGTAATTCATTAAGCATTCTGCCGACATGGAAGCCATCACAGACGGCATG ATGAACCTGAATCGCCAGC

FIGURE 53C



pDONR206 4415 bp

CGGCATTGAGGACAATAGCGAGTAGGCTGGATACGACGATTCCGTTTGAGAAGAACATTT GGAAGGCTGTCGGTCGACTACAGGTCACTAATACCATCTAAGTAGTTGAATCATAGTGAC TGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTAATTTAAT ATATTGATATTTATCATTTTACGTTTCTCGTTCAGCTTTTTTGTACAAAGTTGGCATT ATAAAAAGCATTGCTTATCAATTTGTTGCAACGAACAGGTCACTATCAGTCAAAATAAA ATCATTATTTGGGGCCCGAGATCCATGCTAGCGGTAATACGGTTATCCACAGAATCAGGG GATAACGCAGGAAAGAACATGTGAGCAAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAAAG GCCGCGTTGCTGGCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAAAAATCGA CGCTCAAGTCAGAGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTCCCCCT GGAAGCTCCCTCGTGCGCTCTCCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCCGCC TTTCTCCCTTCGGGAAGCGTGGCGCTTTCTCATAGCTCACGCTGTAGGTATCTCAGTTCG GTGTAGGTCGTTCGCTCCAAGCTGGGCTGTGTGCACGAACCCCCCGTTCAGCCCGACCGC TGCGCCTTATCCGGTAACTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCA CTGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAG TTCTTGAAGTGGTGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCT ACCGCTGGTAGCGGTGGTTTTTTTGTTTGCAAGCAGCAGATTACGCGCAGAAAAAAAGGA TCTCAAGAAGATCCTTTGATCTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACTCA CGTTAAGGGATTTTGGTCATGNCGCCGTCCCGTCAAGTCAGCGTAATGCTCTGCCAGTGT TACAACCAATTAACCAATTCTGATTAGAAAAACTCATCGAGCATCAAATGAAACTGCAAT TTATTCATATCAGGATTATCAATACCATATTTTTGAAAAAGCCGTTTCTGTAATGAAGGA GAAAACTCACCGAGGCAGTTCCATAGGATGCCAAGATCCTGGTATCGGTCTGCGATTCCG ACTCGTCCAACATCAATACAACCTATTAGCCGAGGTCTTCCGATCTCCTGAAGCCAGGGC AGATCCGTGCACAGCACCTTGCCGTAGAAGAACAGCAAGGCCGCCAATGCCTGACGATGC GTGGAGACCGAAACCTTGCGCTCGTTCGCCAGCCAGGACAGAAATGCCTCGACTTCGCTG CTGCCCAAGGTTGCCGGGTGACGCACACCGTGGAAACGGATGAAGGCACGAACCCAGTTG ACATAAGCCTGTTCGGTTCGTAAACTGTAATGCAAGTAGCGTATGCGCTCACGCAACTGG TCCAGAACCTTGACCGAACGCAGCGGTGGTAACGCCGCAGTGGCGGTTTTCATGGCTTGT TATGACTGTTTTTTTGTACAGTCTATGCCTCGGGCATCCAAGCAGCAGCGCGTTACGCC GTGGGTCGATGTTTGATGTTATGGAGCAGCAACGATGTTACGCAGCAGCAACGATGTTAC GCAGCAGGCCAGTCGCCCTAAAACAAAGTTAGGTGGCTCAAGTATGGGCATCATTCGCAC ATGTAGGCTCGGCCCTGACCAAGTCAAATCCATGCGGGCTGCTCTTGATCTTTTCGGTCG TGAGTTCGGAGACGTAGCCACCTACTCCCAACATCAGCCGGACTCCGATTACCTCGGGAA CTTGCTCCGTAGTAAGACATTCATCGCGCTTGCTGCCTTCGACCAAGAAGCGGTTGTTGG CGCTCTCGCGGCTTACGTTCTGCCCAGGTTTGAGCAGCCGCGTAGTGAGATCTATATCTA TGATCTCGCAGTCTCCGGCGAGCACCGGAGGCAGGCATTGCCACCGCGCTCATCAATCT $\verb|CCTCAAGCATGAGGCCAACGCGCTTGGTGCTTATGTGATCTACGTGCAAGCAGATTACGG|\\$ TGACGATCCCGCAGTGGCTCTCTATACAAAGTTGGGCATACGGGAAGAAGTGATGCACTT TGATATCGACCCAAGTACCGCCACCTAACAATTCGTTCAAGCCGAGATCGGCTTCCCGGC CTAATTTCCCCTCGTCAAAAATAAGGTTATCAAGTGAGAAATCACCATGAGTGACGACTG AATCCGGTGAGAATGGCAAAAGCGTATGCATTTCTTTCCAGACTTGTTCAACAGGCCAGC CCTGAGCGAGACGAAATACGCGATCGCTGTTAAAAGGACAATTACAAACAGGAATCGAAT GCAACCGGCGCAGGAACACTGCCAGCGCATCAACAATATTTTCACCTGAATCAGGATATT CTTCTAATACCTGGAATGCTGTTTTCCCGCGGATCGCAGTGGTGAGTAACCATGCATCAT CAGGAGTACGATAAAATGCTTGATGGTCGGAAGAGGCATAAATTCCGTCAGCCAGTTTA GTCTGACCATCTCATCTGTAACATCATTGGCAACGCTACCTTTGCCATGTTTCAGAAACA ${\tt ACTCTGGCGCATCGGGCTTCCCATACAATCGAAAGATTGTCGCACCTGATTGCCCGACAT}$ TATCGCGAGCCCATTTATACCCATATAAATCAGCATCCATGTTGGAATTTAATCGCGGCC TCCAGCAAGACGTTTCCCGTTGAATATGGCTCATAACACCCCTTGTATTACTGTTTATGT AAGCAGACAGTTTTATTGTTCATGATGATATTTTTTATCTTGTGCAATGTAACATCAGA ACTGATAGTGACCTGTTCGTTGCAACAAATTGATAAGCAATGCTTTTTTATAATGCCAAC -


TTTGTACAAGAAAGCTGAACGAGAAACGTAAAATGATATAAATATCAATATTAAATTA GATTTTGCATAAAAACAGACTACATAATACTGTAAAACACAACATATCCAGTCACTATG ATTCAACTACTTAGATGGTATTAGTGACCTGTAGTCGACTAAGTTGGCAGCATCACCCGA TGGTGTCCCTGTTGATACCGGGAAGCCCTGGGCCAACTTTTGGCGAAAATGAGACGTTGA TCGGCACGTAAGAGGTTCCAACTTTCACCATAATGAAATAAGATCACTACCGGGCGTATT TTTTGAGTTATCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAATCACTGG ATATACCACCGTTGATATATCCCAATGGCATCGTAAAGAACATTTTGAGGCATTTCAGTC AGTTGCTCAATGTACCTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTTTAAAGAC CGTAAAGAAAATAAGCACAAGTTTTATCCGGCCTTTATTCACATTCTTGCCCGCCTGAT GAATGCTCATCCGGAATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAG TGTTCACCCTTGTTACACCGTTTTCCATGAGCAAACTGAAACGTTTTCATCGCTCTGGAG TGAATACCACGACGATTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGGCGTGTTA CGGTGAAAACCTGGCCTATTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCGTCTCAGC ${\tt CAATCCCTGGGTGAGTTTCACCAGTTTTGATTTAAACGTGGCCAATATGGACAACTTCTT}$ CGCCCCGTTTTCACCATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCT GGCGATTCAGGTTCATCATGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGCTTAATGA ATTACAACAGTACTGCGATGAGTGGCAGGGCGGGGCGTAAACGCGTGGATCCGGCTTACT AAAAGCCAGATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATAC TGATATGTATACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTG ACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTC TGGTAAGCACCATGCAGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGG AAAATCAGGAAGGGATGGCTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCTTTTGCTG TATCGTCTGTTTGTGGATGTACAGAGTGATATTATTGACACGCCCGGGCGACGGATGGTG ATCCCCCTGGCCAGTGCACGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTG GTGCATATCGGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGTGCCGGTC TCCGTTATCGGGGAAGAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCC ATTAACCTGATGTTCTGGGGAATATAAATGTCAGGCTCCGTTATACACAGCCAGTCTGCA TCCAGATGAAGCCGAACGACTTGTAAGAGAAAAGTATAAGAGTTGTGAAATTGTTCTTGA ${\tt TGCAGATGATTTCAGGACTATGACACTAGCATATATGAATAGGTAGATGTTTTATTTT}$ GTCACACAAAAAGAGGCTCGCACCTCTTTTTCTTATTTCTTTTTTATGATTTAATA


An Estry (PEMR7) Clone of CAT Subcloned into

1021 cgg ata aca att tea cae agg aaa cag ace atg teg tae tae cat cae cat gee tat tgt taa agt gtg tee ttt gte tgg tae age atg gta gtg gta

att BI Hsc His this this Gu Tie The Sar Law Tur Lus Lus Ala Guy Pie Glu Ash Leu cac cat cac gge atc aca agt tog tac aaa aaa gca gge tet gaa aac ctg gtg gta gtg ccg tag tgt tca aac atg ttt ttt cgt ccg asa ctt ttg gac 1072 From pDEST2 PENTRY

TEV potesse 1123 tat ttt caa gga acc atg gag ada aaa atc act gga tat acc acc gtt gat ata aaa gtt cct tgg tac ctc ttt ttt tag tga cct ata tgg tgg caa cta









FIGURE 56



MGURE 57







FIGURE 58



FGURE 59



Faurt 60



Maure 61








FIGURE 62




FOURE 63


FIGURE 64A




172/240 FIGURE COLB



5



Primers for Amplifying tet R and ample for Cloning by Recombination








FIGURE 65

Results of Cloning tet and amp PCR Products by Recombination


PCR Product Used in GCS Reactions	No. Colonies Obtained (100 ul plated)	Form of DNA Analyzed	Colonies Obtained of Predicted Size
tet	6, 10	SC	0 of 8
attB-tet	9, 6	SC	1 of 8
attB+4G-tet	824, 1064	SC	7 of 7
	,	AvaI+Bam	7 of 7
amp	7, 13	SC	0 of 8
attB-amp	18, 22	SC	3 of 8
attB+4G-amp	3020, 3540	SC	8 of 8
L. L		PstI	8 of 8
attB Plasmid (Pos. Control)	320, 394		





DOURÉ 67





TIGUTE 69

















FOURE 71




A




B







H




B







A



B



6.9 kb PCR DNA Titration in [a Bx P Reaction



FOURT 74





Figure 75-

10.1 kb PCR DNA Titration in $\exists x \vdash$ Reaction



Cloning of PCR Products of Different Sizes with the GATEWAYTM PCR Cloning System

Size	fmols PCR DNA	ng PCR DNA	Cols/ml Transformation (pUC=108CFU/ml)	Correct Clones/Total Examined**	
0.26 kb*	15 37.5	3 7.5	1223 2815	10/10 (a)	
1.0 kb	15 37.5	10 25	507 1447	49/50 (b)	
1.4 kb	15 37.5	14 35	271 683	48/50 (c)	
3.4 kb	15 37.5	34 85	478 976	9/10 (a)	
4.6 kb	15 37.5	46 115	190 195	10/10 (a)	
		69 173	30 (235)** 54 (463)**	47/50 (b)	


^{*}The 0.26 kb PCR product was used unpurified; all the others were purified by precipitation with PEG/MgCl₂ as described in the text of Example 9, to remove primer dimers potentially present. Standard incubations were for 60 min.

- (a) DNA minipreps
- (b) ampR/kanR
- (c) tetR/kanR

Figure 77

^{**}overnight incubation

187/240



Reading frame C: (Alternative)

AT CAA ACA AGT TTC/TAC ABA/AAX - CMR-ccdB - X/AC/AAX TTT CAC CAA ACT A

Fusion protein codon Reading frame A cassette

--- nnn nnn atc aca agt ttg tac aaa aaa gct --- nnn nnn tag tgt tca aac atg ttt ttt cga --- attR 1

Reading frame B cassette

--- nnn nnn nna tca aca agt ttg tac aaa aaa gct ----- nnn nnn nnt agt tgt tca aac atg ttt ttt cga ---

* cannot be TG or TA

Reading frame C cassette

--- nnn nnn nat caa aca agt ttg tac aaa aaa gct ----- nnn nnn nta gtt tgt tca aac atg ttt ttt cga ---







FIGURE 80









rfC cassette (1715 bps)




FIGURE 83 A

prfC Parent III 4554 bp

Location (Base Nos.)	Gene Encoded			
410286	attR1			
6601319	CmR			
14391523	inactivated ccdA			
16611966	ccdB			
20072131	attR2			
27533613	amp			

1 GCGCCCAATA CGCAAACCGC CTCTCCCCGC GCGTTGGCCG ATTCATTAAT GCAGCTGGCA 61 CGACAGGTTT CCCGACTGGA AAGCGGGCAG TGAGCGCAAC GCAATTAATG TGAGTTAGCT 121 CACTCATTAG GCACCCCAGG CTTTACACTT TATGCTTCCG GCTCGTATGT TGTGTGGAAT 181 TGTGAGCGGA TAACAATTTC ACACAGGAAA CAGCTATGAC CATGATTACG CCAAGCTTGC 241 ATGCCTGCAG GTCGACTCTA GAGGATCCCC GGGTACCGAT ATCAAACAAG TTTGTACAAA 301 AAAGCTGAAC GAGAAACGTA AAATGATATA AATATCAATA TATTAAATTA GATTTTGCAT 361 AAAAAACAGA CTACATAATA CTGTAAAACA CAACATATCC AGTCACTATG GCGGCCGCTA 421 AGTTGGCAGC ATCACCCGAC GCACTTTGCG CCGAATAAAT ACCTGTGACG GAAGATCACT 481 TCGCAGAATA AATAAATCCT GGTGTCCCTG TTGATACCGG GAAGCCCTGG GCCAACTTTT 541 GGCGAAAATG AGACGTTGAT CGGCACGTAA GAGGTTCCAA CTTTCACCAT AATGAAATAA 601 GATCACTACC GGGCGTATTT TTTGAGTTAT CGAGATTTTC AGGAGCTAAG GAAGCTAAAA 661 TGGAGAAAAA AATCACTGGA TATACCACCG TTGATATATC CCAATGGCAT CGTAAAGAAC 721 ATTTTGAGGC ATTTCAGTCA GTTGCTCAAT GTACCTATAA CCAGACCGTT CAGCTGGATA 781 TTACGGCCTT TTTAAAGACC GTAAAGAAAA ATAAGCACAA GTTTTATCCG GCCTTTATTC 841 ACATTCTTGC CCGCCTGATG AATGCTCATC CGGAATTCCG TATGGCAATG AAAGACGGTG 901 AGCTGGTGAT ATGGGATAGT GTTCACCCTT GTTACACCGT TTTCCATGAG CAAACTGAAA 961 CGTTTCATC GCTCTGGAGT GAATACCACG ACGATTTCCG GCAGTTTCTA CACATATATT 1021 CGCAAGATGT GGCGTGTTAC GGTGAAAACC TGGCCTATTT CCCTAAAGGG TTTATTGAGA 1081 ATATGTTTTT CGTCTCAGCC AATCCCTGGG TGAGTTTCAC CAGTTTTGAT TTAAACGTGG 1141 CCAATATGGA CAACTTCTTC GCCCCCGTTT TCACCATGGG CAAATATTAT ACGCAAGGCG 1201 ACAAGGTGCT GATGCCGCTG GCGATTCAGG TTCATCATGC CGTCTGTGAT GGCTTCCATG 1261 TCGGCAGAAT GCTTAATGAA TTACAACAGT ACTGCGATGA GTGGCAGGGC GGGGCGTAAT 1321 CTAGAGGATC CGGCTTACTA AAAGCCAGAT AACAGTATGC GTATTTGCGC GCTGATTTTT 1381 GCGGTATAAG AATATATACT GATATGTATA CCCGAAGTAT GTCAAAAAGA GGTGTGCTAT 1441 GAAGCAGCGT ATTACAGTGA CAGTTGACAG CGACAGCTAT CAGTTGCTCA AGGCATATAT 1501 GATGTCAATA TCTCCGGTCT GGTAAGCACA ACCATGCAGA ATGAAGCCCG TCGTCTGCGT 1561 GCCGAACGCT GGAAAGCGGA AAATCAGGAA GGGATGGCTG AGGTCGCCCG GTTTATTGAA 1621 ATGAACGGCT CTTTTGCTGA CGAGAACAGG GACTGGTGAA ATGCAGTTTA AGGTTTACAC 1681 CTATAAAAGA GAGAGCCGTT ATCGTCTGTT TGTGGATGTA CAGAGTGATA TTATTGACAC 1741 GCCCGGGCGA CGGATGGTGA TCCCCCTGGC CAGTGCACGT CTGCTGTCAG ATAAAGTCTC 1801 CCGTGAACTT TACCCGGTGG TGCATATCGG GGATGAAAGC TGGCGCATGA TGACCACCGA 1861 TATGGCCAGT GTGCCGGTCT CCGTTATCGG GGAAGAAGTG GCTGATCTCA GCCACCGCGA 1921 AAATGACATC AAAAACGCCA TTAACCTGAT GTTCTGGGGA ATATAAATGT CAGGCTCCGT 1981 TATACACAGC CAGTCTGCAG GTCGACCATA GTGACTGGAT ATGTTGTGTT TTACAGTATT 2041 ATGTAGTCTG TTTTTTATGC AAAATCTAAT TTAATATATT GATATTTATA TCATTTTACG 2101 TTTCTCGTTC AGCTTTCTTG TACAAAGTGG TTCGATATCG GTACCGAGCT CGAATTCACT 2161 GGCCGTCGTT TTACAACGTC GTGACTGGGA AAACCCTGGC GTTACCCAAC TTAATCGCCT 2221 TGCAGCACAT CCCCCTTTCG CCAGCTGGCG TAATAGCGAA GAGGCCCGCA CCGATCGCCC 2281 TTCCCAACAG TTGCGCAGCC TGAATGGCGA ATGGCGCCTG ATGCGGTATT TTCTCCTTAC 2341 GCATCTGTGC GGTATTTCAC ACCGCATATG GTGCACTCTC AGTACAATCT GCTCTGATGC 2401 CGCATAGTTA AGCCAGCCCC GACACCCGCC AACACCCGCT GACGCGCCCT GACGGGCTTG 2461 TCTGCTCCCG GCATCCGCTT ACAGACAAGC TGTGACCGTC TCCGGGAGCT GCATGTGTCA 2521 GAGGTTTTCA CCGTCATCAC CGAAACGCGC GAGACGAAAG GGCCTCGTGA TACGCCTATT 2581 TTTATAGGTT AATGTCATGA TAATAATGGT TTCTTAGACG TCAGGTGGCA CTTTTCGGGG 2641 AAATGTGCGC GGAACCCCTA TTTGTTTATT TTTCTAAATA CATTCAAATA TGTATCCGCT 2701 CATGAGACAA TAACCCTGAT AAATGCTTCA ATAATATTGA AAAAGGAAGA GTATGAGTAT 2761 TCAACATTTC CGTGTCGCCC TTATTCCCTT TTTTGCGGCA TTTTGCCTTC CTGTTTTTGC-

194/240

2821	TCACCCAGAA	ACGCTGGTGA	AAGTAAAAGA	TGCTGAAGAT	CAGTTGGGTG	CACGAGTGGG
2881	TTACATCGAA	CTGGATCTCA	ACAGCGGTAA	GATCCTTGAG	AGTTTTCGCC	CCGAAGAACG
2941	TTTTCCAATG	ATGAGCACTT	TTAAAGTTCT	GCTATGTGGC	GCGGTATTAT	CCCGTATTGA
3001	CGCCGGGCAA	GAGCAACTCG	GTCGCCGCAT	ACACTATTCT	CAGAATGACT	TGGTTGAGTA
3061	CTCACCAGTC	ACAGAAAAGC	ATCTTACGGA	TGGCATGACA	GTAAGAGAAT	TATGCAGTGC
	TGCCATAACC					
	GAAGGAGCTA					
3241	GGAACCGGAG	CTGAATGAAG	CCATACCAAA	CGACGAGCGT	GACACCACGA	TGCCTGTAGC
3301	AATGGCAACA	ACGTTGCGCA	AACTATTAAC	TGGCGAACTA	CTTACTCTAG	CTTCCCGGCA
3361	ACAATTAATA	GACTGGATGG	AGGCGGATAA	AGTTGCAGGA	CCACTTCTGC	GCTCGGCCCT
3421	TCCGGCTGGC	TGGTTTATTG	CTGATAAATC	TGGAGCCGGT	GAGCGTGGGT	CTCGCGGTAT
3481	CATTGCAGCA	CTGGGGCCAG	ATGGTAAGCC	CTCCCGTATC	GTAGTTATCT	ACACGACGGG
3541	GAGTCAGGCA	ACTATGGATG	AACGAAATAG	ACAGATCGCT	GAGATAGGTG	CCTCACTGAT
3601	TAAGCATTGG	TAACTGTCAG	ACCAAGTTTA	CTCATATATA	CTTTAGATTG	ATTTAAAACT
3661	TCATTTTTAA	TTTAAAAGGA	TCTAGGTGAA	GATCCTTTTT	GATAATCTCA	TGACCAAAAT
3721	CCCTTAACGT	GAGTTTTCGT	TCCACTGAGC	GTCAGACCCC	GTAGAAAAGA	TCAAAGGATC
3781	TTCTTGAGAT	CCTTTTTTTC	TGCGCGTAAT	CTGCTGCTTG	CAAACAAAAA	AACCACCGCT
3841	ACCAGCGGTG	GTTTGTTTGC	CGGATCAAGA	GCTACCAACT	CTTTTTCCGA	AGGTAACTGG
3901	CTTCAGCAGA	GCGCAGATAC	CAAATACTGT	CCTTCTAGTG	TAGCCGTAGT	TAGGCCACCA
3961	CTTCAAGAAC	TCTGTAGCAC	CGCCTACATA	CCTCGCTCTG	CTAATCCTGT	TACCAGTGGC
4021	TGCTGCCAGT	GGCGATAAGT	CGTGTCTTAC	CGGGTTGGAC	TCAAGACGAT	AGTTACCGGA
	TAAGGCGCAG				-	
4141	GACCTACACC	GAACTGAGAT	ACCTACAGCG	TGAGCTATGA	GAAAGCGCCA	CGCTTCCCGA
	AGGGAGAAAG					
4261	GGAGCTTCCA	GGGGGAAACG	CCTGGTATCT	TTATAGTCCT	GTCGGGTTTC	GCCACCTCTG
4321	ACTTGAGCGT	CGATTTTTGT	GATGCTCGTC	AGGGGGGCGG	AGCCTATGGA	AAAACGCCAG
	CAACGCGGCC					
	TGCGTTATCC					
4501	TCGCCGCAGC	CGAACGACCG	AGCGCAGCGA	GTCAGTGAGC	GAGGAAGCGG	AAGA







FIGURE 84






198/240 FIGURE 87



199/240 FIGURE 88



DNA to be emplified (5' -> 3'): attBI primer: 9999 ABCD stable primer: Denature, anneal hybrid primers, extend with polymerase Hybrid primers (port atts, part gene specific): CD W. ed x' 1 amplification aycles Denoture, anneal attB primers, extend with polymersse CDw xd'c' dc ba 1939 9339. ... c'D'w' x'dc 1 amplification cycles

Figure 89




FIGURE 90A

pDEST28

7141 bp

ATGCATGTCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCC CGCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCAT TGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTAT CATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTAT GCCCAGTACATGACCTTATGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATC GCTATTACCATGGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGAC AATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGCGGT AGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCTCCCTATCAGTGATAGAGATCTC CCTATCAGTGATAGAGATCGTCGACGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGA CGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCGGACT CTAGAGGATCCCTACCGGTGATATCCTCGAGCCCATCAACAAGTTTGTACAAAAAAGCTG AACGAGAAACGTAAAATGATATAAATATCAATATATTAAATTAGATTTTGCATAAAAAAC AGACTACATAATACTGTAAAACACAACATATCCAGTCACTATGGCGGCCGCATTAGGCAC CCCAGGCTTTACACTTTATGCTTCCGGCTCGTATAATGTGTGGATTTTGAGTTAGGATCC GGCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAAATCACTGGATATACCAC ATGTACCTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTTTAAAGACCGTAAAGAA <u>AAATAAGCACAAGTTTTATCCGGCCTTTATTCACATTCTTGCCCGCCTGATGAATGCTCA</u> TCCGGAATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCACCC TTGTTACACCGTTTTCCATGAGCAAACTGAAACGTTTTCATCGCTCTGGAGTGAATACCA CGACGATTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGGCGTGTTACGGTGAAAA CCTGGCCTATTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCGTCTCAGCCAATCCCTG GGTGAGTTTCACCAGTTTTGATTTAAACGTGGCCAATATGGACAACTTCTTCGCCCCCGT TTTCACCATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTCA GGTTCATCATGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGCTTAATGAATTACAACA ${\tt GTACTGCGATGAGTGGCAGGGCGGGGCGTAAAGATCTGGATCCGGCTTACTAAAAGCCAG}$ ATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTA TACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGAC AGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTCTGGTAAGCA CAACCATGCAGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGGAAAATCAGG AAGGGATGGCTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCTTTTGCTGACGAGAACA TTTGTGGATGTACAGAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCCCTG GCCAGTGCACGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGCATATC GGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATC GGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACCTG ATGTTCTGGGGAATATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGCAGGTCGACCA TAGTGACTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTA ATTTAATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTTTCTTGTACAAAGT GGTTGATGGGCGGCCGCTCTAGAGGGCCCAAGCTTACGCGTGCATGCGACGTCATAGCTC TCTCCCTATAGTGAGTCGTATTATAAGCTAGGCACTGGCCGTCGTTTTACAACGTCGTGA CTGGGAAAACTGCTAGCTTGGGATCTTTGTGAAGGAACCTTACTTCTGTGGTGTGACATA ATTGGACAAACTACCTACAGAGATTTAAAGCTCTAAGGTAAATATAAAATTTTTAAGTGT ATAATGTGTTAAACTAGCTGCATATGCTTGCTGCTTGAGAGTTTTTGCTTACTGAGTATGA CAGTCCCAAGGCTCATTTCAGGCCCCTCAGTCCTCACAGTCTGTTCATGATCATAATCAG CCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAACCTCCCACACCTCCCCCTGAA CCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTATTGCAGCTTATAATGG TTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGCATTTTTTTCACTGCATTC AGGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGGACGCGC CCTGTAGCGGCGCATTAAGCGCGCGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACAC ${\tt CCGGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTT-}$ TACGGCACCTCGACCCCAAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGC CCTGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCT TGTTCCAAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTTTTGATTTATAAGGGA TTTTGCCGATTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAACAAATATTTAACGCGA ATTTTAACAAATTTTAACGTTTACAATTTCGCCTGATGCGGTATTTTCTCCTTACGCAT CTGTGCGGTATTTCACACCGCATACGCGGATCTGCGCAGCACCATGGCCTGAAATAACCT CTGAAAGAGGAACTTGGTTAGGTACCTTCTGAGGCGGAAAGAACCAGCTGTGGAATGTGT TGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCTAACTCCGCCCATCC TTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCT TTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTTGATTCTTCTGACACACAGTCTCGAACT TAAGACCATGGCCAAGCCTTTGTCTCAAGAAGAATCCACCCTCATTGAAAGAGCAACGGC CGACGCCGCATCTTCACTGGTGTCAATGTATATCATTTTACTGGGGGACCTTGTGCAGA ACTCGTGGTGCTGGCACTGCTGCTGCGGCAGCTGGCAACCTGACTTGTATCGTCGC GATCGGAAATGAGAACAGGGGCATCTTGAGCCCCTGCGGACGGTGCCGACAGGTGCTTCT CGATCTGCATCCTGGGATCAAAGCCATAGTGAAGGACAGTGATGGACAGCCGACGGCAGT TGGGATTCGTGAATTGCTGCCCTCTGGTTATGTGTGGGAGGGCTAAGCACTTCGTGGCCG AGTTCGAAATGACCGACCAAGCGACGCCCAACCTGCCATCACGATGGCCGCAATAAAATA TCTTTATTTTCATTACATCTGTGTGTTTTTTTTTTTTGTGTGAATCGATAGCGATAAGGATC CACCCGCCAACACCCGCTGACGCCCTGACGGGCTTGTCTGCTCCCGGCATCCGCTTAC AGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTTTCACCGTCATCACCG AAACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATGATA ATAATGGTTTCTTAGACGTCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATT TGTTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAA ATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCCCTT ATTCCCTTTTTTGCGGCATTTTGCCTTCCTGTTTTTGCTCACCCAGAAACGCTGGTGAAA GTAAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTCAAC AGCGGTAAGATCCTTGAGAGTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACTTTT AAAGTTCTGCTATGTGGCGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGT CGCCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAGCAT CTTACGGATGGCATGACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGATAAC ACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTG ATACCAAACGACGAGCGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAA GATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCAGAT GGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAGGCAACTATGGATGAA CGAAATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCAGAC CAAGTTTACTCATATATACTTTAGATTGATTTAAAACTTCATTTTAAATTTAAAAGGATC TAGGTGAAGATCCTTTTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTC CACTGAGCGTCAGACCCCGTAGAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTG GATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACTGGCTTCAGCAGAGCGCAGATACCA AATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCG CCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAGTCG TGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCGGGCTGA ACGGGGGGTTCGTGCACACACCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATAC CTACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTAT CCGGTAAGCGGCAGGGTCGGAACAGGAGGAGCGCACGAGGGAGCTTCCAGGGGGAAACGCC TGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGA TGCTCGTCAGGGGGGGGGGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTACGGTTC CTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCCTGCGTTATCCCCTGATTCTGTG GATAACCGTATTACCGCCTTTGAGTGAGCTGATACCGCTCGCCGCAGCCGAACGACCGAG-

FIGURE 90C

٠,٠

CGCAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCCAATACGCAAACCGCCTCTCCCC GCGCGTTGGCCGATTCATTAATGCAGAGCTTGCAATTCGCGCGTTTTTCAATATTATTGA AGCATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAATGTATTTAGAAAAAT AAACAAATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCTGACGTCTAAGAAACC ATATTATCATGACATTAACCTATAAAAATAGGCGTAGTACGAGGCCCTTTCACTCATTA

FIGURE 90D




FIGURE 91 A

pDEST29 7156 bp

ATGCATGTCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCC CGCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCAT TGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTAT CATATGCCAAGTACGCCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTAT GCCCAGTACATGACCTTATGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATC GCTATTACCATGGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGAC AATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGCGGT AGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCTCCCTATCAGTGATAGAGATCTC CCTATCAGTGATAGAGATCGTCGACGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGA CGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCGGACC ATGGCGTACTACCATCACCATCACCATCACCGGTGATATCCTCGAGCCCATCACAAGT TTGTACAAAAAGCTGAACGAGAAACGTAAAATGATATAAATATCAATATATTAAATTAG ATTTTGCATAAAAAACAGACTACATAATACTGTAAAACACAACATATCCAGTCACTATGG TTTTGAGTTAGGATCCGGCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAAA TCACTGGATATACCACCGTTGATATATCCCAATGGCATCGTAAAGAACATTTTGAGGCAT TTCAGTCAGTTGCTCAATGTACCTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTT TAAAGACCGTAAAGAAAAATAAGCACAAGTTTTATCCGGCCTTTATTCACATTCTTGCCC GCCTGATGAATGCTCATCCGGAATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATAT GGGATAGTGTTCACCCTTGTTACACCGTTTTCCATGAGCAAACTGAAACGTTTTCATCGC TCTGGAGTGAATACCACGACGATTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGG CGTGTTACGGTGAAAACCTGGCCTATTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCG TCTCAGCCAATCCCTGGGTGAGTTTCACCAGTTTTGATTTAAACGTGGCCAATATGGACA ACTTCTTCGCCCCCGTTTTCACCATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGA TGCCGCTGGCGATTCAGGTTCATCATGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGC TTAATGAATTACAACAGTACTGCGATGAGTGGCAGGGCGGGGGGTAAACGCGTGGATCCG GCTTACTAAAAGCCAGATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAA TATATACTGATATGTATACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTAT TACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATC TCCGGTCTGGTAAGCACAACCATGCAGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGG AAAGCGGAAAATCAGGAAGGGATGGCTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCT TTTGCTGACGAGAACAGGGACTGGTGAAATGCAGTTTAAGGTTTACACCTATAAAAGAGA GAGCCGTTATCGTCTGTTTGTGGATGTACAGAGTGATATTATTGACACGCCCGGGCGACG GATGGTGATCCCCCTGGCCAGTGCACGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTA CCCGGTGGTGCATATCGGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGT GCCGGTCTCCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAA AAACGCCATTAACCTGATGTTCTGGGGAATATAAATGTCAGGCTCCGTTATACACAGCCA GTCTGCAGGTCGACCATAGTGACTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTT TTTTATGCAAAATCTAATTTAATATATTGATATTTATATCATTTTACGTTTCTCGTTCAG CTTTCTTGTACAAAGTGGTGATGGGCGGCCGCTCTAGAGGGCCCAAGCTTACGCGTGCAT GCGACGTCATAGCTCTCTCCCTATAGTGAGTCGTATTATAAGCTAGGCACTGGCCGTCGT TTTACAACGTCGTGACTGGGAAAACTGCTAGCTTGGGATCTTTGTGAAGGAACCTTACTT CTGTGGTGTGACATAATTGGACAAACTACCTACAGAGATTTAAAGCTCTAAGGTAAATAT GCTTACTGAGTATGATTTATGAAAATATTATACACAGGAGCTAGTGATTCTAATTGTTTG TGTATTTTAGATTCACAGTCCCAAGGCTCATTTCAGGCCCCTCAGTCCTCACAGTCTGTT CATGATCATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAAACCTCCC ACACCTCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTAT TGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGCATT TTTTTCACTGCATTCTAGTTGTGGGTTTGTCCAAACTCATCAATGTATCTTATCATGTCTG GATCGATCCTGCATTAATGAATCGGCCAACGCGCGGGGAGAGGCGGTTTGCGTATTGGCT GGCGTAATAGCGAAGAGGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATG GCGAATGGGACGCCCTGTAGCGGCGCATTAAGCGCGGGGGTGTGGTGGTTACGCGCA GCGTGACCGCTACACTTGCCAGCGCCCTAGCGCCCGCTCCTTTCGCTTTCTTCCCTTCCT TTCTCGCCACGTTCGCCGGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGT- TCCGATTTAGTGCTTTACGGCACCTCGACCCCAAAAAACTTGATTAGGGTGATGGTTCAC GTAGTGGGCCATCGCCCTGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCT TTAATAGTGGACTCTTGTTCCAAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTT TTGATTTATAAGGGATTTTGCCGATTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAAC AAATATTTAACGCGAATTTTAACAAAATATTAACGTTTACAATTTCGCCTGATGCGGTAT TTTCTCCTTACGCATCTGTGCGGTATTTCACACCGCATACGCGGATCTGCGCAGCACCAT GGCCTGAAATAACCTCTGAAAGAGGAACTTGGTTAGGTACCTTCTGAGGCGGAAAGAACC GTATGCAAAGCATGCATCTCAATTAGTCAGCAACCAGGTGTGGAAAGTCCCCAGGCTCCC CAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCC TAACTCCGCCCATCCCGCCCCTAACTCCGCCCAGTTCCGCCCCATTCTCCGCCCCATGGCT GACTAATTTTTTTTTTTTTTTTTCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTATTCCAGA AGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTTGATTCTTCTGACA CAACAGTCTCGAACTTAAGACCATGGCCAAGCCTTTGTCTCAAGAAGAATCCACCCTCAT TGAAAGAGCAACGGCTACAATCAACAGCATCCCCATCTCTGAAGACTACAGCGTCGCCAG CGCAGCTCTCTCTAGCGACGGCCGCATCTTCACTGGTGTCAATGTATATCATTTTACTGG GGGACCTTGTGCAGAACTCGTGGTGCTGGGCACTGCTGCTGCGGCAGCTGGCAACCT GACTTGTATCGTCGCGATCGGAAATGAGAACAGGGGCATCTTGAGCCCCTGCGGACGGTG CCGACAGGTGCTTCTCGATCTGCATCCTGGGATCAAAGCCATAGTGAAGGACAGTGATGG ACAGCCGACGCCAGTTGGGATTCGTGAATTGCTGCCCTCTGGTTATGTGTGGGAGGGCTA AGCACTTCGTGGCCGAGTTCGAAATGACCGACCAAGCGACGCCCAACCTGCCATCACGAT ATAGCGATAAGGATCCGCGTATGGTGCACTCTCAGTACAATCTGCTCTGATGCCGCATAG TTAAGCCAGCCCGACACCCGCCAACACCCGCTGACGCGCCCTGACGGGCTTGTCTGCTC CCGGCATCCGCTTACAGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTT TCACCGTCATCACCGAAACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAG GTTAATGTCATGATAATAATGGTTTCTTAGACGTCAGGTGGCACTTTTCGGGGAAATGTG CGCGGAACCCCTATTTGTTTATTTTTCTAAATACATTCAAATATGTATCCGCTCATGAGA CAATAACCCTGATAAATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGTATTCAACAT TTCCGTGTCGCCCTTATTCCCTTTTTTGCGGCATTTTGCCTTCCTGTTTTTGCTCACCCA GAAACGCTGGTGAAAGTAAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTACATC GAACTGGATCTCAACAGCGGTAAGATCCTTGAGAGTTTTCGCCCCGAAGAACGTTTTCCA ATGATGAGCACTTTTAAAGTTCTGCTATGTGGCGCGGTATTATCCCGTATTGACGCCGGG CAAGAGCAACTCGGTCGCCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCA GTCACAGAAAAGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCAGTGCTGCCATA ACCATGAGTGATAACACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAG CTAACCGCTTTTTTGCACAACATGGGGGATCATGTAACTCGCCTTGATCGTTGGGAACCG GAGCTGAATGAAGCCATACCAAACGACGAGCGTGACACCACGATGCCTGTAGCAATGGCA ACAACGTTGCGCAAACTATTAACTGGCGAACTACTTACTCTAGCTTCCCGGCAACAATTA ATAGACTGGATGGAGGCGGATAAAGTTGCAGGACCACTTCTGCGCTCGGCCCTTCCGGCT GGCTGGTTTATTGCTGATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCA GCACTGGGGCCAGATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAG GCAACTATGGATGAACGAAATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAGCAT TAATTTAAAAGGATCTAGGTGAAGATCCTTTTTGATAATCTCATGACCAAAATCCCTTAA CGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGA GTGGTTTGTTTGCCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACTGGCTTCAGC AGAGCGCAGATACCAAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAG AACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCCC AGTGGCGATAAGTCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCG CAGCGGTCGGGCTGAACGGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGAACGACCTAC ACCGAACTGAGATACCTACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCCGAAGGGAGA AAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGAGCTT CCAGGGGGAAACGCCTGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTGACTTGAG CGTCGATTTTTGTGATGCTCGTCAGGGGGGGGGGGCCTATGGAAAAACGCCAGCAACGCG GCCTTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCCTGCGTTA

11/2

AGCCGAACGACCGAGCGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCCAATACGC AAACCGCCTCTCCCCGCGCGTTGGCCGATTCATTAATGCAGAGCTTGCAATTCGCGCGTT TTTCAATATTATTGAAGCATTTATCAGGGTTATTGTCTCATGAGCGGATACATATTTGAA TGTATTTAGAAAAATAAACAAATAGGGGTTCCGCGCACATTTCCCCGAAAAGTGCCACCT GACGTCTAAGAAACCATTATTATCATGACATTAACCTATAAAAATAGGCGTAGTACGAGG CCCTTTCACTCATTAG

FIGURE 91D




FIGURE 92A

PDEST30

7544 bp

ATGCATGTCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCC CGCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCAT TGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTAT CATATGCCAAGTACGCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTAT GCCCAGTACATGACCTTATGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATC GCTATTACCATGGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGAC AATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGCGGT AGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCTCCCTATCAGTGATAGAGATCTC CCTATCAGTGATAGAGATCGTCGACGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGA CGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCGGACT CTAGAGGATCCCTACCGGTGATATCCTCGAGCCCATCAACAAGTTTGTACAAAAAAGCTG AACGAGAAACGTAAAATGATATAAATATCAATATATTAAATTAGATTTTGCATAAAAAAC AGACTACATAATACTGTAAAACACAACATATCCAGTCACTATGGCGGCCGCATTAGGCAC CCCAGGCTTTACACTTTATGCTTCCGGCTCGTATAATGTGTGGATTTTGAGTTAGGATCC GGCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAAATCACTGGATATACCAC ATGTACCTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTTTAAAGACCGTAAAGAA AAATAAGCACAAGTTTTATCCGGCCTTTATTCACATTCTTGCCCGCCTGATGAATGCTCA TCCGGAATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCACCC TTGTTACACCGTTTTCCATGAGCAAACTGAAACGTTTTCATCGCTCTGGAGTGAATACCA CGACGATTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGGCGTGTTACGGTGAAAA CCTGGCCTATTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCGTCTCAGCCAATCCCTG GGTGAGTTTCACCAGTTTTGATTTAAACGTGGCCAATATGGACAACTTCTTCGCCCCCGT TTTCACCATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTCA GGTTCATCATGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGCTTAATGAATTACAACA GTACTGCGATGAGTGGCAGGGCGGGGCGTAAAGATCTGGATCCGGCTTACTAAAAGCCAG ATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTA TACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGAC AGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTCTGGTAAGCA CAACCATGCAGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGGAAAATCAGG AAGGGATGGCTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCTTTTGCTGACGAGAACA TTTGTGGATGTACAGAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCCCTG GCCAGTGCACGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGCATATC GGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATC GGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACCTG ATGTTCTGGGGAATATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGCAGGTCGACCA TAGTGACTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTA ATTTAATATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTTTCTTGTACAAAGT GGTTGATGGGCGGCCGCTCTAGAGGGCCCAAGCTTACGCGTGCATGCGACGTCATAGCTC TCTCCCTATAGTGAGTCGTATTATAAGCTAGGCACTGGCCGTCGTTTTACAACGTCGTGA $\tt CTGGGAAAACTGCTAGCTTGGGATCTTTGTGAAGGAACCTTACTTCTGTGGTGTGACATA$ ATTGGACAAACTACCTACAGAGATTTAAAGCTCTAAGGTAAATATAAAATTTTTAAGTGT ATAATGTGTTAAACTAGCTGCATATGCTTGCTGCTTGAGAGTTTTGCTTACTGAGTATGA CAGTCCCAAGGCTCATTTCAGGCCCCTCAGTCCTCACAGTCTGTTCATGATCATAATCAG CCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAACCTCCCACACCTCCCCTGAA CCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTATTGCAGCTTATAATGG TTACAAATAAAGCAATAGCATCACAAATTCACAAATAAAGCATTTTTTTCACTGCATTC AGGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGGACGCGC CCTGTAGCGGCGCATTAAGCGCGGGGGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACAC CCGGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTT- TACGGCACCTCGACCCCAAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGC CCTGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCT TGTTCCAAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTTTTGATTTATAAGGGA TTTTGCCGATTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAACAAATATTTAACGCGA ATTTTAACAAAATATTAACGTTTACAATTTCGCCTGATGCGGTATTTTCTCCTTACGCAT CTGTGCGGTATTTCACACCGCATACGCGGATCTGCGCAGCACCATGGCCTGAAATAACCT CTGAAAGAGGAACTTGGTTAGGTACCTTCTGAGGCGGAAAGAACCAGCTGTGGAATGTGT TGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCTAACTCCGCCCATCC TTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCT TTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTTGATTCTTCTGACACAACAGTCTCGAACT TAAGGCTAGAGCCACCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTG GGTGGAGAGGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGC TCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACTGGCTGCTATTGGG CGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCCTGCCGAGAAAGTATCCAT CATGGCTGATGCAATGCGGCGGCTGCATACGCTTGATCCGGCTACCTGCCCATTCGACCA CCAAGCGAAACATCGCATCGAGCGAGCACGTACTCGGATGGAAGCCGGTCTTGTCGATCA GGATGATCTGGACGAAGAGCATCAGGGGCTCGCGCCAGCCGAACTGTTCGCCAGGCTCAA GGCGCGCATGCCCGACGGCGAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAA TATCATGGTGGAAAATGGCCGCTTTTCTGGATTCATCGACTGTGGCCGGCTGGGTGTGGC GGACCGCTATCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGA ATGGGCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTCGCAGCGCATCGC CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGCGGGACTCTGGGGTTCGAAATGACCGAC CAAGCGACGCCCAACCTGCCATCACGATGGCCGCAATAAAATATCTTTATTTTCATTACA TCTGTGTGTTGTTTTTTGTGTGAATCGATAGCGATAAGGATCCGCGTATGGTGCACTCT CAGTACAATCTGCTCTGATGCCGCATAGTTAAGCCAGCCCCGACACCCCGCCAACACCCCGC TGACGCGCCCTGACGGGCTTGTCTGCTCCCGGCATCCGCTTACAGACAAGCTGTGACCGT CTCCGGGAGCTGCATGTCAGAGGTTTTCACCGTCATCACCGAAACGCGCGAGACGAAA GGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATGATAATAATGGTTTCTTAGAC GTCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAAAT ACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAATGCTTCAATAATATTG AAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCCCTTATTCCCTTTTTTGCGGC ATTTTGCCTTCCTGTTTTTGCTCACCCAGAAACGCTGGTGAAAGTAAAAGATGCTGAAGA TCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTCAACAGCGGTAAGATCCTTGA GAGTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACTTTTAAAGTTCTGCTATGTGG CGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGTCGCCGCATACACTATTC TCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAGCATCTTACGGATGGCATGAC AGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGATAACACTGCGGCCAACTTACT TCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTGCACAACATGGGGGATCA TGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAACTATTAACTGGCGAACT ACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATTGCTGATAAATCTGGAGCCGG TGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCAGATGGTAAGCCCTCCCGTAT CGTAGTTATCTACACGACGGGGGGTCAGGCAACTATGGATGAACGAAATAGACAGATCGC TGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCAGACCAAGTTTACTCATATAT ACTTTAGATTGATTTAAAACTTCATTTTTAATTTAAAAGGATCTAGGTGAAGATCCTTTT TGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACCC CGTAGAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTGCGCGTAATCTGCTGCTT GCAAACAAAAAACCACCGCTACCAGCGGTGGTTTGTTTGCCGGATCAAGAGCTACCAAC TCTTTTTCCGAAGGTAACTGGCTTCAGCAGAGCGCAGATACCAAATACTGTCCTTCTAGT GTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCTCT GCTAATCCTGTTACCAGTGGCTGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTGGA CTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCGGGCTGAACGGGGGGTTCGTGCAC-

FIGURE 92C

22.




FIGURE 93A

214/240

pDEST31

7559 bp

ATGCATGTCGTTACATAACTTACGGTAAATGGCCCGCCTGGCTGACCGCCCAACGACCCC CGCCCATTGACGTCAATAATGACGTATGTTCCCATAGTAACGCCAATAGGGACTTTCCAT TGACGTCAATGGGTGGAGTATTTACGGTAAACTGCCCACTTGGCAGTACATCAAGTGTAT CATATGCCAAGTACGCCCCTATTGACGTCAATGACGGTAAATGGCCCGCCTGGCATTAT GCCCAGTACATGACCTTATGGGACTTTCCTACTTGGCAGTACATCTACGTATTAGTCATC GCTATTACCATGGTGATGCGGTTTTGGCAGTACATCAATGGGCGTGGATAGCGGTTTGAC AATCAACGGGACTTTCCAAAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGCGGT AGGCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCTCCCTATCAGTGATAGAGATCTC CCTATCAGTGATAGAGATCGTCGACGAGCTCGTTTAGTGAACCGTCAGATCGCCTGGAGA CGCCATCCACGCTGTTTTGACCTCCATAGAAGACACCGGGACCGATCCAGCCTCCGGACC ATGGCGTACTACCATCACCATCACCATCACCAGGTGATATCCTCGAGCCCATCACAAGT TTGTACAAAAAGCTGAACGAGAAACGTAAAATGATATAAATATCAATATAAATTAG ATTTTGCATAAAAACAGACTACATAATACTGTAAAACACAACATATCCAGTCACTATGG CGGCCGCATTAGGCACCCCAGGCTTTACACTTTATGCTTCCGGCTCGTATAATGTGTGGA TTTTGAGTTAGGATCCGGCGAGATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAAA TCACTGGATATACCACCGTTGATATATCCCAATGGCATCGTAAAGAACATTTTGAGGCAT TTCAGTCAGTTGCTCAATGTACCTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTT TAAAGACCGTAAAGAAAAATAAGCACAAGTTTTATCCGGCCTTTATTCACATTCTTGCCC GCCTGATGAATGCTCATCCGGAATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATAT GGGATAGTGTTCACCCTTGTTACACCGTTTTCCATGAGCAAACTGAAACGTTTTCATCGC TCTGGAGTGAATACCACGACGATTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGG CGTGTTACGGTGAAAACCTGGCCTATTCCCTAAAGGGTTTATTGAGAATATGTTTTTCG TCTCAGCCAATCCCTGGGTGAGTTTCACCAGTTTTGATTTÃAACGTGGCCAATATGGACA ACTTCTTCGCCCCCGTTTTCACCATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGA TGCCGCTGGCGATTCAGGTTCATCATGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGC TTAATGAATTACAACAGTACTGCGATGAGTGGCAGGGCGGGGGCGTAAACGCGTGGATCCG GCTTACTAAAAGCCAGATAACAGTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAA TATATACTGATATGTATACCCGAAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTAT TACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCATATATGATGTCAATATC TCCGGTCTGGTAAGCACAACCATGCAGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGG AAAGCGGAAAATCAGGAAGGGATGGCTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCT TTTGCTGACGAGAACAGGGACTGGTGAAATGCAGTTTAAGGTTTACACCTATAAAAGAGA GAGCCGTTATCGTCTGTTTGTGGATGTACAGAGTGATATTATTGACACGCCCGGGCGACG GATGGTGATCCCCCTGGCCAGTGCACGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTA CCCGGTGGTGCATATCGGGGATGAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGT GCCGGTCTCCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAA AAACGCCATTAACCTGATGTTCTGGGGAATATAAATGTCAGGCTCCGTTATACACAGCCA GTCTGCAGGTCGACCATAGTGACTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTT TTTTATGCAAAATCTAATTTAATATATTGATATTTATATCATTTTACGTTTCTCGTTCAG GCGACGTCATAGCTCTCTCCCTATAGTGAGTCGTATTATAAGCTAGGCACTGGCCGTCGT TTTACAACGTCGTGACTGGGAAAACTGCTAGCTTGGGATCTTTGTGAAGGAACCTTACTT CTGTGGTGTGACATAATTGGACAAACTACCTACAGAGATTTAAAGCTCTAAGGTAAATAT GCTTACTGAGTATGATTATGAAAATATTATACACAGGAGCTAGTGATTCTAATTGTTTG TGTATTTTAGATTCACAGTCCCAAGGCTCATTTCAGGCCCCTCAGTCCTCACAGTCTGTT CATGATCATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAAACCTCCC ACACCTCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTTAACTTGTTTAT TGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGCATT TTTTTCACTGCATTCTAGTTGTGGGTTTGTCCAAACTCATCAATGTATCTTATCATGTCTG GATCGATCCTGCATTAATGAATCGGCCAACGCGCGGGAGAGGCGGTTTGCGTATTGGCT GGCGTAATAGCGAAGAGGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATG GCGAATGGGACGCCCTGTAGCGGCGCATTAAGCGCGGGGGTGTGGTGGTTACGCGCA GCGTGACCGCTACACTTGCCAGCGCCCTAGCGCCCGCTCCTTTCGCTTTCTTCCCTTCCT TTCTCGCCACGTTCGCCGGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGT- TCCGATTTAGTGCTTTACGGCACCTCGACCCCAAAAAACTTGATTAGGGTGATGGTTCAC GTAGTGGGCCATCGCCCTGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCT TTAATAGTGGACTCTTGTTCCAAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTT TTGATTTATAAGGGATTTTGCCGATTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAAC AAATATTTAACGCGAATTTTAACAAAATATTAACGTTTACAATTTCGCCTGATGCGGTAT TTTCTCCTTACGCATCTGTGCGGTATTTCACACCGCATACGCGGATCTGCGCAGCACCAT GGCCTGAAATAACCTCTGAAAGAGGAACTTGGTTAGGTACCTTCTGAGGCGGAAAGAACC GTATGCAAAGCATGCATCTCAATTAGTCAGCAACCAGGTGTGGAAAGTCCCCAGGCTCCC CAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCC TAACTCCGCCCATCCCGCCCTAACTCCGCCCAGTTCCGCCCATTCTCCGCCCCATGGCT GACTAATTTTTTTTTTATTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTATTCCAGA AGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTTGATTCTTCTGACA CAACAGTCTCGAACTTAAGGCTAGAGCCACCATGATTGAACAAGATGGATTGCACGCAGG TTCTCCGGCCGCTTGGGTGGAGAGGCTATTCGGCTATGACTGGGCACAACAGACAATCGG CTGCTCTGATGCCGCCGTGTTCCGGCTGTCAGCGCAGGGGCGCCCGGTTCTTTTTGTCAA GACCGACCTGTCCGGTGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTGGCT GGCCACGACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGA CTGGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCCTGC CGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGATCCGGCTAC CGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAGGGGCTCGCGCCAGCCGAACT GTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGCGAGGATCTCGTCGTGACCCATGGCGA TGCCTGCTTGCCGAATATCATGGTGGAAAATGGCCGCTTTTCTGGATTCATCGACTGTGG CCGGCTGGGTGTGGCGGACCGCTATCAGGACATAGCGTTGGCTACCCGTGATATTGCTGA AGAGCTTGGCGGCGAATGGGCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGA TTCGCAGCGCATCGCCTTCTATCGCCTTCTTGACGAGTTCTTCTGAGCGGGACTCTGGGG TTCGAAATGACCGACCAAGCGACGCCCAACCTGCCATCACGATGGCCGCAATAAAATATC TTTATTTCATTACATCTGTGTGTTGGTTTTTTTGTGTGAATCGATAGCGATAAGGATCCG CCCGCCAACACCCGCTGACGCGCCTGACGGGCTTGTCTGCTCCCGGCATCCGCTTACAG ACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTTTCACCGTCATCACCGAA ACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATGATAAT AATGGTTTCTTAGACGTCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATTTG TTTATTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAAT GCTTCAATAATATTGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCCCTTAT TCCCTTTTTTGCGGCATTTTGCCTTCCTGTTTTTGCTCACCCAGAAACGCTGGTGAAAGT AAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTCAACAG CGGTAAGATCCTTGAGAGTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACTTTTAA AGTTCTGCTATGTGGCGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGTCG CCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAGCATCT TACGGATGGCATGACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGATAACAC TGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTGCA ACCAAACGACGAGCGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAACT TAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCAGATGG TAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAGGCAACTATGGATGAACG AAATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCAGACCA AGTTTACŢCATATATACTTTAGATTGATTTAAAACTTCATTTTTAATTTAAAAGGATCTA GGTGAAGÀTCCTTTTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCA CTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTGCG TCAAGAGCTACCAACTCTTTTTCCGAAGGTAACTGGCTTCAGCAGAGCGCAGATACCAAA TACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCC TCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCGGGCTGAAC-

FIGURE 93C

FIGURE 93D




FIGURE 94A

pDEST32

12288 bp

GACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATGATAATAATGGTTT CTTAGGACGGATCGCTTGCCTGTAACTTACACGCGCCTCGTATCTTTTAATGATGGAATA ATTTGGGAATTTACTCTGTGTTTATTTATTTTTATGTTTTGTATTTGGATTTTAGAAAGT ATTTCAACAAAAAGCGTACTTTACATATATATTTATTAGACAAGAAAAGCAGATTAAATA TCTACACAGACAAGATGAAACAATTCGGCATTAATACCTGAGAGCAGGAAGAGCAAGATA AAAGGTAGTATTTGTTGGCGATCCCCCTAGAGTCTTTTACATCTTCGGAAAACAAAACT ATTTAAATTATATTTTTTATAGCACGTGATGAAAAGGACCCAGGTGGCACTTTTCGG GGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAAATACATTCAAATATGTATCCG CTCATGAGACAATAACCCTGATAAATGCTTCAATAATCTGCAGTGCGCAGGGCCCGTGTC TCAAAATCTCTGATGTTACATTGCACAAGATAAAAATATATCATCATGAACAATAAAACT GTCTGCTTACATAAACAGTAATACAAGGGGTGTTATGAGCCATATTCAACGGGAAACGTC TTGCTGGAGGCCGCGATTAAATTCCAACATGGATGCTGATTTATATGGGTATAAATGGGC TCGGTAGCCAACCACTAGAACTATAGCTAGAGTCCTGGGCGAACAAACGATGCTCGCCTT CCAGAAAACCGAGGATGCGAACCACTTCATCCGGGGTCAGCACCACCGGCAAGCGCCGCG ACGGCCGAGGTCTTCCGATCTCCTGAAGCCAGGGCAGATCCGTGCACAGCACCTTGCCGT AGAAGAACAGCAAGGCCGCCAATGCCTGACGATGCGTGGAGACCGAAACCTTGCGCTCGT TCGCCAGCCAGGACAGAAATGCCTCGACTTCGCTGCCCCAAGGTTGCCGGGTGACGCA CACCGTGGAAACGGATGAAGGCACGAACCCAGTTGACATAAGCCTGTTCGGTTCGTAAAC TGTAATGCAAGTAGCGTATGCGCTCACGCAACTGGTCCAGAACCTTGACCGAACGCAGCG TGCCTCGGGCATCCAAGCAGCAAGCGCGTTACGCCGTGGGTCGATGTTTGATGTTATGGA GCAGCAACGATGTTACGCAGCAGCAGCAACGATGTTACGCAGCAGGGCAGTCGCCCTAAAACA AAGTTAGGTGGCTCAAGTATGGGCATCATTCGCACATGTAGGCTCGGCCCTGACCAAGTC AAATCCATGCGGGCTGCTCTTGATCTTTTCGGTCGTGAGTTCGGAGACGTAGCCACCTAC TCCCAACATCAGCCGGACTCCGATTACCTCGGGAACTTGCTCCGTAGTAAGACATTCATC GCGCTTGCTGCCTTCGACCAAGAAGCGGTTGTTGGCGCTCTCGCGGGCTTACGTTCTGCCC AGGTTTGAGCAGCCGCGTAGTGAGATCTATATCTATGATCTCGCAGTCTCCGGCGAGCAC CGGAGGCAGGCATTGCCACCGCGCTCATCAATCTCCTCAAGCATGAGGCCAACGCGCTT GGTGCTTATGTGATCTACGTGCAAGCAGATTACGGTGACGATCCCGCAGTGGCTCTCTAT ACAAAGTTGGGCATACGGGAAGAAGTGATGCACTTTGATATCGACCCAAGTACCGCCACC TAACAATTCGTTCAAGCCGAGATCGGCTTCCCGGCCTAATAGGTTGTATTGATGTTGGAC GAGTCGGAATCGCAGACCGATACCAGGATCTTGCCATCCTATGGAACTGCCTCGGTGAGT TTTCTCCTTCATTACAGAAACGGCTTTTTCAAAAATATGGTATTGATAATCCTGATATGA ATAAATTGCAGTTTCATTTGATGCTCGATGAGTTTTTCTAATCAGAATTGGTTAATTGGT TGTAACACTGGCAGAGCATTACGCTGACTTGACGGGACGGCGNCATGACCAAAATCCCTT AACGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTT CGGTGGTTTGTTTGCCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACTGGCTTCA GCAGAGCGCAGATACCAAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCA AGAACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCTG CCAGTGGCGATAAGTCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGG CGCAGCGGTCGGGCTGAACGGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGAACGACCT ACACCGAACTGAGATACCTACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCCGAAGGGA GAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGAGC TTCCAGGGGGGAACGCCTGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTGACTTG AGCGTCGATTTTTGTGATGCTCGTCAGGGGGGCCGAGCCTATGGAAAAACGCCAGCAACG CGGCCTTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCCTGCGT GCAGCCGAACGACCGAGCGCGAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCCAATAC GCAAACCGCCTCTCCCCGCGCGTTGGCCGATTCATTAATGCAGCTGGCACGACAGGTTTC CACCCCAGGCTTTACACTTTATGCTTCCGGCTCCTATGTTGTGTGGAATTGTGAGCGGAT AACAATTTCACACAGGAAACAGCTATGACCATGATTACGCCAAGCTCGGAATTAACCCTC- ACTAAAGGGAACAAAAGCTGGTACCGATCCCGAGCTTTGCAAATTAAAGCCTTCGAGCGT CCCAAAACCTTCTCAAGCAAGGTTTTCAGTATAATGTTACATGCGTACACGCGTCTGTAC AGAAAAAAAAGAAAATTTGAAATATAAATAACGTTCTTAATACTAACATAACTATAAAA GTGGGGGGGGGGGGTGAATGTAAGCGTGACATAACTAATTACATGATATCGACAAAGGAA AAGGGGCCTGTTTACTCACAGGCTTTTTTCAAGTAGGTAATTAAGTCGTTTCTGTCTTTT ${f T}{f T}{f$ TTTTTTTTCATAGAAATAATACAGAAGTAGATGTTGAATTAGATTAAACTGAAGATATAT AATTTATTGGAAAATACATAGAGCTTTTTGTTGATGCGCTTAAGCGATCAATTCAACAAC ACCACCAGCAGCTCTGATTTTTTCTTCAGCCAACTTGGAGACGAATCTAGCTTTGACGAT AACTGGAACATTTGGAATTCTACCCTTACCCAAGATCTTACCGTAACCGGCTGCCAAAGT GTCAATAACTGGAGCAGTTTCCTTAGAAGCAGATTTCAAGTATTGGTCTCTCTTGTCTTC TGGGATCAATGTCCACAATTTGTCCAAGTTCAAGACTGGCTTCCAGAAATGAGCTTGTTG CTTGTGGAAGTATCTCATACCAACCTTACCGAAATAACCTGGATGGTATTTATCCATGTT AATTCTGTGGTGATGTTGACCACCGGCCATACCTCTACCACCGGGGTGCTTTCTGTGCTT ACCGATACGACCTTTACCGGCTGAGACGTGACCTCTGTGCTTTCTAGTCTTAGTGAATCT GGAAGGCATTCTTGATTAGTTGGATGATTGTTCTGGGATTTAATGCAAAAATCACTTAAG AAGGAAAATCAACGGAGAAAGCAAACGCCATCTTAAATATACGGGATACAGATGAAAGGG TTTGAACCTATCTGGAAAATAGCATTAAACAAGCGAAAAACTGCGAGGAAAATTGTTTGC GTCTCTGCGGGCTATTCACGCGCCAGAGGAAAATAGGAAAAATAACAGGGCATTAGAAAA ATAATTTTGATTTTGGTAATGTGTGGGTCCTGGTGTACAGATGTTACATTGGTTACAGTA CTCTTGTTTTTGCTGTGTTTTTCGATGAATCTCCAAAATGGTTGTTAGCACATGGAAGAG TCACCGATGCTAAGTTATCTCTATGTAAGCTACGTGGCGTGACTTTTGATGAAGCCGCAC AAGAGATACAGGATTGGCAACTGCAAATAGAATCTGGGGATCCCCCCTCGAGATCCGGGA TCGAAGAAATGATGGTAAATGAAATAGGAAATCAAGGAGCATGAAGGCAAAAGACAAATA TAAGGGTCGAACGAAAAATAAAGTGAAAAGTGTTGATATGATGTATTTGGCTTTGCGGCG CCGAAAAAACGAGTTTACGCAATTGCACAATCATGCTGACTCTGTGGCGGACCCGCGCTC TTGCCGGCCCGGCGATAACGCTGGGCGTGAGGCTGTGCCCGGCGGAGTTTTTTGCGCCTG CATTTTCCAAGGTTTACCCTGCGCTAAGGGGCGAGATTGGAGAAGCAATAAGAATGCCGG TTGGGGTTGCGATGATGACGACCACGACAACTGGTGTCATTATTTAAGTTGCCGAAAGAA CCTGAGTGCATTTGCAACATGAGTATACTAGAAGAATGAGCCAAGACTTGCGAGACGCGA GTTTGCCGGTGGTGCGAACAATAGAGCGACCATGACCTTGAAGGTGAGACGCGCATAACC GCTAGAGTACTTTGAAGAGGAAACAGCAATAGGGTTGCTACCAGTATAAATAGACAGGTA CATACAACACTGGAAATGGTTGTCTGTTTGAGTACGCTTTCAATTCATTTGGGTGTGCAC AAGTCCAATGCTAGTAGAGAAGGGGGGTAACACCCCTCCGCGCTCTTTTCCGATTTTTTT CTAAACCGTGGAATATTTCGGATATCCTTTTGTTGTTTCCGGGTGTACAATATGGACTTC CTCTTTTCTGGCAACCAAACCCATACATCGGGATTCCTATAATACCTTCGTTGGTCTCCC TAACATGTAGGTGGCGGAGGGGAGATATACAATAGAACAGATACCAGACAAGACATAATG GGCTAAACAAGACTACACCAATTACACTGCCTCATTGATGGTGGTACATAACGAACTAAT ACTGTAGCCCTAGACTTGATAGCCATCATCATATCGAAGTTTCACTACCCTTTTTCCATT AGGAAAAAATTAACGACAAAGACAGCACCAACAGATGTCGTTGTTCCAGAGCTGATGAGG GGTATCTTCGAACACGAAACTTTTTCCTTCCTTCATTCACGCACACTACTCTCTAATG AGCAACGGTATACGGCCTTCCTTCCAGTTACTTGAATTTGAAATAAAAAAAGTTTGCCGC TTTGCTATCAAGTATAAATAGACCTGCAATTATTAATCTTTTGTTTCCTCGTCATTGTTC TCGTTCCCTTTCTTCTTTTTTTTCTGCACAATATTTCAAGCTATACCAAGCATAC AATCAACTCCAAGCTTGAAGCAAGCCTCCTGAAAGATGAAGCTACTGTCTTCTATCGAAC AAGCATGCGATATTTGCCGACTTAAAAAGCTCAAGTGCTCCAAAGAAAAACCGAAGTGCG CCAAGTGTCTGAAGAACAACTGGGAGTGTCGCTACTCTCCCAAAACCAAAAGGTCTCCGC TGACTAGGGCACATCTGACAGAAGTGGAATCAAGGCTAGAAAGACTGGAACAGCTATTTC TACTGATTTTTCCTCGAGAAGACCTTGACATGATTTTGAAAATGGATTCTTTACAGGATA TAAAAGCATTGTTAACAGGATTATTTGTACAAGATAATGTGAATAAAGATGCCGTCACAG ATAGATTGGCTTCAGTGGAGACTGATATGCCTCTAACATTGAGACAGCATAGAATAAGTG CGACATCATCATCGGAAGAGAGTAGTAACAAAGGTCAAAGACAGTTGACTGTATCGTCGA GGTCGAATCAAACAAGTTTGTACAAAAAAGCTGAACGAGAAACGTAAAATGATATAAATA-

FIGURE 94C

TCAATATTAAATTAGATTTTGCATAAAAAACAGACTACATAATACTGTAAAAACACAAC ATATCCAGTCACTATGGCGGCCGCTAAGTTGGCAGCATCACCCGACGCACTTTGCGCCGA TACCGGGAAGCCCTGGGCCAACTTTTGGCGAAAATGAGACGTTGATCGGCACGTAAGAGG TTCCAACTTTCACCATAATGAAATAAGATCACTACCGGGCGTATTTTTTGAGTTATCGAG ATTTTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAAATCACTGGATATACCACCGTTGA CTATAACCAGACCGTTCAGCTGGATATTACGGCCTTTTTTAAAGACCGTAAAGAAAAATAA GCACAAGTTTTATCCGGCCTTTATTCACATTCTTGCCCGCCTGATGAATGCTCATCCGGA ATTCCGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCACCCTTGTTA CACCGTTTTCCATGAGCAAACTGAAACGTTTTCATCGCTCTGGAGTGAATACCACGACGA TTTCCGGCAGTTTCTACACATATATTCGCAAGATGTGGCGTGTTACGGTGAAAACCTGGC CTATTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCGTCTCAGCCAATCCCTGGGTGAG TTTCACCAGTTTTGATTTAAACGTGGCCAATATGGACAACTTCTTCGCCCCCGTTTTCAC CATGGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTCAGGTTCA TCATGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGCTTAATGAATTACAACAGTACTG CGATGAGTGGCAGGGCGGGCGTAATCTAGAGGATCCGGCTTACTAAAAGCCAGATAACA GTATGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTATACCCG AAGTATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGAC AGCTATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTCTGGTAAGCACAACCA TGCAGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGGAAAATCAGGAAGGGA TGGCTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCTTTTGCTGACGAGAACAGGGACT GATGTACAGAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCCCTGGCCAGT GCACGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGCATATCGGGGAT GAAAGCTGGCGCATGATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATCGGGGAA GAAGTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACCTGATGTTC TGGGGAATATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGCAGGTCGACCATAGTGA CTGGATATGTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTAATTTAA TATATTGATATTTATATCATTTTACGTTTCTCGTTCAGCTTTCTTGTACAAAGTGGTTTG AGCTTTGGACTTCTTCGCCAGAGGTTTGGTCAAGTCTCCAATCAAGGTTGTCGGCTTGTC TACCTTGCCAGAAATTTACGAAAAGATGGAAAAGGGTCAAATCGTTGGTAGATACGTTGT TGACACTTCTAAATAAGCGAATTTCTTATGATTTATGATTTTTATTAAATAAGTTAT AAAAAAATAAGTGTATACAAATTTTAAAGTGACTCTTAGGTTTTAAAACGAAAATTCTT GTTCTTGAGTAACTCTTTCCTGTAGGTCAGGTTGCTTTCTCAGGTATAGCATGAGGTCGC TCTTATTGACCACACCTCTACCGGCATGCCGAGCAAATGCCTGCAAATCGCTCCCCATTT CACCCAATTGTAGATATGCTAACTCCAGCAATGAGTTGATGAATCTCGGTGTGTATTTTA TGTCCTCAGAGGACAATACCTGTTGTAATCGTTCTTCCACACGGATCCCAATTCGCCCTA TAGTGAGTCGTATTACAATTCACTGGCCGTCGTTTTACAACGTCGTGACTGGGAAAACCC TGGCGTTACCCAACTTAATCGCCTTGCAGCACATCCCCCTTTCGCCAGCTGGCGTAATAG CGAAGAGGCCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGAC GCGCCTGTAGCGGCGCATTAAGCGCGGCGGTGTGGTGGTTACGCGCAGCGTGACCGCT ACACTTGCCAGCGCCCTAGCGCCCGCTCCTTTCGCTTTCTTCCCTTTCTCGCCACG TTCGCCGGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGT GCTTTACGGCACCTCGACCCCAAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCA TCGCCCTGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGA CTCTTGTTCCAAACTGGAACAACACTCAACCCTATCTCGGTCTATTCTTTTGATTATAA GGGATTTTGCCGATTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAACAAAAATTTAAC GCGAATTTTAACAAAATATTAACGTTTACAATTTCCTGATGCGGTATTTTCTCCTTACGC ATCTGTGCGGTATTTCACACCGCATATCGACCGGTCGAGGAGAACTTCTAGTATATCCAC ATACCTAÀTATTATTGCCTTATTAAAAATGGAATCGGAACAATTACATCAAAATCCACAT TCTCTTCAAAATCAATTGTCCTGTACTTCCTTGTTCATGTGTGTTCAAAAACGTTATATT TATAGGATAATTATACTCTATTTCTCAACAAGTAATTGGTTGTTTGGCCGAGCGGTCTAA GGCGCCTGATTCAAGAAATATCTTGACCGCAGTTAACTGTGGGAATACTCAGGTATCGTA AGATGCAAGAGTTCGAATCTCTTAGCAACCATTATTTTTTTCCTCAACATAACGAGAACA CACAGGGGCGCTATCGCACAGAATCAAATTCGATGACTGGAAATTTTTTTGTTAATTTCAG AGGTCGCCTGACGCATATACCTTTTTCAACTGAAAAATTGGGAGAAAAAGGAAAGGTGAG-

FAURE 94D

AGGCCGGAACCGGCTTTTCATATAGAATAGAGAGCGTTCATGACTAAATGCTTGCATCA CAATACTTGAAGTTGACAATATTATTTAAGGACCTATTGTTTTTTCCAATAGGTGGTTAG TCAAGGATATACCATTCTAATGTCTGCCCCTATGTCTGCCCCTAAGAAGATCGTCGTTTT GCCAGGTGACCACGTTGGTCAAGAAATCACAGCCGAAGCCATTAAGGTTCTTAAAGCTAT TTCTGATGTTCGTTCCAATGTCAAGTTCGATTTCGAAAATCATTTAATTGGTGGTGCTGC TATCGATGCTACAGGTGTCCCACTTCCAGATGAGGCGCTGGAAGCCTCCAAGAAGGTTGA TGCCGTTTTGTTAGGTGCTGTGGGTGGTCCTAAATGGGGTACCGGTAGTGTTAGACCTGA ACAAGGTTTACTAAAAATCCGTAAAGAACTTCAATTGTACGCCAACTTAAGACCATGTAA CTTTGCATCCGACTCTCTTTTAGACTTATCTCCAATCAAGCCACAATTTGCTAAAGGTAC TGACTTCGTTGTTGTCAGAGAATTAGTGGGAGGTATTTACTTTGGTAAGAGAAAGGAAGA CGATGGTGATGGTGTCGCTTGGGATAGTGAACAATACACCGTTCCAGAAGTGCAAAGAAT CACAAGAATGGCCGCTTTCATGGCCCTACAACATGAGCCACCATTGCCTATTTGGTCCTT GGATAAAGCTAATGTTTTGGCCTCTTCAAGATTATGGAGAAAAACTGTGGAGGAAACCAT CCTAGTTAAGAACCCAACCCACCTAAATGGTATTATAATCACCAGCAACATGTTTGGTGA TATCATCTCCGATGAAGCCTCCGTTATCCCAGGTTCCTTGGGTTTGTTGCCATCTGCGTC CTTGGCCTCTTTGCCAGACAAGAACACCGCATTTGGTTTGTACGAACCATGCCACGGTTC TGCTCCAGATTTGCCAAAGAATAAGGTTGACCCTATCGCCACTATCTTGTCTGCTGCAAT GATGTTGAAATTGTCATTGAACTTGCCTGAAGAAGGTAAGGCCATTGAAGATGCAGTTAA AAAGGTTTTGGATGCAGGTATCAGAACTGGTGATTTAGGTGGTTCCAACAGTACCACCGA AGTCGGTGATGCTGTCGCCGAAGAAGTTAAGAAAATCCTTGCTTAAAAAAGATTCTCTTTT TTTATGATATTTGTACATAAACTTTATAAATGAAATTCATAATAGAAACGACACGAAATT CAAGAAGGAGAAAAAGGAGGATAGTAAAGGAATACAGGTAAGCAAATTGATACTAATGGC TCAACGTGATAAGGAAAAAGAATTGCACTTTAACATTAATATTGACAAGGAGGAGGGCAC CACACAAAAAGTTAGGTGTAACAGAAAATCATGAAACTACGATTCCTAATTTGATATTGG AGGATTTTCTCTAAAAAAAAAAAAATACAACAAATAAAAAAACACTCAATGACCTGACCAT TTGATGGAGTTTAAGTCAATACCTTCTTGAACCATTTCCCATAATGGTGAAAGTTCCCTC AAGAATTTTACTCTGTCAGAAACGGCCTTACGACGTAGTCGATATGGTGCACTCTCAGTA CAATCTGCTCTGATGCCGCATAGTTAAGCCAGCCCCGACACCCCGCCAACACCCCGCTGACG CGCCCTGACGGGCTTGTCTGCTCCCGGCATCCGCTTACAGACAAGCTGTGACCGTCTCCG GGAGCTGCATGTGTCAGAGGTTTTCACCGTCATCACCGAAACGCGCGA

FIGURE 94E




FIGURE 95A

pDEST33

8815 bp

AATACTACTCAGTAATAACCTATTTCTTAGCATTTTTTGACGAAATTTGCTATTTTGTTAG AGTCTTTTACACCATTTGTCTCCACACCTCCGCTTACATCAACACCAATAACGCCATTTA ATCTAAGCGCATCACCAACATTTTCTGGCGTCAGTCCACCAGCTAACATAAAATGTAAGC TTTCGGGGCTCTCTTGCCTTCCAACCCAGTCAGAAATCGAGTTCCAATCCAAAAGTTCAC CTGTCCCACCTGCTTCTGAATCAAACAAGGGAATAAACGAATGAGGTTTCTGTGAAGCTG CACTGAGTAGTATGTTGCAGTCTTTTGGAAATACGAGTCTTTTAATAACTGGCAAACCGA GGAACTCTTGGTATTCTTGCCACGACTCATCTCCATGCAGTTGGACGATATCAATGCCGT ATTTCGGAGTGCCTGAACTATTTTTATATGCTTTTACAAGACTTGAAATTTTCCTTGCAA TAACCGGGTCAATTGTTCTCTTTCTATTGGGCACACATATAATACCCAGCAAGTCAGCAT CGGAATCTAGAGCACATTCTGCGGCCTCTGTGCTCTGCAAGCCGCAAACTTTCACCAATG GACCAGAACTACCTGTGAAATTAATAACAGACATACTCCAAGCTGCCTTTGTGTGCTTAA TTTTTTCGACCGAATTAATTCTTAATCGGCAAAAAAAGAAAAGCTCCGGATCAAGATTGT ACGTAAGGTGACAAGCTATTTTTCAATAAAGAATATCTTCCACTACTGCCATCTGGCGTC TATAGTAATGTCGTTTATGGTGCACTCTCAGTACAATCTGCTCTGATGCCGCATAGTTAA GCCAGCCCGACACCCGCCAACACCCGCTGACGCCCTGACGGGCTTGTCTGCTCCCGG CATCCGCTTACAGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTTTCAC CGTCATCACCGAAACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTATAGGTTA ATGTCATGATAATAATGGTTTCTTAGGACGGATCGCTTGCCTGTAACTTACACGCGCCTC ACAAGAAAAGCAGATTAAATAGATATACATTCGATTAACGATAAGTAAAATGTAAAATCA ${\tt CAGGATTTTCGTGTGTGTCTTCTACACAGACAAGATGAAACAATTCGGCATTAATACCT}$ GAGAGCAGGAAGACAAGATAAAAGGTAGTATTTGTTGGCGATCCCCCTAGAGTCTTTTA GACCCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAA ATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAATGCTTCAATAATAT TGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCCCTTATTCCCTTTTTTGCG GCATTTTGCCTCCTGTTTTTGCTCACCCAGAAACGCTGGTGAAAGTAAAAGATGCTGAA GATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTCAACAGCGGTAAGATCCTT GAGAGTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACTTTTAAAGTTCTGCTATGT GGCGCGTATTATCCCGTATTGACGCCGGGCAAGAGCCAACTCGGTCGCCGCATACACTAT TCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAGCATCTTACGGATGGCATG ACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGATAACACTGCGGCCAACTTA $\tt CTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTTCACAACATGGGGGAT$ CGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAACTATTAACTGGCGAA GGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATTGCTGATAAATCTGGAGCC GGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCAGATGGTAAGCCCTCCCGT ATCGTAGTTATCTACACGACGGCCAGTCAGGCAACTATGGATGAACGAAATAGACAGATC GCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCAGACCAAGTTTACTCATAT ATACTTTAGATTGATTTAAAACTTCATTTTTAATTTAAAAGGATCTAGGTGAAGATCCTT TTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGAC CCCGTAGÁAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTGCGCGTAATCTGCTGC ACTCTTTTTCCGAAGGTAACTGGCTTCAGCAGAGCGCAGATACCAAATACTGTCCTTCTA GTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCT CTGCTAATCCTGTTACCAGTGGCTGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTG GACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCGGGCTGAACGGGGGGTTCGTGC ACACAGCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCAT- TGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGG GTCGGAACAGGAGGCGCACGAGGGAGCTTCCAGGGGGGAACGCCTGGTATCTTTATAGT CCTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGG CCGAGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTACGGTTCCTGGCCTTTTGCTGG CCTTTTGCTCACATGTTCTTTCCTGCGTTATCCCCTGATTCTGTGGATAACCGTATTACC GCCTTTGAGTGAGCTGATACCGCTCGCCGCAGCCGAACGACCGAGCGCAGCGAGTCAGTG AGCGAGGAAGCGCGCAATACGCAAACCGCCTCTCCCCGCGCGTTGGCCGATT CATTAATGCAGCTGGCACGACAGGTTTCCCGACTGGAAAGCGGGCAGTGAGCGCAACGCA ATTAATGTGAGTTACCTCACTCATTAGGCACCCCAGGCTTTACACTTTATGCTTCCGGCT CCTATGTTGTGTGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATGACCAT GATTACGCCAAGCTCGGAATTAACCCTCACTAAAGGGAACAAAAGCTGGGTACCGGGCCC CCCCTCGAGATCCGGGATCGAAGAAATGATGATAAATGAAATAGGAAATCAAGGAGCATG AAGGCAAAAGACAAATATAAGGGTCGAACGAAAAATAAAGTGAAAAGTGTTGATATGATG TATTTGGCTTTGCGGCGCCGAAAAAACGAGTTTACGCAATTGCACAATCATGCTGACTCT GTGGCGGACCCGCGCTCTTGCCGGCCCGGCGATAACGCTGGGCGTGAGGCTGTGCCCGGC GGAGTTTTTTGCGCCTGCATTTTCCAAGGTTTACCCTGCGCTAAGGGGCGAGATTGGAGA AGCAATAAGAATGCCGGTTGGGGTTGCGATGATGACGACCACGACAACTGGTGTCATTAT TTAAGTTGCCGAAAGAACCTGAGTGCATTTGCAACATGAGTATACTAGAAGAATGAGCCA AGACTTGCGAGACGCGAGTTTGCCGGTGGTGCGAACAATAGAGCGACCATGACCTTGAAG GTGAGACGCGCATAACCGCTAGAGTACTTTGAAGAGGAAACAGCAATAGGGTTGCTACCA GTATAAATAGACAGGTACATACAACACTGGAAATGGTTGTCTGTTTGAGTACGCTTTCAA TTCATTTGGGTGTGCACTTTATTATGTTACAATATGGAAGGGAACTTTACACTTCTCCTA TGCACATATATTAATTAAAGTCCAATGCTAGTAGAGAAGGGGGGTAACACCCCTCCGCGC TCTTTTCCGATTTTTTCTAAACCGTGGAATATTTCGGATATCCTTTTGTTTCCGGG TGTACAATATGGACTTCCTCTTTTCTGGCAACCAAACCCATACATCGGGATTCCTATAAT ACCTTCGTTGGTCTCCCTAACATGTAGGTGGCGGAGGGGAGATATACAATAGAACAGATA CCAGACAAGACATAATGGGCTAAACAAGACTACACCAATTACACTGCCTCATTGATGGTG GTACATAACGAACTAATACTGTAGCCCTAGACTTGATAGCCATCATCATATCGAAGTTTC ACTACCCTTTTTCCATTTGCCATCTATTGAAGTAATAATAGGCGCATGCAACTTCTTTTC TTTTTTTTTTTTCTCTCTCCCCCGTTGTTGTCTCACCATATCCGCAATGACAAAAAA ATGATGGAAGACACTAAAGGAAAAAATTAACGACAAAGACAGCACCAACAGATGTCGTTG TAAAAAAAGTTTGCCGCTTTGCTATCAAGTATAAATAGACCTGCAATTATTAATCTTTTG TTTCCTCGTCATTGTTCTCGTTCCCTTTCTTCCTTGTTTTTTTCTGCACAATATTTCA AGCTATACCAAGCATACAATCAACTCCAAGCTTATGCCCAAGAAGAAGCGGAAGGTCTCG AGCGGCGCCAATTTTAATCAAAGTGGGAATATTGCTGATAGCTCATTGTCCTTCACTTTC CAACCAATTGCCTCCTCTAACGTTCATGATAACTTCATGAATAATGAAATCACGGCTAGT TATAACGCGTTTGGAATCACTACAGGGATGTTTAATACCACTACAATGGATGATGTATAT CAAACAAGTTTGTACAAAAAAGCTGAACGAGAAACGTAAAATGATATAAATATCAATATA TTAAATTAGATTTTGCATAAAAAACAGACTACATAATACTGTAAAACACAACATATCCAG CTGTGACGGAAGATCACTTCGCAGAATAAATAAATCCTGGTGTCCCTGTTGATACCGGGA AGCCCTGGGCCAACTTTTGGCGAAAATGAGACGTTGATCGGCACGTAAGAGGTTCCAACT TTCACCATAATGAAATAAGATCACTACCGGGCGTATTTTTTGAGTTATCGAGATTTTCAG GAGCTAAGGAAGCTAAAATGGAGAAAAAAATCACTGGATATACCACCGTTGATATATCCC AGACCGTTCAGCTGGATATTACGGCCTTTTTAAAGACCGTAAAGAAAAAATAAGCACAAGT TTTATCCĞGCCTTTATTCACATTCTTGCCCGCCTGATGAATGCTCATCCGGAATTCCGTA TGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCACCCTTGTTACACCGTTT TCCATGAGCAAACTGAAACGTTTTCATCGCTCTGGAGTGAATACCACGACGATTTCCGGC AGTTTCTACACATATATTCGCAAGATGTGGCGTGTTACGGTGAAAACCTGGCCTATTTCC CTAAAGGGTTTATTGAGAATATGTTTTTCGTCTCAGCCAATCCCTGGGTGAGTTTCACCA GTTTTGATTTAAACGTGGCCAATATGGACAACTTCTTCGCCCCCGTTTTCACCATGGGCA AATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTCAGGTTCATCATGCCG-

FRUE 95C

TCTGTGATGGCTTCCATGTCGGCAGAATGCTTAATGAATTACAACAGTACTGCGATGAGT GGCAGGGCGGGCGTAATCTAGAGGATCCGGCTTACTAAAAGCCAGATAACAGTATGCGT ATTTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTATACCCGAAGTATGT CAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGCTATCA GTTGCTCAAGGCATATATGATGTCAATATCTCCGGTCTGGTAAGCACAACCATGCAGAAT GAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGGAAAATCAGGAAGGGATGGCTGAG GTCGCCCGGTTTATTGAAATGAACGGCTCTTTTGCTGACGAGAACAGGGACTGGTGAAAT GCAGTTTAAGGTTTACACCTATAAAAGAGAGAGCCGTTATCGTCTGTTTGTGGATGTACA GAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCCCTGGCCAGTGCACGTCT GCTGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGCATATCGGGGATGAAAGCTG GCGCATGATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATCGGGGAAGAAGTGGC TGATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACCTGATGTTCTGGGGAAT ATAAATGTCAGGCTCCGTTATACACAGCCAGTCTGCAGGTCGACCATAGTGACTGGATAT GTTGTGTTTTACAGTATTATGTAGTCTGTTTTTTATGCAAAATCTAATTTAATATATTGA TATTTATATCATTTTACGTTTCTCGTTCAGCTTTCTTGTACAAAGTGGTTTGATGGCCGC TAAGTAAGTAAGACGTCGAGCTCCCTATAGTGAGTCGTATTACACTGGCCGTCGTTTTAC GAGCTTTGGACTTCTTCGCCAGAGGTTTGGTCAAGTCTCCAATCAAGGTTGTCGGCTTGT CTACCTTGCCAGAAATTTACGAAAAGATGGAAAAGGGTCAAATCGTTGGTAGATACGTTG TTGACACTTCTAAATAAGCGAATTTCTTATGATTTATGATTTTATTATTAAATAAGTTA TAAAAAAAATAAGTGTATACAAATTTTAAAGTGACTCTTAGGTTTTAAAACGAAAATTCT TGTTCTTGAGTAACTCTTTCCTGTAGGTCAGGTTGCTTTCTCAGGTATAGCATGAGGTCG CTCTTATTGACCACACCTCTACCGGCATGCCGAGCAAATGCCTGCAAATCGCTCCCCATT TCACCCAATTGTAGATATGCTAACTCCAGCAATGAGTTGATGAATCTCGGTGTGTATTTT ATGTCCTCAGAGGACAATACCTGTTGTAATCGTTCTTCCACACGGATCCGCATCAGGCGA AATTGTAAACGTTAATATTTTGTTAAAATTCGCGTTAAATATTTGTTAAATCAGCTCATT TTTTAACCAATAGGCCGAAATCGGCAAAATCCCTTATAAATCAAAAGAATAGACCGAGAT AGGGTTGAGTGTTCCAGTTTGGAACAAGAGTCCACTATTAAAGAACGTGGACTCCAA CGTCAAAGGGCGAAAAACCGTCTATCAGGGCGATGGCCCACTACGTGAACCATCACCCTA ATCAAGTTTTTTGGGGTCGAGGTGCCGTAAAGCACTAAATCGGAACCCTAAAGGGAGCCC GAAAGGAGCGGCCTAGGGCGCTGGCAAGTGTAGCGGTCACGCTGCGCGTAACCACCAC ACCCGCCGCGCTTAATGCGCCGCTACAGGGCGCGTCCCATTCGCCATTCACTGCA

FIGURE 95D




FIGURE 96A

pDEST34 7114 bp

Location (Base Nos.)	Gene Encoded
19571	attR1
304963	CmR
13051610	ccdB
16511775	attR2
17802472	GST .
26752720	T7stop
33344194	ampR
43434982	ori

ATCGAGATCTCGATCCCGCGAAATTAATACGACTCACTATAGGGAGACCACAACGGTTTC CCTCTAGATCACAAGTTTGTACAAAAAAGCTGAACGAGAAACGTAAAATGATATAAATAT CAATATATTAAATTAGATTTTGCATAAAAAACAGACTACATAATACTGTAAAACACAACA TATCCAGTCACTATGGCGGCCGCATTAGGCACCCCAGGCTTTACACTTTATGCTTCCGGC TCGTATAATGTGTGGATTTTGAGTTAGGATCCGGCGAGATTTTCAGGAGCTAAGGAAGCT AAAATGGAGAAAAAATCACTGGATATACCACCGTTGATATATCCCAATGGCATCGTAAA GAACATTTTGAGGCATTTCAGTCAGTTGCTCAATGTACCTATAACCAGACCGTTCAGCTG GATATTACGGCCTTTTTAAAGACCGTAAAGAAAAATAAGCACAAGTTTTATCCGGCCTTT ATTCACATTCTTGCCCGCCTGATGAATGCTCATCCGGAATTCCGTATGGCAATGAAAGAC GGTGAGCTGGTGATATGGGATAGTGTTCACCCTTGTTACACCGTTTTCCATGAGCAAACT GAAACGTTTTCATCGCTCTGGAGTGAATACCACGACGATTTCCGGCAGTTTCTACACATA TATTCGCAAGATGTGGCGTGTTACGGTGAAAACCTGGCCTATTTCCCTAAAGGGTTTATT GAGAATATGTTTTTCGTCTCAGCCAATCCCTGGGTGAGTTTCACCAGTTTTGATTTAAAC GTGGCCAATATGGACAACTTCTTCGCCCCCGTTTTCACCATGGGCAAATATTATACGCAA GGCGACAAGGTGCTGATGCCGCTGGCGATTCAGGTTCATCATGCCGTCTGTGATGGCTTC CATGTCGGCAGAATGCTTAATGAATTACAACAGTACTGCGATGAGTGGCAGGCGGGGGG TAAACGCGTGGATCCGGCTTACTAAAAGCCAGATAACAGTATGCGTATTTGCGCGCTGAT TTTTGCGGTATAAGAATATATACTGATATGTATACCCGAAGTATGTCAAAAAAGAGGTGTG CTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGCTATCAGTTGCTCAAGGCAT ATATGATGTCAATATCTCCGGTCTGGTAAGCACCATGCAGAATGAAGCCCGTCGTCT GCGTGCCGAACGCTGGAAAGCGGAAAATCAGGAAGGGATGGCTGAGGTCGCCCGGTTTAT TGAAATGAACGGCTCTTTTGCTGACGAGAACAGGGACTGGTGAAATGCAGTTTAAGGTTT ACACCTATAAAAGAGAGAGCCGTTATCGTCTGTTTGTGGATGTACAGAGTGATATTATTG ACACGCCCGGGCGACGGATGGTGATCCCCCTGGCCAGTGCACGTCTGCTGTCAGATAAAG TCTCCCGTGAACTTTACCCGGTGGTGCATATCGGGGATGAAAGCTGGCGCATGATGACCA CCGATATGGCCAGTGTGCCGGTCTCCGTTATCGGGGAAGAAGTGGCTGATCTCAGCCACC GCGAAAATGACATCAAAAACGCCATTAACCTGATGTTCTGGGGAATATAAATGTCAGGCT CCCTTATACACAGCCAGTCTGCAGGTCGACCATAGTGACTGGATATGTTGTGTTTTACAG TATTATGTAGTCTGTTTTTTATGCAAAATCTAATTTAATATATTGATATTTATATCATTT TACGTTTCTCGTTCAGCTTTCTTGTACAAAGTGGTGATTATGTCCCCTATACTAGGTTAT TGGAAAATTAAGGGCCTTGTGCAACCCACTCGACTTCTTTTGGAATATCTTGAAGAAAAA TATGAAGAGCATTTGTATGAGCGCGATGAAGGTGATAAATGGCGAAACAAAAAGTTTGAA TTGGGTTTGGAGTTTCCCAATCTTCCTTATTATATTGATGGTGATGTTAAATTAACACAG TCTATGGCCATCATACGTTATATAGCTGACAAGCACAACATGTTGGGTGGTTGTCCAAAA GAGCGTGCAGAGATTTCAATGCTTGAAGGAGCGGTTTTGGATATTAGATACGGTGTTTCG AGAATTGCATATAGTAAAGACTTTGAAACTCTCAAAGTTGATTTTCTTAGCAAGCTACCT GAAATGCTGAAAATGTTCGAAGATCGTTTATGTCATAAAACATATTTAAATGGTGATCAT GTAACCCATCCTGACTTCATGTTGTATGACGCTCTTGATGTTGTTTTATACATGGACCCA ATGTGCCTGGATGCGTTCCCAAAATTAGTTTGTTTTAAAAAACGTATTGAAGCTATCCCA CAAATTGATAAGTACTTGAAATCCAGCAAGTATATAGCATGGCCTTTGCAGGGCTGGCAA GCCACGTTTGGTGGTGGCGACCATCCTCCAAAATCGGATCTGGTTCCGCGTCCATGGGGA TCCGGCTGCTAACAAAGCCCGAAAGGAAGCTGAGTTGGCTGCCACCGCTGAGCGCTT CCCGATAAGGGAGCAGGCCAGTAAAAGCATTACCCGTGGTGGGGTTCCCGAGCGGCCAAA GGGAGCAGACTCTAAATCTGCCGTCATCGACTTCGAAGGTTCGAATCCTTCCCCCACCAC CATCACTTTCAAAAGTGAATTCGCTGAGCAATAACTAGCATAACCCCTTGGGGCCTCTAA- ACGGGTCTTGAGGGGTTTTTTGCTGAAAGGAGGAACTATATCCGGATATCCACAGGACGG GTGTGGTCGCCATGATCGCGTAGTCGATAGTGGCTCCAAGTAGCGAAGCGAGCAGGACTG GGCGGCGGCAAAGCGGTCGGACAGTGCTCCGAGAACGGGTGCGCATAGAAATTGCATCA ACGCATATAGCGCTAGCAGCACGCCATAGTGACTGGCGATGCTGTCGGAATGGACGATAT CCCGCAAGAGGCCCGGCAGTACCGGCATAACCAAGCCTATGCCTACAGCATCCAGGGTGA CGGTGCCGAGGATGACGATGAGCGCATTGTTAGATTTCATACACGGTGCCTGACTGCGTT AGCAATTTAACTGTGATAAACTACCGCATTAAAGCTTATCGATGATAAGCTGTCAAACAT GAGAATTCTTGAAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATG ATAATAATGGTTTCTTAGACGTCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCT ATTTGTTTATTTTCTAAATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGA TAAATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCC CTTATTCCCTTTTTTGCGGCATTTTGCCTTCCTGTTTTTGCTCACCCAGAAACGCTGGTG AAAGTAAAAGATGCTGAAGATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTC AACAGCGGTAAGATCCTTGAGAGTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACT TTTAAAGTTCTGCTATGTGGCGCGGTATTATCCCGTGTTGACGCCGGGCAAGAGCAACTC GGTCGCCGCATACACTATTCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAG CATCTTACGGATGCCATGACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGAT AACACTGCGGCCAACTTACTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTT GCCATACCAAACGACGAGCGTGACACCACGATGCCTGCAGCAATGGCAACAACGTTGCGC **AAACTATTAACTGGCGAACTACTTACTCTAGCTTCCCGGCAACAATTAATAGACTGGATG** GCTGATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCA GATGGTAAGCCCTCCCGTATCGTAGTTATCTACACGACGGGGAGTCAGGCAACTATGGAT GAACGAAATAGACAGATCGCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCA GACCAAGTTTACTCATATATACTTTAGATTGATTTAAAACTTCATTTTTAATTTAAAAGG ATCTAGGTGAAGATCCTTTTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCG TTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTT CCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACTGGCTTCAGCAGAGCGCAGATA CCAAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCA CCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCTGCCAGTGGCGATAAG TCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCGGGC TGAACGGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGA TACCTACAGCGTGAGCTATGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGG TATCCGGTAAGCGGCAGGGTCGGAACAGGAGGGGCGCACGAGGGAGCTTCCAGGGGGAAAC GCCTGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTG TGATGCTCGTCAGGGGGGGGGGGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTACGG TTCCTGGCCTTTTGCTGGCCTTTTGCTCACATGTTCTTTCCTGCGTTATCCCCTGATTCT GTGGATAACCGTATTACCGCCTTTGAGTGAGCTGATACCGCTCGCCGCAGCCGAACGACC GAGCGCAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGCCTGATGCGGTATTTTCTCCTT ACGCATCTGTGCGGTATTTCACACCGCATATATGGTGCACTCTCAGTACAATCTGCTCTG ATGCCGCATAGTTAAGCCAGTATACACTCCGCTATCGCTACGTGACTGGGTCATGGCTGC GCCCGACACCCGCCAACACCCGCTGACGCGCCCTGACGGGCTTGTCTGCTCCCGGCATC CGCTTACAGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTTTCACCGTC ATCACCGAAACGCGCGAGGCAGCTGCGGTAAAGCTCATCAGCGTGGTCGTGAAGCGATTC ACAGATGTCTGCCTGTTCATCCGCGTCCAGCTCGTTGAGTTTCTCCAGAAGCGTTAATGT CTGGCTTCTGATAAAGCGGGCCATGTTAAGGGCGGTTTTTTCCTGTTTGGTCACTGATGC CTCCGTGTAAGGGGGATTTCTGTTCATGGGGGTAATGATACCGATGAAACGAGAGAGGAT GCTCACGATACGGGTTACTGATGATGAACATGCCCGGTTACTGGAACGTTGTGAGGGTAA ACAACTGGCGGTATGGATGCGGCGGGACCAGAGAAAAATCACTCAGGGTCAATGCCAGCG CTTCGTTÄATACAGATGTAGGTGTTCCACAGGGTAGCCAGCAGCATCCTGCGATGCAGAT CCGGAACATAATGGTGCAGGGCGCTGACTTCCGCGTTTCCAGACTTTACGAAACACGGAA ACCGAAGACCATTCATGTTGTTGCTCAGGTCGCAGACGTTTTGCAGCAGCAGTCGCTTCA CGTTCGCTCGCGTATCGGTGATTCATTCTGCTAACCAGTAAGGCAACCCCGCCAGCCTAG CCGGGTCCTCAACGACAGGAGCACGATCATGCGCACCCGTGGCCAGGACCCAACGCTGCC CGAGATGCGCCGCGTGCGGCTGCTGGAGATGGCGGACGCGATGGATATGTTCTGCCAAGG

FIGURE 96C

GAATCCGTTAGCGAGGTGCCGCCGGCTTCCATTCAGGTCGAGGTGGCCCGGCTCCATGCA CCGCGACGCAACGCGGGGAGGCAGACAAGGTATAGGGCGGCGCCTACAATCCATGCCAAC CCGTTCCATGTGCTCGCCGAGGCGGCATAAATCGCCGTGACGATCAGCGGTCCAGTGATC GAAGTTAGGCTGGTAAGAGCCGCGAGCGATCCTTGAAGCTGTCCCTGATGGTCGTCATCT ACCTGCCTGGACAGCATGGCCTGCAACGCGGGCATCCCGATGCCGCCGGAAGCGAGAAGA ATCATAATGGGGAAGGCCATCCAGCCTCGCGTCGCGAACGCCAGCAAGACGTAGCCCAGC GCGTCGGCCGCCATGCCGGCGATAATGGCCTGCTTCTCGCCGAAACGTTTGGTGGCGGGA CCAGTGACGAAGGCTTGAGCGAGGGCGTGCAAGATTCCGAATACCGCAAGCGACAGGCCG ATCATCGTCGCGCTCCAGCGAAAGCGGTCCTCGCCGAAAATGACCCAGAGCGCTGCCGGC ACCTGTCCTACGAGTTGCATGATAAAGAAGACAGTCATAAGTGCGGCGACGATAGTCATG CCCCGCGCCCACCGGAAGGAGCTGACTGGGTTGAAGGCTCTCAAGGGCATCGGTCGATCG ACGCTCTCCCTTATGCGACTCCTGCATTAGGAAGCAGCCCAGTAGTAGGTTGAGGCCGTT GAGCACCGCCGCAAGGAATGGTGCATGCAAGGAGATGGCGCCCAACAGTCCCCCGGC CACGGGGCCTGCCACCATACCCACGCCGAAACAAGCGCTCATGAGCCCGAAGTGGCGAGC CCGATCTTCCCCATCGGTGATGTCGGCGATATAGGCGCCAGCAACCGCACCTGTGGCGCC GGTGATGCCGGCCACGATGCGTCCGGCGTAGAGG

FIGURE 960




FIGURE 97A

pDONR207

5584 bp

GCGAGAGTAGGGAACTGCCAGGCATCAAATAAAACGAAAGGCTCAGTCGGAAGACTGGGC CTTTCGTTTTATCTGTTGTTGTCGGTGAACGCTCTCCTGAGTAGGACAAATCCGCCGGG AACTGCCAGGCATCAAACTAAGCAGAAGGCCATCCTGACGGATGGCCTTTTTGCGTTTCT ACAAACTCTTCCTGGCTAGCGGTAATACGGTTATCCACAGAATCAGGGGATAACGCAGGA AAGAACATGTGAGCAAAAGGCCAGCAAAAGGCCAGGAACCGTAAAAAGGCCGCGTTGCTG GCGTTTTTCCATAGGCTCCGCCCCCTGACGAGCATCACAAAAATCGACGCTCAAGTCAG AGGTGGCGAAACCCGACAGGACTATAAAGATACCAGGCGTTTCCCCCTGGAAGCTCCCTC GTGCGCTCTCCTGTTCCGACCCTGCCGCTTACCGGATACCTGTCCGCCTTTCTCCCTTCG GGAAGCGTGGCGCTTTCTCATAGCTCACGCTGTAGGTATCTCAGTTCGGTGTAGGTCGTT CGCTCCAAGCTGGGCTGTGCACGAACCCCCCGTTCAGCCCGACCGCTGCGCCTTATCC GGTAACTATCGTCTTGAGTCCAACCCGGTAAGACACGACTTATCGCCACTGGCAGCACCC ACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGG TGGCCTAACTACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGAAGCCA CCTTTGATCTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACTCACGTTAAGGGATT TTGGTCATGAGCTTGCGCCGTCCCGTCAAGTCAGCGTAATGCTCTGCCAGTGTTACAACC AATTAACCAATTCTGATTAGAAAAACTCATCGAGCATCAAATGAAACTGCAATTTATTCA TATCAGGATTATCAATACCATATTTTTĞAAAAAGCCGTTTCTGTAATGAAGGAGAAAACCT CACCGAGGCAGTTCCATAGGATGGCAAGATCCTGGTATCGGTCTGCGATTCCGACTCGTC CAACATCAATACAACCTATTAGTAGCCAACCACTAGAACTATAGCTAGAGTCCTGGGCGA ACAAACGATGCTCGCCTTCCAGAAAACCGAGGATGCGAACCACTTCATCCGGGGTCAGCA CCACCGCCAAGCGCCGACGCCGAGGTCTTCCGATCTCCTGAAGCCAGGGCAGATCCG TGCACAGCACCTTGCCGTAGAAGAACAGCAAGGCCGCCAATGCCTGACGATGCGTGGAGA CCGAAACCTTGCGCTCGTTCGCCAGCCAGGACAGAAATGCCTCGACTTCGCTGCCCCA AGGTTGCCGGGTGACGCACACCGTGGAAACGGATGAAGGCACGAACCCAGTTGACATAAG CCTGTTCGGTTCGTAAACTGTAATGCAAGTAGCGTATGCGCTCACGCAACTGGTCCAGAA CCTTGACCGAACGCAGCGGTGGTAACGGCGCAGTGGCGGTTTTCATGGCTTGTTATGACT GTTTTTTTGTACAGTCTATGCCTCGGGCATCCAAGCAGCAAGCGCGTTACGCCGTGGGTC GATGTTTGATGTTATGGAGCAGCAACGATGTTACGCAGCAGCAACGATGTTACGCAGCAG GGCAGTCGCCCTAAAACAAAGTTAGGTGGCTCAAGTATGGGCATCATTCGCACATGTAGG $\tt CTCGGCCCTGACCAAGTCAAATCCATGCGGGCTGCTCTTGATCTTTTCGGTCGTGAGTTC$ GGAGACGTAGCCACCTACTCCCAACATCAGCCGGACTCCGATTACCTCGGGAACTTGCTC CGTAGTAAGACATTCATCGCGCTTGCTGCCTTCGACCAAGAAGCGGTTGTTGGCGCTCTC GCGGCTTACGTTCTGCCCAGGTTTGAGCAGCCGCGTAGTGAGATCTATATCTATGATCTC GCAGTCTCCGGCGAGCACCGGAGGCAGGGCATTGCCACCGCGCTCATCAATCTCCTCAAG CATGAGGCCAACGCGCTTGGTGCTTATGTGATCTACGTGCAAGCAGATTACGGTGACGAT CCCGCAGTGGCTCTCTATACAAAGTTGGGCATACGGGAAGAAGTGATGCACTTTGATATC GACCCAAGTACCGCCACCTAACAATTCGTTCAAGCCGAGATCGGCTTCCCGGCCTAATTT CCCCTCGTCAAAAATAAGGTTATCAAGTGAGAAATCACCATGAGTGACGACTGAATCCGG GAGACGAAATACGCGATCGCTGTTAAAAGGACAATTACAAACAGGAATCGAATGCAACCG GCGCAGGAACACTGCCAGCGCATCAACAATATTTTCACCTGAATCAGGATATTCTTCTAA TACCTGGAATGCTGTTTTTCCGGGGATCGCAGTGGTGAGTAACCATGCATCATCAGGAGT ACGGATAAAATGCTTGATGGTCGGAAGAGGCATAAATTCCGTCAGCCAGTTTAGTCTGAC CATCTCATCTGTAACATCATTGGCAACGCTACCTTTGCCATGTTTCAGAAACAACTCTGG CGCATCGGGCTTCCCATACAAGCGATAGATTGTCGCACCTGATTGCCCGACATTATCGCG AGCCCATTTATACCCATATAAATCAGCATCCATGTTGGAATTTAATCGCGGCCTCGACGT TTCCCGTTGAATATGGCTCATAACACCCCCTGTATTACTGTTATGTAAGCAGACAGTTT TATTGTTCATGATGATATTTTTTATCTTGTGCAATGTAACATCAGAGATTTTGAGACAC CGTTGCAACAATTGATAAGCAATGCTTTCTTATAATGCCAACTTTGTACAAGAAAGCTG AACGAGAAACGTAAAATGATATAAATATCAATATATTAAATTAGATTTTGCATAAAAAAAC AGACTACATAATACTGTAAAACACAACATATCCAGTCACTATGAATCAACTACTTAGATG-

FIGURE 97B

GTATTAGTGACCTGTAGTCGACTAAGTTGGCAGCATCACCCGACGCACTTTGCGCCGAAT CCGGGAAGCCCTGGGCCAACTTTGGCGAAAATGAGACGTTGATCGGCACGTAAGAGGTTC CAACTTTCACCATAATGAAATAAGATCACTACCGGGCGTATTTTTTGAGTTATCGAGATT TTCAGGAGCTAAGGAAGCTAAAATGGAGAAAAAAATCACTGGATATACCACCGTTGATAT TAACCAGACCGTTCAGCTGGATATTACGGCCTTTTTAAAGACCGTAAAGAAAAATAAGCA CAAGTTTTATCCGGCCTTTATTCACATTCTTGCCCGCCTGATGAATGCTCATCCGGAATT CCGTATGGCAATGAAAGACGGTGAGCTGGTGATATGGGATAGTGTTCACCCTTGTTACAC ${\tt CGTTTTCCATGAGCAAACTGAAACGTTTTCATCGCTCTGGAGTGAATACCACGACGATTT}$ CCGGCAGTTTCTACACATATATTCGCAAGATGTGGCGTGTTACGGTGAAAACCTGGCCTA TTTCCCTAAAGGGTTTATTGAGAATATGTTTTTCGTCTCAGCCAATCCCTGGGTGAGTTT CACCAGTTTTGATTTAAACGTGGCCAATATGGACAACTTCTTCGCCCCCGTTTTCACCAT GGGCAAATATTATACGCAAGGCGACAAGGTGCTGATGCCGCTGGCGATTCAGGTTCATCA TGCCGTCTGTGATGGCTTCCATGTCGGCAGAATGCTTAATGAATTACAACAGTACTGCGA TGAGTGGCAGGGCGGGGCGTAATCGCGTGGATCCGGCTTACTAAAAGCCAGATAACAGTA TGCGTATTTGCGCGCTGATTTTTGCGGTATAAGAATATATACTGATATGTATACCCGAAG TATGTCAAAAAGAGGTGTGCTATGAAGCAGCGTATTACAGTGACAGTTGACAGCGACAGC TATCAGTTGCTCAAGGCATATATGATGTCAATATCTCCGGTCTGGTAAGCACAACCATGC AGAATGAAGCCCGTCGTCTGCGTGCCGAACGCTGGAAAGCGGAAAATCAGGAAGGGATGG CTGAGGTCGCCCGGTTTATTGAAATGAACGGCTCTTTTGCTGACGAGAACAGGGACTGGT GAAATGCAGTTTAAGGTTTACACCTATAAAAGAGAGAGCCGTTATCGTCTGTTTGTGGAT GTACAGAGTGATATTATTGACACGCCCGGGCGACGGATGGTGATCCCCCTGGCCAGTGCA CGTCTGCTGTCAGATAAAGTCTCCCGTGAACTTTACCCGGTGGTGCATATCGGGGATGAA AGCTGGCGCATGATGACCACCGATATGGCCAGTGTGCCGGTCTCCGTTATCGGGGAAGAA GTGGCTGATCTCAGCCACCGCGAAAATGACATCAAAAACGCCATTAACCTGATGTTCTGG GGAATATAAATGTCAGGCTCCCTTATACACAGCCAGTCTGCAGGTCGATACAGTAGAAAT TACAGAAACTTTATCACGTTTAGTAAGTATAGAGGCTGAAAATCCAGATGAAGCCGAACG ACTTGTAAGAGAAAAGTATAAGAGTTGTGAAATTGTTCTTGATGCAGATGATTTTCAGGA CTATGACACTAGCGTATATGAATAGGTAGATGTTTTTATTTTGTCACACAAAAAAGAGGC TCGCACCTCTTTTTCTTATTTCTTTTTTATGATTTAATACGGCATTGAGGACAATAGCGAG CATCTAAGTAGTTGATTCATAGTGACTGGATATGTTGTGTTTTACAGTATTATGTAGTCT GTTTTTTTTTGCAAAATCTAATTTAATATTGATATTTATATCATTTTACGTTTCTCGTT CAGCTTTTTTGTACAAAGTTGGCATTATAAAAAAGCATTGCTCATCAATTTGTTGCAACG AACAGGTCACTATCAGTCAAAATAAAATCATTATTTGGGGCCCGAGATCCATGCTAGCGT TAAC

FIGURE 97C

pMAB85




FIGURE 98A

pMAB85 7038 bp

AATACTACTCAGTAATAACCTATTTCTTAGCATTTTTGACGAAATTTGCTATTTTGTTAG AGTCTTTTACACCATTTGTCTCCACACCTCCGCTTACATCAACACCCAATAACGCCATTTA ATCTAAGCGCATCACCAACATTTTCTGGCGTCAGTCCACCAGCTAACATAAAATGTAAGC TTTCGGGGCTCTCTTGCCTTCCAACCCAGTCAGAAATCGAGTTCCAATCCAAAAGTTCAC CTGTCCCACCTGCTTCTGAATCAAACAAGGGAATAAACGAATGAGGTTTCTGTGAAGCTG CACTGAGTAGTATGTTGCAGTCTTTTGGAAATACGAGTCTTTTAATAACTGGCAAACCGA GGAACTCTTGGTATTCTTGCCACGACTCATCTCCATGCAGTTGGACGATATCAATGCCGT ATTTCGGAGTGCCTGAACTATTTTATATGCTTTTACAAGACTTGAAATTTTCCTTGCAA TAACCGGGTCAATTGTTCTCTTTCTATTGGGCACACATATAATACCCAGCAAGTCAGCAT CGGAATCTAGAGCACATTCTGCGGCCTCTGTGCTCTGCAAGCCGCAAACTTTCACCAATG GACCAGAACTACCTGTGAAATTAATAACAGACATACTCCAAGCTGCCTTTGTGTGCTTAA TTTTTTCGACCGAATTAATTCTTAATCGGCAAAAAAAGAAAAGCTCCGGATCAAGATTGT ACGTAAGGTGACAAGCTATTTTTCAATAAAGAATATCTTCCACTACTGCCATCTGGCGTC ATAACTGCAAAGTACACATATATTACGATGCTGTCTATTAAATGCTTCCTATATTATATA TATAGTAATGTCGTTTATGGTGCACTCTCAGTACAATCTGCTCTGATGCCGCATAGTTAA GCCAGCCCGACACCCGCCAACACCCGCTGACGCCCTGACGGGCTTGTCTGCTCCCGG CATCCGCTTACAGACAAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTTTCAC CGTCATCACCGAAACGCGCGAGACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTA ATGTCATGATAATAATGGTTTCTTAGGACGGATCGCTTGCCTGTAACTTACACGCGCCTC ACAAGAAAAGCAGATTAAATAGATATACATTCGATTAACGATAAGTAAAATGTAAAATCA CAGGATTTTCGTGTGTGTCTTCTACACAGACAAGATGAAACAATTCGGCATTAATACCT GAGAGCAGGAAGACAAGATAAAAGGTAGTATTTGTTGGCGATCCCCCTAGAGTCTTTTA CATCTTCGGAAAACAAAACTATTTTTTCTTTAATTTCTTTTTTTACTTTCTATTTTAA GACCCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAA ATACATTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAATGCTTCAATAATAT TGAAAAAGGAAGAGTATGAGTATTCAACATTTCCGTGTCGCCCTTATTCCCTTTTTTGCG GCATTTTGCCTTCCTGTTTTTGCTCACCCAGAAACGCTGGTGAAAGTAAAAGATGCTGAA GATCAGTTGGGTGCACGAGTGGGTTACATCGAACTGGATCTCAACAGCGGTAAGATCCTT GAGAGTTTTCGCCCCGAAGAACGTTTTCCAATGATGAGCACTTTTAAAGTTCTGCTATGT GGCGCGGTATTATCCCGTATTGACGCCGGGCAAGAGCAACTCGGTCGCCGCATACACTAT TCTCAGAATGACTTGGTTGAGTACTCACCAGTCACAGAAAAGCATCTTACGGATGGCATG ACAGTAAGAGAATTATGCAGTGCTGCCATAACCATGAGTGATAACACTGCGGCCAACTTA CTTCTGACAACGATCGGAGGACCGAAGGAGCTAACCGCTTTTTTTCACAACATGGGGGAT CGTGACACCACGATGCCTGTAGCAATGGCAACAACGTTGCGCAAACTATTAACTGGCGAA GGACCACTTCTGCGCTCGGCCCTTCCGGCTGGCTGGTTTATTGCTGATAAATCTGGAGCC GGTGAGCGTGGGTCTCGCGGTATCATTGCAGCACTGGGGCCAGATGGTAAGCCCTCCCGT ATCGTAGTTATCTACACGACGGCAGTCAGGCAACTATGGATGAACGAAATAGACAGATC GCTGAGATAGGTGCCTCACTGATTAAGCATTGGTAACTGTCAGACCAAGTTTACTCATAT ATACTTTAGATTGATTTAAAACTTCATTTTTAATTTAAAAGGATCTAGGTGAAGATCCTT TTTGATAATCTCATGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGAC CCCGTAGAAAAGATCAAAGGATCTTCTTGAGATCCTTTTTTTCTGCGCGTAATCTGCTGC ACTCTTTTTCCGAAGGTAACTGGCTTCAGCAGAGCGCAGATACCAAATACTGTCCTTCTA GTGTAGCCGTAGTTAGGCCACCACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCT CTGCTAATCCTGTTACCAGTGGCTGCCGGTGGCGATAAGTCGTGTCTTACCGGGTTG GACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGTCGGGCTGAACGGGGGGTTCGTGC- ACACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAGATACCTACAGCGTGAGCAT TGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGG GTCGGAACAGGAGGCGCACGAGGGAGCTTCCAGGGGGGAACGCCTGGTATCTTTATAGT CCTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGG CCGAGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTACGGTTCCTGGCCTTTTGCTGG CCTTTTGCTCACATGTTCTTTCCTGCGTTATCCCCTGATTCTGTGGATAACCGTATTACC GCCTTTGAGTGAGCTGATACCGCTCGCCGCAGCCGAACGACCGAGCGCAGCGAGTCAGTG AGCGAGGAAGCGGAAGAGCGCCCAATACGCAAACCGCCTCTCCCCGCGCGTTGGCCGATT CATTAATGCAGCTGGCACGACAGGTTTCCCGACTGGAAAGCGGGCAGTGAGCGCAACGCA ATTAATGTGAGTTACCTCACTCATTAGGCACCCCAGGCTTTACACTTTATGCTTCCGGCT CCTATGTTGTGGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATGACCAT GATTACGCCAAGCTCGGAATTAACCCTCACTAAAGGGAACAAAAGCTGGGTACCGGGCCC CCCCTCGAGATCCGGGATCGAAGAAATGATGGTAAATGAAATAGGAAATCAAGGAGCATG AAGGCAAAAGACAAATATAAGGGTCGAACGAAAAATAAAGTGAAAAGTGTTGATATGATG TATTTGGCTTTGCGGCGCCGAAAAAACGAGTTTACGCAATTGCACAATCATGCTGACTCT GTGGCGGACCCGCGCTCTTGCCGGCCCGGCGATAACGCTGGGCGTGAGGCTGTGCCCGGC GGAGTTTTTTGCGCCTGCATTTTCCAAGGTTTACCCTGCGCTAAGGGGCGAGATTGGAGA AGCAATAAGAATGCCGGTTGGGGTTGCGATGATGACGACCACGACAACTGGTGTCATTAT TTAAGTTGCCGAAAGAACCTGAGTGCATTTGCAACATGAGTATACTAGAAGAATGAGCCA AGACTTGCGAGACGCGAGTTTGCCGGTGGTGCGAACAATAGAGCGACCATGACCTTGAAG GTGAGACGCGCATAACCGCTAGAGTACTTTGAAGAGGAAACAGCAATAGGGTTGCTACCA GTATAAATAGACAGGTACATACAACACTGGAAATGGTTGTCTGTTTGAGTACGCTTTCAA TTCATTTGGGTGTGCACTTTATTATGTTACAATATGGAAGGGAACTTTACACTTCTCCTA TGCACATATATTAATTAAAGTCCAATGCTAGTAGAGAAGGGGGGTAACACCCCTCCGCGC TCTTTTCCGATTTTTTTCTAAACCGTGGAATATTTCGGATATCCTTTTGTTGTTTCCGGG TGTACAATATGGACTTCCTCTTTTCTGGCAACCAAACCCATACATCGGGATTCCTATAAT ACCTTCGTTGGTCTCCCTAACATGTAGGTGGCGGAGGGGAGATATACAATAGAACAGATA CCAGACAAGACATAATGGGCTAAACAAGACTACACCAATTACACTGCCTCATTGATGGTG GTACATAACGAACTAATACTGTAGCCCTAGACTTGATAGCCATCATCATATCGAAGTTTC ACTACCCTTTTTCCATTTGCCATCTATTGAAGTAATAATAGGCGCATGCAACTTCTTTTC TTTTTTTTTTTTTCTCTCTCCCCCGTTGTTGTCTCACCATATCCGCAATGACAAAAAAA ATGATGGAAGACACTAAAGGAAAAAATTAACGACAAAGACAGCACCAACAGATGTCGTTG TAAAAAAGTTTGCCGCTTTGCTATCAAGTATAAATAGACCTGCAATTATTAATCTTTTG TTTCCTCGTCATTGTTCTCGTTCCCTTTCTTCCTTGTTTCTTTTTCTGCACAATATTTCA AGCTATACCAAGCATACAATCAACTCCAAGCTTATGCCCAAGAAGAAGCGGAAGGTCTCG ${\tt AGCGGCGCCAATTTTAATCAAAGTGGGAATATTGCTGATAGCTCATTGTCCTTCACTTTC}$ CAACCAATTGCCTCCTCTAACGTTCATGATAACTTCATGAATAATGAAATCACGGCTAGT TATAACGCGTTTGGAATCACTACAGGGATGTTTAATACCACTACAATGGATGATGTATAT ACAAGTTTGTACAAAAAAGCAGGCTTGTCGACCCCGGGAATTCAGATCTACTAGTGCGGC CGCACGCGTACCCAGCTTTCTTGTACAAAGTGGTGACGTCGAGCTCCCTATAGTGAGTCG TATTACACTGGCCGTCGTTTTACAACGTCGTGACTGGGAAAACACCGGTGAGCTCTAAGT AAGTAACGGCCGCCACCGCGGTGGAGCTTTGGACTTCTTCGCCAGAGGTTTGGTCAAGTC TCCAATCAAGGTTGTCGGCTTGTCTACCTTGCCAGAAATTTACGAAAAGATGGAAAAGGG TCAAATCGTTGGTAGATACGTTGTTGACACTTCTAAATAAGCGAATTTCTTATGATTTAT GATTTTTATTATTAAATAAGTTATAAAAAAAATAAGTGTATACAAATTTTAAAGTGACTC TTAGGTTTTAAAACGAAAATTCTTGTTCTTGAGTAACTCTTTCCTGTAGGTCAGGTTGCT TTCTCAGGTATAGCATGAGGTCGCTCTTATTGACCACACCTCTACCGGCATGCCGAGCAA ATGCCTGCAAATCGCTCCCCATTTCACCCAATTGTAGATATGCTAACTCCAGCAATGAGT TGATGAATCTCGGTGTGTATTTTATGTCCTCAGAGGACAATACCTGTTGTAATCGTTCTT CCACACGGATCCGCATCAGGCGAAATTGTAAACGTTAATATTTTGTTAAAATTCGCGTTA AATATTTGTTAAATCAGCTCATTTTTTAACCAATAGGCCGAAATCGGCAAAATCCCTTAT AAATCAAAAGAATAGACCGAGATAGGGTTGAGTGTTGTTCCAGTTTGGAACAAGAGTCCA CTATTAAAGAACGTGGACTCCAACGTCAAAGGGCGAAAAACCGTCTATCAGGGCGATGGC-

FIGURE 98C

FIGURE 98D

pMAB86




FIGURE 99A

pMAB86 7146 bp

GACGAAAGGGCCTCGTGATACGCCTATTTTTATAGGTTAATGTCATGATAATAATGGTTT CTTAGGACGGATCGCTTGCCTGTAACTTACACGCGCCTCGTATCTTTTAATGATGGAATA ATTTCAACAAAAGCGTACTTTACATATATTTATTAGACAAGAAAAGCAGATTAAATA TCTACACAGACAAGATGAAACAATTCGGCATTAATACCTGAGAGCAGGAAGAGCAAGATA AAAGGTAGTATTTGTTGGCGATCCCCCTAGAGTCTTTTACATCTTCGGAAAACAAAACT ATTTAAATTATATTTTTTTATAGCACGTGATGAAAAGGACCCAGGTGGCACTTTTCGG GGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAAATACATTCAAATATGTATCCG CTCATGAGACAATAACCCTGATAAATGCTTCAATAATATTGAAAAAGGAAGAGTATGAGT ATTCAACATTTCCGTGTCGCCCTTATTCCCTTTTTTGCGGCATTTTGCCCTTCCTGTTTTT GCTCACCCAGAAACGCTGGTGAAAGTAAAAGATGCTGAAGATCAGTTGGGTGCACGAGTG GGTTACATCGAACTGGATCTCAACAGCGGTAAGATCCTTGAGAGTTTTCGCCCCGAAGAA CGTTTTCCAATGATGAGCACTTTTAAAGTTCTGCTATGTGGCGCGGTATTATCCCGTATT GACGCCGGGCAAGAGCAACTCGGTCGCCGCATACACTATTCTCAGAATGACTTGGTTGAG TACTCACCAGTCACAGAAAAGCATCTTACGGATGGCATGACAGTAAGAGAATTATGCAGT CCGAAGGAGCTAACCGCTTTTTTTCACAACATGGGGGATCATGTAACTCGCCTTGATCGT TGGGAACCGGAGCTGAATGAAGCCATACCAAACGACGAGCGTGACACCACGATGCCTGTA CAACAATTAATAGACTGGATGGAGGCGGATAAAGTTGCAGGACCACTTCTGCGCTCGGCC CTTCCGGCTGGCTTATTGCTGATAAATCTGGAGCCGGTGAGCGTGGGTCTCGCGGT GGCAGTCAGGCAACTATGGATGAACGAAATAGACAGATCGCTGAGATAGGTGCCTCACTG CTTCATTTTAATTTAAAAGGATCTAGGTGAAGATCCTTTTTGATAATCTCATGACCAAA ATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAAAGGA CTACCAGCGGTGGTTTGTTTGCCGGATCAAGAGCTACCAACTCTTTTTCCGAAGGTAACT GGCTTCAGCAGAGCGCAGATACCAAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCAC CACTTCAAGAACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTG GCTGCTGCCAGTGGCGATAAGTCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCG GATAAGGCGCAGCGGTCGGGCTGAACGGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGA ACGACCTACACCGAACTGAGATACCTACAGCGTGAGCATTGAGAAAGCGCCACGCTTCCC GAAGGGAGAAAGGCGGACAGGTATCCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACG AGGGAGCTTCCAGGGGGGAACGCCTGGTATCTTTATAGTCCTGTCGGGTTTCGCCACCTC TGACTTGAGCGTCGATTTTTGTGATGCTCGTCAGGGGGGCCGAGCCTATGGAAAAACGCC AGCAACGCGGCCTTTTTACGGTTCCTGGCCTTTTGCTGGCCTTTTTGCTCACATGTTCTTT GCTCGCCGCAGCCGAACGACCGAGCGCAGCGAGTCAGTGAGCGAGGAAGCGGAAGAGCGC CCAATACGCAAACCGCCTCTCCCCGCGCGTTGGCCGATTCATTAATGCAGCTGGCACGAC AGGTTTCCCGACTGGAAAGCGGGCAGTGAGCGCAACGCAATTAATGTGAGTTACCTCACT CATTAGGCACCCCAGGCTTTACACTTTATGCTTCCGGCTCCTATGTTGTGTGGAATTGTG AGCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTACGCCAAGCTCGGAATT AACCCTCACTAAAGGGAACAAAAGCTGGGTACCGGGCCCCCCTCGAGATCCGGGATCGA AGAAATGATGGTAAATGAAATAGGAAATCAAGGAGCCATGAAGGCAAAAGACAAATATAAG GGTCGAACGAAAAATAAAGTGAAAAGTGTTGATATGATGTTTTTGGCTTTGCGGCGCCGA AAAAACGAGTTTACGCAATTGCACAATCATGCTGACTCTGTGGCGGACCCGCGCTCTTGC CGGCCCGGCGATAACGCTGGGCGTGAGGCTGTGCCCGGCGGAGTTTTTTGCGCCTGCATT TTCCAAGGTTTACCCTGCGCTAAGGGGCGAGATTGGAGAAGCAATAAGAATGCCGGTTGG GGTTGCGATGACGACCACGACAACTGGTGTCATTATTTAAGTTGCCGAAAGAACCTG AGTGCATTTGCAACATGAGTATACTAGAAGAATGAGCCAAGACTTGCGAGACGCGAGTTT GCCGGTGGTGCGAACAATAGAGCGACCATGACCTTGAAGGTGAGACGCGCATAACCGCTA- GAGTACTTTGAAGAGGAAACAGCAATAGGGTTGCTACCAGTATAAATAGACAGGTACATA CAACACTGGAAATGGTTGTCTGTTTGAGTACGCTTTCAATTCATTTGGGTGTGCACTTTA CCAATGCTAGTAGAGAGGGGGGTAACACCCCTCCGCGCTCTTTTCCGATTTTTTCTAA ACCGTGGAATATTTCGGATATCCTTTTGTTGTTTCCGGGTGTACAATATGGACTTCCTCT TTTCTGGCAACCAAACCCATACATCGGGATTCCTATAATACCTTCGTTGGTCTCCCTAAC ATGTAGGTGGCGGAGGGGAGATATACAATAGAACAGATACCAGACAAGACATAATGGGCT AAACAAGACTACACCAATTACACTGCCTCATTGATGGTGGTACATAACGAACTAATACTG TAGCCCTAGACTTGATAGCCATCATCATATCGAAGTTTCACTACCCTTTTTCCATTTGCC AAAAATTAACGACAAGACAGCACCAACAGATGTCGTTGTTCCAGAGCTGATGAGGGGGTA TCTTCGAACACGAAACTTTTTCCTTCCTTCATTCACGCACACTACTCTCTAATGAGCA ACGGTATACGGCCTTCCTTCCAGTTACTTGAATTTGAAATAAAAAAAGTTTGCCGCTTTG CTATCAAGTATAAATAGACCTGCAATTATTAATCTTTTGTTTCCTCGTCATTGTTCTCGT TCCCTTTCTTCCTTGTTTCTTTTTCTGCACAATATTTCAAGCTATACCAAGCATACAATC AACTCCAAGCTTATGCCCAAGAAGAAGCGGAAGGTCTCGAGCGGCGCCAATTTTAATCAA AACCTCATAACAACTCAAACAAATTCTCAAGCGCTTTCACAACCAATTGCCTCCTCTAAC GTTCATGATAACTTCATGAATAATGAAATCACGGCTAGTAAAATTGATGATGGTAATAAT TCAAAACCACTGTCACCTGGTTGGACGGACCAAACTGCGTATAACGCGTTTGGAATCACT GATACCCCACCAAACCCAAAAAAAAGGGGTGGGTCGATCACAAGTTTGTACAAAAAAGCA GGCTTGTCGACCCCGGGAATTCAGATCTACTAGTGCGGCCGCACGCGTACCCAGCTTTCT TGTACAAAGTGGTGACGTCGAGCTCTAAGTAAGTAACGGCCGCCACCGCGGTGGAGCTTT GGACTTCTTCGCCAGAGGTTTGGTCAAGTCTCCAATCAAGGTTGTCGGCTTGTCTACCTT GCCAGAAATTTACGAAAAGATGGAAAAGGGTCAAATCGTTGGTAGATACGTTGTTGACAC TTCTAAATAAGCGAATTTCTTATGATTTATGATTTTTATTAAATAAGTTATAAAAAAA AATAAGTGTATACAAATTTTAAAGTGACTCTTAGGTTTTAAAACGAAAATTCTTGTTCTT GAGTAACTCTTTCCTGTAGGTCAGGTTGCTTTCTCAGGTATAGCATGAGGTCGCTCTTAT TGACCACACCTCTACCGGCATGCCGAGCAAATGCCTGCAAATCGCTCCCCATTTCACCCA ATTGTAGATATGCTAACTCCAGCAATGAGTTGATGAATCTCGGTGTATTTTATGTCCT CAGAGGACAATACCTGTTGTAATCGTTCTTCCACACGGATCCCAATTCGCCCTATAGTGA GTCGTATTACAATTCACTGGCCGTCGTTTTACAACGTCGTGACTGGGAAAACCCTGGCGT TACCCAACTTAATCGCCTTGCAGCACATCCCCCTTTCGCCAGCTGGCGTAATAGCGAAGA GGCCGCACCGATCGCCCTTCCCAACAGTTGCGCAGCCTGAATGGCGAATGGACGCCCC TGTAGCGGCGCATTAAGCGCGGGGGGTGTGGTGGTTACGCGCAGCGTGACCGCTACACTT GCCAGCGCCCTAGCGCCCGCTCCTTTCGCTTTCTTCCCTTTCTCGCCACGTTCGCC GGCTTTCCCCGTCAAGCTCTAAATCGGGGGCTCCCTTTAGGGTTCCGATTTAGTGCTTTA CGGCACCTCGACCCCAAAAAACTTGATTAGGGTGATGGTTCACGTAGTGGGCCATCGCCC TGATAGACGGTTTTTCGCCCTTTGACGTTGGAGTCCACGTTCTTTAATAGTGGACTCTTG TTCCAAACTGGAACACCTCAACCCTATCTCGGTCTATTCTTTTGATTTATAAGGGATT TTGCCGATTTCGGCCTATTGGTTAAAAAATGAGCTGATTTAACAAAAATTTAACGCGAAT TTTAACAAAATATTAACGTTTACAATTTCCTGATGCGGTATTTTCTCCTTACGCATCTGT TAACCTATTTCTTAGCATTTTTGACGAAATTTGCTATTTTGTTAGAGTCTTTTACACCAT TTGTCTCCACACCTCCGCTTACATCAACACCAATAACGCCATTTAATCTAAGCGCATCAC CAACATTTTCTGGCGTCAGTCCACCAGCTAACATAAAATGTAAGCTTTCGGGGCTCTCTT GCCTTCCAACCCAGTCAGAAATCGAGTTCCAATCCAAAAGTTCACCTGTCCCACCTGCTT CTGAATCAAACAAGGGAATAAACGAATGAGGTTTCTGTGAAGCTGCACTGAGTAGTATGT TGCAGTCTTTTGGAAATACGAGTCTTTTAATAACTGGCAAACCGAGGAACTCTTGGTATT CTTGCCACGACTCATCTCCATGCAGTTGGACGATATCAATGCCGTAATCATTGACCAGAG AACTATTTTATATGCTTTTACAAGACTTGAAATTTTCCTTGCAATAACCGGGTCAATTG TTCTCTTTCTATTGGGCACACATATAATACCCAGCAAGTCAGCATCGGAATCTAGAGCAC ATTCTGCGGCCTCTGTGCTCTGCAAGCCGCAAACTTTCACCAATGGACCAGAACTACCTG TGAAATTAATAACAGACATACTCCAAGCTGCCTTTGTGTGCTTAATCACGTATACTCACG

FIGURE 99C

TAATTCTTAATCGGCAAAAAAAGAAAAGCTCCGGATCAAGATTGTACGTAAGGTGACAAG CTATTTTCAATAAAGAATATCTTCCACTACTGCCATCTGGCGTCATAACTGCAAAGTAC CGCCAACACCCGCTGACGCGCCTGACGGGCTTGTCTGCTCCCGGCATCCGCTTACAGAC AAGCTGTGACCGTCTCCGGGAGCTGCATGTGTCAGAGGTTTTCACCGTCATCACCGAAAC GCGCGA

FIGURE 99D

INDICATIONS RELATING TO A DEPOSITED MICROORGAN SHEC'D (PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page 54, line	
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet 🛭
Name of depositary institution	•
Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and coun	try)
1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30103
C. ADDITIONAL INDICATIONS (leave blank if not app.	licable) This information is continued on an additional sheet
Escherichia coli DB3.1(pEZC15101)	
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATION	ONS ARE MADE (if the indications are not for all designated States)
E. SEPARATE FURNISHING OF INDICATIONS (leave	e blank if not applicable)
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer B. Fullie	Authorized officer

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM (PCT Rule 13bis)

A. The indications made below relate to the microorganism 16	n referred to in the description on page, line
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet
Name of depositary institution	•
Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and coun	try)
1815 N. University Street Peoria, Illinois 61604 United States of America	·
Date of deposit February 27, 1999	Accession Number NRRL B-30100
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet	
Escherichia coli DB3.1(pENTR-1A)	
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (lear	ve blank if not applicablej
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer B. J.	Authorized officer

INDICATIONS RELATING TO A DEPOSITED MICROORGANISMANI (PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page	
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet
Name of depositary institution	
Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and coun.	(נימ
1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30102
C. ADDITIONAL INDICATIONS (leave blank if not appl	icable) This information is continued on an additional sheet
Escherichia coli DB3.1(pENTR-3C)	
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave	e blank if not applicable)
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer B Fulli	Authorized officer

INDICATIONS RELATING TO A DEPOSITED MICROOR GANISM (PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page55, line16	
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet
Name of depositary institution	•
Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and count	(ry)
1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30101
C. ADDITIONAL INDICATIONS (leave blank if not appl	icable) This information is continued on an additional sheet
Escherichia coli DB3.1(pENTR-2B)	
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave	e blank if not applicable)
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer D Ludiu	Authorized officer

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM (PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page 1 Inct 20-21	
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet
Name of depositary institution	•
Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and count	try)
1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30108
C. ADDITIONAL INDICATIONS (leave blank if not appl	(icable) This information is continued on an additional sheet
Escherichia coli DB10B(pCMVSport6)	
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave	e blank if not applicable)
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer Blulle	Authorized officer

INDICATIONS RELATING TO A DEPOSITED MICROOR <u>ANISM</u> (PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page, line	
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet
Name of depositary institution	
Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and coun	ntry)
1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30105
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet	
Escherichia coli DB3.1(pEZC15103)	
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leave	re blank if not applicable)
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer Studie	Authorized officer

INDICATIONS RELATING TO A DEPOSITED MICROPH (PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page, line	
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet $oxtimes$
Name of depositary institution	·
Agricultural Research Culture Collection (NRRL) International Depository Authority	
Address of depositary institution (including postal code and coun	try)
1815 N. University Street Peoria, Illinois 61604 United States of America	
Date of deposit February 27, 1999	Accession Number NRRL B-30104
C. ADDITIONAL INDICATIONS (leave blank if not appl	icable) This information is continued on an additional sheet
Escherichia coli DB3.1(pEZC15102)	
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
E. SEPARATE FURNISHING OF INDICATIONS (leav	e blank if not applicable)
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")	
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:
Authorized officer B. Kushi	Authorized officer

INDICATIONS RELATING TO A DEPOSITED MICROORGARESM (PCT Rule 13bis)

A. The indications made below relate to the microorganis	A. The indications made below relate to the microorganism referred to in the description on page, line	
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet	
Name of depositary institution		
Agricultural Research Culture Collection (NRRL) International Depository Authority	O P E VOGIL	
Address of depositary institution (including postal code and cou-	nery) MAR 0 2 2000	
1815 N. University Street Peoria, Illinois 61604 United States of America	CATEMY & TRADITIES	
Office States of America		
Date of deposit February 27, 1999	Accession Number NRRL B-30099	
C. ADDITIONAL INDICATIONS-(leave blank if not app	olicable) This information is continued on an additional sheet	
Escherichia coli DB3.1(pAHPKan) or Escherichi	ia coli DB3.1(pAttPKan)	
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC).		
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)		
E. SEPARATE FURNISHING OF INDICATIONS (lear		
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications, e.g., "Accession Number of Deposit")		
For receiving Office use only	For International Bureau use only	
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:	
Authorized officer Barbara Fridie PCT Operations - (PPD Team 1 703) 305-3230 (FA):	Authorized officer	

Escherichia coli DB3.1(pENTR-3C)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

٠,

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pENTR-3C)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB3.1(pENTR-2B)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pENTR-2B)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pENTR-2B)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB3.1(pENTR-1A)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pENTR-1A)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pENTR-1A)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB10B(pCMVSport6)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pAHPKan) or Escherichia coli DB3.1(pAttPKan)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pAHPKan) or Escherichia coli DB3.1(pAttPKan)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pAHPKan) or Escherichia coli DB3.1(pAttPKah)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB10B(pCMVSport6)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB10B(pCMVSport6)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB3.1(pEZC15103)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pEZC15103)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pEZC15103)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB3.1(pEZC15102)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pEZC15102)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pEZC15102)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB3.1(pEZC15101)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

Escherichia coli DB3.1(pEZC15101)

ICELAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the Icelandic Patent Office), or has been finally decided upon by the Icelandic Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in Rule 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

NORWAY

The applicant hereby requests that, until the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Norwegian Patent office or any person approved by the applicant in the individual case.

SINGAPORE

Escherichia coli DB3.1(pEZC15101)

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent office or any person approved by the applicant in the individual case.

UNITED KINGDOM

Escherichia coli DB3.1(pENTR-3C)

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

CANADA

The applicant hereby requests that, until either a Canadian patent has been issued on the basis of the application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the furnishing of a sample of deposited biological material referred to in the application only be effected to an independent expert nominated by the Commissioner of Patents.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent office or any person approved by the applicant in the individual case.

FINLAND

INTERNATIONAL SEARCH REPORT

In mational application No. PCT/US00/05432

A. CLAS	SIFICATION OF SUBJECT MATTER						
IPC(7) :Please See Extra Sheet.							
US CL :435/91.2, 252.3, 320.1; 530/350; 536/ 23.1, 24.1							
According to International Patent Classification (IPC) or to both national classification and IPC							
	DS SEARCHED	<u> </u>					
Minimum do	cumentation searched (classification system followed	d by classification symbols)					
U.S. : 435/91.2, 252.3, 320.1; 530/350; 536/ 23.1, 24.1							
Documentati	on searched other than minimum documentation to the	extent that such documents are included	in the fields searched				
NONE							
NONE							
Electronic de	ata base consulted during the international search (na	ime of data base and, where practicable.	search terms used)				
	Extra Sheet.		,				
ricase Sec	EXITA SILECT.						
C. DOC	UMENTS CONSIDERED TO BE RELEVANT						
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.				
X,P	US 5,888,732 A (HARTLEY et al.)	30 March 1999, see entire	1-21, 25-30 36-38				
	document.						
Y,P			22-24, 31-35				
			-				
x	HASAN et al. Escherichia coli genome targeting, I. Cre-lox- 1-5, 10, 11, 19-21						
-	mediated in vitro generation of ori-	plasmids and their in vivo					
Y	chromosomal integration and retrieva		15-18, 22-38				
	pages 51-56, see entire document.	,					
	. •						
X	KATZ et al. Site-specific recombination in Esherichia coli between 1-11, 19-21						
-	the att sites of plasmid pSE211 from Saccharopolyspora erythraea.						
Y	Mol. Gen. Genet. 1991, Vol. 227, pages 155-159, see entire 15-18, 22-38						
	document.	, 1 5					
X Further documents are listed in the continuation of Box C. See patent family annex.							
* Special categories of cited documents: *T* later document published after the international filing date or priority							
	cument defining the general state of the art which is not considered be of particular relevance	date and not in conflict with the appl the principle or theory underlying the					
	lier document published on or after the international filing date	"X" document of particular relevance; the					
"L" doe	cument which may throw doubts on priority claim(s) or which is	considered novel or cannot be conside when the document is taken alone	en ro maoine su maeutiae steb				
	ed to establish the publication date of another citation or other cital reason (as specified)	"Y" document of particular relevance; the					
	cument referring to an oral disclosure, use, exhibition or other	considered to involve an inventive combined with one or more other such	documents, such combination				
P doc	ans nument published prior to the international filing date but later than	being obvious to a person skilled in to *&* document member of the same patent					
the priority date claimed Date of the actual completion of the international search		Date of mailing of the international search report					
Saw of the action completion of the international scattle							
08 MAY 2000		23 MAY 2000					
Name and mailing address of the ISA/US Authorized officer							
Commissioner of Patents and Trademarks Box PCT		Authorized officer france for					
	, D.C. 20231	IREM YUCEL	•				
Facsimile No. (703) 305-3230		Telephone No. (703) 308-0196	Į.				

INTERNATIONAL SEARCH REPORT

Inemational application No.
PCT/US00/05432

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No. 1-11, 19-21 15-18, 22-38
?	ASTUMIAN et al. Site-specific recombination between cloned attP and attB sites from the Haemophilus influenzae bacteriophage HP1 propagated in recombination deficient Escherichia coli. J of Bacteriology. March 1989, Vol. 171, No. 3, pages 1747-1750, see entire document.	
,		
	·	
		;
	·	

INTERNATIONAL SEARCH REPORT

n...mational application No. PCT/US00/05432

A. CLASSIFICATION	OF	SUBJECT	MATTER
IPC (7):			

C07H 21/04; C07K 1/00, 14/00; C12N 1/21, 15/00, 15/09, 15/63, 15/70; C12P 19/34

B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

WEST, STN (CAPLUS); DIALOG (MEDLINE, BIOSIS, SCISEARCH, PASCAL)

Terms: att (B?, P?, R?, L?), MCS, POLYLINKER, PLASMID, VECTOR, LOCALIZATION, SIGNAL, TRANSCRIPTION, TERMIN?, TRANSLATION?, ORI, REPLICON, GST, HEXHIST?, THIOREDOX?, CLEAVAGE, SITE?, SPECIF?, DIRECT?, RECOMBIN?, CLON?, INSERT?

Form PCT/ISA/210 (extra sheet) (July 1998)*